

Bulgaria

Barbara Rzebik-Kowalska & Vasil V. Popov

Rzebik-Kowalska, B. & Popov, V.V. Bulgaria. In: Hoek Ostende, L.W. van den, Doukas, C.S. & Reumer, J.W.F. (eds), *The Fossil Record of the Eurasian Neogene Insectivores (Erinaceomorpha, Soricomorpha, Mammalia)*, Part I. *Scripta Geologica Special Issue*, 5: 31-35, Leiden, November 2005.

B. Rzebik-Kowalska, Institute of Systematics and Evolution of Animals, Polish Academy of Sciences, Sławkowska 17, 31-016 Kraków, Poland (rzebik@isez.pan.krakow.pl); V.V. Popov, Institute of Zoology, Bulgarian Academy of Sciences, Tsar Osvoboditel 1, 1000 Sofia, Republic of Bulgaria (popov@zoology.bas.bg).

Contents

Introduction	31
Insectivore faunas in the Neogene of Bulgaria	32
References	33

Introduction

Research on Bulgarian fossil small mammals had a relatively late start and it was researchers from neighbouring countries who published the first few studies. The first fossil shrew, *Crocidura* sp., was mentioned by Jakubowski & Kraszewski (1972). It was found in the southeastern part of Bulgaria at Sarafovo, a locality of probably Pliocene age. A decade later, Rzebik-Kowalska (1982) and Horáček (1982a, b) described shrews and moles from Late Pleistocene localities. Then, in 1984, one of us (VP) started to study fossil insectivores from his country. The majority of Bulgarian fossil insectivores are Pleistocene (Popov, 1988, 1989, 1994b, 2000) and are not further considered herein. Pliocene insectivores are known from three localities, elaborated during the late 1980s and 1990s. There are no Miocene finds so far.

The oldest Bulgarian insectivores come from the Early Pliocene (MN14b) lacustrine deposits of Dorkovo. The paper describing material from this locality (Thomas *et al.*, 1986) contains only a preliminary list of insectivores, which was prepared by C.G. Rümke. A recent revision of the material (Popov, herein) reveals that *Mygalinia* sp. should be eliminated from the list; a revised list of the Dorkovo fauna is presented herein. The other two localities are karst fissure fillings; Muselievo (Popov, 1994a, 2004b) and Varshets (Popov, 2001, 2003, 2004a). Given the paucity of localities, the list of Bulgarian Neogene fossil insectivores is still rather incomplete when compared to other European countries.

All the material listed in this paper is stored at the Institute of Zoology of the Bulgarian Academy of Sciences in Sofia (IZ-BAS), except for the material from Sarafovo, of which the whereabouts are unknown.

Insectivore faunas in the Neogene of Bulgaria

MN 14

Dorkovo

Location – Pazardjik district.

Stratigraphy – Early Pliocene.

Literature – Thomas *et al.* (1986).

Insectivores – Talpidae: *Archaeodesmana* sp., *Desmana* cf. *verestchagini* Topachevsky, 1961, *Talpa minor* Freudenberg, 1914, *Desmanella* cf. *dubia* Rümke, 1976. Soricidae: *Asoriculus gibberodon* (Petényi, 1864), *Mafia csarnotensis* Reumer, 1984, *Deinsdorfia* cf. *kerkhoffi* Reumer, 1995, *Deinsdorfia* cf. *janossyi* Reumer, 1984, *Petenyia hungarica* Kormos, 1934, *Sorex* (size *S. minutus* Linnaeus, 1766)

Taxonomic descriptions – Rümke (in Thomas *et al.* 1986) gave a preliminary list of the insectivores. *Deinsdorfia*, *Mafia* and *Asoriculus* are added herein, following a revision of the fauna by one of us (VP). *Petenyia* sp. is here included in *Petenyia hungarica*, *Dibolia* sp. is changed into *Archaeodesmana* sp. (see remarks of Ciuperceni-1, Romania and Podlesice, Poland in Rzebik-Kowalska, 2005a, b) and *Talpa* sp. is identified as *Talpa minor*. *Mygalinia* sp. in Thomas *et al.* (1986) was not encountered and may have now been included in *Desmanella* cf. *dubia*.

Storage of material – IZ-BAS.

MN 15

Muselievo

Location – Highest terrace of the Osam River, Pleven district, northern Bulgaria.

Stratigraphy – Early Pliocene, Late Ruscinian.

Literature – Popov (1994a, 2004b).

Insectivores – Talpidae: *Talpa minor* Freudenberg, 1914. Soricidae: *Asoriculus gibberodon* (Petényi, 1864), *Blarinoides mariae* Sulimski, 1959, *Mafia* cf. *csarnotensis* Reumer, 1984, *Deinsdorfia kordosi* Reumer, 1984.

Taxonomic descriptions – Popov (1994a) gave a preliminary list of species, which were subsequently described by Popov (2004b). In the latter paper *Episoriculus gibberodon* was changed into *Asoriculus gibberodon* and *Talpa* cf. *csarnotana* into *Talpa minor*.

Storage of material – IZ-BAS.

MN 17

Varshets

Location – Prebalkan region, north Bulgaria.

Stratigraphy – Late Pliocene, Late Villanyian.

Literature – Popov (2001, 2003, 2004a).

Insectivores – Erinaceidae: *Erinaceus* cf. *lechei* Kormos, 1934. Talpidae: *Desmana* cf. *polonica* (Pashkov & Topachevsky, 1990), *Talpa* cf. *levantis* Thomas, 1906, *Scalopoides?* cf. *copernici* Skoczeń, 1980, *Quyania* aff. *polonica* (Skoczeń, 1980). Soricidae: *Asoriculus gibberodon* (Petényi, 1864), *Mafia* aff. *csarnotensis* Reumer, 1984, *Beremendia fissidens* (Petényi, 1864), *Petenya hungarica* Kormos, 1934, *Sorex* cf. *minutus* Linnaeus, 1766, *Sorex runtonensis* Hinton, 1911.

Taxonomic descriptions – Popov gave descriptions of the Soricidae (2003) and of the Erinaceidae and the Talpidae (2004a). Storch & Qiu (1983) noted the similarity of *Neurotrichus? polonicus* Skoczeń, 1980 to *Quyania chowi* Storch & Qiu, 1983. However, in the absence of a complete anterior dentition for the Polish species, they did not change the original qualification. Popov (2004a) did place material resembling the Polish species in *Quyania*, although Rzebik-Kowalska (2005a) kept the species under its original classification for the Polish material.

Storage of material – IZ-BAS.

Sarafovo

Location – Burgas district, south-east Bulgaria.

Stratigraphy – Pliocene?

Literature – Jakubowski & Kraszewski (1972).

Insectivores – Soricidae: *Crocidura* sp.

Taxonomic descriptions – Jakubowski & Kraszewski (1972) described the single mandible belonging to *Crocidura*.

Storage of material – not known.

References

- Doukas, C.S., Hoek Ostende, L.W. van den, Theocharopoulos, C.D. & Reumer, J.W.F. 1995. The Vertebrate Locality Maramena (Macedonia, Greece) at the Turolian-Ruscinian Boundary (Neogene). 5. Insectivora (Erinaceidae, Talpidae, Soricidae, Mammalia). *Münchener Geowissenschaftliche Abhandlungen*, 28: 43-64.

- Freudenberg, W. 1914. Die Säugetiere des älteren Quartärs von Mitteleuropa mit besonderer Berücksichtigung der Fauna von Hundsheim und Deutschaltenburg in Niederösterreich etc. *Geologische und palaeontologische Abhandlungen* (Neue Folge), **12** (4/5): 1-219.
- Hinton, M.A.C. 1911. The British fossil shrews. *Geological Magazine*, **48** (5): 529-539.
- Horáček, I. 1982a. K poznání glaciálních pomeru v krasu severního Bulharska. *Ceskoslovenský Kras*, **32**: 95-103.
- Horáček, I., 1982b. K významu studia fauny Balkánského Poloostrova z hlediska výzkumu savů CSSR. *Zprávy Československé Zoologické Společnosti*, **17-18**: 73-80.
- Jakubowski, G. & Kraszewski, W. 1972. Occurrence of terrestrial vertebrate faunas in Late-Tertiary deposits of the Sarafovo area (Burgas District, SE Bulgaria). *Bulletin de l'Academie Polonaise des Sciences de la Terre*, **20** (3): 205-210.
- Kormos, T. 1934. Neue Insektenfresser, Fledermäuse und Nager aus dem Oberpliozän der Villányer Gegend. *Földtani Közlöny*, **64**: 296-321.
- Linnaeus, C. 1766. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis* (12th edition). Laurentii Salvii, Stockholm, 532 pp.
- Pashkov, A.V. & Topachevsky, V.A. 1990. Novye predstaviteli roda *Desmana* (Insectivora, Talpidae) iz pozdnepliocenovych otlozhenij Centralnoj Evropy i jugo-zapada evropejskoj chasti SSSR [New representatives of the genus *Desmana* (Insectivora, Talpidae) from the Late Pliocene deposits of the Central Europe and south-western part of the Soviet Union]. *Vestnik Zoologii*, **5**: 25-34 [In Russian.]
- Petényi, S.J. 1864. A beremendi mészkőbánya természetrajz-és őslénytanilag leírva. *Hátrahagyott munkái*. Akademia Kiadasá, Budapest: 35-81.
- Popov, V.V. 1988. Middle Pleistocene small mammals (Mammalia: Insectivora, Lagomorpha, Rodentia) from Varbeshnitsa (Bulgaria). *Acta Zoologica Cracoviensia*, **31** (5): 193-234.
- Popov V.V. 1989. Middle Pleistocene small mammals (Mammalia: Insectivora, Lagomorpha, Rodentia) from Morovitsa Cave (North Bulgaria). *Acta Zoologica Cracoviensia*, **32** (13): 561-588.
- Popov, V.V. 1994a. Preliminary report on Middle Pliocene small mammals (Insectivora, Lagomorpha, Rodentia) from Muselievo (North Bulgaria). In: *Neogene and Quaternary Mammals of the Palaearctic. Conference in Honour of Professor Kazimierz Kowalski, May 17-21, 1994, Kraków, Poland. Abstracts*: 54.
- Popov, V.V. 1994b. Quaternary small mammals from deposits in Temnata - Prochodna Cave system. In: Kozłowski, J. K., Laville, H. & Ginter, B. (eds), *Temnata Cave, excavations in Karlukovo Karst Area, Bulgaria*, **1** (2): 11-53. Jagellonian University Press, Kraków.
- Popov, V.V. 2000. The small mammals (Mammalia: Insectivora, Chiroptera, Lagomorpha, Rodentia) from Cave 16 (North Bulgaria) and the paleoenvironmental changes during the Late Pleistocene. In: Ginter, B., Kozłowski, J.K. & Laville, L. (eds.), *Temnata Cave. Excavations in Karlukovo Karst Area, Bulgaria*, **2** (2): 159-240. Jagellonian University Press, Krakow.
- Popov, V.V. 2001. Late Pliocene voles (Mammalia, Arvicolidae) from Varshets (North Bulgaria). *Acta Zoologica Cracoviensia*, **44** (2): 143-172.
- Popov, V.V. 2003. Late Pliocene Soricidae (Insectivora, Mammalia) from Varshets (North Bulgaria). *Acta Zoologica Cracoviensia*, **46** (1): 43-72.
- Popov, V.V. 2004a. Late Pliocene Erinaceidae and Talpidae (Mammalia: Insectivora) from Varshets (North Bulgaria). *Acta Zoologica Cracoviensia*, **47** (1-2): 61-80.
- Popov, V.V. 2004b. Pliocene small mammals (Mammalia, Lipotyphla, Chiroptera, Lagomorpha, Rodentia) from Muselievo (North Bulgaria). *Geodiversitas*, **26** (3): 403-491.
- Reumer, J.W.F. 1984. Ruscinian and early Pleistocene Soricidae (Insectivora, Mammalia) from Tegelen (The Netherlands) and Hungary. *Scripta Geologica*, **73**: 1-173.
- Rümke, C.G. 1976. Insectivora from Pikermi and Biodrak (Greece). *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*, **B79** (4): 256-276.
- Rzebik-Kowalska, B., 1982. Insectivora. In: Kozłowski, J.K. (ed.), *Excavation in the Bacho Kiro Cave*. Państwowe Wydawnictwo Naukowe, Warszawa: 39-40.
- Rzebik-Kowalska, B., 2005a. Poland. In: Hoek Ostende, L.W. van den, Reumer, J.W.F. & Doukas, C.S. (eds), *The Fossil Record of the Eurasian Neogene Insectivores (Erinaceomorpha, Soricomorpha, Mammalia), Part I. Scripta Geologica Special Issue*, **5**: 119-134.

- Rzebik-Kowalska, B. 2005b. Romania. In: Hoek Ostende, L.W. van den, Reumer, J.W.F. & Doukas, C.S. (eds), *The Fossil Record of the Eurasian Neogene Insectivores (Erinaceomorpha, Soricomorpha, Mammalia)*, Part I. *Scripta Geologica Special Issue*, 5: 135-147.
- Skoczeń, S. 1980. Condylurini Dobson, 1883 (Insectivora, Mammalia) in the Pliocene of Poland. *Acta Zoologica Cracoviensia*, 21 (8): 291-314.
- Sulimski, A. 1959. Pliocene insectivores from Węże. *Acta Palaeontologica Polonica*, 4 (2): 119-173.
- Thomas, O., 1906. New insectivores and voles collected by Mr. A. Robert near Trebizond. *Annales and Magazine of Natural History* (Series 7), 17: 415-421.
- Thomas, H., Spassov, N., Kodjumdgieva, E., Poidevin, J.-L., Popov, V., Sen, S., Tassy, P. & Visset, D. 1986. Résultats préliminaires de la première mission paléontologique franco-bulgare à Dorkovo (arrondissement de Pazardjik, Bulgarie). *Comptes Rendus de l'Académie des Sciences, Paris* (serie II), 302 (16): 1037-1042.
- Topachevsky, V.A. 1961. Novyi Pliotsenovykh vid vykhukholi iz predkavkazya. *Paleontologicheskij Zhurnal*, 4: 131-137.

