

Bibliography of the Megapodiidae

R.W.R.J. Dekker

Dekker, R.W.R.J. Bibliography of the Megapodiidae.

René W.R.J. Dekker, National Museum of Natural History, P.O. Box 9517, 2300 RA, Leiden, The Netherlands. E-mail: dekker@naturalis.nnm.nl

Key words: Megapodiidae; bibliography.

The Proceedings of the First International Megapode Symposium (Zoologische Verhandelingen Leiden, vol. 278) published in December 1992 included the paper Bibliography of the Megapodiidae with references to literature on megapodes upto 1992 (Dekker & Jones, 1992: 57-78). The bibliography presented here is supplementary as it continues where the previous list ended.

- Addin, A., 1992. Karakteristik mikro habitat tempat bertelur burung Maleo (*Macrocephalon maleo* Sal. Müller 1846) pada habitat alami dalam upaya penangkaran di suaka margasatwa Buton Utara, Sulawesi Tenggara: 1-105.— Rep., Institut Pertanian Bogor, Fakultas Kehutanan, Bogor.
- Anonymous, 1989. Malleefowl gets a helping hand.— *Thylacinus* 14: 16-17.
- Anonymous, 1994. Der Vogel, der aus der Erde kam/The translocation of Tongan Megapodes.— *Zum Fliegen geboren/Flying Free* (Newsl. Brehm Fund Int. Bird Conserv.) 12 (1/2): 2-3.
- Anonymous, 1995a. Major nesting ground of the Moluccan Megapode *Eulipoa wallacei* rediscovered.— *Megapode Newsl.* 9 (1): 1-2.
- Anonymous, 1995b. Sand-sational discovery.— *Wld Birdw.* 17 (1): 5.
- Argeloo, M., 1992. Maleo Conservation Project. Phase II: 1-44.— Rep., Institute of Taxonomic Zoology, University of Amsterdam.
- Argeloo, M., 1994. The Maleo *Macrocephalon maleo*: new information on the distribution and status of Sulawesi's endemic megapode.— *Bird Conserv. Int.* 4: 383-393.
- Argeloo, M. & R.W.R.J. Dekker, 1996. Exploitation of megapodes eggs in Indonesia: the role of traditional methods in the conservation of megapodes.— *Oryx* 30: 59-64.
- Atyeo, W.T., 1990. Ornate feather mites (Acari, Pterolichidae) from the Megapodiidae (Aves, Galliformes).— *Ent. Mitt. zool. Mus. Hamburg* 10 (139/140): 67-74.
- Atyeo, W.T., 1992. The pterolichoid feather mites (Acarina, Astigmata) of the Megapodiidae (Aves, Galliformes).— *Zool. Scripta* 21: 265-305.
- Atyeo, W.T. & T.M. Perez, 1991. *Echinozonus*, a new genus of feather mites (Pterolichidae) from the Megapodiidae (Aves).— *Ent. Mitt. zool. Mus. Hamburg* 10 (141/142): 113-126.
- Baker, G., 1997a. Birds of the Spice Islands: Moluccan Megapodes in Halmahera.— *Megapode Newsl.* 11 (1): 3-4.
- Baker, G., 1997b. The Moluccan Megapode: Bird of the Spice Islands.— *Wld Pheasant Assoc. J.* 53: 21-24.
- Baker, G., 1997c. Birds of the Spice Islands. Moluccan Megapode Conservation Project. An expedition from the University of Sussex in association with the Indonesian Department of Forestry (PHPA). November 1996 - January 1997. Final Report: 1-43.— Rep., University of Sussex, Brighton.
- Benshemesh, J., 1991. Evaluation of thermal sensing for locating Malleefowl nests: 1-10.— Draft paper. (subtitle: A report on the feasibility of remote-sensing active Malleefowl nests using an air-born scanner operating in thermal wavelengths).
- Benshemesh, J., 1992a. Further investigations into the feasibility of surveying Malleefowl populations using airborne thermal scanners: 1-51.— Rep., Department of Conservation and Environment, Victoria.
- Benshemesh, J., 1992b. The conservation ecology of Malleefowl, with particular regard to fire: 1-224.— Thesis, Monash University, Clayton.
- Benshemesh, J., 1994a. The fire-ecology and conservation of Malleefowl.— In: J. Dittami, W. Bock, M. Taborsky, R. van den Elzen & E. Vogel-Millesi, eds. *Research Notes on Avian Biology 1994: Selected Contributions from the 21st International Ornithological Congress.*— *J. Orn.* 135 (Son-derh.): 229.

- Benshemesh, J., 1994b. Surveying Malleefowl by thermal scanning - a summary of recent research.— Megapode Newsl. 8 (1): 2-5.
- Benshemesh, J., 1995. Surveying Malleefowl by thermal scanning - a summary of recent research: 94-98.— In: D. Jenkins, ed. Ann. Rev. Wld Pheasant Assoc. 1993/94. Reading.
- Benshemesh, J.S. & W.B. Emison, 1996. Surveying breeding densities of Malleefowl using an airborne thermal scanner.— Wildl. Res. 23: 121-142.
- Birks, S.M., 1991. Female mate choice in Australian Brush-turkeys.— Wld Pheasant Assoc. J. 33: 21-26.
- Birks, S.M., 1996a. Reproductive behaviour and paternity in the Australian Brush-turkey *Alectura lathami*: 1-257.— Diss., Cornell University, Ithaca.
- Birks, S., 1996b. In search of the Vanuatu Megapode: impressions from Vanuatu.— Megapode Newsl. 10 (2): 19-20.
- Birks, S., 1997. Paternity in the Australian brush-turkey, *Alectura lathami*, a megapode bird with uni-parental male care.— Behav. Ecol. 8: 560-568.
- Birks, S.E., in press. Unusual timing of copulations in the Australian Brush-turkey.— Auk.
- Bowen, J., 1996a. The Vanuatu Megapode *Megapodius layardi* on Ambrym.— Megapode Newsl. 10 (1): 1-3.
- Bowen, J., 1996b. Notes on the Vanuatu Megapode *Megapodius layardi* on Ambrym, Vanuatu.— Bird Conserv. Int. 1996 (6): 401-408.
- Bowman, D.M.J.S., J.C.Z. Woinarski & J. Russell-Smith, 1994. Environmental relationships of Orange-footed Scrubfowl *Megapodius reinwardt* nests in the Northern Territory.— Emu 94: 181-185.
- Cooper, W.R., 1988. High altitude scrubfowl.— Muruk 3 (1): 4.
- Davidson, P., T. Stones & R. Lucking, 1995. The conservation status of key bird species on Taliabu and the Sula Islands, Indonesia.— Bird Conserv. Int. 5: 1-20.
- Dekker, R., 1994. Dusky Megapodes and Halmahera.— Birding Wld 7 (7): 292-293.
- Dekker, R.W.R.J., 1996. Megapodes of the genus *Megapodius* in the Oriental Region.— Orient. Bird Cl. Bull. 24: 36-41.
- Dekker, R.W.R.J. 1997. The megapodes of Nusa Tenggara and Maluku: 363-366.— In: Monk, K.A., Fretes, Y. de & Reksodiharjo-Lilley, G., The Ecology of Nusa Tenggara and Maluku, The Ecology of Indonesia Series, Vol. V. Singapore.
- Dekker, R. & M. Argeloo, 1993. Bruijn's Brush-turkey *Aepyodius bruijnii* remains a mystery.— Megapode Newsl. 7 (2): 15-17.
- Dekker, R.W.R.J., M. Argeloo & P. Jepson, 1995. Notes on the Moluccan Megapode *Eulipoa wallacei* (G.R. Gray, 1860) following the rediscovery of two major nesting grounds.— Zool. Meded. 69 (15-29): 251-260.
- Dekker, R.W.R.J. & D.N. Jones, eds, 1992. Proceedings of the First International Megapode Symposium, Christchurch, New Zealand, December 1990.— Zool. Verh. Leiden 278: 1-78.
- Dekker, R.W.R.J. & P.J.K. McGowan, 1995. Megapodes - an action plan for their conservation 1995-1999: 1-41.— Gland.
- Donnellan, S.C., J. Dubach & J. Birrell, 1994. Conservation genetics of the Malleefowl *Leipoa ocellata*.— Megapode Newsl. 8 (1): 6-7.
- Downie, S., J. Birrell & S.C. Donnellan, 1993. Mitochondrial phylogeny of megapodes.— Megapode Newsl. 7 (2): 17-18.
- Dwyer, P.D. & M. Minnegal, 1990. Yams and megapode mounds in the lowland rainforest of Papua New Guinea.— Human Ecol. 18: 177-185.
- Elliott, A., 1994. Family Megapodiidae (megapodes): 278-309.— In: J. del Hoyo, A. Elliott & J. Sargatal, eds. Handbook of the Birds of the World, Vol. 2, New World Vultures to Guineafowl. Barcelona.
- Firman, 1996. Note on a survey of the Philippine Megapode *Megapodius cumingii* on the Togan Islands.— Megapode Newsl. 10 (1): 3-4.
- Göth, A., 1995. Zur Ontogenese des Polynesischen Grossfussshuhnes (*Megapodius pritchardii*, Megapodiidae): 1-63.— Rep., Leopold-Franzens-Universität, Innsbruck.
- Göth, A. & U. Vogel, 1995. Status of the Polynesian Megapode *Megapodius pritchardii* on Niuafo'ou (Tonga).— Bird Conserv. Int. 5: 117-128.

- Göth, A. & U. Vogel, 1997. Egg laying and incubation of the Polynesian megapode: 43-54.— In: K.C.R. Howman, ed. Ann. Rev. W.P.A. 1996/97.
- Harlen, R. & D. Priddel, 1996. Potential food resources available to malleefowl *Leipoa ocellata* in marginal mallee lands during drought.— Austr. J. Ecol. 21: 418-428.
- Haywood, S., 1993. Sensory and hormonal control of clutch size in birds.— Quart. Rev. Biol. 68: 33-59.
- Heij, K., 1995a. Het Wallace Grootpoothoen.— Avicultura 109 (7/8): 68-73.
- Heij, K., 1995b. The biology of the Moluccan Scrubfowl *Eulipooa wallacei* (Aves, Galliformes, Megapodiidae) on Haruku and other Moluccan Islands; part I: scope of the study and preliminary results.— Deinsea 2: 145-155.
- Heij, C.J. & C.F.E. Rompas, 1997a. The Moluccan Scrubfowl *Eulipooa wallacei*.— Orient. Bird Club Bull. 25: 50-52.
- Heij, C.J. & C.F.E. Rompas, 1997b. Ekologi Megapoda Maluku (Burung Momoa, *Eulipooa wallacei*) di Pulau Haruku dan beberapa pulau di Maluku, Indonesia: 1-160.— Rotterdam/Ambon.
- Heij, C.J., C.F.E. Rompas & C.W. Moeliker, 1997. The biology of the Moluccan megapode *Eulipooa wallacei* (Aves, Galliformes, Megapodiidae) on Haruku and other Moluccan Islands; part 2: final report.— Deinsea 3: 1-124.
- Healey, C., 1994. Dispersal of newly hatched Orange-footed Scrubfowl *Megapodius reinwardt*.— Emu 94: 220-221.
- Horton, H., 1995. Bird observations on Scawfell Island.— Queensl. Nat. 33 (5-6): 116-123.
- Indrawan, M., 1992. News on the Maleo colony at Bakirang, eastern Sulawesi, Indonesia.— Megapode Newsl. 6 (2): 13-14.
- Indrawan, M., M.S. Fujita, Y. Masala & L. Pesik, 1993. Status and conservation of Sula Scrubfowl (*Megapodius bernsteinii* Schlegel 1866) in Banggai islands, Sulawesi.— Trop. Biodiv. 1 (2): 113-130.
- Indrawan, M., Y. Masala & L. Pesik, 1997. Recent bird observations from the Banggai Islands.— Kukila 9: 61-70.
- Indrawan, M., Y. Masala & L. Pesik, 1998. Observations on the breeding behaviour of Sula Scrubfowl *Megapodius bernsteinii* in the Banggai Islands, Sulawesi, Indonesia.— Forktail 13: 13-16.
- Jones, D.N., 1993. Stalking Turkey.— Austr. Nat. Hist. 24 (4): 30-35.
- Jones, D.N., 1994. Reproduction without parenthood: Individual behaviour of male, female and juvenile Australian Brush-turkeys: 135-146.— In: P.J. Jarman & A. Rossiter, eds. Animal Societies: Individuals, Interactions and Organization. Kyoto.
- Jones, D.N., 1997. What do female Brush-turkeys really want: good fathers or good looks?— Cumberland Bird Obs. Cl. Newsl. 18 (6): 1-3.
- Jones, D.N., 1998. Behavioural snapshot: Australian Brush-turkey.— Interpr. Bird. Bull. 1 (5): 13-14.
- Jones, D.N., in press. Running away from home at birth.— Living Bird.
- Jones, D.N., in press. Megapodiidae.— In: D. Walton, ed. Fauna of Australia Vol. 2: Aves. Austr. Biol. Res. Survey. Canberra.
- Jones, D.N. & R.W.R.J. Dekker, 1994. Recent assessments and future priorities in Megapode research.— Wild Pheasant Assoc. J. 17 & 18: 39-44.
- Jones, D.N., R.W.R.J. Dekker & C.S. Roselaar, 1995. The Megapodes: 1-262.— Oxford.
- Jones, D., S. Everding & R. Nattrass, 1993. Suburban Brush-turkeys.— Wingspan 11 (Sept. '93): 20-21.
- Kentish, B. & M. Westbrooke, 1993. Crop and gizzard contents of a road-dead Malleefowl.— Emu 93: 130-132.
- King, D.R., W.E. Kirkpatrick & M. McGrath, 1996. The tolerance of Malleefowl *Leipoa ocellata* to 1080.— Emu 96: 198-202.
- Kobayashi, H. & K.J. Gurmaya, 1993. A new breeding site of the Maleo in Central Sulawesi.— Kukila 6 (2): 131.
- Lambert, F.R., 1994. Notes on the avifauna of Bacan, Kasiruta and Obi, north Moluccas.— Kukila 7: 1-9.
- Lepofsky, D., 1989. Eating eggs on Eloaua: the initiation of a mutualist relationship.— J. Ethnobiol. 9 (2): 229-231.
- Lucking, R.S., P.J.A. Davidson & A.J. Stones, 1992. The status and ecology of the Sula Scrubfowl *Megapodius bernsteinii* on Taliabu, Maluku, Indonesia.— Megapode Newsl. 6 (2): 15-22.

- Menzies, J.I., 1996. Unnatural distribution of fauna in the east Malesian region: 31-38.— In: D.J. Kitchener & A. Suyanto, eds. Proceedings of the first international conference on eastern Indonesian-Australian vertebrate fauna, Manado, Indonesia, November 22-26, 1994. Perth.
- Mey, E., 1997. Die Goniididen (Insecta, Phthiraptera, Ischnocera) der Grossfusshühner (Megapodiidae).— Rudolstädter nat. hist. Schr. 8: 19-44.
- Mey, E. & E. Curio, 1993a. Eine neue Subspezies von *Kelerimenopon minus* (Insecta, Phthiraptera, Amblycera) auf dem polynesischen Grossfussshuhn *Megapodius pritchardii* (Megapodiidae).— Rudolst. naturhist. Schr. 5: 69-74.
- Mey, E. & E. Curio, 1993b. *Malaulipeurus alexandermuelleri* gen. et spec. nov. (Insecta, Phthiraptera, Ischnocera) - ein neuer Federling von *Megapodius pritchardii* (Megapodiidae).— Ent. Abh. staatl. Mus. Tierk. Dresden 55 (8): 141-151.
- Mitchell, S., 1993. Shell mound formation in northern Australia: a case study from Croker Island, northwestern Arnhem Land.— Beagle 10 (1): 179-192.
- Moeliker, K., 1995. Tussen de grootpoothoenders van Haruku.— Straatgras 7 (3-4): 34-41.
- Motte, K. de la, 1992. The malleefowl conservation program.— Wld Pheasant Assoc. J. 15-16: 11-14.
- Murai, E. & B.B. Georgiev, 1988. Redescription of three dilepidid species from New Guinean *Megapodius freycinet* (Aves: Galliformes) erected by Sandor Kotlan, with the description of *Kotlanolepis* gen. n. (Cestoda).— Parasit. Hungarica 20: 65-79.
- Niles, D., 1995. Brown-collared brush-turkey (*Talegalla jobiensis*) used for drum skin.— Muruk 7 (1): 39-40.
- O'Brien, T.G. & M.F. Kinnaird, 1996. Changing populations of birds and mammals in North Sulawesi.— Oryx 30: 150-156.
- Oppermann, J., 1994. Tod und Wiedergeburt. Über das Schicksal einiger Berliner Zootiere.— Bongo 24: 51-84.
- Orsini, J.P., G. Hall & the Malleefowl Preservation Group, 1996. The Malleefowl Preservation Group in Western Australia: a case study in community participation: 517-522.— In: D.A. Saunders, J.L. Craig & E.M. Matiske, eds. Nature conservation 4: the role of networks. Chipping Norton.
- Poulsen, M.K., 1995. The threatened and near-threatened birds of Luzon, Philippines, and the role of the Sierra Madre mountains in their conservation.— Bird Conserv. Int. 5: 79-115.
- Prawiradilaga, D.M., 1997. The maleo *Macrocephalon maleo* on Buton.— Bull. B.O.C. 117 (3): 237.
- Priddel, D., 1989. Conservation of rare fauna: the regent parrot and the Malleefowl: 243-249.— In: J.C. Noble & R.A. Bradstock, eds. Mediterranean landscapes in Australia. Melbourne.
- Priddel, D., 1990. Conservation of the Malleefowl in New South Wales: an experimental management strategy: 71-76.— In: J.C. Noble, P.J. Joss & G.K. Jones, eds. Mallee lands: a conservation perspective. Melbourne.
- Priddel, D., 1993. Incubation mounds of the malleefowl *Leipoa ocellata* used as aestivating sites by the giant banjo frog *Limnodynastes interioris*: 225-226.— In: D. Lunney & D. Ayers, eds. Herpetology in Australia: a diverse discipline. Trans. R. Zool. Soc. New South Wales. Chipping Norton.
- Priddel, D. & R. Wheeler, 1994. Mortality of captive-raised Malleefowl, *Leipoa ocellata*, released into a mallee remnant within the wheat-belt of New South Wales.— Wildl. Res. 21: 543-552.
- Priddel, D. & R. Wheeler, 1995. The biology and management of the Malleefowl (*Leipoa ocellata*) in NSW. Species Mgmt Rep. 19: 1-42.— Hurstville.
- Priddel, D. & R. Wheeler, 1996. Effect of age at release on susceptibility of captive-reared Malleefowl *Leipoa ocellata* to predation by the introduced fox *Vulpes vulpes*.— Emu 96: 32-41.
- Priddel, D. & R. Wheeler, 1997. Efficacy of fox control in reducing the mortality of released captive-reared Malleefowl, *Leipoa ocellata*.— Wildl. Res. 24: 469-482.
- Riley, J., 1996. The status of megapodes on the Sangihe and Talaud Islands.— Megapode Newsl. 10 (1): 4-8.
- Riley, J., 1997. The birds of Sangihe and Talaud, North Sulawesi.— Kukila 9: 3-36.
- Rinke, D., 1993a. Refugees on remote volcanoes.— Pacific Islands (Apr. '93): 34-35.
- Rinke, D., 1993b. Safe islands for the Malau.— Orn. Soc. New Zealand News 69 (Dec. '93): 1.
- Rinke, D.R., 1993c. Progress report from the Brehm Fund Malau Conservation Project.— Megapode Newsl. 7 (2): 10-12.

- Rinke, D., 1994a. The Malau or Polynesian Megapode *Megapodius pritchardii*: report from first expeditions after translocations.— Megapode Newsl. 8 (2): 10-11.
- Rinke, D., 1994b. The Malau on Fonualei in northern Tonga.— Wld Pheasant Assoc. News 44: 7-8.
- Rinke, D., 1995. Red Data Bird. Niuafo'ou Megapode.— Wld Birdw. 17 (4): 20-21.
- Rinke, D.R., L.H. Soakai & A. Usback, 1993. Koe Malau. Life and future of the Malau: 1-20.— Brehm Fund Int. Bird Conserv., Bonn, Germany and Nuku'alofa, Kingdom of Tonga.
- Roselaar, C.S., 1994. Systematic notes on Megapodiidae (Aves, Galliformes), including the description of five new subspecies.— Bull. zool. Mus., Amsterdam 14 (2): 9-36.
- Sankaran, R., 1993. The Status and Conservation of the Nicobar Scrubfowl *Megapodius nicobariensis*: 1-65.— Rep., Salim Ali Centre Orn. nat. Hist., Coimbatore.
- Sankaran, R., 1995a. The Nicobar Megapode and other endemic Avifauna of the Nicobar Islands. Status and Conservation: 1-44.— SACON Techn. Rep. 2. Salim Ali Centre Orn. nat. Hist., Coimbatore.
- Sankaran, R., 1995b. The distribution, status and conservation of the Nicobar Megapode *Megapodius nicobariensis*.— Biol. Conserv. 72: 17-25.
- Sankaran, R., 1998. An annotated list of the endemic avifauna of the Nicobar islands.— Forktail 13: 17-22.
- Scharf, W.C. & R.D. Price, 1983. Review of the Amyrsidea in the subgenus *Argimenopon* (Mallophaga: Menoponidae).— Ann. ent. Soc. Amer. 76 (3): 441-451.
- Sinclair, R., 1997. Preliminary results from a study of the ecology, behaviour and conservation of three species of megapode in Papua New Guinea.— Megapode Newsl. 11 (1): 2-3.
- Sinclair, R., M. Kinnaird & T. O'Brien, 1996. A summary of some recent research on the Philippine Megapode (*Megapodius cumingii*) and the Maleo (*Macrocephalon maleo*) in the Tangkoko-Dua Saudara Nature Reserve, North Sulawesi, Indonesia.— Megapode Newsl. 10 (2): 15-19.
- Sivakumar, K. & R. Sankaran, 1996. Incubation mounds and mound use patterns in the Nicobar Megapode. Abstract: 93.— In: Proc. 1st Pan-Asian Orn. Congr. & 13th BirdLife Asia Conf. Coimbatore.
- Starck, J.M. & E. Sutter, 1994a. Patterns of growth in megapodes: prolonged incubation permits superprecocial chicks. — In: J. Dittami, W. Bock, M. Taborsky, R. van den Elzen & E. Vogel-Millesi, eds. Research Notes on Avian Biology 1994: Selected Contributions from the 21st Int. Orn. Congr.— J. Orn 135 (Sonderh.): 85.
- Starck, J.M. & E. Sutter, 1994b. Comparative analysis of growth and the evolution of superprecociality in megapodes.— Megapode Newsl. 8 (2): 11-14.
- Steadman, D.W., 1992. Extinct and extirpated birds from Rota, Mariana islands.— Micronesica 25: 71-84.
- Steadman, D.W., 1995. Prehistoric extinctions of Pacific island birds: biodiversity meets zooarchaeology.— Science 267: 1123-1131.
- Stone, T., 1993. The Weipa shell mounds: a summary of recent research.— Megapode Newsl. 7 (2): 13-14.
- Stone, T., 1995. Shell mound formation in coastal northern Australia.— Mar. Geol. 129: 77-100.
- Stones, A.J., R.S. Lucking, P.J. Davidson & Wahyu Raharjaningtrah, 1997. Checklist of the birds of the Sula Islands (1991), with particular reference to Taliabu Island.— Kukila 9: 37-55.
- Stroud, P., 1992a. A viable Malleefowl mound at the Adelaide Zoo.— Thylacinus 17: 20-23.
- Stroud, P., 1992b. Breeding the malleefowl at the Adelaide Zoo.— Austr. Avicult. 44 (12): 286-290.
- Sytch, V.F., 1990. Morphological peculiarities of the pelvic musculature of megapodes and cracids (Galliformes; Megapodiidae, Cracidae): 179-192.— In: E.N. Kurochkin, ed. Sovremennaya ornitologiya 1990: sbornik nauchnykh trudov. (Modern ornithology 1990: collected papers of the USSR Ornithological Society). Moskva.
- Tindale, N.B., 1925. Notes on the birds of Groote Eylandt, Gulf of Carpentaria.— South Austr. Orn. 8: 10-16.
- Triana, C. & A.A. Dwiyahreni, 1996. Literature review of the present distribution of three Indonesian megapodes with discussion on their suitability as flagship species for important bird areas. Abstract: 163.— In: D.J. Kitchener & A. Suyanto, eds. Proc. 1st Int. Conf. on eastern Indonesian-Australian vertebrate fauna, Manado, Indonesia, Nov. 22-26, 1994. Perth.

- Tuhumuri, E., 1996. Studi konservasi *Eulipoa wallacei* G.R. Gray 1860 di Desa Kailolo, Kecamatan Pulau Haruku, Kabupaten Maluku Tengah, Maluku: 1-94.— Rep., Universitas Padjadjaran, Fakultas Matematika dan Ilmu Pengetahuan Alam, Bandung.
- Vaarwerk, M. & M. LeBreton, 1992. A note on the range of the Brush Turkey, *Alectura lathami*, in the Sydney Basin, N.S.W.— Sydney Basin Nat. 1: 86-88.
- Vogel, U., 1995. Beobachtungen zum Verhalten und zur Sozialstruktur des Polynesischen Grossfussshuhns (*Megapodius pritchardii*, Megapodiidae): 1-68.— Rep., Ruhr-Universität, Bochum.
- Wardill, J.C., 1996. The report of the ornithological expedition to the Rawa Aopa Watumohai National Park, South-east Sulawesi, Indonesia. 9th Sept. - 9th Nov. 1995: 1-30.— Rep., Sulawesi '95 Orn. Exp. University of Leeds with Symbiose Birdw. Cl. Jakarta.
- Weathers, W.W. & R.S. Seymour, 1998. Behaviour and time-activity budgets of Malleefowl *Leipoa ocellata* in South Australia.— Emu 98: 288-296.
- Weathers, W.W., R.S. Seymour & R.V. Baudinette, 1993. Energetics of mound-tending behaviour in the malleefowl, *Leipoa ocellata* (Megapodiidae).— Anim. Behav. 45: 333-341.
- Webb, H.P., 1992. Field observations of the birds of Santa Isabel, Solomon islands.— Emu 92: 52-57.
- Weber, E., 1996. The skeletal muscular system of the jaw apparatus of *Aepyodius arfakianus* (Salvadori, 1877) (Aves, Megapodiidae). A comparative anatomical study with reference to the basic anatomy of Aves and Neognathae.— Courier Forschungsinst. Senckenberg 189: 1-130.
- Wilcove, D., 1997. Buried treasures.— Living Bird 16 (2): 6-7.
- Williams, S., 1993. Australia's Amazing Malleefowl.— Bison (Brookfield Zoo) 6: 20-25.
- Williams, S.L., 1996a. Malleefowl as a flagship for conservation on farms in the Murray Mallee of South Australia: 316-320.— In: D.A. Saunders, J.L. Craig & E.M. Mattiske, eds. Nature conservation 4: the role of networks. Chipping Norton.
- Williams, S.L., 1996b. Community involvement in the species recovery process: insights into successful partnerships: 87-96.— In: S. Stephens & S. Maxwell, eds. Back from the brink: refining the threatened species recovery process. Chipping Norton.

Received: 15.vi.1998

Accepted: 1.vii.1998

Edited: C. van Achterberg