




Figs 1-4, *Trypeticus cinctipygus* (Marseul); figs 5-8, *Trypanaeus quadricollis* Marseul; fig. 9, punctures in longitudinal section (schematic). - 1, 5, left antenna (superior side). - 2, 6, left protibia (inner face), teeth strongly bent backwards, especially so in fig. 6. - 3, 7, left mesotibia (outer face). - 4, left metatibia (outer face). - 8, right metatibia (outer face). Scale line: 0.5 mm.




Figs 10-14, *Trypeticus immanis* spec. nov.; figs 15-19, *Trypeticus albertisii* (Gestro). - 10, 15, dorsal view, male (in part). - 11, 16, female pronotum, dorsal view. - 12, 17, pro-, meso- and anterior part of metasternum, male, ventral view. - 13, 18, head male (frontal view). - 14, 19, head female (frontal view). Scale lines: 1.0 mm, left line for figs 10-11, 15-16 and right line for figs 12-14, 17-19.




Figs 20-24, *Trypeticus crassus* Schmidt; figs 25-29, *Trypeticus beesoni* Desbordes. - 20, 25, dorsal view, male (in part). - 21, 26, female pronotum, dorsal view. - 22, 27, pro-, meso- and anterior part of metasternum, male, ventral view. - 23, 28, head male (frontal view). - 24, 29, head female (frontal view). Scale lines: 0.5 mm, left line above for figs 20-21, left line below for figs 27-29, right line above for figs 22-24, right line below for figs 25-26.




Figs 30-34, *Trypeticus pederseni* spec. nov. - 30, dorsal view, female (in part). - 31, male pronotum, dorsal view. - 32, pro-, meso- and anterior part of metasternum, female, ventral view. - 33, head male (frontal view). - 34, head female (frontal view). Scale lines: 0.5 mm, left line for figs 30-31, right line for figs 32-34.




Figs 35-39, *Trypeticus rectangulus* spec. nov.; figs 40-42, *Trypeticus trigonifrons* spec. nov. - 35, dorsal view, male (in part). - 36, female pronotum, dorsal view. - 37, pro-, meso- and anterior part of metasternum, male, ventral view. - 38, head male (frontal view). - 39, 42, head female (frontal view). - 40, dorsal view, female (in part). - 41, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line for figs 35-36, 40, right line for figs 37-39, 41-42.




Figs 43-47, *Trypeticus helleri* Bickhardt; figs 48-50, *Trypeticus mazuri* spec. nov. - 43, dorsal view, male (in part). - 44, female pronotum, dorsal view. - 45, pro-, meso- and anterior part of metasternum, male, ventral view. - 46, head male (frontal view). - 47, 50, head female (frontal view). - 48, dorsal view, female (in part). - 49, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line for figs 43-44, 48, right line for figs 45-47, 49-50.




Figs 51-53, *Trypeticus poggii* spec. nov.; figs 54-58, *Trypeticus gilolous* (Marseul). - 51, 54, dorsal view, male (in part). - 52, 56, pro-, meso- and anterior part of metasternum, male, ventral view. - 53, 57, head male (frontal view). - 55, female pronotum (dorsal view). - 58, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 51, left line below for figs 54-55, right line above for figs 52-53, right line below for figs 56-58.




Figs 59-63, *Trypticus incilis* Lewis; figs 64-66, *Trypticus frontalis* Schmidt. - 59, dorsal view, female (in part). - 60, male pronotum, dorsal view. - 61, pro-, meso- and anterior part of metasternum, female, ventral view. - 62, 66, head male (frontal view). - 63, head female (frontal view). - 64, dorsal view, male (in part). - 65, pro-, meso- and anterior part of metasternum, male, ventral view. Scale lines: 0.5 mm, left line for figs 59-60, 64, right line for figs 61-63, 65-66.




Figs 67-72, *Trypeticus rostripygus* Bickhardt; figs 73-80, *Trypeticus nemorivagus* Lewis. - 67, 73, dorsal view, male (in part). - 68, pygidium (seen from a direction perpendicular to its plane). - 69, 74, female pronotum, dorsal view. - 75, idem (variety). - 70, 76, pro-, meso- and anterior part of metasternum, male, ventral view. - 71, 77, head male (frontal view). - 78, idem (variety). - 72, 79, head female (frontal view). - 80, idem (variety). Scale lines: 0.5 mm, left line for figs 67-69, 73-75, right line for figs 70-72, 76-80.




Figs 81-87, *Trypeticus huijbregtsi* spec. nov.; figs 88-90, *Trypeticus alticola* spec. nov. - 81, 88, dorsal view, male (in part). - 82, female pronotum, dorsal view. - 83, idem, anterior part (variety). - 84, 89, pro-, meso- and anterior part of metasternum, male, ventral view. - 85, 90, head male (frontal view). - 86, head female (frontal view). - 87, idem (variety). Scale lines: 0.5 mm, left line for figs 81-83, 88, right line for figs 84-87, 89-90.




Figs 91-95, *Trypeticus kirtoni* spec. nov.; figs 96-98, *Trypeticus kapleri* spec. nov. - 91, dorsal view, male (in part). - 92, 96, dorsal view, female (in part). - 93, 97, pro-, meso- and anterior part of metasternum, female, ventral view. - 94, head male (frontal view). - 95, 98, head female (frontal view). Scale lines: 0.5 mm, left line for figs 91-92, 96, right line for figs 93-95, 97-98.




Figs 99-101, *Trypeticus planisternus* Lewis; figs 102-104, *Trypeticus mirandus* spec. nov. - 99, 102, dorsal view, female (in part). - 100, 103, pro-, meso- and anterior part of metasternum, female, ventral view. - 101, 104, head female (frontal view). Scale lines: 0.5 mm, left line for figs 99, 102, right line for figs 100-101, 103-104.




Figs 105-107, *Trypeticus latirostrum* spec. nov.; figs 108-112, *Trypeticus kalemantanus* (Marseul). - 105, dorsal view, female (in part). - 106, pro-, meso- and anterior part of metasternum, female, ventral view. - 107, 112, head female (frontal view). - 108, dorsal view, male (in part). - 109, pronotum female (dorsal view). - 110, pro-, meso- and anterior part of metasternum, male, ventral view. - 111, head male (frontal view). Scale lines: 0.5 mm, left line for figs 105, 108-109, right line for figs 106-107, 110-112.




Figs 113-117, *Trypeticus rostricauda* spec. nov.; figs 118-120, *Trypeticus foveicollis* spec. nov. - 113, dorsal view, male (in part). - 114, 118, dorsal view, female (in part). - 115, pro-, meso- and anterior part of metasternum, male, ventral view. - 116, head male (frontal view). - 117, 120, head female (frontal view). - 119, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line for figs 113-114, 118, right line for figs 115-117, 119-120.




Figs 121-125, *Trypeticus kalshoveni* spec. nov.; figs 126-130, *Trypeticus tuberculinotum* spec. nov. - 121, 126, dorsal view, male (in part). - 122, 127, female pronotum, dorsal view. - 123, 128, pro-, meso- and anterior part of metasternum, male, ventral view. - 124, 129, head male (frontal view). - 125, 130, head female (frontal view). Scale lines: 0.5 mm, left line for figs 121-122, 126-127, right line for figs 123-125, 128-130.




Figs 131-133, *Trypeticus clarus* spec. nov.; figs 134-138, *Trypeticus danielsoni* spec. nov. - 131, dorsal view, female (in part). - 132, pro-, meso- and anterior part of metasternum, female, ventral view. - 133, 138, head female (frontal view). - 134, dorsal view, male (in part). - 135, female pronotum (dorsal view). - 136, pro-, meso- and anterior part of metasternum, male, ventral view. - 137, head male (frontal view). Scale lines: 0.5 mm, left line for figs 131, 134-135, right line for figs 132-133, 136-138.




Figs 139-141, *Trypeticus nitens* spec. nov.; figs 142-146, *Trypeticus vanasseni* spec. nov. - 139, dorsal view, female (in part). - 140, 144, pro-, meso- and anterior part of metasternum, female, ventral view. - 141, 146, head female (frontal view). - 142, dorsal view, male (in part). - 143, female pronotum (dorsal view). - 145, head male (frontal view). Scale lines: 0.5 mm, left line above for fig. 139, left line below for figs 142-143, right line above for figs 140-141, right line below for figs 144-146.




Figs 147-149, *Trypeticus uhligi* spec. nov.; figs 150-154, *Trypeticus hielkemaorum* spec. nov. - 147, dorsal view, female (in part). - 148, pro-, meso- and anterior part of metasternum, female, ventral view. - 149, 154, head female (frontal view). - 150, dorsal view, male (in part). - 151, female pronotum (dorsal view). - 152, pro-, meso- and anterior part of metasternum, male, ventral view. - 153, head male (frontal view). Scale lines: 0.5 mm, left line for figs 147, 150-151, right line for figs 148-149, 152-154.




Figs 155-157, *Trypeticus valens* spec. nov.; figs 158-162, *Trypeticus carinifrons* spec. nov. - 155, 158, dorsal view, male (in part). - 156, 160, pro-, meso- and anterior part of metasternum, male, ventral view. - 157, 161, head male (frontal view). - 159, pronotum female (dorsal view). - 162, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 155, left line below for figs 158-159, right line above for figs 156-157, right line below for figs 160-162.




Figs 163-167, *Trypeticus capillatus* spec. nov.; figs 168-170, *Trypeticus therondi* spec. nov. - 163, 168, dorsal view, male (in part). - 164, female pronotum (dorsal view). - 165, 169, pro-, meso- and anterior part of metasternum, male, ventral view. - 166, 170, head male (frontal view). - 167, head female (frontal view). Scale lines: 0.5 mm, left line for figs 163-164, 168, right line for figs 165-167, 169-170.




Figs 171-173, *Trypeticus caterinoi* spec. nov.; figs 174-178, *Trypeticus gomyi* spec. nov. - 171, dorsal view, male (in part). - 172, pro-, meso- and anterior part of metasternum, male, ventral view. - 173, 177, head male (frontal view). - 174, dorsal view, female (in part). - 175, male pronotum (dorsal view). - 176, pro-, meso- and anterior part of metasternum, female, ventral view. - 178, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 171, left line below for figs 174-175, right line above for figs 172-173, right line below for figs 176-178.




Figs 179-181, *Trypeticus merkli* spec. nov.; figs 182-186, *Trypeticus cinctipygus* (Marseul). - 179, 182, dorsal view, male (in part). - 180, 184, pro-, meso- and anterior part of metasternum, male, ventral view. - 181, 185, head male (frontal view). - 183, pronotum female (dorsal view) - 186, head female (frontal view). Scale lines: 0.5 mm, left line for figs 179, 182-183, right line for figs 180-181, 184-186.




Figs 187-189, *Trypeticus convexuscollis* spec. nov.; figs 190-194, *Trypeticus indicus* Lewis. - 187, 190, dorsal view, male (in part). - 188, 192, pro-, meso- and anterior part of metasternum, male, ventral view. - 189, 193, head male (frontal view). - 191, female pronotum (dorsal view) - 194, head female (frontal view). Scale lines: 0.5 mm, left line for figs 187, 190-191, right line for figs 188-189, 192-194.




Figs 195-197, *Trypeticus penatii* spec. nov.; figs 198-202, *Trypeticus veda* (Lewis). - 195, 198, dorsal view, male (in part). - 196, 200, pro-, meso- and anterior part of metasternum, male, ventral view. - 197, 201, head male (frontal view). - 199, pronotum female (dorsal view) - 202, head female (frontal view). Scale lines: 0.5 mm, left line for figs 195, 198-199, right line for figs 196-197, 200-202.




Figs 203-205, *Trypeticus lackneri* spec. nov.; figs 206-210, *Trypeticus bertiae* spec. nov. - 203, dorsal view, male (in part). - 204, pro-, meso- and anterior part of metasternum, male, ventral view. - 205, 209, head male (frontal view). - 206, dorsal view, female (in part). - 207, male pronotum (dorsal view). - 208, pro-, meso- and anterior part of metasternum, female, ventral view. - 210, head female (frontal view). Scale lines: 0.5 mm, left line for figs 203, 206-207, right line for figs 204-205, 208-210.




Figs 211-213, *Trypeticus sulcisternum* spec. nov.; figs 214-218, *Trypeticus canalifrons* Bickhardt. - 211, dorsal view, female (in part). - 212, pro-, meso- and anterior part of metasternum, female, ventral view. - 213, 218, head female (frontal view). - 214, dorsal view, male (in part). - 215, female pronotum (dorsal view). - 216, pro-, meso- and anterior part of metasternum, male, ventral view. - 217, head male (frontal view). Scale lines: 0.5 mm, left line above for fig. 211, left line below for figs 214-215, right line above for figs 212-213, right line below for figs 216-218.




Figs 219-221, *Trypeticus rombauti* spec. nov.; figs 222-226, *Trypeticus andaiensis* (Gestro). - 219, 223, dorsal view, female (in part). - 220, pro-, meso- and anterior part of metasternum, female, ventral view. - 221, 226, head female (frontal view). - 222, dorsal view, male (in part). - 224, pro-, meso- and anterior part of metasternum, male, ventral view. - 225, head male (frontal view). Scale lines: 0.5 mm, left line for figs 219, 222-223, right line for figs 220-221, 224-226.




Figs 227-231, *Trypeticus fagi* (Lewis); figs 232-236, *Trypeticus sauteri* Bickhardt. - 227, 232, dorsal view, male (in part). - 228, 233, female pronotum (dorsal view). - 229, 234, pro-, meso- and anterior part of metasternum, male, ventral view. - 230, 235, head male (frontal view). - 231, 236, head female (frontal view). Scale lines: 0.5 mm, left line for figs 227-228, 232-233, right line for figs 229-231, 234-236.




Figs 237-241, *Trypeticus dohertyi* (Lewis); figs 242-246, *Trypeticus gestroi* (Marseul). - 237, 242, dorsal view, male (in part). - 238, 243, female pronotum (dorsal view). - 239, 244, pro-, meso- and anterior part of metasternum, male, ventral view. - 240, 245, head male (frontal view). - 241, 246, head female (frontal view). Scale lines: 0.5 mm, left line above for figs 237-238, left line below for figs 242-243, right line above for figs 239-241, right line below for figs 244-246.




Figs 247-251, *Trypeticus nasicus* spec. nov.; figs 252-254, *Trypeticus riedeli* spec. nov. - 247, 252, dorsal view, female (in part). - 248, male pronotum (dorsal view). - 249, 253, pro-, meso- and anterior part of metasternum, female, ventral view. - 250, head male (frontal view). - 251, 254, head female (frontal view). Scale lines: 0.5 mm, left line for figs 247-248, 252, centre line right for figs 249-251, 253-254.




Figs 255-257, *Trypeticus protractus* spec. nov.; figs 258-262, *Trypeticus coomani* spec. nov. - 255, 258, dorsal view, female (in part). - 256, 260, pro-, meso- and anterior part of metasternum, female, ventral view. - 257, 262, head female (frontal view). - 259, male pronotum (dorsal view). - 261, head male (frontal view). Scale lines: 0.5 mm, left line for figs 255, 258-259, right line for figs 256-257, 260-262.




Figs 263-265, *Trypeticus smetanai* spec. nov.; figs 266-270, *Trypeticus monteithi* spec. nov. - 263, 266, dorsal view, male (in part). - 264, 268, pro-, meso- and anterior part of metasternum, male, ventral view. - 265, 269, head male (frontal view). - 267, female pronotum (dorsal view). - 270, head female (frontal view). Scale lines: 0.5 mm, left line for figs 263, 266-267, right line for figs 264-265, 268-270.




Figs 271-273, *Trypeticus hinei* spec. nov.; figs 274-278, *Trypeticus venator* (Lewis). - 271, 274, dorsal view, male (in part). - 272, 276, pro-, meso- and anterior part of metasternum, male, ventral view. - 273, 277, head male (frontal view). - 275, female pronotum (dorsal view). - 278, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 271, left line below for figs 274-275, right line above for figs 272-273, right line below for figs 276-278.




Figs 279-284, *Trypeticus ferrarii* (Gestro); figs 285-287, *Trypeticus degallieri* spec. nov. - 279, 285, dorsal view, male (in part). - 280, female pronotum (dorsal view). - 281, 286, pro-, meso- and anterior part of metasternum, male, ventral view. - 282, 287, head male (frontal view). - 283, head female (frontal view). - 284, idem (variety). Scale lines: 0.5 mm, left line above for figs 279-280, left line below for fig. 285, right line above for figs 281-284, right line below for figs 286-287.




Figs 288-290, *Trypeticus pooti* spec. nov.; figs 291-295, *Trypeticus nepalensis* spec. nov. - 288, 291, dorsal view, male (in part). - 289, 293, pro-, meso- and anterior part of metasternum, male, ventral view. - 290, 294, head male (frontal view). - 292, female pronotum (dorsal view). - 295, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 288, left line below for figs 291-292, right line above for figs 289-290, right line below for figs 293-295.




Figs 296-298, *Trypeticus houseae* spec. nov.; figs 299-303, *Trypeticus adebratti* spec. nov. - 296, 299, dorsal view, male (in part). - 297, 301, pro-, meso- and anterior part of metasternum, male, ventral view. - 298, 302, head male (frontal view). - 300, female pronotum (dorsal view). - 303, head female (frontal view). Scale lines: 0.5 mm, left line above for fig. 296, left line below for figs 299-300, right line above for figs 297-298, right line below for figs 301-303.




Figs 304-308, *Trypeticus silvicola* Schmidt; figs 309-311, *Trypeticus arriagadai* spec. nov. - 304, dorsal view, male (in part). - 305, female pronotum (dorsal view). - 306, pro-, meso- and anterior part of metasternum, male, ventral view. - 307, head male (frontal view). - 308, 311, head female (frontal view). - 309, dorsal view, female (in part). - 310, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line above for figs 304-305, left line below for fig. 309, right line above for figs 306-308, right line below for figs 310-311.




Figs 312-316, *Trypeticus bombacis* (Lewis); figs 317-322, *Trypeticus longicollis* Heller. - 312, 317, dorsal view, male (in part). - 313, 318, female pronotum (dorsal view). - 314, 320, pro-, meso- and anterior part of metasternum, male, ventral view. - 315, 321, head male (frontal view). - 316, 322, head female (frontal view). - 319, female pronotum (left lateral view). Scale lines: 0.5 mm, left line for figs 312-313, 317-319, right line for figs 314-316, 320-322.




Figs 323-327, *Trypeticus schwalleri* spec. nov.; figs 328-332, *Trypeticus aukei* spec. nov. - 323, 328, dorsal view, male (in part). - 324, 329, female pronotum (dorsal view). - 325, 330, pro-, meso- and anterior part of metasternum, male, ventral view. - 326, 331, head male (frontal view). - 327, 332, head female (frontal view). Scale lines: 0.5 mm, left line for figs 323-324, 328-329, right line for figs 325-327, 330-332.




Figs 333-337, *Trypeticus tabacigliscens* (Marseul); figs 338-342, *Trypeticus angustifrons* spec. nov. - 333, dorsal view, male (in part). - 334, female pronotum (dorsal view). - 335, pro-, meso- and anterior part of metasternum, male, ventral view. - 336, 341, head male (frontal view). - 337, 342, head female (frontal view). - 338, dorsal view, female (in part). - 339, male pronotum (dorsal view). - 340, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line for figs 333-334, 338-339, right line for figs 335-337, 340-342.




Figs 343-345, *Trypeticus parrilloi* spec. nov.; figs 346-351, *Trypeticus minutulus* Lewis. - 343, dorsal view, female (in part). - 344, pro-, meso- and anterior part of metasternum, female, ventral view. - 345, head female (frontal view). - 346, dorsal view, male (in part). - 347, female pronotum (dorsal view). - 348, pro-, meso- and anterior part of metasternum, male, ventral view. - 349, head male (frontal view). - 350, head female (frontal view). - 351, idem (variety). Scale lines: 0.5 mm, left line for figs 343, 346-347, right line for figs 344-345, 348-351.




Figs 352-354, *Trypeticus jaegeri* spec. nov.; figs 355-359, *Trypeticus jelmeri* spec. nov. - 352, dorsal view, female (in part). - 353, pro-, meso- and anterior part of metasternum, female, ventral view. - 354, 359, head female (frontal view). - 355, dorsal view, male (in part). - 356, female pronotum (dorsal view). - 357, pro-, meso- and anterior part of metasternum, male, ventral view. - 358, head male (frontal view). Scale lines: 0.5 mm, left line for figs 352, 355-356, right line for figs 353-354, 357-359.




Figs 360-364, *Trypeticus obeliscus* Lewis; figs 365-369, *Trypeticus subobeliscus* spec. nov. - 360, 365, dorsal view, female (in part). - 361, 366, male pronotum (dorsal view). - 362, 367, pro-, meso- and anterior part of metasternum, female, ventral view. - 363, 368, head male (frontal view). - 364, 369, head female (frontal view). Scale lines: 0.5 mm, left line for figs 360-361, 365-366, right line for figs 362-364, 367-369.




Figs 370-374, *Trypeticus parobeliscus* spec. nov.; figs 375-379, *Trypeticus gratus* spec. nov. - 370, dorsal view, female (in part). - 371, male pronotum (dorsal view). - 372, pro-, meso- and anterior part of metasternum, female, ventral view. - 373, 378, head male (frontal view). - 374, 379, head female (frontal view). - 375, dorsal view, male (in part). - 376, female pronotum (dorsal view). - 377, pro-, meso- and anterior part of metasternum, male, ventral view. Scale lines: 0.5 mm, left line for figs 370-371, 375-376, right line for figs 372-374, 377-379.




Figs 380-384, *Trypeticus gracilis* spec. nov.; figs 385-389, *Trypeticus sanneae* spec. nov. - 380, 385, dorsal view, female (in part). - 381, male pronotum (dorsal view). - 382, pro-, meso- and anterior part of metasternum, female, ventral view. - 383, 388, head male (frontal view). - 384, 389, head female (frontal view). - 386, dorsal view, male (in part). - 387, pro-, meso- and anterior part of metasternum, male, ventral view. Scale lines: 0.5 mm, left line for figs 380-381, 385-386, right line for figs 382-384, 387-389.




Figs 390-394, *Trypeticus minutissimus* spec. nov.; figs 395-399, *Trypeticus boukei* spec. nov. - 390, 395, dorsal view, female (in part). - 391, male pronotum (dorsal view). - 392, pro-, meso- and anterior part of metasternum, female, ventral view. - 393, 398, head male (frontal view). - 394, 399, head female (frontal view). - 396, dorsal view, male (in part). - 397, pro-, meso- and anterior part of metasternum, male, ventral view. Scale lines: 0.5 mm, left line for figs 390-391, 395-396, right line for figs 392-394, 397-399.




Figs 400-404, *Trypeticus carinipygus* spec. nov.; figs 405-409, *Trypeticus loebli* spec. nov. - 400, 405, dorsal view, male (in part). - 401, 406, female pronotum (dorsal view). - 402, 407, pro-, meso- and anterior part of metasternum, male, ventral view. - 403, 408, head male (frontal view). - 404, 409, head female (frontal view). Scale lines: 0.5 mm, left line for figs 400-401, 405-406, right line for figs 402-404, 407-409.




Figs 410-414, *Trypticus latilabris* spec. nov.; figs 415-420, *Trypticus hamatipygus* spec. nov. - 410, dorsal view, female (in part). - 411, male pronotum (dorsal view). - 412, pro-, meso- and anterior part of metasternum, female, ventral view. - 413, 419, head male (frontal view). - 414, 420, head female (frontal view). - 415, dorsal view, male (in part). - 416, female pronotum (dorsal view). - 417, pygidium male (left lateral view). - 418, pro-, meso- and anterior part of metasternum, male, ventral view. Scale lines: 0.5 mm, left line for figs 410-411, 415-416, right line for figs 412-414, 417-420.




Figs 421-426, *Trypeticus gibberosus* spec. nov.; figs 427-431, *Trypeticus deoudei* spec. nov. - 421, dorsal view, male (in part). - 422, female pronotum (dorsal view). - 423, male pronotum (left lateral view). - 424, pro-, meso- and anterior part of metasternum, male, ventral view. - 425, 430, head male (frontal view). - 426, 431, head female (frontal view). - 427, dorsal view, female (in part). - 428, male pronotum (dorsal view). - 429, pro-, meso- and anterior part of metasternum, female, ventral view. Scale lines: 0.5 mm, left line for figs 421-423, 427-428, right line for figs 424-426, 429-431.



Figs 432-436, *Trypeticus jorisi* spec. nov.; figs 437-441, *Trypeticus brevis* spec. nov. - 432, 437, dorsal view, male (in part). - 433, 438, female pronotum (dorsal view). - 434, 439, pro-, meso- and anterior part of metasternum, male, ventral view. - 435, 440, head male (frontal view). - 436, 441, head female (frontal view). Scale lines: 0.5 mm, left line for figs 432-433, 437-438, right line for figs 434-436, 439-441.



Figs 442-446, *Trypeticus penicillicauda* spec. nov. - figs 447-449, *Trypeticus viennai* spec. nov. - 442, 447, dorsal view, male (in part). - 443, female pronotum (dorsal view). - 444, 448, pro-, meso- and anterior part of metasternum, male, ventral view. - 445, 449, head male (frontal view). - 446, head female (frontal view). Scale lines: 0.5 mm, left line for figs 442-443, 447, right line for figs 444-446, 448-449.



Figs 450-454, *Trypeticus latisternum* spec. nov. - 450, dorsal view, male (in part). - 451, female pronotum (dorsal view). - 452, pro-, meso- and anterior part of metasternum, male, ventral view. - 453, head male (frontal view). - 454, head female (frontal view). Scale lines: 0.5 mm, left line for figs 450-451, right line for figs 452-454.

Register

Note.—Synonyms are given in italics

- adebratti spec. nov. 16, 21, 30, **44**, 300
- albertisii (Gestro) 15, 22, 36, **46**, 49, 266
- alticola spec. nov. 15, 36, **49**, 274
- andaiensis (Gestro) 16, 25, 40, **51**, 216, 232, 291
- angustifrons spec. nov. 17, 23, 34, **53**, 304
- arriagadai spec. nov. 17, 29, **56**, 260, 301
- aukei spec. nov. 17, 28, 42, **57**, 303
- beesoni Desbordes 15, 24, 37, **60**, 267
- bertiae spec. nov. 16, 23, 42, **62**, 289
- bifoveolatus* Lewis 91
- bombacis Lewis 17, 26, 42, **65**, 302
- Bostrychidae** 255
- boukei spec. nov. 17, 31, **67**, 310
- brevis spec. nov. 18, 32, 33, **69**, 314
- canaliculatus 255
- canalifrons Bickhardt 16, 20, 40, **71**, 290
- capillatus spec. nov. 16, 25, 30, 37, **73**, 284
- capucinus Bickhardt 7
- carinifrons spec. nov. 16, 21, 36, **75**, 283
- carinipygus spec. nov. 17, 30, 31, **78**, 311
- caterinoi spec. nov. 16, 37, **79**, 285
- cinctipygus Marseul 6, 16, 29, 41, **81**, 261, 265, 286
- clarus spec. nov. 15, 21, **84**, 280
- convexicollis spec. nov. 16, 39, **86**, 109, 287
- coomani spec. nov. 17, 23, 28, 43, **88**, 295
- Coptotrophis** Lewis 8
- crassus Schmidt 15, 22, 39, **91**, 94, 137, 153, 262, 267
- danielssonii spec. nov. 16, 29, 40, **94**, 280
- degallieri spec. nov. 17, 40, **96**, 261, 298
- deoudei spec. nov. 18, 32, 33, **97**, 98, 313
- dispar* Schmidt 229
- dohertyi Lewis 16, 22, 40, **99**, 293
- Epuraeosoma** 264
- fagi (Lewis) 9, 16, 27, 29, 34, 35, **102**, 104, 292
- ferrarii (Gestro) 16, 24, 29, 40, 42, **104**, 298
- foveicollis spec. nov. 15, 21, 87, **107**, 278
- frontalis Schmidt 16, 20, **109**, 173, 207, 272
- furcatus Blandf. 104
- gestroi (Marseul) 4, 17, 30, 34, **111**, 133, 250, 293
- gibberosus spec. nov. 18, 31, **113**, 313
- gilolous (Marseul) 15, 22, 30, 34, 37, **115**, 117, 260, 271
- gomyi spec. nov. 16, 30, 40, **118**, 285
- gracilis spec. nov. 17, 28, 42, **119**, 309
- gratus spec. nov. 17, 26, 42, **122**, 308
- grouvellei* Lewis 238
- grouvellei Marseul 238, 241
- hamatipygus spec. nov. 17, 31, 33, 114, **124**, 312
- helleri Bickhardt 15, 22, 36, **126**, 270
- hielkemaorum spec. nov. 16, 26, 28, 39, **129**, 259, 282
- hinei spec. nov. 17, 34, **131**, 297
- houseae spec. nov. 17, 32, **133**, 300
- huijbregtsi spec. nov. 15, 27, 35, **134**, 274
- immanis spec. nov. 15, 22, 38, **137**, 266
- incilis Lewis 15, 35, **140**, 260, 272
- indicus Lewis 16, 28, 42, 43, 84, **142**, 143, 287
- Ips** De Geer 262
- jaegeri spec. nov. 17, 23, **145**, 306
- jelmeri spec. nov. 17, 23, 30, 31, **147**, 306
- jorisi spec. nov. 18, 32, 33, **149**, 314
- kalemantanus (Marseul) 15, 26, 38, **151**, 153, 277
- kalemantianus* (Gemminger & Harold) 151
- kalshoveni spec. nov. 15, 25, 26, 39, 87, **154**, 259, 260, 279
- kapleri spec. nov. 15, 24, 30, **156**, 275
- kirtoni spec. nov. 15, 23, 37, **158**, 275
- lackneri spec. nov. 16, 38, **160**, 259, 289
- latilabris spec. nov. 17, 34, **162**, 259, 312
- latirostrum spec. nov. 15, 21, **163**, 277
- latisternum spec. nov. 18, 32, 33, **165**, 259, 316
- lepidus 238
- loeblti spec. nov. 17, 34, **167**, 259, 311
- longicollis Heller 17, 29, 43, **169**, 302
- Lyctinae** 255
- mazuri spec. nov. 15, 21, **171**, 270
- meridianus* Lewis 140
- merkli spec. nov. 16, 37, **173**, 286
- Minthea** 255
- minutissimus spec. nov. 17, 31, **175**, 310
- minutulus Lewis 17, 23, 28, 31, 147, **177**, 305
- mirandus spec. nov. 15, 20, **179**, 180, 276
- monteithi spec. nov. 16, 25, 41, **180**, 296
- mustelinus* Lewis 229, 232
- namdaphicus* Pal & Biswas 60
- nasicus spec. nov. 17, 22, 40, **184**, 294
- nemorivagus Lewis 15, 26, 37, 39, **186**, 260, 273
- nepalensis spec. nov. 16, 28, 41, **188**, 260, 299
- nitens spec. nov. 16, 22, 51, **191**, 281
- obeliscus Lewis 17, 28, 32, **193**, 197, 236, 307
- Paratropus** Gerstaecker 11, 12, 263
- parobeliscus spec. nov. 17, 27, 31, **195**, 308
- parrilloi spec. nov. 17, 28, **197**, 305
- pederseni spec. nov. 15, 27, 36, **199**, 268

- penatii spec. nov. 16, 39, 202, 288
 penicillicauda spec. nov. 18, 32, 33, 203, 259, 315
peninsularis Schmidt 94, 96
planisternus Lewis 15, 21, 180, 205, 276
Platypus Herbst 9, 91, 102, 238
poggii spec. nov. 15, 34, 35, 207, 271
pooti spec. nov. 17, 41, 209, 299
praedaceus Lewis 81, 84
protractus spec. nov. 16, 25, 210, 260, 295
Pygocoelis Lewis 8
quadricollis Marseul 265
rectangulus spec. nov. 15, 25, 38, 212, 269
rhinocerus Lewis 46, 49
riedeli spec. nov. 16, 24, 214, 294
rombauti spec. nov. 16, 25, 216, 291
rostricauda spec. nov. 15, 27, 38, 218, 278
rostripygus Bickhardt 15, 26, 38, 220, 220, 273
sanneae spec. nov. 17, 30, 31, 222, 259, 309
sauteri Bickhardt 16, 25, 36, 73, 224, 292
schawalleri spec. nov. 17, 23, 43, 227, 303
separandum Schmidt 81, 84
severini Bland. 102
silvicola Schmidt
 5, 17, 24, 29, 43, 229, 232, 260, 301
smetanai spec. nov. 17, 35, 39, 232, 296
subobeliscus spec. nov. 17, 28, 32, 234, 307
sulcisternum spec. nov. 16, 24, 236, 290
tabacigliscens (Marseul)
 5, 17, 25, 30, 43, 90, 238, 260, 261, 304
terebellus (Marseul) 115, 117
Teretrius Erichson 9
therondi spec. nov. 16, 40, 241, 258, 284
thoracicus (Fabricius) 10
triangulus Lewis 81, 84
trigonifrons spec. nov. 15, 24, 243, 269
Trypanaeinae Marseul 7, 8, 9, 10, 12, 262
Trypanaeus Eschscholtz a.o.: 4-8, 10, 43, 265
Trypticinae Bickhardt 7
Trypeticus Marseul a.o.: 4-8, 43
Trypobius Schmidt 8
Trypolister Bickhardt 7
tuberculinotum spec. nov. 15, 22, 36, 244, 279
typographicus Linné 262
uhligi spec. nov. 16, 27, 247, 282
valens spec. nov. 16, 34, 248, 283
vanasseni spec. nov. 15, 27, 29, 39, 250, 281
veda Lewis 16, 24, 35, 252, 288
venator (Lewis) 16, 27, 41, 255, 297
viennai spec. nov. 18, 33, 257, 315
westwoodi 91
Xylonaeus Lewis 8

Register of host trees

- | | | | |
|----------------------|---------|----------------------|---------------|
| accuminatissimus | 212 | Gonostylus | 259 |
| Agathis | 191 | griffithii | 81 |
| arborea | 238 | Hevea | 65, 229 |
| Artocarpus | 79 | Lauraceae | 91 |
| beccarii | 239 | lakoocha | 79 |
| Bielschmeidia | 126 | lucida | 160 |
| Bombax | 65, 67 | Madhuca | 238 |
| Boschia | 81 | malaccanae | 81 |
| brasiliensis | 65 | malaccense | 238 |
| Castaneopsis | 212 | Palagium | 91 |
| Cerebra | 115 | Parashorea | 160 |
| Cryptocarya | 82, 212 | pauciflora | 160 |
| Dryobalanops | 239 | Poinciana | 143 |
| elata | 143 | Pyrethrum | 115, 180, 181 |
| Encospermum | 81 | Shorea | 160 |
| Endospermum | 238 | utilis | 238 |
| Gmelina | 238 | Xanthophyllum | 51 |
| Gonostylus | 81 | | |