

Notes on the types and type depositories of Braconidae (Insecta: Hymenoptera) described by T.C. Narendran and students

C. van Achterberg & T.C. Narendran

Achterberg, C. van & T.C. Narendran. Notes on the types and type depositories of Braconidae (Insecta: Hymenoptera) described by T.C. Narendran and students.

Zool. Med. Leiden 71 (16), 31.vii.1997: 177-179.— ISSN 0024-0672.

C. van Achterberg, Afdeling Entomologie (Hymenoptera), Nationaal Natuurhistorisch Museum, Postbus 9517, 2300 RA Leiden, The Netherlands (e-mail: achterberg@nnm.nl).

T.C. Narendran, Department of Zoology, University of Calicut, Kerala, India 673 635.

Key words: Hymenoptera; Braconidae; Microgastrinae; Cheloninae; Euphorinae; Gnamptodontinae; Braconinae; Leiden; Budapest.

The type depositories of the species of Braconidae described by T.C. Narendran and his students till 1997 are listed, and some notes are added.

Introduction

Several Braconidae were described by the second author and his students (Sumodan & Sevichan, 1989; Sumodan & Narendran, 1990; Narendran et al., 1992; Narendran et al., 1994; Narendran & Rema, 1996). Recently, these types were deposited in two major collections of Braconidae to ensure the availability for future research of these types.

List of taxa

azolae (*Apanteles*) Sumodan & Sevichan, 1989. Holotype in RMNH.

Apanteles azolae Sumodan & Sevichan, 1989: 319-322.

caudatus (*Chelonus*) Narendran & Sumodan, 1992. Holotype in TMA.

Chelonus caudatus Narendran & Sumodan in Narendran et al., 1992: 3, 5.

gastrus (*Chelonus*) Narendran & Sumodan, 1992. Holotype in TMA.

Chelonus gastrus Narendran & Sumodan in Narendran et al., 1992: 2-3.

indicus (*Cassidibracon*) Narendran & Rema, 1994. Holotype in TMA.

Cassidibracon indicus Narendran & Rema in Narendran et al., 1994: 128, 130.

indicus (*Gnaptodon*) Narendran & Rema, 1996. Holotype in TMA.

Gnaptodon indicus Narendran & Rema, 1996: 138-140.

keralensis (*Apanteles*) Sumodan & Narendran, 1990. Holotype in RMNH.

Apanteles keralensis Sumodan & Narendran, 1990: 243-244.

Microchelonus keralensis; Papp, 1996: 206.

keralensis (*Chelonus*) Narendran & Sumodan, 1992. Holotype in TMA.

Chelonus keralensis Narendran & Sumodan in Narendran et al., 1992: 3, 4, 6.

Note.— According to the key by Mason (1981) this species belongs to the genus *Illidops* Mason, 1981 (**comb. nov.**).

malabaricus (*Cassidibracon*) Narendran, 1994. Holotype in TMA.

Cassidibracon malabaricus Narendran in Narendran et al., 1994: 127, 129.

malabaricus (*Gnaptodon*) Narendran & Rema, 1996. Holotype in TMA; paratype in RMNH.

- Gnaptodon malabaricus* Narendran & Rema, 1996: 140-142.
- mohandasii* (*Apanteles*) Sumodan & Narendran, 1990. Holotype in RMNH.
Apanteles mohandasii Sumodan & Narendran, 1990: 244-246.
- Note.— According to the key by Mason (1981) this species belongs to the genus *Dolichogenidea* Viereck, 1911 (**comb. nov.**).
- munnarensis* (*Apanteles*) Sumodan & Narendran, 1990. Holotype in RMNH.
Apanteles munnarensis Sumodan & Narendran, 1990: 241-243.
- naethrus* (*Chelonus*) Narendran & Sumodan, 1992. Holotype in TMA.
Chelonus naethrus Narendran & Sumodan in Narendran et al., 1992: 4, 6, 8.
Microchelonus naethrus; Papp, 1996: 206.
- narendrani* (*Microchelonus*) Papp, 1996. Holotype in TMA.
Microchelonus narendrani Papp, 1996: 206 (new name for *Chelonus caudatus* Narendran & Sumodan, 1992, not Thomson, 1874).
- nilamburensis* (*Apanteles*) Sumodan & Narendran, 1990. Holotype and metatype (♀) in RMNH.
Apanteles nilamburensis Sumodan & Narendran, 1990: 239-241.
Neoclarkinella nilamburensis; Rema & Narendran, 1996: 264-267.
- Note.— According to Rema & Narendran (1996) this species belongs to the genus *Neoclarkinella* Rema & Narendran, 1996.
- pongamiae* (*Apanteles*) Sumodan & Narendran, 1990. Holotype in RMNH.
Apanteles pongamiae Sumodan & Narendran, 1990: 246-247.
- scutellatus* (*Chelonus*) Narendran & Sumodan, 1992. Holotype in TMA.
Chelonus scutellatus Narendran & Sumodan in Narendran et al., 1992: 4, 6, 8.
- shyamus* (*Chelonus*) Narendran & Rema, 1992. Holotype in TMA.
Chelonus shyamus Narendran et al., 1992: 7-9.
Microchelonus shyamus; Papp, 1996: 206.
- spilosomae* (*Meteorus*) Narendran & Rema, 1996. Holotype in TMA; paratype in RMNH.
Meteorus spilosomae Narendran & Rema, 1996: 136-137.
- sumodani* (*Cassidibracon*) Narendran & Madhavikutty, 1994. Holotype in TMA.
Cassidibracon sumodani Narendran & Madhavikutty in Narendran et al., 1994: 127-129.

Abbreviations

The following abbreviations have been used: RMNH = Nationaal Natuurhistorisch Museum, Leiden, The Netherlands; TMA = Természettudományi Múzeum Allattára, Budapest, Hungary.

References

- Mason, W.R.M., 1981. The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): a phylogeny and reclassification of Microgastrinae.— Mem. ent. Soc. Canada 115: 1-147, figs 1-110.
- Narendran, T.C., C.G. Rema & M. Madhavikutty, 1994. Three new species of *Cassidibracon* Quicke (Hymenoptera: Braconidae) from India.— Bioved. 5: 125-132.
- Narendran, T.C. & C.G. Rema, 1996. Three new species of Braconidae (Hymenoptera) from India.— India J. Ecobiol. 8: 135-142.

- Narendran, T.C., P.K. Sumodan & C.G. Rema, 1992. A study of Indian species of *Chelonus* Panzer (Hymenoptera: Braconidae).—J. Zool. Soc. Kerala 2: 1-9.
- Papp, J., 1996. On the taxonomy of *Microchelonus cycloporus* (Franz 1930) (Insecta: Hymenoptera: Braconidae: Cheloninae).—Senckenbergiana biol. 75: 203-206.
- Rema, C.G. & T.C. Narendran, 1996. A remarkable new genus of Braconidae (Hymenoptera) from India.—J. Bombay nat. Hist. Soc. 93: 264-267.
- Sumodan, P.K. & T.C. Narendran, 1990. Five new species of *Apanteles* Foerster (Hymenoptera: Braconidae) from Kerala.—India J. Ecobiol. 2: 239-248.
- Sumodan, P.K. & P.J. Sevichan, 1989. A new species of *Apanteles* Foerster reared from a Pyralid pest of *Azola*.—India J. Ecobiol. 1: 319-322.

Received: 8.i.1997

Accepted: 29.iv.1997

Edited: M.J.P. van Oijen