

IV. — 2. CATALOGUE OF THE CYMATIIDAE IN 'S RIJKS MUSEUM
VAN NATUURLIJKE HISTORIE.
BY CH. BAYER.

In continuation of the "Catalogue of the Bursidae" (cf. „Zoologische Mededeelingen”, vol. 14, p. 224, 1932), I now publish a list of the Cymatiidae in the collection of our Museum, after having revised that family.

We are indebted to the work of KESTEVEN, DALL, PILSBRY & VANATTA, IREDALE, and others, for a more rational classification of the Cymatiidae. This family was formerly composed of two genera, viz. "Ranella" and "Triton" of older authors. In this century, however, as a result of researches on the dentition and the characters of the shell, these two genera have been placed into two separated families: the Cymatiidae and the Bursidae; moreover, according to the above-mentioned characteristics, the tritonoid "Ranellae", belonging to the sections *Apollon* and *Biplex* are added to the former.

The family of the Cymatiidae contains now, if we follow THIELE's interpretation, the following genera:

Argobuccinum Bruguière;
Cymatium Röding;
Distortrix Link;
Charonia Gistel.

Moreover, many species, included formerly in the section *Epidromus* of "Triton", have been transferred to other families Buccinidae and Muricidae, on account of their anatomical characteristics and peculiarities of the shell.

The bulk of the collection of the Leyden Museum, of course consists of specimens from our colonies and principally from different localities of the East Indies. For the sake of completeness, however, I mention in this catalogue too, as far as possible, the true species of Cymatiidae of which the Museum does not possess any material.

In the arrangement of the collection I followed the system proposed by THIELE in his "Handbuch der systematischen Weichterkunde", vol. 1, 1929.

The indications concerning letter or number of order, quantity, locality and collector, are the same as in my Catalogue of the Bursidae.

Genus **Argobuccinum** Bruguière, 1792.I. Sub-genus **Argobuccinum** s. s.Sect. **Argobuccinum** s. s.*A. argus* (Gmelin).*Murex argus* Gmelin. Syst. nat., p. 3547, No 78, 1790.*Ranella polyzonalis* Lamarek. Encycl. méth., pl. 414, fig. 3 a, b, 1816.*Ranella Kingii* d'Orbigny. Voy. Amérique mérid., vol. 5, part 3, p. 451, 1835—1843.*Bursa Zelebori* Dunker. Proc. Zool. Soc. London, p. 239, 1862.— Novit. Conch., p. 56, 1864.*Bursa (Apollon) proditor* v. Frauenfeld. Verh. zool.-bot. Gesellsch. Wien, vol. 15, p. 894, 1865.— Moll. ges. auf Reise "Novara", p. 4, pl. 1, fig. 1 a, b, 1867.

a. 6. Cape of Good Hope, KRAUSS. — b. 3. Jeffrey's Bay (S. Africa),
 J. L. STAID. — c. 3. Campbay (near Cape Town), P. BUITENDIJK. —
 d. 1. Poeloe Raja (N.W. Sumatra), G. A. J. v. d. SANDE. — e. 1. Soerabaia, HOFSTEENGE. — f. 1. Tasmania, H. C. FULTON.

var. *ranelliformis* (King).*Triton ranelliformis* King. Zool. Journ., vol. 5, p. 347, 1832.*Ranella vexillum* Sowerby. Proc. Zool. Soc. London, p. 51, 1841.— Conch. ill., Ranella, pl. 1, fig. 3, 1841.var. *tumida* (Dunker).*Ranella vexillum* (non Sowerby) Menke. Moll. Nov. Holl. spec., p. 24, 1843.*Bursa tumida* Dunker. Proc. Zool. Soc. London, p. 239, 1862.— Novit. Conch., p. 56, No. 60, pl. 18, figs. 8, 9, 1864.*Apollo argus* Tate & May. Proc. Linn. Soc. New S. Wales, vol. 26, p. 356, 1901.*A. australasia* (Perry).*Biplex australasia* Perry. Conch., pl. 4, figs. 2, 4, 1811.*Ranella leucostoma* Lamarek. Anim. s. Vert., vol. 7, p. 150, No 2, 1822.— Anim. s. Vert., éd. Desh., vol. 9, p. 542, No 2, 1843.*Charonia australasiana* Smith. Proc. Malac. Soc. London, vol. 11, p. 284, 1915.

a. 2. Australia,?

var. *benthicola* Iredale.*Mayena (australasia) benthicola* Iredale. Rec. Austral. Mus. Sydney, vol. 17, p. 174, pl. 41, fig. 4, 1929.

var. poecilostoma Martens.

Ranella leucostoma Lamarck var. Sowerby. Journ. Conch., vol. 5, p. 8, 1886. — Marine Shells S. Africa, p. 9, 1892.

Ranella leucostoma Lamarck var. *poecilostoma* Martens. Gastrop. Tiefsee-Exp. "Valdivia", vol. 7, p. 56, 1903.

Charonia poecilostoma Smith. Proc. Malac. Soc. London, vol. 11, p. 285, 1915.

var. zelandica (Finlay).

Argobuccinum australasia Suter. Man. New Zeal. Moll., 1913.

Mayena zelandica Finlay. Trans. & Proc. New Zeal. Inst., vol. 57, p. 400, pl. 20, fig. 66, 1927.

A. rufa (Broderip).

Triton rufus Broderip. Proc. Zool. Soc. London, p. 6, 1833.

a. 1. Peru, CUMING.

A. scabrum (King).

Triton scaber King. Zool. Journ., vol. 5, p. 348, 1831.

a. 5. Valparaiso, DALEN & CUMING.

Sect. *Fusitriton* Cossmann.

A. campylum (Watson).

Nassaria kampyla Watson. Journ. Linn. Soc. London, vol. 16, p. 594, 1883.

Nassaria campyla Watson. Rep. voyage "Challenger", Zool., vol. 15, p. 405, pl. 14, fig. 12, 1886.

Lampusia nodocostata Tate & May. Trans. Proc. & Rep. Roy. Soc. S. Austr., vol. 24, p. 90, 1900. — Proc. Linn. Soc. New S. Wales, vol. 26, p. 355, pl. 23, fig. 2, 1901.

a. 2. S. Australia, H. C. FULTON.

A. cancellatum (Lamarck).

Murex Magellanicus Chemnitz. Syst. Conch. Cab., vol. 10, p. 275, pl. 164, fig. 1570, 1788.

Triton cancellatum Lamarck. Anim. s. Vert., vol. 7, p. 187, No 24, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 638, No 24, 1843.

var. oregonensis (Redfield).

Triton Oregonense Redfield. Ann. Lyc. Nat. Hist. New-York, vol. 4, p. 165, pl. 11, fig. 2 a, b, 1846.

Tritonium (Buccinum) cancellatum Middendorff. Beitr. Malacozool. Rossica, vol. 2, p. 164, pl. 3, figs. 1—4, 1849.

a. 1. Japan, P. F. VON SIEBOLD.

A. murrayi (Smith).

Lampusia (Priene) Murrayi Smith. Proc. Zool. Soc. London, p. 436,
pl. 34, fig. 1, 1891.

A. retiolum Hedley.

Argobuccinum retiolum Hedley. Biol. Res. Fishing Exper. "Endeavour",
vol. 2, part 2, p. 73, pl. 11, fig. 5, 1914.

var. *laudandum* (Finlay).

Fusitriton laudandum Finlay. Trans. & Proc. N. Zealand Inst., vol. 57,
p. 399, pl. 20, fig. 65, 1927.

Sect. *Gyrina* Schumacher.

A. multinodosum (Bucknill).

Mayena multinodosa Bucknill. Trans. & Proc. N. Zealand Inst., vol. 58,
p. 312, pl. 35, fig. 2, 1927.

A. reticulare (Born).

Murex olearium (pars) Linné. Syst. nat., ed. 10, p. 748, 1758.

Murex reticularis Born. Testac. Mus. Caes. Vindob., p. 300, pl. 11,
fig. 5, 1780.

Murex reticularis Gmelin. Syst. nat., p. 3535, No 37, 1790.

Apollon gyrinus Montfort. Conchyl. Syst., vol. 2, p. 571, 1810.

Ranella gigantea Lamarck. Encycl. méth., pl. 413, fig. 1, 1816.—
Anim. s. Vert., vol. 7, p. 150, No 1, 1822.

Gyrina maculata Schumacher. Essai nouv. syst., p. 253, 1817.

Ranella ranina Blainville. Man. Malac. & Conch., p. 400, 1825.

Ranella olearium Deshayes. Encycl. méth., Vers, vol. 3, p. 877, No 1,
1830—1832.

Triton parvum Sismonda. Synopsis, p. 38, 1842.

Ranella incerta Michelotti. Foss. Mioc. Ital. Sept., p. 256, pl. 10,
fig. 4, 1847.

Ranella Bronni Michelotti. Foss. Mioc. Ital. Sept., p. 257, 1847.

Ranella miocenica Michelotti. Foss. Mioc. Ital. Sept., p. 258, 1847.

Ranella parvivaricata Gray. Paetel. Catal. Conch. Samml., vol. 1, p.
105, 1887.

636. 1. Alger, P. BUITENDIJK.

var. *atlantica* Monterosato.

Ranella gigantea Lam. var. *atlantica* Monterosato. Conch. prof. mare
Palermo, p. 19, 1890.

a. 2. American Sea,?

var. bicanalata De Gregorio.

Ranella reticularis (L.) Born var. *bicanalata* De Gregorio. Bull. Soc. Malac. Ital., vol. 10, p. 109, 1883.

Sect. *Cymatiella* Iredale.

A. columnarium (Hedley & May).

Cymatium columnarium Hedley & May. Rec. Austral. Mus. Sydney, vol. 7, p. 119, pl. 23, fig. 15, 1908.

A. eburneus Reeve.

Triton eburneum Reeve. Proc. Zool. Soc. London, p. 118, 1844. — Conch. Icon., Triton, sp. 69, pl. 17, fig. 69, 1844.

a. 1. Australia, E. DEYROLLE.

var. lesueuri (Iredale).

Cymatiella lesueuri Iredale. Rec. Austral. Mus. Sydney, vol. 17, p. 175, pl. 40, fig. 11, 1929.

A. nassariforme (Sowerby).

Lotorium nassariforme Sowerby. Moll. of S. Africa in Marine invest. in S. Afr., vol. 2, p. 95, pl. 2, fig. 7, 1902.

a. 1. Kii (Japan), H. C. FULTON.

A. peronianum (Iredale).

Cymatiella peroniana Iredale. Rec. Austral. Mus. Sydney, vol. 17, p. 176, pl. 40, fig. 9, 1929.

A. petulans (Hedley & May).

Septa petulans Hedley & May. Rec. Austral. Mus. Sydney, vol. 7, p. 118, pl. 23, fig. 14, 1908.

A. quoysi (Reeve).

Triton Quoyi Reeve. Conch. Icon., Triton, sp. 93, pl. 19, fig. 93, 1844.

Triton viperinum (non Lamarck) Kiener. Icon. coq. viv., Triton, p. 39, No 31, pl. 18, fig. 4, 1843.

a. 2. Australia, E. DEYROLLE.

var. gaimardi (Iredale).

Cymatiella gaimardi Iredale. Rec. Austral. Mus. Sydney, vol. 17, p. 176, pl. 40, fig. 7, 1929.

A. verrucosum (Reeve).

Triton verrucosus Reeve. Proc. Zool. Soc. London, p. 118, 1844. — Conch. Icon., Triton, sp. 71, pl. 17, fig. 71, 1844.

a. 2. S. Australia, H. C. FULTON.

II. Sub-genus *Gyrineum* Link, 1807.Sect. *Gyrineum* s.s.

A. bituberculare (Lamarck).

Ranella bitubularis Lamarck. Encycl. méth., pl. 412, fig. 6, 1816. —
Anim. s. Vert., vol. 7, p. 153, No 11, 1822.

Ranella olivator Meusch. Mörch. Catal. conch. Yoldi, p. 106, 1852.

a. 2. ? Brazil, d'ORBIGNY. — b. 8. Noordwachter Isl. (Bay of Batavia),
L. DE PRIESTER. — c. 1. N. off Bengkalis Isl. (near Sumatra), G. A. J.
v. d. SANDE. — d. Atjeh (Sumatra), G. A. J. v. d. SANDE.

A. chemnitzi (Küster).

Murex Gyrinus var. Chemnitz. Syst. Conch. Cab., vol. 11, p. 129,
pl. 193, figs. 1860 & 1861, 1795.

Ranella Chemnitzii Küster. Martini & Chemnitz. Syst. Conch. Cab.,
vol. 3, part 2, Purpurschn., p. 148, No 27, pl. 39, figs. 3, 4, 1878.

A. cuspidatum (Reeve).

Ranella cuspidata Reeve. Proc. Zool. Soc. London, p. 139, 1844. —
Conch. Icon., Ranella, sp. 48, pl. 8, fig. 48, 1844.

A. gyrum (Linné).

Murex Gyrinus Linné. Syst. nat., ed. 10, p. 748, 1758. — Syst. nat.,
ed. 12, p. 1216, 1767.

Ranella ranina Lamarck. Encycl. méth., pl. 412, fig. 2 a, b, 1816. —
Anim. s. Vert., vol. 7, p. 154, No 12, 1822.

a. 11. Amboyna, HOEDT. — b. 8. Timor, WIENECKE & ZIJNEN WARTEL. —
c. 3. W. & S. off Semaoe Isl. (near Timor), H. TEN KATE. — d. 1. ? Madura,
MANGOLD. — e. 1. Fak-fak (N.W. New-Guinea), PALMER V. D. BROEK. —
f. 5. Madura, from E. F. JOCHIM's collection. — g. 2. Amboyna, from E.
F. JOCHIM's collection. — h. 1. Wijnkoopsbaai (S. W. Java), from E. F.
JOCHIM's collection. — i. 2. Manoekwari (New-Guinea), W. C. VAN HEURN.

A. hastula (Reeve).

Ranella hastula Reeve. Proc. Zool. Soc. London, p. 139, 1844. —
Conch. Icon., Ranella, sp. 42, pl. 8, fig. 42, 1844.

A. natator (Roeding).

Tritonium natator Bolten. Roeding. Mus. Boltenianum, No 1636, p.
127, 1798.

Ranella tuberculata Broderip. Proc. Zool. Soc. London, p. 179, 1832.

Bursa fusco-costata Dunker. Proc. Zool. Soc. London, p. 239, 1862. —
Novit. Conch., p. 57, sp. 61, pl. 19, figs. 1, 2, 1858—1870.

a. 8. Tjilatjap (S. Java), OVERDIJK. — b. 2. Banka, BUDDINGH. — c. 1. Timor, WIENECKE. — d. 2. China, DAMON. — e. 2. Pacific Ocean, KRAMER. — f. 5. Madura, from E. F. JOCHIM's collection. — g. 1. ? Madura, MANGOLD. — h. 1. Dorehbaai (New-Guinea), from E. F. JOCHIM's collection. — i. 1. Wijnkoopsbaai (S. W. Java), from E. F. JOCHIM's collection. — j. 1. Adyar (near Madras), ? — k. 1. Medan (E. Sumatra), J. C. B. HÜNER.

A. pacator (Iredale).

Gyrineum pacator Iredale. Rec. Austral. Mus. Sydney, vol. 18, p. 214, pl. 23, fig. 3, 1931.

A. pusillum (Broderip).

Ranella pusilla Broderip. Proc. Zool. Soc. London, p. 194, 1832.

Triton lacunatum Mighels. Bost. Proc., vol. 2, p. 24, 1845.

Triton laciniatum Mighels. Pease. Amer. Journ. Conch., vol. 4, p. 107, 1868.

a. 3. Timor, ZIJNEN WARTEL. — b. 2. ?, from TOBIAS' collection.

var. *concinna* (Dunker).

Bursa concinna Dunker. Proc. Zool. Soc. London, p. 239, 1862. —

Novit. Conchol., p. 55, No 58, pl. 18, figs. 3, 4, 1858—1870.

Ranella sagitta Küster. Martini & Chemnitz. Syst. Conch. Cab., vol. 3, part 2, Purpurschn., p. 147, No 26, pl. 38a, fig. 6, 1878.

a. 3. Red Sea, FORSKAL.

var. *polychlorus* (Tapparone-Canefri).

Ranella polychloros Tapparone-Canefri. Ann. Mus. Civ. Storia Nat. Genova, vol. 12, p. 1028, 1875.

var. *rosea* (Reeve).

Ranella rosea Reeve. Proc. Zool. Soc. London, p. 139, 1844. — Conch. Icon., Ranella, sp. 46, pl. 8, fig. 46, 1844.

A. wilmerianum (Preston).

Gyrineum wilmeriana Preston. Rec. Indian Mus., vol. 2, part 2, p. 195, pl. 15, fig. 37, 1908.

Sect. *Biplex* Perry.*A. perca* (Perry).

Biplex perca Perry. Conch., pl. 4, fig. 5, 1811.

Ranella pulchra Gray. Sowerby. Conch. ill., Ranella, pl. 6, fig. 19, 1844.

Ranella jucunda Adams. Proc. Zool. Soc. London, p. 70, No 3, 1853.

a. 1. Japan, P. F. VON SIEBOLD. — b. 1. Enoshima Isl. (Japan), H. VAN OORDT VAN LAUWERECHT. — c. 2. Japan, from E. F. JOCHIM's collection.

var. *aculeata* Schepman.

Gyrineum (Biplex) perca Perry var. *aculeata* Schepman. Prosobr. "Siboga" Exp., Mon. 49¹b, p. 115, pl. 10, fig. 1 a, b, e, 1909.

var. *pulchella* (Forbes).

Ranella pulchella Forbes. Voy. "Rattlesnake", vol. 2, p. 382, pl. 3, fig. 6 a, b, 1852.

A. microstoma (Fulton).

Bursa (Biplex) microstoma Fulton. Proc. Malac. Soc. London, vol. 19, p. 16, pl. 2, figs. 2, 3, 1930.

Genus *Cymatium* Röding, 1798.

I. Sub-genus *Linatella* Gray, 1857.

C. cingulatum (Lamarck).

Dolium rostratum Martini. Syst. Conch. Cab., vol. 3, pl. 118, fig. 1083, 1777.

Fusus cutaceus Lamarck. Encycl. méth., pl. 427, fig. 4, 1816.

Cassidaria cingulata Lamarck. Anim. s. Vert., vol. 7, p. 216, No 3, 1822. — Anim. s. Vert., éd. Desh., vol. 10, p. 9, No 3, 1844.

Buccinum caudatum Wood. Index testac., pl. 22, fig. 9, 1825.

Fusus Voigtii Anton. Verzeichn. d. Conch., p. 77, 1839.

Triton undosum Kiener. Icon. coq. viv., Triton, p. 44, No 35, pl. 6, fig. 2, 1843.

a. 1. Indian Ocean, VOIGT. — b. 1. Larantoeka (Flores), J. SEMMELINK. — c. 1. Amboyna,? — d. 1. ? Madura, MANGOLD. — e. 1. Madura, from E. F. JOCHIM's collection. — f. 1. Amboyna, CH. JELLEMA. — g. 1. N. E. coast of Venezuela, H. TEN KATE.

C. wiegmanni (Anton).

Argo-buccinum nodosum Martini. Syst. Conch. Cab., vol. 4, pl. 131, fig. 1256, 1780.

Triton Wiegmanni Anton. Verzeichn. d. Conch., p. 77, 1839.

Triton Chemnitzi (non Gray) Reeve. Conch. Icon., Triton, sp. 37, pl. 11, fig. 37, 1844.

Cassidaria setosa Hinds. Reeve. Conch. Icon., Triton, sp. 37, 1844.

Triton perforatus Conrad. Proc. Acad. Nat. Sci. Philad., vol. 4, p. 156, 1849.

a. 1. California, VERREUX. — b. 1. Panama City, JAM. ZETEK.

C. poulseni (Mörch).

Buccinum costatum Meuschen. Mus. Gevers., No 605, 1787.

Triton (Linatella) Poulsenii Mörch. Malakoz. Bl., vol. 24, p. 33, 1877.

II. Sub-genus *Gelagna* Schaufuss, 1869.

C. clandestinum (Lamarck).

Triton clandestinum Lamarck. Anim. s. Vert., vol. 7, p. 187, No 26, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 639, No 26, 1843.

a. 6. Amboyna, HOEDT. — b. 4. Tjilatjap (S. Java), OVERDIJK. — c. 1. North Timor, ZIJNEN WARTEL. — d. 2. Semaoe Isl. (near Timor), H. TEN KATE. — e. 5. Madura, from E. F. JOCHIM's collection. — f. 1. Banda Is.,? — g. 1. Wijnkoopsbaai (S. W. Java), from E. F. JOCHIM's collection. — h. 1. Timor, WIENECKE.

C. lignarius (Broderip).

Triton lignarius Broderip. Proc. Zool. Soc. London, p. 5, 1833.

a. 1. Sta Elena (Ecuador), CUMING.

C. tranquebaricum (Lamarck).

Murex Argus fasciatus Chemnitz. Syst. Conch. Cab., vol. 10, p. 240, pl. 160, fig. 1522, 1788.

Triton tranquebaricum Lamarck. Anim. s. Vert., vol. 7, p. 189, No 30, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 642, No 30, 1843.

Triton balteatus Beck. Reeve. Conch. Icon., Triton, sp. 55, 1844.

Triton Adansonii Dunker. Index Moll. Guin., p. 26, No 66, 1853.

a. 1. Liberia, J. BüTTIKOFER. — b. 1. Congo,?

III. Sub-genus *Cabestana* Röding, 1798.

Sect. *Monoplex*.

C. parthenopus (Von Salis).

Le Vojet Adanson. Hist. Nat. Sénégal, Coquillages, p. 118, pl. 8, fig. 2, 1757.

Murex olearium (pars) Linné. Syst. nat., ed. 10, p. 748, 1758.

Murex costatus (pars) Born. Testac. Mus. Caes. Vindob., p. 297, 1780.

Murex parthenopus Von Salis. Reisen in versch. Prov. Königr. Neap., vol. 1, p. 370, pl. 7, fig. 1, 1793.

Monoplex Australasiae Perry. Conch., pl. 3, fig. 3, 1811.

Triton parthenopoeus Wood. Index testac., p. 127, pl. 25, fig. 30, 1818.

Triton succinctum Lamarck. Anim. s. Vert., vol. 7, p. 181, No 8, 1822. — Anim. s. Vert., édit. Desh., vol. 9, p. 628, No 8, 1843.

Triton pileare (non Linné) d'Orbigny. Moll. rec. aux îles Canaries, part 2, p. 94, No 149, 1834.

Triton brasiliense Gould. Proc. Boston Soc. Nat. Hist., vol. 3, p. 142, 1849.

Triton americanum d'Orbigny. Moll. Cuba, vol. 2, p. 163, No 335, pl. 23, fig. 22, 1853.

Triton olearium (non Linné) Weinkauff. Journ. de Conch., vol. 10, p. 362, 1862.

Triton (Simpulum) acclivis Hutton. Catal. New Zealand Mar. Moll., p. 13, No 33, fig. 8, 1873.

Tritonium Parthenopes Dunker. Index Moll. Japon., p. 28, 1882.

a. 7. Japan, P. F. von Siebold. — b. 1. Indian Ocean, SMITSAARD. —

c. 1. Naples, ? — 840. 1. Indian Ocean, MACKLOT. — e. 1. Moluccas, ? —

f. 2. Algiers, P. BUITENDIJK. — g. 1. Japan, P. F. von Siebold. —

879. 1. Bay of Naples, G. STIASNY.

var. *milonum* De Gregorio.

Triton Parthenopum Salis var. *milonum* De Gregorio. Bull. Soc. Malac. Italiana, vol. 10, p. 95, 1883.

var. *peribrantium* De Gregorio.

Triton Parthenopum Salis var. *peribrantium* De Gregorio. Bull. Soc. Malac. Italiana, vol. 10, p. 96, 1883.

C. problematicum Dautzenberg & Fischer.

Cymatium (Simpulum) problematicum Dautzenberg & Fischer. Rés. Camp. Scient., Monaco, fasc. 32, p. 33, pl. 3, figs. 2—5, 1906.

C. spengleri (Lamarck).

Murex cutaceus maximus Chemnitz. Syst. Conch. Cab., vol. 10, p. 266, pl. 163, figs. 1559, 1560, 1788.

Murex Spengleri Chemnitz. Syst. Conch. Cab., vol. 11, p. 117, pl. 191, figs. 1839, 1840, 1795.

Murex cutanus Var. Dillwyn. Descr. catal. rec. shells, vol. 2, p. 697, 1817.

Triton Spengleri Lamarck. Anim. s. Vert., vol. 7, p. 181, No 6, 1822. —

Anim. s. Vert., éd. Desh., vol. 9, p. 627, No 6, 1843.

Tritonium tabulatum Menke. Moll. Nov. Holland., p. 25, No 119, 1843. — Zeitschr. f. Malakoz., p. 60, 1844.

Tritonium Barthelemyi Bernardi. Journ. de Conch., vol. 6, p. 54, pl. 1, fig. 1, 1857.

a. 2. Australia, ?

var. *procera* (Iredale).

Cymatium (spengleri) procera Iredale. Rec. Austr. Mus. Sydney, vol. 17, p. 173, pl. 41, fig. 1, 1929.

Sect. *Cabestana* s.s.*C. africanum* (Adams).*Triton africanus* Adams. Proc. Zool. Soc. London, p. 312, 1854.*Triton cutaceus* var. *Africana* Sowerby. Mar. Shells of S. Africa, p. 7, 1892.

a. 2. Coast of America,? — b. 1.?, from DALEN's collection. — c. 2. Jeffrey's Bay (S. Africa), J. L. STAID. — d. 1. South Africa, G. VAN ROON.

C. boltenianum (Adams).*Triton (Cabestana) boltenianus* Adams. Proc. Zool. Soc. London, p. 311, 1854.*C. cutaceum* (Linné).*Murex cutaceus* Linné. Syst. nat., ed. 12, p. 1217, 1767.*Murex succinctum* Risso. Hist. nat. Eur. Mérid., vol. 4, p. 198, fig. 121, 1826.*Ranella tuberculata* Risso. Hist. nat. Eur. Mérid., vol. 4, p. 202, fig. 11, 1826.

a. 6. Naples, F. CANTRAINE. — b. 5. Atlantic Ocean,? — c. 4. Mediterranean,?

var. *curta* Bucquoy, Dautzenberg & Dollfus.*Triton cutaceus* var. *curta* Bucquoy, Dautzenberg & Dollfus. Moll. mar. Rouss., p. 32, pl. 5, fig. 3, 1882.var. *danieli* (Locard).*Triton cutaceus* Hidalgo. Mol. marin. Esp., pl. 56, figs. 7, 8, 1870.*Tritonium Danieli* Locard. mss., 1884. — Prodr. Malac. franç., pp. 156, 559, 1886.

a. 1. Naples, F. CANTRAINE.

C. doliarium (Linné).*Murex doliarium* Linné. Syst. nat., ed. 12, p. 1223, 1767.*Purpura tuberculata* (non Risso) Küster. Martini & Chemnitz. Syst. Conch. Cab., Purpura, p. 146, pl. 24a, fig. 6, 1858.

a. 8. Coast of America,? — b. 3.?, from TOBIAS' collection. — c. 4. Port Elisabeth (S. Africa), J. L. STAID. — d. 1. South Africa, G. VAN ROON.

C. dorsuosum (Adams).*Cabestana dorsuosa* Adams. Ann. & Mag. of Nat. Hist., ser. 4, vol. 5, p. 420, 1870.*C. fossatum* (Gould).*Triton fossatus* Gould. Proc. Boston Soc. Nat. Hist., vol. 7, p. 329, 1860.

C. klenei (Sowerby).

Triton Klenei Sowerby. Journ. of Conch., vol. 6, p. 150, 1889. —
Mar. Shells of S. Africa, p. 8, pl. 4, fig. 87, 1892.
a. 1. S. Africa, E. DEYROLLE.

C. waterhousei (Adams & Angas).

Triton waterhousei Adams & Angas. Proc. Zool. Soc. London, p. 35, 1864.
a. 2. West Port Bay (Victoria), H. C. FULTON.

var. *frigidula* Iredale.

Cymatium waterhousei frigidulum Iredale. Rec. Austral. Mus. Sydney,
vol. 17, p. 177, pl. 41, fig. 2, 1929.

Sect. *Turritriton* Dall.

C. adairense Dall.

Cymatium adairense Dall. Nautilus, Boston Mass., vol. 24, p. 33, 1910.

C. gibbosum (Broderip).

Triton gibbosus Broderip. Proc. Zool. Soc. London, p. 7, 1833.
a. 1. Gulf of California, H. TEN KATE.

C. labiosum (Wood).

Murex labiosus Wood. Index testac. Suppl., p. 15, pl. 5, fig. 18, 1828.
Tritonium rutilum Menke. Moll. Nov. Holland. Spec., p. 25, No 120, 1843.
a. 1. Amboyna, HOEDT. — b. 2. ?, from TOBIAS' collection. — c. 1.
Ternate (Moluccas), from E. F. JOCHIM's collection. — d. 1. Wijnkoopsbaai (S. W. Java), L. DE PRIESTER. — e. 1. Wetar Isl. (N. of Timor),
K. SCHÄDLER.

var. *loroisi* (Petit de la Saussaye).

Triton loroisi Petit de la Saussaye. Journ. de Conch., vol. 3, p. 53,
pl. 2, fig. 8, 1852.

var. *orientalis* (Nevill).

Triton gibbosus Broderip. Reeve. Conch. Icon., Triton, pl. 11, fig.
38a, 1844.

Triton (Gutturnium) orientalis Nevill. Journ. Asiat. Soc. Bengal, vol.
43, 2, p. 29, 1874.

a. 1. Haingsisi (Semaoe Isl.), Siboga Expedition.

var. *strangei* (Adams & Angas).

Triton strangei Adams & Angas. Proc. Zool. Soc. London, p. 35, 1864.
Triton (Simpulum) strangei Smith. Proc. Zool. Soc. London, p. 816,
pl. 50, fig. 16, 1878.

IV. Sub-genus *Lampusia* Schumacher, 1817.*C. beccarii* (Tapparone-Caneffri).*Tritonium Beccarii* Tapparone-Caneffri. Muric. Mar. Rosso, p. 23. — Ann. Mus. civico Genova, p. 587, pl. 19, fig. 7, 1875.*C. chlorostomum* (Lamarck).*Triton chlorostomum* Lamarck. Anim. s. Vert., vol. 7, p. 185, No 20, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 636, No 20, 1843.*Triton pulchellus* Adams. Contr. to Conch., p. 60, 1850.

a. 2. Tjilatjap (S. Java), OVERDIJK. — b. 4. Timor, WIENECKE & ZIJNEN WARTEL. — c. 5. North and West coast of Curacao, A. J. VAN KOOLWIJK. — d. 3. St. Thomas, F. v. CALKER. — e. 3. West Indies, KRAEPELIN & HOLM. — f. 6.?, from DALEN's collection and from the "Old Collection". — g. 1. ? Amboyna, E. E. W. G. SCHRÖDER. — h. 1. Dorehbaai (N. Guinea), from E. F. JOCHIM's collection. — i. 1. Leksoela (Boeroe Isl.), W. C. VAN HEURN.

C. corrugatum (Lamarck).*Murex pileare* (non Lamarck) Von Salis. Reisen in versch. Prov. Königr. Neap., vol. 1, p. 370, 1793.*Triton corrugatum* Lamarck. Anim. s. Vert., vol. 7, p. 181, No 7, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 628, No 7, 1843.

a. 9. Mediterranean, F. CANTRAINE. — 839. 2. Mediterranean, F. CANTRAINE. — c. 3. Positano, G. STIASNY. — d. 4.?,?

var. *krebssi* (Mörch).*Triton Krebsii* Mörch. Malakoz. Bl., vol. 24, p. 30, No 362, 1877.var. *tremperi* Dall.*Cynatium corrugatum* var. *Tremperi* Dall. Nautilus, Boston Mass., vol. 21, p. 85, 1907.*Triton gemmatum* (Reeve).*Triton gemmatus* Reeve. Proc. Zool. Soc. London, p. 117, 1844. — Conch. Icon., Triton, sp. 60, pl. 15, fig. 60, 1844.*Triton mundum* Gould. Bost. Proc., p. 143, 1849.

a. 1. North of Timor, ZIJNEN WARTEL. — b. 1.?, from HOOGEVEEN's collection. — c. 2. Madura, from E. F. JOCHIM's collection. — d. 1. Sabang (Poeloe We), L. DE PRIESTER. — e. 1. Leksoela (Boeroe Isl.), W. C. VAN HEURN. — f. 1. Philippines, E. DEYROLLE.

C. granulatum (Dunker).*Tritonium granulatum* Dunker. Malakoz. Bl., vol. 18, p. 166, 1871.

C. lineatum (Broderip).*Triton lineatus* Broderip. Proc. Zool. Soc. London, p. 6, 1833.*C. pharcidum* (Dall).*Lampusia? pharcida* Dall. Rep. results dredging "Blake", Mollusca, part 2, Bull. Mus. Comp. Zool. Cambridge, vol. 18, p. 227, pl. 36, fig. 2, 1889.*C. philomelae* (Watson).*Triton philomelae* Watson. Prelim. Rep. "Challenger", part 7, Journ. Linn. Soc. London, vol. 15, p. 268, 1880. — Rep. scient. res. voy. "Challenger", Zool., vol. 15, p. 391, pl. 14, fig. 10, 1886.*C. pileare* (Linné).*Murex pileare* Linné. Syst. nat., ed. 12, p. 1217, 1767.*Triton haemastoma* Valenciennes. Rec. d'observ. de Zool., vol. 2, p. 302, 1833.

a. 8. Indian Ocean, REINWARDT. — b. 7. Amboyna, HOEDT. — c. 3. Tjilatjap (S. Java), OVERDIJK. — d. 4. Straits of Larantoeka, J. SEMMELINK. — e. 3. Timor, WIENECKE & ZIJNEN WARTEL. — f. 1. Aroe Is., VON ROSENBERG. — g. 1. Ceram, HOEDT. — h. 1. Misool, HOEDT. — i. 2. Nossi Bé (near Madagascar), POLLEN & v. DAM. — 836. 2. Amboyna, FORSTEN. — 837. 2. Indian Ocean, REINWARDT. — l. 2. Nias Isl. (near Sumatra), E. E. W. G. SCHRÖDER. — m. 1. Madura, MANGOLD. — n. 5. & o. 2. Madura, from E. F. JOCHIM's collection. — p. 1. Ternate (Moluccas), from E. F. JOCHIM's collection. — q. 1. Banda Is., from E. F. JOCHIM's collection. — r. 4. Poeloe We (near Sumatra), P. BUITENDIJK. — s. 3. Skroë (N. Guinea), K. SCHÄDLER.

var. *aquatalis* (Reeve).*Triton aquatalis* Reeve. Proc. Zool. Soc. London, p. 114, 1844. — Conch. Icon., Triton, sp. 24, pl. 7, fig. 24, 1844.

a. 6. American Sea, ? — b. 1. St. Thomas (West Indies), CALKER. — c. 3. Tjilatjap (S. Java), OVERDIJK. — d. 1. North Halmahera, BERNSTEIN. — e. 1. Timor, WIENECKE. — f. 1. Nossi Falli (near Madagascar), POLLEN & v. DAM. — g. 11. ?, from HOOGEVEEN's collection. — 835. 1. Amboyna, FORSTEN. — i. 1. Moluccas, from E. F. JOCHIM's collection. — j. 3. Djeddah, J. A. KRUYT. — k. 1. Honolulu (Sandwich Is.), P. BUITENDIJK. — l. 3. Banda Is., ? — m. 1. Skroë (N. Guinea), K. SCHÄDLER.

var. *martiniana* (d'Orbigny).*Triton Martinianum* d'Orbigny. Moll. Cuba, vol. 2, p. 162, 1853.*Triton intermedius* Pease. Amer. Journ. Conch., vol. 5, p. 74, 1869.

Triton Veliei Calkins. Proc. Davenport Acad. Sci., vol. 2, p. 235, pl. 8, figs. 1, 2, 1878.

- a. 5. American Sea,? — b. 2. West Indies, KRAEPELIN & HOLM. —
- c. 1. Curacao, EPP. — d. 1. St. John (West Indies), KRAEPELIN & HOLM. —
- e. 1. Porto Rico, H. B. PRESTON. — f. 1. Curacao, A. J. v. KOOLWIJK.

var. *vestita* (Hinds).

Triton vestitus Hinds. Proc. Zool. Soc. London, p. 21, 1844. — Zool. of voy. "Sulphur", Moll. 2, p. 11, pl. 4, figs. 1, 2, 1844.

C. rubeculum (Linné).

Murex rubecula Linné. Syst. nat., ed. 12, p. 1218, 1767.

Septaria scarlatina Perry. Conch., pl. 14, fig. 2, 1811.

- a. 4. Tjilatjap (S. Java), OVERDIJK. — b. 25. Amboyna, HOEDT. —
- c. 1. Ceram, HOEDT. — d. 6. Larantoeka (Flores), J. SEMMELINK. — e. 1. North Timor, ZIJNEN WARTEL. — f. 2. Mauritius, FRANK. — g. 1. ? Madura, MANGOLD. — h. 7. Madura, from E. F. JOCHIM's collection. — i. 6. Ternate (Moluccas), from E. F. JOCHIM's collection. — j. 3. Amboyna, from E. F. JOCHIM's collection. — k. 2. Nossi Bé (near Madagascar), POLLEN & v. DAM. — l. 2. Doreh Baai (N. Guinea).

C. trigonum (Gmelin).

Murex trigonus Gmelin. Syst. nat., vol. 1, pars 6, p. 3549, No 84, 1790.

Triton caudata Kiener. Icon. coq. viv., Triton, p. 16, No 12, pl. 9, fig. 2, 1843.

Triton ficooides Reeve. Proc. Zool. Soc. London, p. 116, 1844. — Conch. Icon., Triton, sp. 51, pl. 13, fig. 51, 1844.

Triton Samier Petit. Journ. de Conch., vol. 3, p. 44, pl. 2, fig. 10, 1852.
a. 2. Africa,?

V. Sub-genus *Cymatium* s.s.

C. armatum (Sowerby).

Lotorium armatum Sowerby. Proc. Malac. Soc. London, vol. 2, p. 137, pl. 11, fig. 1, 1896.

C. dunkeri (Lischke).

Triton Dunkeri Lischke. Malakoz. Bl., vol. 15, p. 219, 1868. — Jap. Meeres-Conch., vol. 1, p. 49, pl. 3, figs. 1, 2, 1869.

C. durbanense (Smith).

Lotorium durbanense Smith. Journ. of Conch., vol. 9, p. 248, pl. 5, fig. 4, 1899.

C. femorale (Linné).*Murex femorale* Linné. Syst. nat., ed. 12, p. 1217, 1767.*Lotorium lotor* Montfort. Conchyl. syst., vol. 2, p. 583, 1810.*Triton lotorium* Lamarck. Encycl. méth., p. 415, fig. 2, 1816.

- a. 7. American Sea, VOIGT. — b. 1. Curacao, EPP. — c. 1. St. Thomas (West Indies), CALKER. — d. 1. West Indies, KRAEPELIN & HOLM. — e. 3. ?, from COSIJN's collection.

C. lotorium (Linné).*Murex lotorium* Linné. Syst. nat., ed. 12, p. 1217, 1767.*Cymatium rhinoceros* Bolten. Mus. Bolt., p. 129, No 1620, 1798.*Triton distortum* Lamarck. Encycl. méth., pl. 415, fig. 3, 1816.

- a. 10. Amboyna, HOEDT. — b. 2. North Timor, ZIJNEN WARTEL. — c. 2. Ceylon, M. M. SCHEPMAN. — d. 4. Madura, from E. F. JOCHIM's collection. — e. 1. Larantoeka (Flores), KROON. — f. 1. Wijnkoopsbaai (S. W. Java), from E. F. JOCHIM's collection.

var. *grandimaculata* (Reeve).*Triton grandimaculatus* Reeve. Proc. Zool. Soc. London, p. 113, 1844. —

Conch. Icon., Triton, sp. 20, pl. 6, fig. 20, 1844.

- a. 1. Boeton Isl. (near Celebes), from E. F. JOCHIM's collection.

C. münsteri (Anton).*Triton Münsteri* Anton. Verzeichn. d. Conch., p. 83, 1839.*C. pyrum* (Linné).*Murex pyrum* Linné. Syst. nat., ed. 12, p. 1218, 1767.*Triton lotorium* Mörch. Cat. conch. Yoldi, p. 109, 1852.

- a. 6. Indian Ocean, ? — b. 9. Amboyna, HOEDT. — c. 2. North Timor, ZIJNEN WARTEL. — d. 1. Banda Is., from E. F. JOCHIM's collection.

C. tigrinum (Broderip).*Triton tigrinus* Broderip. Proc. Zool. Soc. London, p. 5, 1833.var. *ranzanii* (Bianconi).*Triton Ranzanii* Bianconi. Revue et Mag. Zool., p. 217, 1851. —

Zool. Mozambicana, p. 63, pl. 3, figs. 1, 2, 1851.

C. tripus (Lamarck).*Murex tripus* Chemnitz. Syst. Conch. Cab., vol. 11, p. 128, pl. 193, figs. 1858, 1859, 1795.*Murex femorale* Var. Dillwyn. Descr. catal. rec. shells, vol. 2, p. 697, 1817.*Triton tripus* Lamarck. Anim. s. Vert., vol. 7, p. 184, No 14, 1822. —

Anim. s. Vert., éd. Desh., vol. 9, p. 634, No 14, 1843.

- a. 7. ?, ?

VI. Sub-genus *Ranularia* Schumacher, 1817.Sect. *Ranularia* s. s.*C. caudatum* (Gmelin).*Murex caudatus* Gmelin. Syst. nat., p. 3535, No 34, 1790.*Triton canaliferum* Lamarck. Anim. s. Vert., vol. 7, p. 184, No 15, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 634, No 15, 1843. a. 1. ? Madura, MANGOLD. — b. 1. Moluccas, ? — c. 4. Madura, from E. F. JOCHIM's collection.*C. clavator* (Dillwyn).*Murex Clavator* Chemnitz. Syst. Conch. Cab., vol. 11, p. 110, pl. 190, figs. 1825, 1826, 1795.*Murex pyrum* Var. B Dillwyn. Deser. catal. rec. shells, vol. 2, p. 700, 1817.*Murex clavator* Dillwyn. Deser. catal. rec. shells, vol. 2, p. 701, No 39, 1817.*Ranularia longirostra* Schumacher. Essai nouv. syst., p. 254, 1817.*Triton clavator* Lamarck. Anim. s. Vert., vol. 7, p. 185, No 17, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 635, No 17, 1843.

a. 3. Indian Ocean, ? — b. 3. Amboyna, HOEDT. — c. 2. ?, from HOOGEVEEN's collection. — d. 2. Madura, from E. F. JOCHIM's collection. — e. 1. Wetar Isl. (N. of Timor), K. SCHÄDLER.

C. cynocephalum (Lamarck).*Triton cynocephalum* Lamarck. Anim. s. Vert., vol. 7, p. 184, No 18, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 633, No 13, 1843.*Triton moritinctus* Reeve. Proc. Zool. Soc. London, p. 115, 1844. — Conch. Icon., Triton, sp. 49, pl. 13, fig. 49, 1844.

a. 4. Indian Ocean, ? — b. 2. West Indies, KRAEPELIN & HOLM. — c. 4. Japan, P. F. von SIEBOLD. — d. 1. Mouth of the Suriname river, W. C. VAN HEURN. — e. 2. ?, from COSIJN's collection. — f. 1. ?, ?

C. encausticum (Reeve).*Triton encausticus* Reeve. Proc. Zool. Soc. London, p. 115, 1844. — Conch. Icon., Triton, sp. 43, pl. 12, fig. 43, 1844.*C. exile* (Reeve).*Monoplex formosus* (?) Perry. Conch., pl. 3, fig. 5, 1811.*Triton clavator* (non Dillwyn) Sowerby. Genera of Shells, Triton, fig. 3, 1830.*Triton clavator* (non Dillwyn) Reeve. Conch. Syst., vol. 2, p. 198, pl. 243, fig. 3, 1842.

Triton exilis Reeve. Proc. Zool. Soc. London, p. 111, 1844. — Conch.

Icon., Triton, sp. 11, pl. 4, fig. 11 a, b, 1844.

a. 2. Indian Ocean, M. VAN DOORN. — b. 5. Amboyna, HOEDT. —

c. 1. Moluccas,? — d. 1. Amboyna, CH. JELLEMA.

C. moniliferum (Adams & Reeve).

Triton monilifer Adams & Reeve. Zool. Voy. "Samarang", p. 37, pl. 10, fig. 18, 1848.

a. 2. Philippines, H. C. FULTON.

C. pachychilus (Tapparone-Caneffri).

Tritonium pachycheilos Tapparone-Caneffri. Boll. Soc. Mal. Ital., vol. 2, p. 243, 1876.

C. pyrulum (Adams & Reeve).

Triton pyrulum Adams & Reeve. Zool. Voy. "Samarang", p. 37, pl. 10, fig. 17, 1848.

C. retusum (Lamarck).

Triton retusum Lamarck. Anim. s. Vert., vol. 7, p. 184, No 16, 1822. —
Anim. s. Vert., éd. Desh., vol. 9, p. 635, No 16, 1843.

a. 2.?, „Old Collection” & HOOGEVEEN’s collection. — b. 1.?, ?

C. sarcostomum (Reeve).

Triton sarcostoma Reeve. Proc. Zool. Soc. London, p. 113, 1844. —
Conch. Icon., Triton, sp. 21, pl. 7, fig. 21, 1844.

C. sinense (Reeve).

Triton Sinensis Reeve. Proc. Zool. Soc. London, p. 113, 1844. —
Conch. Icon., Triton, sp. 18, pl. 6, fig. 18 a, b, 1844.

a. 1. Hongkong, E. DEYROLLE.

Sect. *Gutturnium* Mörch.

C. amictum (Reeve).

Triton amictus Reeve. Conch. Icon., Triton, sp. 62, pl. 15, fig. 62, 1844.

C. crispum (Reeve).

Triton crispus Reeve. Proc. Zool. Soc. London, p. 118, 1844. —
Conch. Icon., Triton, sp. 68, pl. 17, fig. 68, 1844.

C. exaratum (Reeve).

Monoplex cornutus (?) Perry. Conch., pl. 3, fig. 1, 1811.

Triton exaratus Reeve. Proc. Zool. Soc. London, p. 116, 1844. —

Conch. Icon., Triton, sp. 50, pl. 13, fig. 50 a, b, 1844.

a. 1. Kanagawa (Japan), NOORDHOEK HEGT.

C. gallinago (Reeve).

Triton gallinago Reeve. Proc. Zool. Soc. London, p. 110, 1844. —
Conch. Icon., Triton, sp. 5, pl. 2, fig. 5, 1844.

C. kiiense (Sowerby).

Lotorium (Cymatium) kiiensis Sowerby. Ann. & Mag. Nat. Hist., vol. 16, ser. 8, p. 165, pl. 10, fig. 7, 1915.

C. kobelti (von Maltzan).

Tritonium Kobelti von Maltzan. Nachrichtsbl. malakoz. Ges., vol. 16, p. 66, 1884.

C. loebbeckei (Lischke).

Triton Loebbeckei Lischke. Malacoz. Bl., vol. 17, p. 23, 1870. —
Japan. Meeres-Conch., vol. 2, p. 36, pl. 4, figs. 13, 14, 1871.

C. mauritianum (Tapparone-Canefri).

Tritonium mauritianum Tapparone-Canefri. Boll. Soc. Mal. Ital., vol. 2, p. 283, 1876.

C. pfeifferianum (Reeve).

Triton Pfeifferianus Reeve. Proc. Zool. Soc. London, p. 112, 1844. —
Conch. Icon., Triton, sp. 14, pl. 4, fig. 14, 1844.
a. 1. ?, VOIGT. — b. 1. Noordwachter Isl. (Bay of Batavia), L. DE PRIESTER. — c. 1. Madura, MANGOLD. — d. 1. Tandjong Priok (Java), P. BUITENDIJK. — e. 6. Madura, from E. F. JOCHIM's collection. — f. 1. Amboyna, CH. JELLEMA.

C. ridleyi (Smith).

Triton Ridleyi Smith. Journ. Linn. Soc., vol. 20, p. 489, pl. 30, fig. 1, (1888) 1890.

C. tenuiliratum (Lischke).

Triton tenuiliratus Lischke. Malacoz. Bl., vol. 21, p. 20, 1873. —
Jap. Meeres-Conch., vol. 3, p. 30, pl. 2, figs. 18, 19, 1874.
a. 2. Japan, H. C. FULTON.

var. *nodocostata* (Tate & May).

Lampusia nodocostata Tate & May. Trans. & Proc. R. Soc. of S. Australia, vol. 24, p. 90, 1900. — Proc. Linn. Soc. N. S. Wales, vol. 26, p. 355, pl. 23, fig. 2, 1901.

C. testudinarium (Adams & Reeve).

Triton testudinarius Adams & Reeve. Zool. Voy. "Samarang", p. 37, pl. 9, fig. 3 a, b, 1848.

C. trilineatum (Reeve).*Triton trilineatus* Reeve. Proc. Zool. Soc. London, p. 114, 1844. —

Conch. Icon., Triton, sp. 31, pl. 10, fig. 31 a, b, 1844.

a. 3. Red Sea, RUYSENNAERS. — b. 1. Aden, H. STRENGERS & L. E. NOBEL. — 838. 1. Djeddah, J. A. KRUYT.

var. *aegrotata* (Reeve).*Triton aegrotus* Reeve. Proc. Zool. Soc. London, p. 114, 1844. —

Conch. Icon., Triton, sp. 42, pl. 12, fig. 42, 1844.

C. tuberosum (Lamarck).*Murex pyrum* Var. C. Dillwyn. Descr. catal. rec. shells, vol. 2, p. 701, 1817.*Triton tuberosum* Lamarck. Anim. s. Vert., vol. 7, p. 185, No 18, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 635, No 18, 1843.*Triton pyriformis* Conrad. Journ. Philad. Acad., vol. 2, ser. 1, p. 211, 1849.*Triton nodulus* Mart. Mörch. Catal. conch. Yoldi, p. 109, 1852.*Distorsio muricina* Bolt. Mörch. Catal. conch. Yoldi, p. 109, 1852.*M. ranula* Meusch. Mörch. Catal. conch. Yoldi, p. 109, 1852.*Triton productum* Gould. Moll. & Shells U. S. Expl. Exp. (Com. Wilkes), p. 240, 1852.*Triton Antillarum* d'Orbigny. Moll. de Cuba, vol. 2, p. 161, pl. 23, fig. 20, 1853.

a. 4. Tjilatjap (S. Java), OVERDIJK. — b. 4. Amboyna, HOEDT. —
 c. 1. North Timor, ZIJNEN WARTEL. — d. 1. Zanzibar, DERX. — e. 1.
 Nossi Falli (near Madagascar), POLLEN & VAN DAM. — f. 2. Nossi Bé (near
 Madagascar), POLLEN & VAN DAM. — g. 1. St. Thomas (West Indies),
 CALKER. — i. 1. ? Amboyna, E. E. W. G. SCHRÖDER. — j. 1. Banjoe-
 wangi (E. Java), from E. F. JOCHIM's collection. — k. 3. Amboyna, from
 E. F. JOCHIM's collection. — l. 1. Sabang (Poeloe We), W. F. DE
 PRIESTER. — m. 2. New Guinea, K. SCHÄDLER. — n. 12. Isle of Banda, ? —
 o. 2. Skroë (N. Guinea), K. SCHÄDLER. — p. 1. Poeloe We (near Sumatra),
 P. BUITENDIJK. — q. 2. Madjene (Celebes), F. H. VERSCHOOR VAN NISSE. —
 r. 2. Boesak (N. Celebes), ? — s. 1. Sinabang (Simeuloe Isl.), E. JACOB-
 SON. — 834. 2. Indian Ocean, ?

var. *albocingulata* (Deshayes).*Triton albocingulatum* Deshayes. Catal. moll. Ile de la Réunion, p. 113, No 360, 1863.a. 1. Indian Ocean, ? — b. 1. Tjilatjap (S. Java), OVERDIJK. — c. 3.
 Banda Is., ? — d. 1. Boesak (N. Celebes), ? — e. 2. Madura, MANGOLD.

C. turtoni (Smith).

Triton turtoni Smith. Proc. Zool. Soc. London, p. 268, pl. 21, figs. 13, 13a, 1890.

C. vespaceum (Lamarck).

Triton vespaceum Lamarck. Anim. s. Vert., vol. 7, p. 185, No 19, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 636, No 19, 1843.

a. 3. Tjilatjap (S. Java), OVERDIJK. — b. 7. North Timor, WIENECKE & ZIJNNEN WARTEL. — c. 3. Moluccas, from HOOGEVEEN's collection. — d. 3. Madura, from E. F. JOCHIM's collection. — e. 2. Wetar Isl. (N. of Timor), K. SCHÄDLER.

var. *elongata* (Reeve).

Triton elongatus Reeve. Proc. Zool. Soc. London, p. 117, 1844. — Conch. Icon., Triton, sp. 59, pl. 15, fig. 59, 1844.

var. *gracilis* (Reeve).

Triton gracilis Reeve. Proc. Zool. Soc. London, p. 117, 1844. — Conch. Icon., Triton, sp. 58, pl. 15, fig. 58 a, b, 1844.

a. 1. Sea of Halmahera, Stat. 164, Siboga expedition.

var. *thersites* (Reeve).

Triton Thersites Reeve. Proc. Zool. Soc. London, p. 115, 1844. — Conch. Icon., Triton, sp. 48, pl. 13, fig. 48 a, b, 1844.

Genus **Distortrix** Link, 1807.*D. anus* (Linné).

Murex anus Linné. Syst. nat., ed. 12, p. 1218, 1767.

Cassis vera. Distorsio fasciata Martini. Syst. Conch. Cab., vol. 2, p. 81, pl. 41, figs. 403, 404, 1773.

Distorsio rugosa Schumacher. Essai nouv. syst., p. 249, 1817.

a. 5. Moluccas, REINWARDT. — b. 3. Tjilatjap (S. Java), OVERDIJK. — c. 7. Amboyna, HOEDT. — d. 1. Misool Isl., HOEDT. — e. 1. Ceram, HOEDT. — f. 1. Banka, v. d. BOSSCHE. — g. 1. Gorontalo (N. Celebes), ROSENBERG. — h. 2. Straits of Larantoeka, J. SEMMELINK. — i. 5. Timor, WIENECKE & ZIJNNEN WARTEL. — j. 1. Red Sea, RUYSENNAERS. — k. 1. Fak-fak (N. Guinea), PALMER v. d. BROEK. — l. 4. Madura, from E. F. JOCHIM's collection. — m. 1. Manoekwari (North N. Guinea), W. C. v. HEURN. — n. 1. Doreh Baai (N. Guinea), from E. F. JOCHIM's collection. — o. 1. Skroë (N. Guinea), K. SCHÄDLER. — p. 1. Banda Neira Isl., J. SEMMELINK. — q. 1. Laroeng,? — r. 2. Banda Is., from E. F. JOCHIM's collection. — s. 1. Patjitan (S. Java), from E. F. JOCHIM's collection.

D. cancellina (De Roissy).

Cassis vera. Distorsio reticulata Martini. Syst. Conch. Cab., vol. 2, p. 85, pl. 41, figs. 405, 406, 1773.

Murex anus, pars altera Schröter. Einl. Conchylienk., vol. 1, p. 501, No 22, 1783.

Murex cancellinus De Roissy. Buffon. Hist. gen. et part. Moll., vol. 6, p. 56, No 12, 1805.

Triton clathratum Lamarck. Encycl. méth., pl. 413, fig. 4 a, b, 1816. — Anim. s. Vert., vol. 7, p. 186, No 22, 1822.

Murex mulus Dillwyn. Descr. catal. rec. shells, vol. 2, p. 704, No 45, 1817.

Triton reticularis L. Mörch. Catal. conch. Yoldi, p. 107, 1852.

a. 2. Indian Ocean,? — b. 2. Amboyna, HOEDT. — c. 1. Banka, v. d. BOSSCHE. — d. 3. American Sea,? — e. 1. Haiti, RICORD. — f. 4. Madura, from E. F. JOCHIM's collection. — g. 4. Menado (Celebes), from E. F. JOCHIM's collection. — h. 1. Amboyna, from E. F. JOCHIM's collection. — i. 2. Celebes, Miss E. J. KOPERBERG. — j. 3. Patjitan (S. Java), from E. F. JOCHIM's collection. — k. 1. North coast of Atjeh, G. A. J. v. d. SANDE. — l. 1. Hongkong (China), E. DEYROLLE. — m. 2. Boesak (N. Celebes),? — n. 1. Medan (E. Sumatra), J. C. B. HÜNER.

var. *constricta* (Broderip).

Triton constrictus Broderip. Proc. Zool. Soc. London, p. 5, 1833.

var. *decipiens* (Reeve).

Triton decipiens Reeve. Proc. Zool. Soc. London, p. 121, 1884. — Conch. Icon., Triton, sp. 102, pl. 20, fig. 102, 1844.

var. *francesae* (Iredale).

Distorsio francesae Iredale. Rec. Austral. Mus. Sydney, vol. 18, p. 213, pl. 23, fig. 2, 1931.

var. *ridens* (Reeve).

Triton ridens Reeve. Proc. Zool. Soc. London, p. 115, 1844. — Conch. Icon., Triton, sp. 46, pl. 12, fig. 46, 1844.

a. 1. Indian Ocean,?

D. pusilla Pease.

Distorsio pusilla Pease. Proc. Zool. Soc. London, p. 397, 1860.

D. smithi (von Maltzan).

Persona Smithi von Maltzan. Nachrichtsbl. Malakoz. Gesellsch., vol. 16, p. 65, 1884.

Genus **Charonia** Gistel, 1848.Sect. *Charonia* s. s.*C. gemmifera* (Euthyme).*Tritonium gemmiferum* Euthyme. Bull. soc. malac. France, p. 277, pl. 7, fig. 1, 1889.var. *lepta* Bartsch.*Eugyrina gemmifera* Euthyme var. *lepta* Bartsch. Smiths. Inst. U. S. Nat. Mus., Bull. 91, p. 93, pl. 8, figs. 1, 4, 1915.*C. gyrrinoides* (Brocchi).*Murex tritonis* (non Linné) Von Salis. Reisen in versch. Prov. Königr. Neap., vol. 1, p. 372, 1793.*Murex gyrrinoides* Brocchi. Conch. foss. subapennina, vol. 2, p. 401, pl. 9, fig. 9, 1814.*Murex tritonis* (non Linné) Brocchi. Conch. foss. subapennina, vol. 2, p. 413, 1814.*Murex nerei* (pars) Dillwyn. Descr. catal. rec. shells, vol. 2, p. 728, 1817.*Triton nodiferum* Lamarck. Anim. s. Vert., vol. 7, p. 179, No 2, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 624, No 2, 1843.*Triton Mediterraneum* Risso. Hist. nat. Eur. mer., vol. 4, p. 203, 1826.*Triton ventricosum* Grateloup. Atlas, pl. 29, fig. 17, 1840.*Triton crassum* Grateloup. Atlas, pl. 29, fig. 20, 1840.*Triton colubrinum* Grateloup. Atlas, pl. 29, fig. 21, 1840.*Triton ranellaeforme* Sismonda. Synopsis, p. 39, 1842.*Triton opis* Bolt. Mörch. Catal. conch. Yoldi, p. 108, 1852.*Triton subcolubrinum* d'Orbigny. Prodromus, vol. 3, p. 77, 1852.*Triton nodifer* Jeffreys. Brit. conch., vol. 5, p. 218, pl. 83, fig. 3, 1869. a. 1. Indian Ocean,? — b. 1. Batjan Isl. (Moluccas),? — c. 1.?,? —

848. 2. Mediterranean, F. CANTRAINE.

subsp. *rubicunda* (Perry).*Septa rubicunda* Perry. Conch., pl. 14, fig. 4, 1811.*Murex nerei* (pars altera) Dillwyn. Descr. catal. rec. shells, vol. 2, p. 728, 1817.*Triton australe* Lamarck. Anim. s. Vert., vol. 7, p. 179, No 3, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 625, No 3, 1843.*Triton nodicinctus* A. Ad. Paetel. Cat. Conch.-Samml., vol. 1, p. 100, 1887.*Charonia capax* Finlay. Trans. & Proc. N. Zealand Inst., vol. 57, p. 397, pl. 20, fig. 67, 1927.

a. 2. Australia,?

var. euclia (Hedley).

Charonia nodifera var. *euclia* Hedley. Biol. Res. Fishing Exper. "Endeavour", vol. 2, part 2, p. 65, pl. 8, fig. 1, 1914.

Charonia capax Finlay subsp. *euclioides* Finlay. Trans. & Proc. N. Zealand Inst., vol. 57, p. 398, pl. 20, fig. 68, 1927.

f. instructa (Iredale).

Charonia euclia instructa Iredale. Rec. Austral. Mus., Sydney, vol. 17, p. 172, pl. 41, fig. 5, 1929.

var. glabra (Locard).

Tritonium variegatum (non Lamarck) Philippi. Enum. Moll. Sic., vol. 1, p. 212, 1836.

Tritonium nodiferum Weinkauff. Conch. Mittelm., vol. 2, p. 75, 1868.

Tritonium glabrum Locard. Cat. gén. Moll. de France, pp. 558 & 154, 1886.

var. sauliae (Reeve).

Triton Sauliae Reeve. Proc. Zool. Soc. London, p. 112, 1844. — Conch. Icon., Triton, sp. 17, pl. 5, fig. 17 a, b, 1844.

a. 1. Japan, P. F. von Siebold. — b. 1.?, G. van Roon.

C. pustulata (Euthyme).

Tritonium pustulatum Euthyme. Bull. soc. malac. France, p. 273, pl. 6, figs. 3, 4, 1889.

var. minor Euthyme.

Tritonium pustulatum Euthyme var. *minor* Euthyme. Bull. soc. malac. France, p. 276, 1889.

var. varicosa Euthyme.

Tritonium pustulatum Euthyme var. *varicosa* Euthyme. Bull. soc. malac. France, p. 276, 1889.

C. tritonis (Linné).

Murex tritonis Linné. Syst. nat., ed. 12, p. 1222, 1767.

Triton variegatum Lamarck. Anim. s. Vert., vol. 7, p. 178, No 1, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 623, No 1, 1843.

a. 3. Indian Ocean,? — b. 3. Moluccas,? — c. 1. Waigeo Isl. (near N. Guinea), BERNSTEIN. — d. 1. Gorontalo (Celebes), VON ROSENBERG. — e. 1. Nossi-Falli (near Madagascar), POLLON & v. DAM. — f. 1. Japan, P. F. von Siebold. — g. 4.?, from HOOGEVEEN's collection. — h. 1. Amboyna,? — i. 1. Geelvink Baai or Mapia Isl., P. E. MOOLENBURGH. — j. 1. South coast of Java, from E. F. JOCHIM's collection. — k. 1. Madura, from E. F. JOCHIM's collection. — l. 2. Island Eastward of Madura,

from E. F. JOCHIM's collection. — m. 1. Moluccas, from E. F. JOCHIM's collection. — n. 1. Amboyna, from E. F. JOCHIM's collection. — o. 2. Semaoe Isl. (near Timor), W. von BÜLOW. — p. 1. Madjene (Celebes), F. H. VERSCHOOR VAN NISSE.

var. *nobilis* (Conrad).

Triton variegatus var. β Reeve. Conch. Icon., Triton, sp. 3 a, pl. 1, fig. 3 a, 1844.

Triton nobile Conrad. Journ. Acad. Nat. Sci. Philad., 2, vol. 1, p. 212, 1849.

Triton variegatum Lam. Enc. Mörch. Catal. conch. Yoldi, p. 108, 1852.

Triton marmoratum Link. Mörch. Catal. conch. Yoldi, p. 108, 1852.

Triton Seguenzae Aradas et Benoit. Atti Acad. Gioenia, ser. 3, vol. 5, p. 90, 1871.

Triton commutatus Dunker mss. Küster in Martini & Chemnitz. Syst. Conch. Cab., vol. 3, part 2, Purpurschnecken, p. 224, 1878.

a. 1. West Indies, Kraepelin & Holm. — b. 1. Curacao, A. J. VAN KOOLWIJK. — c. 1. St. Thomas (West Indies), CALCAR. — d. 5?, J. E. G. VAN EMDEN. — e. 1. Carolines Is., from SCHMELTZ's collection. — f. 1. Mediterranean, F. CANTRALINE.

Sect. *Negyrina* Iredale.

C. alfredensis (Bartsch).

Nyctilochus alfredensis Bartsch. Smiths. Inst. U. S. Nat. Mus., bull. 91, p. 94, pl. 4, fig. 4, 1915.

C. bassi (Angas).

Triton bassi Angas. Proc. Zool. Soc. London, p. 45, pl. 2, fig. 2, 1869.

Tritonium fraterculus Dunker. Malakoz. Bl., p. 166, 1871.

Siphon(?) mimeticus Tate. Trans. Roy. Soc. S. Austral., part 1, p. 189, pl. 1, fig. 10, 1893.

a. 1. Victoria (Australia), SOWERBY & FULTON.

C. parkinsonia (Perry).

Septa parkinsonia Perry. Conch., pl. 14, fig. 1, 1811.

Triton fusiformis Kiener. Icon. coq. viv., Triton, p. 36, No 28, pl. 5, fig. 2, 1843.

Lotorium parkinsonianum Hedley. Scient. res. trawling exp. "Thetis", memoir 4, part 6, Austr. Mus. Sydney, p. 340, 1903.

a. 1. Australia, E. DEYROLLE.

var. *basilica* Iredale.

Astrotriton (parkinsonius) basilicus Iredale. Proc. Linn. Soc. New S. Wales, vol. 49, p. 253, pl. 35, fig. 4, 1924.

C. pumilio (Hedley).

Lotorium pumilio Hedley. Scient. res. trawling exp. "Thetis", memoir 4, part 6, Austr. Mus. Sydney, p. 339, fig. 68, 1903.

C. subdistorta (Lamarck).

Triton subdistortum Lamarck. Anim. s. Vert., vol. 7, p. 186, No 23, 1822. — Anim. s. Vert., éd. Desh., vol. 9, p. 638, No 23, 1843.
a. 1. Australia, E. DEYROLLE.

Sect. *Colubraria* Schumacher.*C. clathrata* (Sowerby).

Triton clathratus (non Lamarck) Sowerby. Proc. Zool. Soc. London, p. 71, 1833.

Epidromus Cumingi Dohrn. Proc. Zool. Soc. London, p. 205, pl. 26, fig. 5, 1871.

a. 1. Mauritius, FRANK. — b. 1. Mauritius, H. C. FULTON.

C. maculosa (Gmelin).

Murex maculosus Gmelin. Syst. nat., p. 3548, No 79, 1790.

a. 5. Indian Ocean,? — b. 4. Amboyna, HOEDT. — c. 1. ? Madura, MANGOLD. — d. 3. Moluccas, from E. F. JOCHIM's collection. — e. 1. Banda Is.,? — f. 1. Poeloe Pandjang near Simeuloe (Sumatra), E. JACOBSON.

C. nitidula (Sowerby).

Triton nitidulus Sowerby. Proc. Zool. Soc. London, p. 71, 1833.

a. 5. Indian Ocean,? — b. 6. Amboyna, HOEDT. — c. 3. Madura, from E. F. JOCHIM's collection. — d. 1. Skroë (N. Guinea), K. SCHÄDLER. — e. 1. Banda Is.,? — f. 2. Banda Neira Isl., J. SEMMELINK.

var. *ceylonensis* (Sowerby).

Triton Ceylonensis Sowerby. Proc. Zool. Soc. London, p. 71, 1833.

a. 2. Ceylon, H. C. FULTON.

C. obscura (Reeve).

Triton obscurus Reeve. Proc. Zool. Soc. London, p. 117, 1844. —

Conch. Icon., Triton, sp. 63, pl. 16, fig. 63, 1844.

Triton comptus Sowerby. Proc. Zool. Soc. London, p. 598, pl. 72, fig. 2, 1874.

a. 3. Indian Ocean,? — b. 1. Tjilatjap (S. Java), OVERDIJK. — c. 1.?, from TOBIAS' collection.

var. *testacea* (Mörcb).

Triton (Epidromus) testaceus Mörcb. Catal. conch. Yoldi, p. 107, No 2009, 1852. — Malakoz. Bl., vol. 24, p. 25, 1877.

a. 1. Curacao, Epp. — b. 2. Ceylon, H. C. FULTON.

C. strepta (Cossmann).

Triton distortum (non Lamarck) Schubert & Wagner. Martini & Chemnitz. Syst. Conch. Cab., vol. 12, p. 138, pl. 231, figs. 4074, 4075, 1829.

Triton tortuosus (non Borson) Reeve. Proc. Zool. Soc. London, p. 118, 1844. — Conch. Icon., Triton, sp. 74, pl. 17, fig. 74 a, b, 1844.

Tritonium streptum Cossmann. Essais Paléoconch. comp., 5th livr., p. 93, foot-note, 1903.

a. 1. ?, from TOBIAS' collection. — b. 1. Doreh Baai (N. Guinea), from E. F. JOCHIM's collection. — c. 2. Indian Ocean, ? — d. 2. ?, from TOBIAS' collection. — e. 1. ?, G. VAN ROON. — f. 1. Manoekwari (North N. Guinea), W. C. v. Heurn.

C. soverbyi (Reeve).

Triton lineatus (non Broderip) Sowerby. Proc. Zool. Soc. London, p. 72, 1833.

Triton Soverbii Reeve. Conch. Icon., Triton, sp. 65, pl. 16, fig. 65 a, b, 1844.

a. 1. Amboyna, HOEDT.

C. tenera (Gray).

Triton tenerus Gray. Zool. of Beechey's Voy., Mollusc. An., p. 111, 1839.
