

BULLETIN ZOOLOGISCH MUSEUM

 UNIVERSITEIT VAN AMSTERDAM

Vol. 6 No. 12 1978

RECORDS OF BRAMA BRAMA (BONNATERRE, 1788) ALONG THE COAST OF THE NETHERLANDS IN 1976 (PISCES, PERCIFORMES, BRAMIDAE)

H. NIJSSEN, D.A.G. BUIZER & L. van TUYL

ABSTRACT

Records of 107 specimens of Ray's Bream, *Brama brama* (Bonnaterre, 1788) from along the coast of the Netherlands are given for 1976.

In addition to the note about the occurrence of Ray's Bream, *Brama brama* along the coast of the Netherlands in 1974 and 1975 (Nijssen & De Groot, 1976), we wish to give here the records of this species in 1976, because of the abundance of specimens caught or washed ashore in that year.

The reason that *Brama brama* was often thought to be uncommon along the coast of the Netherlands, is merely caused by its occurrence during the last months of the year only, during and after stormy weather. In scientific literature on the distribution of this species, Dutch records are absent or rarely mentioned. The fact that 107 specimens were recorded during October, November and December 1976 tends to support the suggestion of Nijssen & De Groot (1.c.:132), who state "We realize that the annual number of recorded specimens is strongly influenced by the number of people helpful enough to report their findings". Many persons reported during the winter of 1976 their findings to the Institute of Taxonomic Zoology, because of the publicity given in local

newspapers, the issuing in autumn 1976 of the note about the occurrence of Ray's Bream in 1974 and 1975, and the activity of the Department of Ichthyology in Amsterdam. During the winter of 1974 39 specimens were recorded from along our coast. In 1975 there were 28 recordings. In 1976 we received information and/or material of 107 specimens from our coastal waters (see table).

The number of specimens washed ashore or caught in the coastal waters of the Netherlands is, of course, dependent on the rate of immigration of *Brama brama* into North-European waters, which varies from year to year. The long period of warm weather during the summer of 1976 might have had a positive influence on the rate of immigration. Hence the large number of specimens trapped in the North Sea during their retreat southward, due to lower water temperatures during the last months of the year. This in contradistinction to 1977, in which temperatures in Europe during the summer were low. This might have prevented a migration far northward in the Atlantic Ocean, so that few specimens have entered the North Sea. Despite stormy periods only a few specimens were reported along the coast of the Netherlands during the last months of 1977.

In 1974 all 39 specimens came from localities in the northern part of the Netherlands; only one specimen was found alive. In 1975 17 out of the 28 specimens came from Zeeland, the most southwestern province of the Netherlands; nine specimens were caught alive. In 1976 16 specimens were reported to be alive out of 107 specimens, which were recorded from along our coast over a period of 68 days, from October 14th till December 20th. 24 specimens came from Zeeland, 5 from Zuid-Holland, 34 from

Noord-Holland, 36 from Texel, 7 from Terschelling and one from the coast of Friesland. Except for 1 specimen (Oosterschelde, 4-XII-1976) all specimens from Zeeland were found in the period of November 6th - 24th 1976. The distribution of the findings along our coast is due to annual fluctuations of local hydrographic conditions and the severity of storms.

We examined the stomach contents of eight specimens, most of which were caught or washed ashore alive. Except for a piece of mussel shell (*Mytilus edulis* L.), we found all stomachs to be empty, which perhaps is a result of lack of appetite due to low water temperatures (the 10° isotherm seems to limit their northernmost occurrence). Still, some specimens do feed during their migration, because two were caught by anglers.

ACKNOWLEDGEMENTS

We are grateful to the following persons, who were helpful in providing information and/or material: M. Buhre (NIOZ, Den Helder), G. Doeksen (Terschelling), P.J. van der Feen (Domburg, Walcheren), S.J. de Groot (RIVO, IJmuiden), C.H. van Schelven (Zierikzee), K.F. Vaas (Delta Instituut, Yerseke), J.C. Wedts-de Swart (Middelburg), H. Witte (NIOZ, Texel) and G. Witte (RWS, Texel).

REFERENCES

- NIJSSEN, H. & S.J. de Groot, 1976. The occurrence of *Brama brama* (Bonnaterre, 1788) along the coast of the Netherlands in 1974 and 1975 (Pisces, Perciformes, Bramidae).- Bull. zool. Mus. Univ. Amsterdam, 5 (16): 131-137.
WHEELER, A. 1969. The fishes of the British Isles and north-west Europe : 1-xvii, 1- 613, McMillan, London.

Records of 107 specimens of *Brama brama* during the winter of 1976

date	number	locality	depth in m	tot. length in cm	collector	authority
14-X	1 (alive)	Noord-Holland : 2 miles off Petten (trawl)	52	TX 29/UK 218	ZMA 115.523	
1-XI	1 (alive)	off Texel (trawl)	59	TX 8	NIOZ	
6/7-XI	1	Zeeland : Cadzand	-	-	J.C. Wedts-de Swart	
7-XI	1	Noord-Holland : Domburg/Oostkapelle, beach	53.5	P. de Lijser	ZMA 114.312	
10-XI	1 (alive)	Noord-Holland : 3 miles off Callantsoog (trawl)	20	K. Jongepier	NIOZ	
13-XI	2	Zeeland : Dishoek near Koudekerke, beach	50-60	C.H. van Schelven		
13-XI	1	Zeeland : Oostkapelle, beach	59	J. Jongepier	P.J. van der Feen	
14-XI	1 (alive)	Zeeland : Westenschouwen (angler)	56	W. van Doorn	C.H. van Schelven	
14-XI	1	Zeeland : Oostkapelle, beach	56	H. Muizelaar	ZMA 114.324	
15-XI	1	Zeeland : Roompot, Torenpolder	58.5	C. Abrahamse	ZMA 114.325	
15-XI	2	Zeeland : Domburg, dike	55-57	G.J. van Welbergen	ZMA 114.315/316	
15-XI	1	Zeeland : Westkapelle	51.5	G.J. van Welbergen	ZMA 114.314	
15-XI	1	Zeeland : Westerschelde : Sloe	62	C. Abrahamse	ZMA 114.323	
15-XI	1	Texel : De Koog	-	RWS	NIOZ	
15-XI	1 (alive)	Zeeland : Westenschouwen (angler)	60	german tourist	C.H. van Schelven	
15-XI	1 (alive)	Zuid-Holland : Monster, beach	60	J. Knecht	Westlandische Courant	
15-XI	10	Noord-Holland : Bergen aan Zee, beach	>50	C.F. Mol	D.A.G. Bulzer	
15-XI	1	Zeeland : Domburg/Oostkapelle	-	C.F.H. van Tuyll	P.J. van der Feen	
medio XI	4	Zuid-Holland : Katwijk, beach	50-60	-	K.F. Vaas	
17-XI	1 (alive)	Noord-Holland : 3 miles off Callantsoog (trawl)	6	55	HD 94	
17-XI	6	Texel : De Koog	-	RWS	NIOZ	
17-XI	1	Zeeland : Vlissingen, beach	60	R. Gillissen e.a.	Prov. Zeewisse Courant	
17-XI	1	Zeeland : Zierikzee (trap)	55	A. Bakker	C.H. van Schelven	
18-XI	1	Texel : beach pole 12	-	G. van Noort	NIOZ	
20-XI	1 (alive)	Noord-Holland : Castricum, beach	57	Kemp	IJmuiden Courant	
21-XI	1	Noord-Holland : Schoorl, beach pole 28/710	70	W.L. Tamis	NIOZ	
22-XI	1	Friesland : Lauwersoog	55	-	Leeuwarder Courant	
22-XI	6	Zeeland : Dishoek (Koudekerke)/Zoutlande	-	P. Eiff	J.C. Wedts-de Swart	
22-XI	1 (alive)	off Texel : Rug van Texel	24	57	HD 103	NIOZ

date	number	locality	depth in m	tot. length in cm	collector	authority
24-XI	1	Noord-Holland : St. Maartenszee, beach	-	-	P. Geuzebroek & R. Klant	Alkmaarse Courant
24-XI	1	Zeeland : Domburg, Hoge Hil, beach	58	-	R. de Pijter & M. van Dis	P.J. van der Veen
26-XI	1	Texel : beach pole 26	-	RWS		NIOZ
27-XI	1	Noord-Holland : Schoorl, beach pole 28	-	H. Snip		Duijnstrreek (newspaper)
29-XI	1	Texel : beach pole 17	-	RWS		NIOZ
29-XI	1	Texel : beach pole 12	-	RWS		NIOZ
30-XI	1	Noord-Holland : Wijk aan Zee, beach pole 48	-	K. Koolman	D.A.G. Buizer	
1-XII	1	Noord-Holland : Wijk aan Zee, beach pole 51.50	-	K. Koolman	D.A.G. Buizer	
1-XII	1	Texel : beach pole 6	-	G. van Noort	NIOZ	
2-XII	1	Noord-Holland : Egmond aan Zee, beach pole 41	-	K. Koolman	D.A.G. Buizer	
2-XII	1	Noord-Holland : Egmond aan Zee, beach pole 43	-	K. Koolman	D.A.G. Buizer	
2-XII	1	Noord-Holland : Castricum aan Zee, beach pole 45	-	K. Koolman	D.A.G. Buizer	
2-XII	3	Texel : De Koog, beach pole 19	-	RWS	NIOZ	
3-XII	1	Noord-Holland : Schoorl aan Zee, beach pole 29	53	D.A.G. Buizer		
3-XII	1	Noord-Holland : Schoorl aan Zee, beach pole 30	58	D.A.G. Buizer		
3-XII	1	Noord-Holland : Bergen aan Zee, beach pole 32	56	D.A.G. Buizer		
3-XII	1	Terschelling : Lies, beach pole 12/13	55	C. Kooyman	G. Doeksen	
3-XII	1 (alive)	Noord-Holland : Noorderhaaks	20	57	WR 147	NIOZ
3-XII	1	Texel : De Koog, beach pole 20	-	RWS	NIOZ	
3-XII	2	Texel : Cocksdorp, lighthouse	-	RWS	NIOZ	
4-XII	1	Noord-Holland : Castricum aan Zee, beach pole 47	56	K. Koolman	ZMA 114.320	
4-XII	1	Noord-Holland : Wijk aan Zee, beach pole 48.50	-	K. Koolman	D.A.G. Buizer	
4-XII	1	Noord-Holland : Wijk aan Zee, beach pole 49	56	K. Koolman	ZMA 114.321	
4-XII	1	Noord-Holland : Wijk aan Zee, beach pole 49.75	56	K. Koolman	ZMA 114.322	
4-XII	1	Noord-Holland : Velzen, beach pole 51.50	-	K. Koolman	D.A.G. Buizer	
4-XII	1	Zeeland : Oosterschelde, Schelphoek	-	J. Klijzer	C.H. van Schevenen	
5-XII	1	Texel : Mokbaai	-	M. Groenendaal	NIOZ	
6-XII	1 (alive)	Terschelling : green buoy	57	HD 16	NIOZ	
7-XII	1	Texel : beach pole 17	-	RWS	NIOZ	
8-XII	1 (alive)	Texel : Nieuwe Schieland, dike	57	G. Roeper-Belman	NIOZ	

date	number	locality	depth in m	tot. length in cm	collector	authority
9-XII	4	Texel : beach pole 20	-	-	RWS	NIOZ
9-XII	1 (alive)	Noord-Holland : Noorderhaaks	20	53	WR 23	NIOZ
10-XII	1	Noord-Holland : Den Helder	-	54.5	P. Blokker	NIOZ
10-XII	1	Noord-Holland : 2 km S. of Huisduinen	-	56	P. Blokker	NIOZ
11-XII	1 (alive)	off Terschelling	34	56	HD 202	NIOZ
12-XII	2	Terschelling : Hoorn, beach pole 15	+ 45	-	T. Terpstra	NIOZ
12-XII	4	Texel : beach pole 7/19	-	-	G. de Haan	G. Doeksen
12-XII	1 (alive)	Terschelling : West-Terschelling, beach pole 5	-	55	J. van Rees	G. Doeksen
13-XII	1	Texel : Cocksdorp, lighthouse	-	-	RWS	NIOZ
14-XII	2	Texel : beach pole 17	-	-	RWS	NIOZ
15-XII	1	Terschelling : Formerum, beach pole 12	-	57	W. Smart	G. Doeksen
16-XII	1	Texel : beach pole 17	-	-	RWS	NIOZ
20-XII	1	Texel : beach pole 12	-	-	RWS	NIOZ

HD = Den Helder,

NIOZ = Nederlands Instituut voor Onderzoek der Zee,

RWS = Rijkswaterstaat,

TX = Texel,

URK = Urk,

WR = Wieringen,

ZMA = Zoölogisch Museum, Amsterdam.

H. NIJSSEN, D.A.G. BUIZER & L. van TUYL
Institute of Taxonomic Zoology
University of Amsterdam
Plantage Middenlaan 53
AMSTERDAM - The Netherlands.

Received : 23 February 1978
Mailing date: 12 april 1978