

# **VERSLAGEN EN TECHNISCHE GEGEVENS**

Instituut voor Taxonomische Zoölogie (Zoölogisch Museum)

Universiteit van Amsterdam

No. 59, 1991

Pollinating fauna of a phryganic ecosystem: species list

Th. PETANIDOU

Instituut voor Taxonomische Zoölogie  
Universiteit van Amsterdam  
P.O. BOX 4766  
1009 AT Amsterdam  
Nederland

# **VERSLAGEN EN TECHNISCHE GEGEVENS**

Instituut voor Taxonomische Zoölogie (Zoölogisch Museum)

Universiteit van Amsterdam

No. 59, 1991

Pollinating fauna of a phryganic ecosystem: species list

Th. PETANIDOU

Instituut voor Taxonomische Zoölogie  
Universiteit van Amsterdam  
P.O. BOX 4766  
1009 AT Amsterdam  
Nederland

## Pollinating fauna of a phryganic ecosystem: species list

**Theodora Petanidou**

Department of Ecology, U.P.B. 119, School of Biology, Aristotelian University,  
Thessaloniki 54006, Greece

### Introduction

Studies on the pollination biology of Mediterranean scrub vegetations (maquis and phrygana) are not available as yet on an ecosystem level. To analyse in detail the pollination food web of the phrygana, the vegetation and the pollinator fauna of a phryganic ecosystem near Athens has been continuously monitored during a period of fifty months, April, 1983 - May, 1987 (Petanidou, 1991). The study site, at Dafni, approx. 10 km W of the centre of Athens, was a 30 ha part of the Diomedes Botanical Garden of the University of Athens; see Petanidou & Ellis (submitted) for more details.

The number of pollinator species amounted to 666, which is the highest pollinator alpha diversity recorded so far for any ecosystem. A large proportion of the fauna (262 species) consisted of bees. This underlines the uniqueness and high conservation value of the phrygana as such.

Two species, viz. the Symphyta *Macrophyia teutona* and *Tenthredo zona* are new to the fauna of Greece (P. Thomas, in litt.), but because the Greek entomofauna is badly documented this number probably is an understatement. The present species list of the collected material serves therefore as a contribution to the faunistics of Greece, but also forms the documentation of several publications that are in preparation on the basis of the fieldwork referred to above.

The majority of the material has been kept by the taxonomic specialists that are responsible for the identifications; a small part is kept as a reference collection at the Department of Ecology at Thessaloniki. Material that is to be collected as the result of an extension of the project, starting in 1991, will be deposited for the largest part in the collections of the Zoölogisch Museum, Amsterdam.

The taxonomists who identified (part of) the material are mentioned under the headings of the respective orders or families; \* means part, \*\* small part only. Only little attempts have been undertaken by me to standardise the nomenclature, lest interpretational bias might jeopardise the result.

### References

- Petanidou, Th., 1991. *Pollination ecology in a phryganic ecosystem* (Greek with English summary). Ph. D. thesis, Univ. of Thessaloniki.
- Petanidou, Th. & W. N. Ellis. Pollinating fauna of a phryganic ecosystem: composition and diversity. - *Ecol. Ent.* (submitted).
- Petanidou, Th. & W. N. Ellis. Pollinating fauna of a phryganic ecosystem: phenology. - in prep.

**COLEOPTERA**

P. M. Hammond, Brit. Mus. London \*  
 E. R. Peacock, London \*\*  
 H. Schönman, Mus. nat. Hist., Vienna \*  
 A. Trichás, Univ. Crete \*

**Alleculidae**

*Podonta milleri* Kieswetter

**Bruchidae**

R. J. W. Aldridge, London  
*Bruchidae* sp. 1  
*Bruchidae* sp. 2  
*Bruchus (Bruchidius) biguttatus* Olivier  
*Bruchus (Bruchidius) holosericeus*  
 Schönherr  
*Bruchus (Bruchidius) tibialis* Bohemann  
*Bruchus* sp. 1  
*Bruchus* sp. 2  
*Bruchus* sp. 3  
*Spermophagus kuesteri* Schilsky  
*Spermophagus sericeus* (Fourcroy)

**Buprestidae**

G. Novak (Vienna)  
*Acmaeodera bipunctata* (Olivier)  
*Acmaeodera boryi* (Brullé)  
*Acmaeodera brevipes* Kieswetter  
*Agrilus viridis* (Linnaeus)  
*Anthaxia praeclera* Mannersh.  
*Anthaxia quadripunctata* (Linnaeus)  
*Anthaxia* sp.  
*Anthaxia umbellatarum* Olivier

**Cantharidae**

*Rhagonycha* sp.

**Cerambycidae**

*Strangalia bifasciata* (Müller)

**Chrysomelidae**

*Coptocephala unifasciata* (Scopoli)

**Cleridae**

R. Gerstmeier, Monaco  
*Trichodes favarius* Illiger  
*Trichodes graecus* Winld. & Zivov.  
*Trichodes punctatus viridifasciatus* Chevrolat

**Coccinellidae**

*Coccinella septempunctata* Linnaeus  
*Exochomus nigromaculatus* (Goeze)

**Curculionidae**

*Curculionidae* sp. 1

**Curculionidae** sp. 2

*Curculionidae* sp. 3

**Dasytidae**

*Danacea nigritarsis* (Küsters)  
*Dasytes striatulus* Brullé  
*Dasytes tristiculus* Muls. Floric.  
*Psilothis cyaneus* (Olivier)

**Dermestidae**

*Anthrenus museorum* (Linnaeus)  
*Anthrenus pimpinellae* Fabricius  
*Anthrenus* sp. 1  
*Anthrenus* sp. 2  
*Anthrenus* sp. 3  
*Anthrenus verbasci* (Linnaeus)  
*Aplocnemus* sp.  
*Attagenus (Telopes)* sp.  
*Attagenus bifasciatus* Olivier  
*Attagenus* sp.  
*Dermestidae* sp.  
*Globicornis nigripes* (Fabricius)  
*Globicornis* sp.  
*Orphilus niger* (Rossi)  
*Trogoderma* sp.

**Malachiidae**

*Malachius bipustulatus* (Linnaeus)  
*Malachius geniculatus* Germar  
*Malachius marginellus* Olivier  
*Malachius* sp.

**Meloidae**

*Mylabris quadripunctata* (Linnaeus)  
*Nemognatha chrysomelina* (Fabricius)  
*Zonitis immaculata* (Olivier)

**Mordellidae**

*Mordellidae* sp. 1  
*Mordellidae* sp. 2

**Nitidulidae**

*Meligethes* sp.  
*Nitidulidae* sp.

**Oedemeridae**

*Oedemera flavipes* (Fabricius)  
*Oedemera* sp.

**Phalacridae**

*Phalacridae* sp.

**Pythidae**

*Mycterus curculioides* (Fabricius)

**Scarabaeidae**

- Amphicoma apicalis* Waltl.  
*Amphicoma distincta* Fald.  
*Amphicoma lasserei* (Germar)  
*Epicometis hirta* (Poda)  
*Heterocnemis graeca* Brullé  
*Oxythyrea funesta* (Poda)

**DIPTERA**

- V. Michelsen, Zool. Mus. Copenhagen \*  
A. Pont, Brit. Mus., London (Calyprata)

**Agromyzidae**

- Martinez , INRA, CNRA, Versailles \*  
M. v. Tschirnhaus, Univ. Bielefeld, Germany  
*Liriomyza cicerina* (Rondani)  
*Liriomyza orbona* (Meigen)  
*Melanagromyza* sp.  
*Napomyza* sp. nov. near *albipennis* (Fallén)  
*Phytomyza* sp.

**Anthomyiidae**

- Adia cinerella* Fallén  
*Anthomyia confusa*ne Michelsen  
*Anthomyia pluvialis* (Linnaeus)  
*Delia hirticrura* Rondani  
*Delia platura* Meigen  
*Enneastigma triplex* Loew  
*Lasiomma seminitidum* Zetterstedt  
*Leucophora dissimilis* Villeneuve  
*Leucophora* sp.  
*Paregle audacula* Harris

**Asilidae**

- Asilidae sp.

**Bibionidae**

- R. Contreras-Lichtenberg, Mus. nat. Hist,  
Vienna  
L. Tsácas, Mus. Hist. nat., Paris \*\*  
*Bibio hortulanus* Linnaeus  
*Bibio leucopterus* Meigen  
*Bibio marci* Linnaeus

**Bombyliidae**

- D. J. Bowden, Essex, U.K.  
R. Contreras-Lichtenberg, Mus. nat. Hist,  
Vienna \*\*  
P. du Merle, Mus. Hist. nat., Paris \*  
*Amictus pictus* Loew  
*Amictus validus* Loew  
*Anthrax candens* (ms name)  
*Anthrax discollis* (ms name)  
*Anthrax* sp. near *leucogaster* Meigen  
*Anthrax* sp. near *virgo* Egger  
Bombyliidae sp.

**Bombylisomatidae**

- Bombylisoma breviusculum* Loew  
*Bombylius canescens* Mikan  
*Bombylius cinerascens* Mikan  
*Bombylius discolor* Mikan  
*Bombylius fuliginosus* Meigen  
*Bombylius fulvescens* Meigen  
*Bombylius medioides* Linnaeus  
*Bombylius* sp.  
*Bombylius undatus* Mikan  
*Bombylius vulpinus* Meigen  
*Conophorus glaucescens* Loew  
*Conophorus pusillus* Loew  
*Cytherea pallasi* Loew  
*Exhyalanthrax* sp. near *vagans* Loew  
*Exoprosopa jacchus* Fabricius  
*Exoprosopa megerlei* Meigen  
*Exoprosopa onusta* Walker  
*Geron gibbosus* Olivier  
*Geron* sp.  
*Geron* sp. 1 near *gibbosus* Olivier  
*Geron* sp. 2 near *gibbosus* Olivier  
*Geron* sp. 3 near *gibbosus* Olivier  
*Hemipenthes velutinus* Meigen  
*Lomatia atropos* Egger  
*Lomatia erinnys* Loew  
*Lomatia grajugena* Loew  
*Lomatia sabaea* Fabricius  
*Oligodranes* sp. nov. near *superbus* Engel  
*Petrorossia hesperus* Rossi  
*Petrorossia* sp. near *hesperus* Rossi  
*Phthiria canescens* Loew  
*Phthiria umbripennis* Loew  
*Phthiria vagans* Loew  
*Thyridanthrax obliteratus* Loew  
*Thyridanthrax polyphemus* Meigen  
*Thyridanthrax* sp. 1  
*Thyridanthrax* sp. 2  
*Toxophora maculata* Rossi  
*Usia forcipata* Brullé  
*Villa hottentotta* (Linnaeus)

**Calliphoridae**

- K. Rognes, Madla, Norway  
N. P. Wyatt , London\*\*  
*Calliphora vicina* Robineau-Desvoidy  
*Calliphora vomitoria* Linnaeus  
*Lucilia sericata* Meigen  
*Pollenia longitheca* Rognes  
*Pollenia rufa* (Fabricius)

**Camillidae**

- J. Rohacek, Slezske Mus. Opava, CSSR  
Camillidae sp.

**Chironomidae**

- R. Contreras-Lichtenberg, Mus. nat. Hist,

Vienna  
*Chironomidae* sp.  
*Orthocladius* sp.  
*Smittia* sp.

**Chloropidae**  
M. v. Tschirnhaus, Univ. Bielfeld, Germany  
*Oscinella frit* (Linnaeus)  
*Oscinimorpha novakii* (Strobl)

**Conopidae**  
R. Contreras-Lichtenberg, Mus. nat. Hist,  
Vienna \*  
M. C. D. Speghi, Brit. Mus., London \*  
*Conops flavifrons* Meigen  
*Myopa* sp.  
*Physocephala* sp.  
*Sicus* sp.  
*Zodion* sp. 1  
*Zodion* sp. 2

**Dolichopodidae**  
G. Grovaert, Brussels  
*Medetera* sp.

**Drosophilidae**  
G. Bächli, Zool. Mus., Univ. Zürich  
*Scaptomyza pallida* Zetterstedt  
**Empididae**  
M. Chvála, Univ. Karlova, Prague, CSSR  
(Ramphomyia)  
G. Grovaert, Brussels  
*Empis (Coptophlebia)* sp.  
*Empis (Empis)* sp.  
*Rhamphomyia* sp.

**Lauxaniidae**  
J. Rohacek, Slezske Mus. Opava, CSSR  
*Lauxaniidae* sp.

**Muscidae**  
*Graphomyia maculata* Scopoli  
*Hebecnema fumosa* Meigen  
*Helina erecta* Harris  
*Helina reversio* Harris  
*Hydrotaea cinerea* Robineau-Desvoidy  
*Muscina stabulans* Fallén  
*Neomyia cornicina* Fabricius

**Otitidae**  
R. Rozkosny, Univ. Brno, CSSR  
*Dorycera hybrida* Loew

**Psilidae**  
J. Rohacek, Slezské Mus. Opava, CSSR  
*Psilidae* sp.

**Rhinophoridae**  
Th. Pape, Zool. Mus. Copenhagen  
*Phyto adolescens* Rondani  
*Stevenia signata* Mik

**Sarcophagidae**  
Th. Pape, Zool. Mus. Copenhagen  
R. Richet, Boulogne sur Mer, France \*\*  
*Miltogramma murinum* Meigen  
*Miltogramma* sp.  
*Sarcophaga (Heteronychia) graeca*  
(Rohdendorf)  
*Sarcophaga (s.l.)* sp. 1  
*Sarcophaga (s.l.)* sp. 2  
*Sarcophaga (s.l.)* sp. 3  
*Sarcophaga consanguinea* Rondani  
*Sarcophaga haemorrhooides* Böttcher  
*Sarcophaga novercooides* Böttcher  
*Sarcophaga portchinskyana* Rohdendorf  
*Sarcophaga* sp.nr. *violovitshi* Rohdendorf  
*Sarcophaga taurica* (Rohdendorf)

**Scatophagidae**  
*Scatophaga stercoraria* (Linnaeus)

**Sepsidae**  
R. Contreras-Lichtenberg, Mus. nat. Hist,  
Vienna  
*Sepsis aff. punctum* Fabricius

**Stratiomyidae**  
*Lasiopa balius* Walker

**Syrphidae**  
R. Contreras-Lichtenberg, Mus. nat. Hist,  
Vienna \*\*  
P. Goeldin, Zool. Mus. Lausanne \*  
J. A. W. Lucas, Rotterdam, The Netherlands (\*,  
mainly Eumerus & Merodon)  
M. C. D. Speghi, Brit. Mus., London \*\*  
*Cerioides conopoides* (Linnaeus)  
*Chamaesyphus* near *lusitanicus* Mikan  
*Chrysotoxum intermedium* Meigen  
*Episyphus balteatus* (Degeer)  
*Eristalinus aeneus* (Scopoli)  
*Eristalinus taeniops* Wiedemann  
*Eristalis arbustorum* (Linnaeus)  
*Eristalis pratorum* (Meigen)  
*Eristalis* sp.  
*Eristalis tenax* (Linnaeus)  
*Eristalis ventralis* Thomson  
*Eumerus amoenus* Loew  
*Eumerus basalis* Loew  
*Eumerus pulchellus* Loew  
*Eumerus pusillus* Loew  
*Eumerus aff. sabulonum* Fallén

*Eumerus* sp.  
*Eumerus tricolor* Fabricius  
*Helophilus trivittatus* Fabricius  
*Heringia heringi* Zetterstedt  
*Heringia* sp.  
*Melanostoma mellinum* (Linnaeus)  
*Meliscaeva auricollis* (Meigen)  
*Merodon albifrons* Meigen  
*Merodon annulatus* (Fabricius)  
*Merodon avidus* (Rossi)  
*Merodon clavipes* (Fabricius)  
*Merodon femoratus* Sack  
*Merodon longicornis* Sack  
*Merodon minutus* Strobl  
*Merodon nigritarsis* Rondani  
*Merodon* sp.  
*Merodon* sp. nov. near *avidus* (Rossi)  
*Merodon* sp. nov. 1  
*Merodon* sp. nov. 2  
*Metasyrphus corollae* (Fabricius)  
*Metasyrphus lapponicus* (Zetterstedt)  
*Myathropa florea* (Linnaeus)  
*Neocnemodon latitarsis* (Egger)  
*Paragus bicolor* Fabricius  
*Paragus haemorrhou*s Meigen  
*Paragus quadrifasciatus* Meigen  
*Paragus tibialis* Fallén  
*Scaeva albomaculata* (Macquart)  
*Scaeva pyrastri* (Linnaeus)  
*Scaeva selenitica* (Meigen)  
*Sphaerophoria scripta* (Linnaeus)  
*Syritta pipiens* (Linnaeus)  
*Syrphus vitripennis* Meigen  
*Xanthandrus comitus* (Harris)

#### Tachinidae

B. Hertig, Staatl. Mus. nat. Hist., Stuttgart \*  
 N. P. Wyatt, London \*\*  
*Alophora pusilla* (Meigen)  
*Athrycia trepida* (Meigen)  
*Bithia acanthophora* (Rondani)  
*Bithia* sp. near *modesta* (Meigen)  
*Clairvillia pninae* Kugler  
*Clytiomyia* sp. near *dupuisi* Kugler  
*Cuphocera ruficornis* Macquart  
*Cylindromyia auriceps* Meigen  
*Cylindromyia brassicaria* (Fabricius)  
*Cylindromyia rufifrons* Loew  
*Dionaea aurifrons* (Meigen)  
*Dionaea diagramma* (Meigen)  
*Gymnosoma* sp.  
*Hypovoria hilaris* Villeneuve  
*Linnaemyia soror* Zimin  
*Phaniosoma* sp. near *lateritium* (Meigen)  
*Siphona confusa* Mesnil  
*Siphona* sp.

*Spallanzania hebes* Fallén  
*Spallanzania rectistylum* Macquart  
*Tachina fera* Linnaeus  
*Tachina vernalis* Robineau-Desvoidy  
*Tachinidae* sp.

#### Tephritidae

R. Contreras-Lichtenberg, Mus. nat. Hist,  
 Vienna  
*Actinoptera mamulae* Frauenfeld  
*Orellia falcata* Scopoli  
*Tephritis* aff. *separata* Rondani

## HYMENOPTERA - APOCRITA

#### Andrenidae

J. Giesenleitner, Oberösterr. Landesmuseum  
 H. G. M. Teunissen, Oss, The Netherlands \*\*  
*Andrena* (*Ulandrena*) sp.  
*Andrena alckenella* Perkins  
*Andrena athenensis* Warncke  
*Andrena balcanica* Warncke  
*Andrena bicolor* Fabricius  
*Andrena bicolorata* (Rossi)  
*Andrena canae* Strand  
*Andrena carbonaria* (Linnaeus)  
*Andrena cinereophila* Warncke  
*Andrena clypeata* Brullé  
*Andrena combaella* Warncke  
*Andrena concinna* Smith  
*Andrena crassana* Warncke  
*Andrena distinguenda* Schenck  
*Andrena flavipes* Panzer  
*Andrena fulvitarsis* Brullé  
*Andrena gallinula* Warncke  
*Andrena grossella* Grünwaldt  
*Andrena hattorfiana* (Fabricius)  
*Andrena hesperia* Smith  
*Andrena humilis* Imhoff  
*Andrena hyemala* Warncke  
*Andrena impunctata* Perez  
*Andrena kriechbaumeri* Schmiedeknecht  
*Andrena lamiana* Warncke  
*Andrena* aff. *minutula* (Kirby)  
*Andrena mocsaryi* Schmiedeknecht  
*Andrena mucronata* Morawitz  
*Andrena nana* (Kirby)  
*Andrena nigroaenea* (Kirby)  
*Andrena nobilis* Morawitz  
*Andrena optata* Warncke  
*Andrena oralis* Morawitz  
*Andrena orientana* Warncke  
*Andrena osychniuki* Osychniuk  
*Andrena panurgimorpha* Mavromoustakis  
*Andrena panurgina* Destefani  
*Andrena rugothorace* Warncke

*Andrena schmiedeknechti* Magretti  
*Andrena schulzi* Strand  
*Andrena scita* Eversmann  
*Andrena simontornyella* Noskiewicz  
*Andrena* sp.  
*Andrena taraxaci* Giraud  
*Andrena thomsoni* Ducke  
*Andrena tomora* Warncke  
*Andrena truncatilabris* Morawitz  
*Andrena ventricosa* Dours  
*Andrena westensis* Warncke

**Anthophoridae**

M. Schwarz, Anstelden bei Linz, Austria  
(*Nomada*)  
B. Tkalcu, Prague \*  
P. Westrich, Tübingen, Austria (*Anthophora*  
mp)  
G. van der Zanden, Eindhoven, The  
Netherlands \*\*  
*Amegilla albigena* (Lepeletier)  
*Amegilla garrula* (Rossi)  
*Amegilla magnilabris* (Fedtschenko)  
*Amegilla quadriasciata* (Villers)  
*Ammobates oraniensis melectoides* Smith  
*Anthophora agama* Radoszkowski  
*Anthophora atroalba* Lepeletier  
*Anthophora canescens* Brullé  
*Anthophora dufouri* Lepeletier  
*Anthophora nigrocincta* (Lepeletier)  
*Anthophora ochroleuca* Perez  
*Anthophora pilipes* (Fabricius)  
*Anthophora retusa* (Linnaeus)  
*Anthophora rubricrus* Dours  
*Ceratina acuta* Friese  
*Ceratina bispinosa* Handlirsch  
*Ceratina cucurbitina* (Rossi)  
*Ceratina cyanea* (Kirby)  
*Ceratina dallatorreana* Friese  
*Ceratina dentiventris* Gerstaeker  
*Ceratina loewi* Gerstaeker  
*Ceratina nigra* Handlirsch  
*Ceratina nigrolabiata* Friese  
*Ceratina parvula* (Rossi)  
*Eucera albofasciata* Friese  
*Eucera bidentata* Perez  
*Eucera clypeata* Erichson  
*Eucera furfuraea* Vachal  
*Eucera nigrescens contraria* Tkalcu  
*Eucera nigrilabris rufitarsis* Tkalcu  
*Eucera parnassia* Perez  
*Eucera punctulata* Alfken  
*Eucera seminuda* Brullé  
*Eucera* sp. 1  
*Eucera* sp. 2  
*Eupavlovskia funeraria* (Smith)

*Habropoda tarsata* (Spinola)  
*Melecta albifrons albovaria* Erichson  
*Melecta tuberculata* Lieftinck  
*Nomada babiyi* Schwarz  
*Nomada basalis* Herrich-Schäffer  
*Nomada callimorpha* Schmiedeknecht  
*Nomada corcyraea* Schmiedeknecht  
*Nomada distinguenda* Morawitz  
*Nomada eos* Schmiedeknecht  
*Nomada erythrocephala* Morawitz  
*Nomada femoralis* Morawitz  
*Nomada fucata* Panzer  
*Nomada imperialis* Schmiedeknecht  
*Nomada lucidula* Schwarz  
*Nomada mavromoustakisi* Schwarz  
*Nomada nobilis* Herrich-Schäffer  
*Nomada propinqua* Schmiedeknecht  
*Nomada rubricollis* Schwarz  
*Nomada* sp.  
*Nomada succincta* Panzer  
*Nomada trispinosa* Schmiedeknecht  
*Proxylocopta olivieri* (Lepeletier)  
*Tetralonia alternans* (Brullé)  
*Thyreus ramosus* (Lepeletier)  
*Thyreus truncatus* (Perez)  
*Xylocopa iris* (Christ)  
*Xylocopa violacea* (Linnaeus)

**Apidae**

E. Obrecht, Univ. Bern, Switzerland  
(Bombinae)  
*Apis mellifera* Linnaeus  
*Bombus terrestris* (Linnaeus)  
*Megabombus argillaceus* (Scopoli)

**Braconidae**

M. Fischer, Mus. nat. Hist. Vienna  
*Braconidae* sp. 1  
*Braconidae* sp. 2  
*Braconidae* sp. 3  
*Braconidae* sp. 4  
*Braconidae* sp. 5  
*Braconidae* sp. 6  
*Braconidae* sp. 7

**Chrysididae**

J. Schmidt, Linz, Austria  
*Chrysis analis* Spinola  
*Chrysis incisa* Buysson  
*Chrysis* sp.  
*Chrysis verna* Dahlbom  
*Elampus spina* (Lepeletier)  
*Pseudospinolia uniformis* Dahlbom

**Colletidae**

H. H. Dathe, Ak. Wissensch. DDR, Berlin

(*Hylaeus*)  
*Colletes eous* Morice  
*Colletes foveolaris* Perez  
*Colletes spectabilis* Morawitz  
*Hylaeus bifasciatus* (Jurine)  
*Hylaeus imparilis* Förster  
*Hylaeus lineolatus* (Schenck)  
*Hylaeus meridionalis* Förster  
*Hylaeus pictus* (Smith)  
*Hylaeus punctatus* (Brullé)  
*Hylaeus signatus* (Panzer)  
*Hylaeus variegatus* (Fabricius)

#### Eumenidae

J. Giesenleitner, Oberösterr. Landesmuseum  
*Ancistrocerus longispinosus hellenicus*  
 Blüthgen  
*Brachyodynerus quadrimaculatus* (André)  
*Chlorodynerus ypsilon rhodius* (Blüthgen)  
*Eumenes dubius* Saussure  
*Eumenes lunulatus* Fabricius  
*Euodynerus velutinus* (Blüthgen)  
*Leptochilus alpestris* (Saussure)  
*Leptochilus limbiferus achaeus* Giesenleitner  
*Leptochilus regulus* (Saussure)  
*Odynerus albopictus* Saussure  
*Odynerus femoratus* Saussure  
*Odynerus melanocephalus* (Gmelin)  
*Odynerus poecilus* Saussure  
*Parontodynerus ephippium* (Klug)  
*Symmorphus gracilis* (Brullé)

#### Gasteruptiidae

O. Lomhold, Zool. Mus., Copenhagen  
*Gasteruption granulithorax* (Tournier)  
*Gasteruption rubricans* Guérin  
*Gasteruption terrestre* Tournier

#### Halictidae

P. A. W. Ebmer, Puchenau bei Linz, Austria  
 (*Halictus*, *Lasioglossum*)  
*Halictus asperulus* Perez  
*Halictus brunnescens* (Eversmann)  
*Halictus cephalicus* Morawitz  
*Halictus gemmeus* Dours  
*Halictus graecus* Blüthgen  
*Halictus aff. nigripes* Lepeletier  
*Halictus p. pollinosus* Sichel  
*Halictus resurgens* Nurse  
*Halictus scabiosae* (Rossi)  
*Halictus smaragdulus* Vachal  
*Halictus sp.*  
*Halictus s. subauratus* (Rossi)  
*Halictus tectus* Radoszkowski  
*Halictus tetrazonius* (Klug)  
*Lasioglossum a. aeratum* (Kirby)

*Lasioglossum anellum* (Vachal)  
*Lasioglossum brevicome* (Schenck)  
*Lasioglossum convexiusculum* (Schenck)  
*Lasioglossum crassepunctatum* (Blüthgen)  
*Lasioglossum cristula donatum* (Warncke)  
*Lasioglossum laticeps hellenicum* (Blüthgen)  
*Lasioglossum leucozonium clusium* (Warncke)  
*Lasioglossum limbelloides* (Blüthgen)  
*Lasioglossum l. limbellum* (Morawitz)  
*Lasioglossum lineare* (Schenck)  
*Lasioglossum lucidulum* (Schenck)  
*Lasioglossum malachurum* (Kirby)  
*Lasioglossum marginatum* (Brullé)  
*Lasioglossum mediterraneum* (Blüthgen)  
*Lasioglossum mesosclerum* (Perez)  
*Lasioglossum n. nigripes* (Lepeletier)  
*Lasioglossum nitidulum fudakowskii*  
 (Noskiewicz)  
*Lasioglossum obscuratum acerbum* (Warncke)  
*Lasioglossum pauxillum* (Schenck)  
*Lasioglossum p. politum* (Schenck)  
*Lasioglossum pygmaeum patulum* (Vachal)  
*Lasioglossum quadrinotatum* (Kirby)  
*Lasioglossum sp.*  
*Lasioglossum subaenescens asiaticum* (Dalla Torre)  
*Lasioglossum transitorium* (Schenck)  
*Lasioglossum v. villosulum* (Kirby)  
*Lasioglossum zonulum* (Smith)  
*Nomia* sp.  
*Nomiooides facilis* (Smith)  
*Pseudapis diversipes* (Latreille)  
*Pseudapis monstrosa* (Costa)  
*Pseudapis u. unidentata* (Olivier)  
*Rophites algirus graecus* Warncke  
*Rophites quinquespinosus* Spinola  
*Sphecodes ephippius* (Linnaeus)  
*Systropha planidens* Giraud

#### Ichneumonidae

R. Hinz, Einbeck, Germany  
 H. Schnee, Markkleeburg, Germany  
 (Anomaloninae)  
*Amblyteles armatorius* (Förster)  
*Clypeocampulum lubricum* (Atanasov)  
*Diphyus quadripunctarius* (Müller)  
*Ichneumonidae* sp.  
*Mesochorus* sp.  
*Odinophora occidentalis* (Tosquinet)  
*Oxytorus armatus* Thomson

#### Masaridae

W. Borsato, Mus. civ. Stor. nat. Verona \*  
 J. Giesenleitner, Oberösterr. Landesmuseum \*  
*Celonites abbreviatus* Villeneuve  
*Celonites cyprius smyrnensis* Richards

**Megachilidae**

M. Schwarz, Anstelden bei Linz, Austria \*

B. Tkalcu, Prague \*

G. van der Zanden, Eindhoven, The Netherlands \*\*

*Anthidiellum strigatum luteum* (Friese)

*Anthidium dalmaticum* Mocsáry

*Anthidium florentinum* (Fabricius)

*Anthidium manicatum* (Linnaeus)

*Anthidium taeniatum* Latreille

*Anthidium undulatum* Dours

*Anthocopa (A.) bisulca* (Gerstaecker)

*Anthocopa (A.) papaveris* (Latreille)

*Anthocopa (A.) perezi* (Ferton)

*Anthocopa (A.) yermasoyiae corcyraea* Tkalcu

*Anthocopa (Arctosmia) obtusa* (Friese)

*Anthocopa (Erythrosmia) andrenoides* (Spinola)

*Anthocopa (Hoplosmia) spinigera* (Latreille)

*Anthocopa (Odontanthocopa) scutellaris* (Morawitz)

*Anthocopa (Odontanthocopa) bidentata* (Morawitz)

*Chalicodoma albocristata* (Smith)

*Chalicodoma ericetorum* (Lepeletier)

*Chalicodoma hungarica* Mocsáry

*Chalicodoma lefebvrei* (Latreille)

*Chalicodoma manicata* (Giraud)

*Chalicodoma montenegrensis* (Dours)

*Chalicodoma parietina nestorea* (Brullé)

*Chalicodoma pyrenaica* Lepeletier

*Chelostoma appendiculatum* (Morawitz)

*Chelostoma campanularum* (Kirby)

*Chelostoma emarginatum* (Nylander)

*Chelostoma hellenicum* (Benoist)

*Chelostoma transversum* (Friese)

*Coelioxys rufocaudata* Smith

*Coelioxys afra* Lepeletier

*Coelioxys aurolimbata* Förster

*Creightonella albisepta* (Klug)

*Eoanthidium elongatum* (Friese)

*Eoanthidium insulare* (Morawitz)

*Heriades coelostomus* Benoist

*Heriades crenulatus* Nylander

*Heriades dalmaticus* Maidl

*Heriades truncorum* (Linnaeus)

*Hoplitis (Alcidamea) pici* (Friese)

*Hoplitis (Allosmia) r. rufohirta* Latreille

*Hoplitis (Allosmia) sybarita* (Smith)

*Hoplitis (H.) crenulata* (Morawitz)

*Hoplitis (H.) fabrei* Van der Zanden

*Hoplitis (H.) manicata* (Morice)

*Hoplitis (H.) pallicornis* (Friese)

*Hoplitis (Tridentosmia) curvipes* (Morawitz)

*Hoplitis* sp.

*Hoplitis* sp. nov.

**Icteranthidium**

*grohmanni* (Spinola)

*Megachile giraudi bicoloriventris* (Mocsáry)

*Megachile pacifica* (Panzer) (= *M. rotundata* auct.)

*Megachile pilidens* Alfken

*Megachile* sp. aff. *circumcincta* (Kirby)

*Megachile* sp. 1 nov.

*Megachile* sp. 2 nov.

*Megachile* sp. 3 nov.

*Megachile villipes* Morawitz

*Mesanthidium carduele* (Morawitz)

*Metallinella brevicornis* (Fabricius)

*Osmia (Caerulosmia) moreensis* Van der Zanden

*Osmia (Caerulosmia) nana* Morawitz

*Osmia (Caerulosmia) nicosiana* Mavromoustakis

*Osmia (Caerulosmia) v. versicolor* Latreille

*Osmia (Chalcosmia) f. fulviventralis* (Panzer)

*Osmia (Chalcosmia) l. latrellei* (Spinola)

*Osmia (Chalcosmia) m. melanogaster* Spinola

*Osmia (Chalcosmia) s. signata* Erichson

*Osmia (Chalcosmia) subcornuta* Morawitz

*Osmia (Helicosmia) aurulenta* (Panzer)

*Osmia (Monosmia) apicata* Smith

*Osmia (O.) m. mustelina* Gerstäcker

*Osmia c. caerulescens* (Linnaeus)

*Osmia longiceps* Morawitz

*Osmia* sp.

*Protosmia (Rhodosmia) tauricola* Popov

*Pseudoanthidium alpinum* (Morawitz)

*Pseudoanthidium cibratum* Morawitz

*Pseudoanthidium lituratum* (Panzer)

*Pseudoheriades asiaticus* (Friese)

*Pseudoheriades hofferi* Tkalcu

*Rhodanthidium caturigense* (Giraud)

*Rhodanthidium septemdentatum* (Latreille)

*Stelis punctulatissima* (Kirby)

*Trianthidium caturigense ducale* (Morawitz)

**Melittidae**

*Dasypoda* sp.

**Sapygidae**

*Sapuga quinquepunctata* (Fabricius)

**Scoliidae**

J. Giesenleitner, Oberösterr. Landesmuseum \*

O. Lomhold, Zool. Mus., Copenhagen \*

*Scolia galbula* (Pallas)

*Scolia hirta* Schrank

*Trielis quinquecincta* (Fabricius)

**Sphecidae**

O. Lomhold, Zool. Mus., Copenhagen

*Ammatomus rogenhoferi* (Handlirsch)

*Ammophila heydeni* Dahlbom

*Bembicinus peregrinus* Smith  
*Bembix oculata* Latreille  
*Bembix pallida* Radoszkowski  
*Cerceris arenaria* (Linnaeus)  
*Cerceris eryngii* Marquet  
*Cerceris flavicornis* Brullé  
*Cerceris sabulosa* (Panzer)  
*Chalybion omissum* (Kohl)  
*Ectemnius crassicornis* (Spinola)  
*Lestica clypeata* Schrank  
*Pemphredon lethifer* Shuckard  
*Prionyx kirbyi* (Van der Linden)  
*Sceliphron destillatorium* (Illiger)  
*Sphex pruinosus* Germar  
*Sphex rufocinctus* (Brullé)  
*Stizoides tridentatus* (Fabricius)  
*Stizus ruficornis* (Fabricius)  
*Tachysphex incertus* (Radoszkowski)  
*Tachysphex pepa* Gussakowskij

**Tiphidae**  
*Tiphia caucasica* Mocsáry

**Vespidae**  
W. Borsato, Mus. civ. Stor. nat. Verona,  
Italy \*  
J. Guselein, Oberösterr. Landesmuseum  
*Paravespula germanica* (Fabricius)  
*Polistes associus* Kohl  
*Polistes dominulus* (Christ)  
*Polistes gallicus* (Linnaeus)

Hymenopteron sp.

**HYMENOPTERA - SYMPHYTA**  
P. Thomas, Leiden, The Netherlands

**Argidae**  
*Arge scita* Mocsáry

**Cephidae**  
Cephidae sp.

**Cimbicidae**  
*Amasis lateralis* Brullé  
*Amasis similis* Mocsáry

**Tenthredinidae**  
*Athalia glabricollis* Thomson  
*Cuneala dahli* (Klug)  
*Macrophya teutona* (Panzer)  
*Tenthredo zona* Klug  
*Tenthredo zonula* Klug

**LEPIDOPTERA**

I. G. Kóutsis, Athens

**Hesperiidae**  
*Carcharodus alceae* (Esper)  
*Pyrgus centaureae* Rambur  
*Thymelicus acteon* (Rottemburg)

**Incurvariidae**  
F. Kasy, Mus. nat. Hist., Vienna  
*Adela australis* Herrich-Schäffer

**Lycaenidae**  
*Aricia agestis* (Denis & Schiffermüller)  
*Callophrys rubi* (Linnaeus)  
*Freyeria trochylus* Freyer  
*Glaucoopsyche alexis* Poda  
*Lycaena phlaeas* (Linnaeus)  
*Nordmannia ilicis* (Esper)  
*Polyommatus icarus* (Rottemburg)  
*Pseudophilotes vicrama schiffermuelleri*  
Hemming  
*Strymonidia spini* (Denis & Schiffermüller)

**Nymphalidae**  
*Vanessa atalanta* (Linnaeus)

**Papilionidae**  
*Iphiclides podalirius* (Linnaeus)  
*Papilio alexanor* Esper  
*Papilio machaon* Linnaeus  
*Zerynthia polyxena* (Denis & Schiffermüller)

**Pieridae**  
*Artogeia rapae* (Linnaeus)  
*Colias crocea* (Fourcroy)  
*Euchloe ausonia* (Hübner)  
*Gonepteryx rhamni* (Linnaeus)  
*Pieris brassicae* (Linnaeus)  
*Pontia daplidice* (Linnaeus)

**Satyridae**  
*Maniola jurtina* (Linnaeus)  
*Melanargia larissa* Geyer  
*Neohipparchia fatua* Freyer  
*Satyrus ferula* Fabricius

**Sphingidae**  
*Macroglossum stellatarum* (Linnaeus)

**Zygaenidae**  
*Zygaena carniolica* (Scopoli)  
*Zygaena punctum* Ochsenheimer

**HETEROPTERA**

M. Josifov, Zool. Inst., Sofia \*  
 H. Günther, Ingelheim, Germany

**Coreidae**

Coreidae sp.  
*Coriomeris hirticornis* (Fabricius)  
*Coriomeris spinolai* (Costa)  
*Loxocnemis dentator* (Fabricius)

**Corizidae**

*Corizus hyoscyami* (Linnaeus)  
*Liorhyssus hyalinus* (Fabricius)

**Lygaeidae**

*Lygaeus e. equestris* (Linnaeus)  
*Metopoplax origani* (Kolenati)  
*Nysius cymoides* (Spinola)  
*Nysius graminicola* (Kolenati)  
*Oxycarenus hyalinipennis* (Costa)

**Microphysidae**

*Loricula* sp.

**Miridae**

S. Drosopoulos, Benáki phytopathol. Inst.,  
 Athens \*  
 D. Pluot-Signalt, Paris \*  
*Calocoris angularis* (Fieber)  
*Calocoris cinctipes* (Costa)  
*Calocoris histrio* Reuter  
*Calocoris nemoralis* (Fabricius)  
*Calocoris* sp.  
*Deraeocoris (D.) schach* (Fabricius)  
*Macrotylus nigricornis* Fieber  
*Miridae* sp. (larvae)  
*Plagiognathus (P.) bipunctatus* Reuter  
*Psallus a. ancorifer* (Fieber)  
*Psallus* sp.

**Pentatomidae**

*Carpocoris m. mediterraneus* Tam.  
*Carpocoris pudicus* (Poda)  
*Dolycoris baccarum* (Linnaeus)  
*Eurydema ornatum* (Linnaeus)  
*Graphosoma lineatum* (Linnaeus)  
*Odontotarsus* sp.  
*Sciocoris* sp. (larvae)

**HOMOPTERA**

J. Dlabač, Narodni Mus. Prague

**Cicadellidae**

*Selenocephalus pallidus* Kirschbaum

**NEUROPTERA**

**Nemopteridae**  
*Nemoptera* sp.

