



In memoriam Wilhelmus Albertus van Heel (1928–2008)

R.W.J.M. van der Ham

Published on 16 April 2010

On 27 November 2008 Dr WA (Willem) van Heel passed away in his sleep. In 1956 he entered the Rijksherbarium (later the Leiden University branch of the National Herbarium of the Netherlands, now section NHN of the Netherlands Centre for Biodiversity Naturalis) as Teaching Assistant. First he assisted in teaching plant systematics to undergraduate students. In 1958 he was appointed by HJ Lam to study androecium morphology in the Malvales, as a result of which he obtained his PhD in 1966. In the 'laudatio' at the ceremony CGGJ van Steenis praised his tenacity in exhausting the subject, his meticulous preparation work and the beautiful morphological reconstructions and drawings in the thesis. Thereafter he worked in several other plant groups, often in collaboration with colleague morphologists (pollen, wood) and taxonomists.

As soon as the scanning electron microscope became available as a research tool, he greedily made use of its full potential, extending his renowned preparation technique to complete series of early developmental stages of flowers. Impressive and convincing ontogenetic series of 3D photos were the 'tangible' result. Especially his publications on the development of carpels (Van Heel 1981, 1983, 1984) and on the development of


sepal nectaries (Van Heel 1988) are timeless and still regularly cited. His complete bibliography below demonstrates the wide taxonomic scope of his work. Whenever pollen grains showed up, he included them in his observations. When I joined the Comparative Morphology group of the Rijksherbarium in 1985 as pollen morphologist, Willem was one of the few in the institute with whom I could discuss pollen issues. This, and also our use of the same SEM facilities, laid the basis for a long-lasting friendship. His pioneer SEM work also attracted several visiting scientists to Leiden for floral developmental studies or to learn new SEM techniques. One of these visitors was our current director, Erik Smets, who established in Leuven a successful group with a major focus on floral ontogeny.

In the light of his hobbies, photography and water colour painting, it will not surprise anyone that Willem did not rest until his 'shots' could withstand artistic as well as scientific scrutiny. Many of them eventually were exposed in art galleries and exhibitions or were selected as de luxe postcards. The exposition 'Bloem dichtbij' ('close to flowers') in Galerie de Brasserie 'Hortus Wintertuin' at Leiden in 2005, where the most fascinating photos of flowers, ovaries, stamens, pollen, seeds and trichomes observed during his long career were shown, gave him much publicity and satisfaction. In an interview he remarked: "this is all sex".

In 1989 Willem accepted early retirement, together with his colleague PW Leenhouts, in order to create opportunities for some fresh blood in the staff of the institute (to which I owe my appointment). This did not mean that he left his office, the lab or the darkroom. As an honorary staff member he continued his research and although he spent many hours with his wife Ans in museums, exhibitions and the dunes, preferably on Wednesdays, he still was a frequent user of the scanning electron microscope. Besides, camping (not caravanning!) and birding remained favourite activities.

Everybody knew that by times he could grumble if things (or people) went wrong, but he seldom persisted in it. The only facts he could not stand were his deafness and his failing memory in the last years. From this period we remember him, accompanied by Ans, as a regular coffee-time-visitor with a list of things to do: getting literature, demineralised water, spirit for flower samples, questions about unknown plants (including ornamentals), and stories of remarkable flower structures. His last hot item was the flower of *Aristolochia arborea* mimicking a small mushroom (including the scent!) in its centre. We did not catch the message at once, but through a new version of his hobby, digital photography, he could immediately illustrate what it was all about: indeed a small white-stiped mushroom in a dark flower, standing there as a holy statue in a niche. I keep a box of golden SEM stubs with golden flower preparations by Willem as a token of his fascination by nature's patterns and jokes.

Dr. W.A. van Heel (photo by B.N. Kieft).



PUBLICATIONS BY DR WILHELMUS ALBERTUS VAN HEEL

compiled by CWJ Lut

1958

- Additional investigations on *Batis argillicola* van Royen. Nova Guinea, new ser. 9: 1–7.
- The pistil of *Bertolomia marmorata* Naud. (Melastomataceae). Blumea, Suppl. 4: 144–148.

1962

- Miscellaneous teratological notes together with some general considerations. I: *Hyacinthus orientalis* L., II: *Hibicus rosa-sinensis* L., III: *Pisum sativum* L. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 65: 392–406.

1963

- Review. Pankow H. Histogenetische Studien an den Blüten einiger Phanerogamen. Acta Botanica Neerlandica 12: 359–360.

1966

- Morphology of the androecium in Malvales. Blumea 13: 177–394. Thesis.
- Review. Meeuse ADJ. Fundamentals of phytomorphology. Blumea 14: 355–356.
- Review. Weberling F, Leenhouts PW. Systematisch-morphologische Studien an Terebinthales-Familien. Blumea 14: 356.

1967

- Anatomical and ontogenetic investigations on the morphology of the flowers and the fruit of *Scyphostegia borneensis* Stapf (Scyphostegiaceae). Blumea 15: 107–125.

1969

- (with Heinsbroek PG) Note on the bearing of the pattern of vascular bundles on the morphology of the stamens of *Victoria amazonica* (Poepp.) Sowerby. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 72: 431–444.
- The syngangial nature of pollen sacs on the strength of 'congenital fusion' and 'conservation of the vascular bundle system', w. sp. ref. to some Malvales. I. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 72: 172–192.
- The syngangial nature of pollen sacs on the strength of 'congenital fusion' and 'conservation of the vascular bundle system', w. sp. ref. to some Malvales. II. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 72: 193–206.

1970

- Distally lobed integuments in some Angiosperm ovules. Blumea 18: 67–70.
- Some unusual tropical labyrinth seeds. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 73: 298–301.

1971

- New thinking in plant morphology. Berita Biologi 1: 12–18.
- Note on some more tropical labyrinth-seeds. Blumea 19: 109–111.
- The distally lobed inner integument of *Hernandia peltata* Meissn. in DC. (Hernandiaceae). Blumea 19: 147–148.
- The labyrinth seed of *Hernandia peltata* Meissn. in DC. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 74: 46–51.

1972

- (with Bouman F) Note on the early development of the integument in some Juglandaceae, together with some general questions on the structure of Angiosperm ovules. Blumea 20: 155–159.
- The taxonomic position of *Papuodendron* C.T.White as elucidated by anatomical characters. Reinwardtia 8: 319–321.

1973

- Flowers and fruits in Flacourtiaceae. I. *Scaphocalyx spathacea* Ridl. Blumea 21: 259–279.

1974

- On dichotomy, with special reference to the funicles of the ovules of *Adansonia*. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, ser. C 77: 321–337.
- Flowers and fruits in Flacourtiaceae. II. The seeds of *Pangium edule* Reinw. Blumea 22: 15–19.

1976

- Can the vascular sympodia be considered as a series of dichotomies? Acta Agronomica Academiae Scientiarum Hungaricae 25: 489–490.
- Distally-lobed integuments in Exochorda, Juglans, Leontice and Bongardia. Phytomorphology 26: 1–4.

1977

- Flowers and fruits in Flacourtiaceae. III. Some Oncobeeae. Blumea 23: 349–369.
- On the morphology of the ovules in Salacca (Palmae). Blumea 23: 371–375.
- The pattern of vascular bundles in the stamens of *Nymphaea lotus* L. and its bearing on stamen morphology. Blumea 23: 345–348.
- Review. Corner E.J.H. The seeds of Dicotyledons. Flora Malesiana Bulletin 30: 2859–2861.

1978

- Morphology of the pistil in Malvaceae-Ureneae. Blumea 24: 123–137.
- The importance of tropical botanic gardens for morphological and anatomical research. In: Stone BC (ed), Roles and goals of tropical botanic gardens: 59–61. Universiti Malaya, Kuala Lumpur.
- Review. Roth I. Fruits of Angiosperms. Acta Botanica Neerlandica 27: 249–250.

1979

- Flowers and fruits in Flacourtiaceae. IV. *Hydnocarpus* spp., *Kiggelaria africana* L., *Casaeria* spp., *Berberidopsis corallina* Hook.f. Blumea 25: 513–529.
- Morphology at the Rijksherbarium. Blumea 25: 107–113.
- (with Baas P, Geesink R, Muller J) The affinities of *Plagiopteron suaveolens* Griff. (Plagiopteraceae). Grana 18: 69–89.

1981

- A S.E.M.-investigation on the development of free carpels. Blumea 27: 499–522.

1982

- Note on the structure of developing seeds of *Knema* and *Horsfieldia* (Myristicaceae). Blumea 28: 53–60.

1983

- The ascidiform early development of free carpels, a S.E.M.-investigation. Blumea 28: 231–270.

1984

- Flowers and fruits in Flacourtiaceae. V. The seed anatomy and pollen morphology of *Berberidopsis* and *Streptothamnus*. Blumea 30: 31–37.
- Variation in the development of ascidiform carpels, an S.E.M.-investigation. Blumea 29: 443–452.
- Review. Hess D. Die Blüte. Acta Botanica Neerlandica 33: 382.

1985

- Review. Johri BM (ed). Embryology of Angiosperms. Acta Botanica Neerlandica 34: 359–368.

1986

- A deviating female flower of *Cercidiphyllum japonicum* (Cercidiphyllaceae). Blumea 31: 273–276.
- On the development of gynoecea with septal nectaries. Acta Botanica Neerlandica 35: 523.

1987

- Androecium development in *Actinidia chinensis* and *A. melanandra* (Actinidiaceae). Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie 109: 17–23.
- Note on the morphology of the male inflorescences in *Cercidiphyllum* (Cercidiphyllaceae). Blumea 32: 303–309.
- (with Breure C.J, Menendez T). The early development of inflorescences and flowers of the oil palm (*Elaeis guineensis* Jacq.) seen through the scanning electron microscope. Blumea 32: 67–78.

1988

- (with Leins P, Erbar C). Note on the floral development of *Thottea* (Aristolochiaceae). Blumea 33: 357–370.
- On the ascidiform development of carpels. In: Leins P, Tucker SC, Endress PK (eds), Aspects of floral development: 143–146. Cramer, Berlin.
- On the development of some gynoecea with septal nectaries. Blumea 33: 477–504.

1990

- Review. Weberling F. Morphology of flowers and inflorescences. *Acta Botanica Neerlandica* 39: 326.
- Review. Troll W, Weberling F. Infloreszenzuntersuchungen an monotelen Familien. *Acta Botanica Neerlandica* 39: 327.

1992

- Floral morphology of Stemonaceae and Pentastemonaceae. *Blumea* 36: 481–499.

1993

- Floral ontogeny of *Archidendron lucyi* (Mimosaceae), with remarks on *Amherstia nobilis* (Caesalpiniaceae). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 114: 551–560.

1995

- Morphology of the gynoecium of *Kitaibelia vitifolia* Willd. and *Malope trifida* L. (Malvaceae-Malopeae). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 117: 485–493.

1996

- (with van der Ham RWJM) Review. Endress PK, Friis EM (eds). Early evolution of flowers. *Blumea* 41: 470.

1999

- Some developmental aspects and pollination of the male flowers. In: Wilde WJJO de, Duyfjes BEE, Bayabusua, a new genus of Cucurbitaceae. *Sandakania* 13: 1–16.