INDEX TO SCIENTIFIC PLANT NAMES

compiled by

E.E. VAN NIEUWKOOP

Families and higher taxa have been entered under their name.

Names of families which have been revised in volumes 4–10 have been entered and are printed in **bold type**, so that as far as this is concerned this index is complete for all preceding volumes as well.

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamilies, tribes, *etc.*).

Infrageneric epithets have been entered immediately under the generic name to which they belong, preceeded by the indication of their rank (subgenera, sections, series, *etc.*).

Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, *etc.*).

Epithets of new names and *new combinations* have been printed in **bold type**, *synonyms* in *italics*.

Page numbers in **bold type** denote main treatment; an *asterisk* behind a page number denotes the presence of a figure of the concerned texon; 'map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

Some minor printing errors in plant names have been corrected.

Of synonyms with a double authority, the latter has not always been cited in full. The full authority can easily be derived from the text.

Abies *dammara* Desf. 433
Aceraceae 4: 3–4, 592; 6: 915; 7: 820; 8: 549
Acioa Aubl. 639
heteropetala (Scort. ex King) Kosterm. 677
malayana Kosterm. 677
percoriacea Kosterm. 678
Acioa auct. 675
Acmopyle 343, 352, 354
Actinidiaceae s.str. 4: **37–39**
Adenia 166
Afrocarpus 354
Afrolicania Mildbr. 645
Agathis Salisb. 339, 341–343, 347, 354, 420, 421, **429**, 430*, 431 map
sect. Agathis **431**
sect. *Macrobracteatae* Meijer Drees 431
sect. *Microbracteatae* Meijer Drees 431
sect. Prismatobracteatae Meijer Drees 431, **440**
sect. **Rostrata** de Laub. 431, **439**
alba Foxw. 433
alba auct. 435, 437
beccarii Warb. 433
beckingii Meijer 435
borneensis Warb. 340, 341, 430*, 432*, **433**, 434* map
celebica (Koord.) Warb. 433, **434**, 435 map
ssp. *celebica* Veldk. & Whitm. 435
(Agathis celebica)
ssp. *flavescens* (Ridl.) Veldk. & Whitm. ex Veldk. & de Laub. 438
dammara (Lamb.) Richard 433, 434
ssp. *dammara* auct. 435, 437
ssp. *dammara* Whitm. 433
ssp. *flavescens* (Ridl.) Whitm. 438
dammara auct. 435, 437
endertii Meijer Drees **439**, 440* map
flavescens Ridl. 340, 341, 433, **438**
hamii Meijer Drees 435
kinabaluensis de Laub. 433, 438 map, **439**
labillardieri Warb. 436 map, 440, **441***
latifolia Meijer Drees 433
lenticula de Laub. 433, **436***, 437 map
loranthifolia Salisb. 433
loranthifolia auct. 435
macrostachys Warb. 433
motleyi (Parl.) Dümmer 393
orbicula de Laub. 433, **437*** map
palmerstonii (F.v.M.) Bailey 442
philippinensis Warb. 433, **437**, 438 map
regia Warb. 437
rhomboidales Warb. 433
(Agathis)
robusta (Moore) Bailey **442** map
ssp. *nesophila* Whitm. 436
var. *nesophila* auct. 442
var. *robusta* Whitm. 442
spathulata de Laub. 433, **435**, 436 map
Agonandra 31–34
racemosa 33
Ailanthus integrifolia Lamk 718
Aizoaceae 4: **267–275**; 6: **915**
Albertisia Becc. 160–162, 164, 167–169, 171, **179**
crassa Forman 179, **181**
mecistophylla Forman 181
megacarpa Diels ex Forman 159, 179, **181**
papuana Becc. 166, 179, 180*, **181**
Alcimandra Dandy 565, 566, 567, 569
cathcartii (Hk.f. & Th.) Dandy 569
Alismataceae 5: **317–334**; 6: **915**, 9: **553**
Alismatales 109
Allantospermum Forman 621, 622
Alnus 338
Alpam Rheede 65
Alseuosmia 335
Alseuosmiaceae 335–336
Alsomitra macrocarpa (Bl.) Roem. 29

Altingia excelsa 341
Amaranthaceae 4: **69–98**, **593**; 5: **554**; 6: **915**; 7: **820**; 8: **549**
Ambora ficus Tul. 326
Amborella 261
Amborellaceae 261
Amorpha pedalis Blanco 488
Anacardiaceae 8: **395–548**; 9: **553**; 10: 679–681
Anacardium occidentale 352
Anacolosa Bl. 1, 3–6, **23**
arborea K. & V. 25
cauliflora Sleum. **25**
celebica Valet. 25
frutescens (Bl.) Bl. 2, 24*, **25**, 26* map
heptandra Maing. ex Mast. 25
luzoniensis Merr. 25
maingayi Mast. 22
papuana Schellenb. 25, **26**
zollingeri Baill. 25
Anamirta Colebr. 157, 158, 160–162, 166–168, 170, 171, **211**
cocculus (L.) Wight & Arn. 159, 165, 166, 212*, **213**, 214*
flavescens (Lamk) Miq. 210
jucunda Miers 213
lemniscata Miers 210
loureiri Pierre 210
luctuosa Miers 210
Anaxagorea A. St. Hil. 605
Ancistrocladaceae 4: **8–10**; 5: **553**
Ancistrocladus *pentagynus* Warb. 612
Androglossum reticulatum Champ. ex Benth. 685
Andruris Schltr 109, 110
andajensis (Becc.) Schltr 118
anisophylla Giesen 112, 118
australasica (Hemsl.) Giesen 118
buruensis J.J.Smith 118
celebica Schltr 118
clemensae (Hemsl.) Giesen 112, 118
clemensae (Hemsl.) Giesen var. *borneensis* Giesen 118
crinita (Becc.) Schltr 117
elegans Giesen 118
gracillima Giesen 117
javanica Giesen 118
loheri Giesen 117
nana (Bl.) Giesen 117
palawensis Tuyama 118
tenella Schltr 118
(*Andruris*)
vitiensis (A.C.Smith) Giesen 118
wariana Schltr 117
Angelesia Korth. 645
papuana Baker f. 651
splendens Korth. 646
Anisadenia 609
Anisophyllaea gaudichaudiana Baill. 253
Annonaceae 63, 64, 261, 605, 716
Anthobembix Perkins 306, 308
brassii A.C. Smith 315
dentatus Valeton 310
hospitans (Becc.) Perkins 311
ledermannii Perkins 319
moszkowskii Perkins 311
myrtifolia A.C. Smith 313
oligantha Perkins 315
parvifolia Perkins 315
Antidesma ghaesembilla Gaertn. 52
pentandrum (Blco) Merr. 52
Antitaxis Miers 172
calocarpa Kurz 174
cauliflora (Miers) Diels 174
fasciculata Miers 174
longifolius (Decne ex Miq.) Miers 174
Apama Lamk 62, 63, 65
affinis Weisse 79
brevipes Weisse 79
corymbosa (Griff.) Willd. ex Soler. 78
macrantha Weisse 81
tomentosa Engl. ex Soler. 55, 79
var. *lanuginosa* (Hk.f.) K. & G. 79
Aphylleia Champion 110
erubescens Champ. 114
Aponogetonaceae 4: **11–12**; 5: **553**; 7: **213**
Aptandra 3, 4
Aptandropsis 4
Aquifoliaceae 145
Aquilegia 165
Arabidopsis 543
Arabis 541
Araliaceae 9: **1–105**, **553**; 10: **716**
Araucaria Juss. 337, 339, **421**, 423 map
sect. Araucaria **422**, 423
sect. *Bunya* Wilde & Eames 423
sect. *Columbea* 422
sect. *Colymbea* Endl. 422
(Araucaria)
sect. Eutacta Endl. 422, 423, **425**
sect. *Eutassa* (Salisb.) Benth. & Hook. 425
sect. *Intermedia* White 423
subg. *Colymbea* Antoine 423
subg. *Eutacta* (Link) Antoine 425
beccarii Warb. 427
bidwillii 420, 423
cunninghamii Ait. ex D. Don 340, 347, **425**
var. papuana Laut. 426*, **427** map, 428*
cunninghamii auct. non Ait. 427
hunsteinii K.Sch. 339, 347, 420, 423, **424** map
klinkii Laut. 423, 424
schumanniana Warb. 424
Araucariaceae 338, 339, 343, 347, 354, **419–442**
Araucariacites 338
Arcangelisia Becc. 158, 160, 161, 166–171, **209**
flava (L.) Merr.160, **210**, 211
inclyta Becc. 210
lemniscata (Miers) Becc. 210
loureiri (Pierre) Diels 210
tympanopoda (Laut. & K. Sch.) Diels 210, **211**
Archichlamydeae 127
Ardisia *glabra* (Thunb.) DC. 134
Aristolochia L. 53–55, 57–59, **61–64**, **83**, 166
acuminata Lamk 94
barbata 55
brasiliensis Mart. & Zucc. 55, 64
clematitis 59
coadunata Backer 57–59, 84, 86, **95**, 96*
var. bosschai Backer **95**
var. coadunata **95**
crassinervia Schmidt 58, 82*, 85, 87, **104***
curtisii King 84, 86, **89**
decandra Ding Hou 57–59, 64, 83, 85, 87, **100**, 101*, 102*
deltantha F.v.M. 97
dictyophlebia Merr. & Perry 97
dielsiana Schmidt 57, 61, 64, 84, 85, 88, **105**
elegans Mart. & Zucc. 55, 58, 64

(Aristolochia)
engleriana Schmidt 85, 88, **106**
foveolata Merr. 55, 58, 85–87, **91** map
gaudichaudii Duchartre 56*, 57, 84, 88, **107**
gigantea Mart. & Zucc. 64
glaucifolia Ridl. 55, 85, 86, **93**
gracilifolia Schmidt 97
grandiflora Sw. 57, 59, 62, 64
griffithii Duchartre 59, 91
hastata Jack 88
hastata (non Jack) Klotzsch 92
humilis Merr. 55, 85, 87, **103**
imbricata Mast. 103
indica L. 99
indica (non L.) Blco 94
indica (non L.) L. 97
jackii Steud. 55, 58, 59, 84, 86, 87, **88**, 89*
japonica Miq. 94
kaempferi Willd. 92
kankauensis Sasaki 92
kaoi Liu & Lai 91
klossii Ridl. 85, 86, **93**
kwangsiensis Liang 91
lauterbachiana Schmidt 108
ledermannii Schmidt 106, 107 map
leuconeura 62
leytensis Merr. 84, 85, 87, **104**
linnemannii Warb. 55, 85, 88, **107**
longifolia Roxb. 94
macgregorii Merr. 55, 56*, 57, 85, 87, **103**
maurorum 58
megalophylla K.Sch. 94
membranacea Merr. 103
mindanaensis Warb. 94
minutiflora Ridl. ex Gamble 55, 85–87, **93**
var. *dolabrata* Gamble 93
moluccana Duchartre 94
momandul K. Sch. 58, 59, 82*, 85, 86, 88, **97**
naviculilimba Ding Hou 85, 87, **100***
novoguineënsis Schmidt 108
ornithocephala 55
papillifolia Ding Hou 58, 84, 87, 98*, **99**
peltata 59

(Aristolochia)
philippinensis Warb. 60*, 66, 84, 87, **102**
pithecurus Ridl. 97
ramosii Merr. 92
ringens Vahl 55, 64
roxburghiana Klotzsch 94
ß *angustifolia* Duchartre 94
ssp. *kankauensis* (Sasaki) Kitamura 92
roxburghiana (non Klotzsch) Warb. 107
rumphii Kosteletzky 85, 86, **97**, 101*
samarensis Merr. 85, 87, **102**
schlechteri Laut. 58, 59, 85, 88, 97, **105**, 106, 107
sericea Blco 55, 57, 58, 61, 66, 85, 87, **103**
singalangensis Korth. ex Ding. Hou 61, 84, 86, **89**, 90*
tagala Chamisso 54, 55, 56*, 57, 63, 85–88, **94**
tagala (non Chamisso) Hatus. 92
var. *hankaoensis* 92
var. *kankauensis* (Sasaki) Yamazaki 92
timorensis Decne 94
transtillifera Ding Hou 60*, 84, 87, **99**
tripartita Backer 88
ungulifolia Mast. 88
zollingeriana Miq. 57, 85, 86, **92**
Aristolochiaceae 53–108, 126, 166
Aristolochiales 567
Aromadendron Bl. 567, 568, 576
ashtonii Dandy ex Cockburn 579
borneensis Dandy ex Cockburn 579
elegans Bl. 577
var. *glauca* (Korth.) Dandy 577
glaucum Korth. 577
nutans Dandy 577
oreadum (Diels) Kaneh. & Hatus. 583
Aromadendrum 568
Aromoracia rusticana G.M. & Scherb. 543
Asarum canadense 57
virginicum 62

Ascarina J.R. & G. Forst. 123–129, **137**, 140 map
sect. Ascarina 137, 139, 140 map
sect. Madascarina Leroy & Jérémie 123, 137, 140 map
diffusa A.C. Smith 139, **141**
lanceolata (non Hk.f.) auct. 141
lucida 124, 139
maheshwarii Swamy 139, **140**, 141
philippinensis C.B. Rob. 138*, **139**, 141
reticulata Merr. 139
rubricaulis 127
subsessilis Verdcourt 139, **141**
Ascarinopsis 123, 128
Ascarinopsis Humb. & Capuron 123, 128, 137, 140 map
Ashton's Aromadendron Meijer 579
Asiphonia Griff. 65
piperiformis Griff. 78
sp. Griff. 78
Aspidocarya 162
dissitiflora Laut. & K. Sch. 197
hirsuta Becc. 193
kelidophylla Laut. & K. Sch. 253
uvifera Hk. f. & Th. 189*
Atherospermataceae 261
Atherospermoxylon 256
Athrotaxis 339
Atriaccarpum 158
Atroxima 456
Atuna Rafin. 636–642, **665**
cordata Cockburn ex Prance 636, 666 map, **667**
elata (King) Kosterm. 669
elliptica Kosterm. 666
excelsa (Jack) Kosterm. 636, 640, 641, 671
indica (Bedd.) Kosterm. 666
latifolia (Hend.) Kosterm. 666
latifrons (Kosterm.) Prance & White **666** map
nannodes (Kosterm.) Kosterm. 666, **667** map
penangiana (Kosterm.) Kosterm. 666, **667** map
racemosa Rafin. 666, **669**
ssp. excelsa (Jack) Prance 668*, 669, **670** map

(Atuna racemosa)
ssp. racemosa **669**, 670 map
scabra (Hassk.) Kosterm. 641, 669
travancorica (Bedd.) Kosterm. 666
villamilii (Merr.) Kosterm. 671
Atunus Rumph. 665
alba Rumph. 669
Austrocedrus Florin & Boutelje 443
Austrotaxus 339, 348

Badiera (non DC.) Hassk. 459, 467
pulchra (Hassk.) Hassk. 468
venenosa (Poir.) Hassk. 468
Bafodeya Prance 642
Balanophoraceae 7: **783–805**; 8: **549**; 9: **554**
Balantium Desv. ex Buch.-Ham. 654
Balsaminaceae 539
Bania Becc. 183
thyrsiflora Becc. 183
Banisterodes O.K. 493
affine (Miq.) O.K. 503
ellipticum (Korth. ex Miq.) O.K. 530
excelsum (Bl.) O.K. 501
glaucum (Wall. ex Hassk.) O.K. 527
griffithii (Hk.f. ex Benn.) O.K. 513
insigne (Benn.) O.K. 537
longifolia (Bl.) O.K. 514
maingayi (Benn.) O.K. 524
obscurum (Benn.) O.K. 537
rufum (Benn.) O.K. 505, 507
stipitatum (Benn.) O.K. 535
vitellinum (Bl.) O.K. 515
Bannisterioides 493
Barbarea vulgaris R.Br. 545
Barnhartia Gleason 493
Basellaceae 5: **300–304**
Batania Hatus. 172
insignis Hatus. 174
Baterium Miers 183, 184
validum Miers 184
Bat(id)aceae 5: **414–415**; 6: **917**
Bennettiodendron leprosipes (Clos) Merr. 715
Berberidaceae 163
Berberidales 163
Betulaceae 5: **207–208**; 6: **917**
Bignoniaceae 8: **114–186**; 9: **554**; 10: **716**
Bixaceae s.str. 4: **239–241**
Bladhia glabra Thunb. 134
Blumia Nees 569
candollii (Bl.) Nees 582
Blyxa *alternifolia* (Miq.) Hartog 717
aubertii Rich. 717
var. echinosperma (Clarke) Cook & Lüönd 717
echinosperma (Clarke) Hk.f. 717
japonica (Miq.) Maxim. ex Aschers. & Gürke 717
var. alternifolia (Miq.) Cook & Lüönd 717
var. japonica 717
leiosperma Koidz. 717
Boraginaceae 29
Borneo Aromadendron Meijer 579
Bracea King 29
Brachynema 3, 4
Bragantia Lour. 65
affinis Planch. ex Rolfe 79
blumii Lindl. 79
brevipes Merr. 79
corymbosa (non Griff.) F.-Vill. 103
corymbosa Griff. 78
macrantha Boerl. 81
melastomaefolia Duchartre 78
tomentosa Bl. 79
var. *lanuginosa* Hk.f. 79
Brassica L. 541, 543, **545**
besseriana Andrz. ex Trautv. 546
campestris L. 543
chinensis L. 543
integrifolia (West) Rupr. 546
juncea (L.) Czern. 544*, **545**
napus L. 543
oleracea L. 543
rapa L. 543
rugosa Prain 543
Bredemeyera 456, 457, 465
sect. *Melchiora* Steen. 465
floribunda 457
papuana Steen. 465
Brewstera M.J. Roemer 622, 625
crenata M.J. Roemer 625
Brongniartia Bl. 287
coriacea Bl. 298
Brownetera L.C. Rich. 356
Bruguiera gymnorrhiza (L.) Savigny 717
Bubbia 123
Burmanniaceae 4: **13–26**, **592**; 5: **553**; 7: **820**; 9: **554**
Burseraceae 5: **209–296**, **567**; 6: **917**; 7: **820**; 9: **555**; 10: **715**
Butomaceae 5: **118–120**, **566**
Byblidaceae 7: **135–137**

Callitrichaceae 4: **251–252**
Callitris *sp.* 453
Callitroideae 444
Calocedrus 444
Camelina 541
Campanulaceae 6: **107–141**, **928**; 8: **549**; 9: **556**
Canariopsis angustifolia Bl. ex Miq. 715
Canarium *angustifolium* Miq. 715
Candjera 51
Cannabinaceae 4: **222–223**
Cansiera 50, 52
zyziphifolia 50
Cansjera Juss. 31–35, **48**, 49 map
grossularioides Blco 52
lanceolata Bth. 50
leptostachya Bth. 31, 33, 34, 48*, 49 map, **51***
leptostachya Koord. 35
malabarica Lamk 50
var. ß 50
manillana Bl. 36
monostachya (Willd.) M. Roemer 50
parvifolia Kurz 48*, 49 map
pentandra Blco 52
polystachya (Willd.) M. Roemer 50
rheedii J.F. Gmelin 31–33, 48*, 49 map, **50***
rheedii Blco 52
scandens Roxb. 9, 50
timorensis Decne 51
zizyphifolia Griff. 50, 51
Cappar(id)aceae 6: **61–105**; 7: **822**
Caprifoliaceae 4: **175–194**; 6: **928**; 9: **556**; 10: 335
Capsella Medicus 541, 543, 545, **549**
bursa-pastoris (L.) Medicus **550**

Cardamine L. 541, 543, 545, **550**
africana L. 541, **551**
ssp. *borbonica* (Pers.) Schulz
var. *papuana* Laut. 551
altigena O.E. Schulz 551, **553**
borbonica Pers. 551
decurrens (Bl.) Z. & M. 554
flexuosa With. 551, **554**
flexuosa auct. 554
hirsuta L. 551, **554**
javanica (Bl.) Miq. 552
keysseri O.E. Schulz 551, **553**
papuana (Laut.) O.E. Schulz **551**, 552*
regeliana Miq. 554
sublyrata Miq. 559
Cardiopteridaceae 7: 93–96; 10: 166, 253, 716
Cardiopteris Royle 166, 716
moluccana Bl. 19, 253
Carex bilateralis Hayata 716
Caricaceae 61
Carpolobia 456, 457
Carronia F.v.M. 158, 160, 162, 167, 168, 170, 172, **183**
thyrsiflora (Becc.) Diels 182*, **183**
Carson's Magnolia Meijer 571, 573
Casearia flavovirens Bl. 716
pallida Craib 716
Casuarinaceae 453
Cathedra 3, 4
Caytoniales 338
Caytonipollenites 338
Celastraceae 6: 227–291, 389–421, 930; 10: 539, 716
Celastrales 145, 629
Celastranae 151
Celtis paniculata (Endl.) Planch. 29
Centrolepidaceae 5: 421–427
Cephalotaxaceae 343, 347
Cephalotaxus 354
celebica Warb. 349
mannii (non Hk.f.) Pritzel ex Diels 349
sumatrana Miq. 349
Ceramium Bl. 65
tomentosum Bl. 79
Ceratophyllaceae 4: 41–42
Ceriops decandra 718
Chamaebuxus (DC.) Spach 459, 467
(*Chamaebuxus*)
arillata (D. Don) Hassk. 469
pulchra (Hassk.) Hassk. 468
venenosa (Poir.) Hassk. 468
subvar. *elliptica* Miq. 468
subvar. *obovata* Miq. 468
var. *aptera* Miq. 468
var. *gracilis* Miq. 468
var. *minor* Miq. 468
var. *robusta* Miq. 468
Champaca Adans. 598
turbinata Nor. 583
Champereia Griff. 31–34, **35**
cumingiana (Baill.) Merr. 36
gaudichaudiana (Baill.) Tiegh. 36
griffithii Planch. ex Kurz 36
lanceolata Merr. 36
manillana (Bl.) Merr. 31, 34, **35**, 36*, 37*, 38 map, 40*
oblongifolia Merr. 36
perrottetiana Baill. 52
platyphylla Merr. 36
Champereya 35
gnetocarpa Kurz 36
griffithiana Planch. ex Kurz 36
Chandlera 158
Chasmanthera 164
Chaunochiton 3, 4
Cheirolepidaceae 338
Chenopodiaceae 4: 99–106, 594; 6: 932; 8: 549; 9: 557
Chlaenandra Miq. 158, 161, 162, 167, 168, 170, 171, **187**
ovata Miq. 159, 186*, **187**, 189*
Chloranthaceae 123–144
Chloranthales 127
Chloranthus Swartz 123–128, **129**, 139, 143, 144
brachystachys Bl.
var. *melanocarpus* Ridl. 136
brachystachys sensu Benth. 134
chinensis 124
denticulatus Cordemoy 134
elatior R.Br. ex Sims 131
erectus (Buch.-Ham.) Verdc. 124, 127, 128, 130*, **131**, 132*, 133*, 136
erectus Sweet 130
fortunei 127
glaber sensu Backer & Bakh.f. 136
glaber (Thunb.) Makino 134
(Chloranthus)
hainanensis Pei 136
henryi Hemsley 130, **133**
inconspicuus Swartz 133
inconspicuus (non Swartz) Blco 131
indicus Wight 133
japonicus 127, 130
monander R.Br. ex Sims 134
multistachys Pei 128
obtusifolius Miq. 133
officinalis Bl. 124, 127, 128, 131, 132
oldhamii Solms-Laub. 133
oldhamii (non Solms-Laub.) Merr. & Quis. 133
philippinensis Merr. 133
salicifolius Presl 131
serratus 127
spicatus (Thunb.) Makino 127, 128, 130, **132**
verticillatus Merr. 133
Chrysobalanaceae 635–678
tribe Chrysobalaneae 635
tribe Couepieae 636
tribe Hirtelleae 636
tribe Parinarieae 635
Chrysobalanus L. 635–637, 639, 640, 642, **643**
ciliatus Korth. ex Miq. 674
icaco L. **643**, 644* map
splendens Korth. ex Miq. 646
Cissampelos L. 157, 158, 160–162, 165, 167, 169–171, **234**
convolvulacea Willd. 236
var. *hirsuta* (DC.) Hassk. 236
cumingiana Turcz. 236
discolor DC. 236
var. *cardiophylla* A. Gray 236
hernandifolia 245
hernandiifolia Willd. 245
insularis Makino 240
ovata Poir. 217
pareira L. 165
β 236
var. hirsuta (Buch. ex DC.) Forman 235*, 236
var. *orbiculata* (DC.) Miq. 236
var. *peltata* Scheff. 236
var. *typica* Diels 236
pareira (non L.) Ridl. 229
psilophylla Presl 251

Citronella suaveolens (Bl.) Howard 717
Cladopus nymani H. Möll. 717
Classopollis 338
Clethraceae 7: 139–150
Clypea Bl. 243
acuminatissima Bl. 252
capitata Bl. 252
corymbosa Bl. 249
discolor Bl. 245
glaucescens Decne 245
tomentosa Bl. 229
venosa Bl. 248
Coccomelia Ridl. 645
Cocculus DC. 157, 158, 161, 162, 165, 169, **231**
angustifolius Hassk. 234
bantamensis Bl. 199
blumei Boerl. 223
brachystachyus DC. 217
celebicus Boerl. 175
cinereus Zoll. & Mor. 229
coriaceus Bl. 199
corymbosus Bl. 229
crispus [non (L.) DC.] Hassk. 199
cuspidatus Wall. 219
cynanchoides Presl 233
elegans (Ridl.) Ridl. 233
ferrandianus Gaudich. 233
flavescens (Lamk) DC. 210
flavicans Wall. 253
forsteri DC. 245
glaucescens Bl. 230
glaucus (Lamk) DC. 229
incanus Colebr. 229
japonicus (Thunb.) DC. 245
var. *timoriensis* DC. 245
kunstleri King 231
lanuginosus Bl. 229
laurifolius DC. 160, 166, 169, 171, 231, 232*, **233**, 234
var. *angustifolius* (Hassk.) Boerl. 233
var. *triplinervis* Boerl. 233
leptostachyus DC. 217
limacia DC. 223
longifolius Decne ex Miq. 174
lucidus Teijsm. & Binn. 174
macrocarpus W. & A. 230
mollis Hk.f. & Th. 233
orbiculatus (L.) DC. 159, 160, 162, 170, 172, **231**, 232*
ovalifolius (Vahl ex Pers.) DC. 233
populifolius DC. 213
(Cocculus)
rimosus Bl. 207
sarmentosus Diels 233
var. *stenophyllus* Merr. 233
triandrus Colebr. 185
triflorus DC. 219, 233
trilobus (Thunb.) DC. 159, 163, 165, 231, 233, 234
velutinus Wall. 223
Cochlearia officinalis L. 543
Cochlospermaceae 4: 61–63
Coffea *angustifolia* Roxb. 717
Columbea 422, 423
Colymbea Spreng. 422
Combretaceae 4: 533–589; 5: 564; 6: 932; 7: 823
Comesperma 456, 461, 465
sect. Prosthemosperma F.v.M. 465
Coniferales 337–453
Connaraceae 5: 495–541; 6: 933; 7: 823; 8: 549; 9: 557
Convolvulaceae 4: 388–512, 599; 5: 558; 6: 936; 7: 823; 9: 558; 10: 29, 716
Cordaitales 126
Cornaceae 8: 85–97
Coronopus 541
Coryneliales 353
Corynocarpaceae 4: 262–264; 5: 557; 6: 941
Corytholobium Mart. ex Benth. 483
Coscinium Colebr. 160–162, 166–168, 170, 171, **215**
blumeanum Miers ex Hk.f. & Th. 212*, 215, **216**, 217
blumeanum (non Miers ex Hk.f. & Th.) Miq. 216
var. *epeltatum* Boerl. 216
fenestratum (Gaertn.) Colebr. 160, 165, 212*, **215**, 217
var. *macrophyllum* Yamamoto 215
var. *ovalifolium* Yamamoto 215
maingayi Pierre 216
mangayi 216
miosepalum Diels 216
peltatum Merr. 216
wallichianum Miers 215
Couepia 640
Coula 3, 4
Crambe 541, 543
Crassulaceae 4: 197–202; 9: 558
Crispiloba Steen. 335
Crotalaria *duboisii* Lév. 469
Cruciferae 541–560
tribe Arabideae 543
tribe Brassiceae 543
tribe Heliophileae 543
tribe Lepidieae 543
tribe Stenopetaleae 543
Cryphaea Buch.-Ham. 129
erecta Buch.-Ham. 131, 132
Crypteroniaceae 8: 187–204
Cryptocarya reticulata Bl. 715
Ctenolophon Oliver 29, **629**
englerianus Mildbr. 630, 631
grandifolius Oliver 631
parvifolius Oliver 630, **631**, 632*, 633* map
philippinensis Hall.f. 630, 631
Ctenolophonaceae 607, 609, 621, **629–634**
Cucurbitaceae 29, 166, 253
Cupressaceae 338, 339, 343, 347, **442–447**
Curupira 3, 4
Cyclandrophora Hassk. 642, 665
asperula (Miq.) Prance ex Kosterm. 671
elata (King) Kosterm. 669
excelsa (Jack) Kosterm. 671
glaberrima Hassk. 669
latifolia (Hend.) Prance 666
laurina (Gray) Kosterm. 669
nannodes (Kosterm.) Kosterm. & Prance 667
penangiana Kosterm. & Prance 667
scabra (Hassk.) Kosterm. 669
villamilii (Merr.) Prance ex Kosterm. 671
Cyclea Arn. ex Wight 160–162, 165, 167, 169, 170, 172, **237**
acuminatissima Merr. 239
apoensis Yamamoto 241
atjehensis Forman 237, 238*, **239**
barbata Miers 159, 136, 139, **242**, 243, 253
barbata Craib 239
caudata Merr. 239
cauliflora Merr. 237, **241**
ciliata Craib 242
elegans King 187, 237, **239**
insularis (Makino) Hatus. 237, **240**
var. *luxurians* Hatus. 240

(Cyclea)
kinabaluensis Forman 159, 237, **239**
var. hispida Forman **239**
korthalsii Diels ex Norman 241, 242
laxiflora Miers 237, 239, **241**, 242, 243
merrillii Diels 237, **240**
peltata [non (Lamk) Hk.f. & Th.] Becc. 241
var. *arnottii* Miers 241
peltata [non (Lamk) Hk.f. & Th.] Miq. 163, 242
peregrina Miers 237, 239, **241**, 242
robusta Becc. 237, **240**
scyphigera Suesseng. & Heine 239
forma *angustifolia* Suesseng. & Heine 239
tomentosa 243
tonkinensis (non Gagnep.) Yamamoto 239
wallichii Diels 242, 243
Cyclodiscus tomentosus Klotzsch 79
Cyperaceae 7: **435–753**, **823**; 9: **107–187**, **560**; 10: **716**
Cyperus diaphanus Schrader ex R. & S.
var. latespicatus (Boeck.) Kern 716
Cyrillopsis Kuhlm. 621, 622

Dacrycarpus (Endl.) de Laub. 337, 338, 343, 347, 351, 353–355, **374**, 376 map
cinctus (Pilger) de Laub. 376, **383***, 384 map
compactus (Wasscher) de Laub. 376, **382*** map, 383*, 384
cumingii (Parl.) de Laub. 376, **381** map
dacrydiifolia (Wasscher) Gaussen 383
expansus de Laub. 342, 376, **381**, 382 map
imbricatus (Bl.) de Laub. 340, 341, **376**
var. curvulus (Miq.) de Laub. 340, 341, 377, 379 map, **380***
var. imbricatus **377** map
var. patulus de Laub. 377 map, 378*, **379**
(Dacrycarpus imbricatus)
var. robustus de Laub. 377, **379** map
kawaii (Hayata) Gaussen 379
kinabaluensis (Wasscher) de Laub. 376, **381** map
leptophylla (Wasscher) Gaussen 371
steupii (Wasscher) de Laub. 340, 376, **380**
steupii (non de Laub.) de Laub. 379
Dacrydium Soland. ex Forst.f. 337, 338, 342, 343, 347, 352–355, **360**, 362 map
balansae 365
beccarii Parl. 362, **366**, 367 map
var. *rudens* de Laub. 368
var. *subelatum* Corner 363
comosum Corner 363, **370**, 371 map
cornwalliana de Laub. 340, 362, 364 map, **366***
cupressinum 365
elatum (Roxb.) Wall. ex Hk. 341, 362, **363**, 364 map
ericoides de Laub. 340, 341, 363, **371** map
falciforme (Parl.) Pilger 372
falciforme [non (Parl.) Pilger] Foxw. ex Merr. 373
falciforme [non (Parl.) Pilger] Laut. 373
gibbsiae Stapf 363, **369**
gracilis de Laub. 363, **367** map
junghuhnii Miq. 363
leptophyllum (Wasscher) de Laub. 363, **371**
magnum de Laub. 363, **368** map
medium de Laub. 339–341, 363, **368** map
micropedunculatum 340
nidulum de Laub. 362, **365** map
var. *araucarioides* de Laub. 366
novo-guineense Gibbs 362, **364** map
pectinatum de Laub. 340, 341, 362, **364** map
var. *robustum* de Laub. 364
pierrii Hickel 363
spathoides de Laub. 340, 363, 367 map, **368**
(Dacrydium)
xanthandrum Pilger 363, **369***, 370* map
Dactyladenia 639
Dahuronia Scop. 645
Dammara Link 429
alba Rumph. ex Hassk. 435
var. *alba* Hassk. 435
var. *celebica* Hassk. 435
celebica Koord. 435
loranthifolia Link 433
motleyi Parl. 393
orientalis Lamb. 433
var. *alba* Knight ex Henkel & Hochst. 435
var. *orientalis* Carr. 433
var. *pallens* Carr. 435
palmerstonii F.v.M. 442
robusta Moore ex F.v.M. 442
rumpfii auct. 437
rumphii Presl 435
Daphnandra Perkins 256, 261, 263, 265
aromatica 261
novoguineensis Perkins 266
perkinsiae Gilg & Diels 266
Daphne *monostachya* Willd. 50
polystachya Willd. 50
Datiscaceae 4: **382–387**; 7: **823**
Davisicarpum 158
Decussocarpus de Laub. 389
sect. *Dammaroides* (Bennett) de Laub. 390
sect. *Decussocarpus* de Laub. 394
maximus de Laub. 394
motleyi (Parl.) de Laub. 393
vitiensis (Seem.) de Laub. 395
wallichianus (Presl) de Laub. 393
Degeneriaceae 562
Dichapetalaceae 5: **305–316**, **567**; 6: **941**; 7: **823**
Diclidanthera 456, 457, 493
Diemenia Korth. 648
racemosa (Korth.) Miq. 649
Dillenia 123
Dilleniaceae 4: **141–174**; 5: **557**; 7: **824**
Dimocarpus longan 159
Diogoa 3, 4
Dioscorea 166
aculeata (non L.) Zoll. 199
spiculata Bl. 199
stenomeriflora Prain & Burk. 253

Dioscoreaceae 4: **293–335**; 5: **557**; 10: 253
Dioscoreophyllum cumminsii 165
Diploclisia Miers 158, 160, 169, 170, 172, **229**
glaucescens (Bl.) Diels **230**
glaucescens (non (King) Diels) sensu Forman 231
kunstleri (King) Diels 228*, **230**
macrocarpa (W. & A.) Miers 230
Dipsacaceae 4: **290–292**; 5: **557**
Dipterocarpaceae 9: **237–552**; **561**; 10: 665, **716**
Dipterocarpus cornutus Dyer 665
Discogyne Schltr 622
papuana Schltr 627
Dolichandrone spathacea (L.f.) K.Sch. 716
Dombeya Lamk. 422
Doryphora 261
aromatica 261
Drebbelia Zoll. 6
subarborescens Zoll. 7
Droseraceae 4: **377–381**; 5: **557**; 6: **943**; 9: **562**
Dryadodaphne S. Moore 255–257, 262, **263**
celastroides S. Moore 266
crassa Schodde 264*, **265**, 266
novoguineensis (Perkins) A.C. Smith 261, 265, **266**, 267
ssp. novoguineensis **266**, 267
var. **macra** Schodde **266**
var. novoguineensis **266**, 267
ssp. **occidentalis** Schodde 265, **267**
novoguineensis (Perkins) A.C. Smith p.p. 265
Drymis-leaved Magnolia Meijer 571, 573
Dugortia Scop. 654
Dulacia 4
Durandea Planch. 608, 609
jenkinsii (F.v.M.) Stapf 612
magnifolia Stapf 615
pallida K. Sch. 611
pentagyna (Warb.) K. Sch. 612
var. *rotundata* (K. Sch.) Laut. 612
(*Durandea*)
robinsonii (Merr.) Hall.f. 612
rotundata K. Sch. 612

Elaeagnaceae **151–156**
Elaeagnales 151
Elaeagnus Tourn. ex L. **151**, 155*
sect. Elaeagnus 152
sect. *Sempervirentes* Serv. 152
angustifolia (non L.) Blco 154
arborea Roxb.
var. *dendroidea* Schlechtend. 153.
conferta Roxb. 152, **153**, 154*
ssp. *dendroidea* (Schlechtend.) Serv. 153
ssp. *euconferta* Serv. 153
ssp. *javanica* (Bl.) Serv. 153
var. *calcuttensis* Serv. 153
var. *malaccensis* Serv. 153
var. pallescens Serv. **156**
var. *septentrionalis* Serv. 153
var. *silhetensis* Serv. 153
cumingii Schlechtend. 154
ssp. *perrottetii* Serv. 154
ssp. *philippinensis* Serv. 154
dendroidea Schlechtend. 153
ferruginea A. Rich. 153
ssp. *sumatrana* Serv. 153
var. *atrovirens* Serv. 153
var. *richardia* Serv. 153
fruticosa (Lour.) Cheval. 153
gaudichaudiana Schlechtend. 153
javanica Bl. 153
latifolia L. 152
latifolia (non L.) A. Rich. 153
var. *triflora* Schlechtend. 153
perrottetii Schlechtend. 154
philippinensis Perrottet 153
rigida Bl. 153
rostrata Serv. 154
triflora Roxb. 152, **153**
ssp. *obsoleta* Serv. 153
ssp. *polymorpha* Serv. 153
ssp. *rigida* Serv. 153
(Elaeagnus triflora)
ssp. *tetragonia* Serv. 153
ssp. *tetragonia* (non Serv.) Merr. & Perry 155
var. brevilimbata 't Hart 154*, **155**
var. *brevilimbatus* 155
var. *brevipes* Serv. 153
var. *longipes* Serv. 153
var. triflora **154***
zollingeri Serv. 154
Elaeocarpus 123
Elatinaceae 4: **203–206**
Elmerrillia Dandy 562, 564–567, 593, **595**
sect. *Pseudoaromadendron* Dandy 595
celebica (Koord.) Dandy 596
mollis Dandy 596, 598
ovalis (Miq.) Dandy 595, **596**
papuana (Schltr) Dandy 595, 596
var. *adpressa* Dandy 596
var. *glaberrima* Dandy 596, 598
platyphylla (Merr.) Noot. 595, **596**
pubescens (Merr.) Dandy 595, **596**
sericea C.T.White 598
tsiampacca (L.) Dandy 595, **596**
ssp. mollis (Dandy) Noot. 567, **598**, 599*
ssp. tsiampacca **598**
var. glaberrima (Dandy) Noot. 595, **598**
var. tsiampacca 597*, **598**
vrieseana (Miq.) Dandy 596
Elsota Adans. 483
bracteata (Benn.) O.K. 484
corymbosa (Turcz.) O.K. 484
tavoyana (Benn.) O.K. 484
Embelia urophylla Wall. ex A.DC. 649
Emmenanthus Hk.f. & Arn. 622, 626
chinensis Hk.f. & Arn. 626
Entosiphon Bedd. 665
Epacridaceae 6: **422–444**, **943**; 10: 335
Ephedra 338
Ephippiandra 258
Epicryanthes 489
Epinetrum 164
Epirhizanthes 489

Epirixanthes Bl. 455, 456, 459, 486, **488**
aphylla (Griff.) Merr. 490
cylindrica Bl. 457, 490, **491**
elongata Bl. 489, **490***
kinabaluensis Wendt 490, **491**
linearis Bl. 490
pallida Wendt 490, **492**
papuana J.J. Sm. 489, 490, **491**
tenella Hk.f. 490
Epirixanthus 489
Epirizanthes 489
Epirrhizanthe 489
Epirrhizanthes 489
Eriandra Royen & Steen. 455, 457, 459, **492**
fragrans Royen & Steen. **493**
Ericaceae 6: **469–914**; **943**; 7: **827**; 8: **549**; 9: **562**; 10: 335, **716**
Ericybe Roxb. 29
Erythropalla 17
Erythropalum Bl. 1–6, **17**, 166
grandifolium Elmer 17
scandens Bl. **17**, 18*
var. *abbreviatum* Hochr. 17
triandrum Quis. & Merr. 29
vagum (Griff.) Mast. 17
Erythroropalum 17
Erythroxylaceae 5: **543–552**; 8: **549**; 10: 607, 609, 622
Escalloniaceae 335
Euglypha 53, 61, 63
Euphorbiaceae 29, 59
Eutacta cunninghamii (Ait.) Link 426
Eutassa Salisb. 425
cunninghamii Spach 426
Evodia 123
Exellodendron Prance 642
coriacea 641
Exitelea Bl. 642
Exiteles 673
Exitelia Bl. 671
corymbosa (Bl.) Bl. 673
multiflora (Korth.) Walp. 673
Eystathes Lour. 493, 507

Fagaceae 7: **265–403**; 8: **549**; 9: **563**
Faika Philipson 255, 262, 263, **284** map
villosa (Kaneh. & Hatus.) Philipson **284**, 285*, 286*
Falcatifolium de Laub.343, 347, 352, 354, 355, **371**
angustum de Laub. 372, 373 map, **374**
falciforme (Parl.) de Laub. **372**, 373* map
gruezoi de Laub. 372, **373** map
papuanum de Laub. 372, **373** map
Fawcettia F.v.M. 164, 188
merrilliana (Diels) Yamamoto 193
Ferolia O.K. 655
asperula (Miq.) O.K. 671
corymbosa (Bl.) O.K. 674
costata (Korth.) O.K. 663
glaberrima (Hassk.) O.K. 669
griffithiana (Benth.) O.K. 674
jackiana (Benth.) O.K. 671
nitida (Hk.f.) Ridl. 646
nonda (F.v.M. ex Benth.) O.K. 658
oblongifolia (Hk.f.) O.K. 659
polyneura (Miq.) O.K. 664
salicifolia (Presl) O.K. 674
scabra (Hassk.) O.K. 669
sumatrana (Jack) O.K. 661
Fibraurea Lour. 157, 160–162, 166–168, 170, 171, **207**
chloroleuca Miers 160, 207
chloroleuca (non Miers) Merr. 184
elliptica Yamamoto 184
fasciculata Miers 209
haematocarpus Hk.f. & Th. 184
laxa Miers 209
recisa 207
tinctoria Lour. 160, 165, **207**, 208*
Fibraureopsis Yamamoto 183
smilacifolia Yamamoto 184
Ficus *pulchra* Wall. 323
Fissipetalum Merr. 29
Flacourtia *camptoceras* Miq. 618
Flacourtiaceae 5: **1–106**, **565**; 6: **943**; 7: **827**; 9: **563**; 10: 333, 539, 715, **716**
Flagellariaceae 4: **245–250**; 5: **557**; 9: **564**
Folium lunatum minus Rumph. 229
Frenelopsis 338
Funis felleus Rumph. 194
Ganua palembanica (Miq.) v.d. Assem & Kosterm. 453
sp. 453
Geobalanus Small 645
Geraniaceae 6: **445–449**; 9: **565**; 10: 607, 639
Geraniales 609, 639
Gesneriaceae 335
Gigantopteris 338
Gjellerupia Laut. 31–35, **45**
papuana Laut. 45*, **46**
Gladiolus dalenii Geel 717
natalensis (Ecklon) Reinw. ex Hk. 717
Glossocalyx 258
Glyptopetalum loheri Merr. 716
Gnetaceae 4: **336–347**; 6: **944**
Goodeniaceae 5: **335–344**; **567**; 6: **949**; 7: **827**; 9: **566**
Gordonia *decandra* Roxb. 626
Govantesia Llanos 35
malulucban Llanos 36
Grossulariaceae 335
Groutia Guill. & Perr. 46
celtidifolia Guill. & Perr. 47
Grymania Presl 671
salicifolia Presl 671, 673
Guatteria *incerta* Bl. 515
Guttiferae 145
Gymnostoma sp. 453

Haematocarpus Miers 160, 161, 167–169, 171, **183**
comptus Miers 184
incusus Miers 184
subpeltatus Merr. 182*, **184**
thomsonii Miers 184
validus (Miers) Bakh.f. ex Forman **184**
Haemodoraceae 5: **111–113**; 10: **717**
Haemodorum coccineum R.Br. 717
corymbosum Vahl 717
Halocarpus 354
Haloragaceae 7: **239–263**, **828**
Hamamelidaceae 5: **363–379**; 6: **952**; 10: 341, **717**
Harmandia Pierre ex Baill. 1–6, **9**, 10 map
kunstleri King 9
mekongensis Pierre ex Baill. **9**, 10*
Hebepetalum 608
Heckelia nymanii K.Sch. 253

Hedycarya 255, 259, 260
arborea 256
salomonensis Hemsl. 311
Hedycrea Schreb. 645
Hedyosmum Swartz 123–129, **143**, 144
arborescens 125, 127
brasiliense 143
mexicanum 125
nutans (non Sw.) Merr. 144
orientale Merr. & Chun 142*, **144** map
sp. Steen. 144
sumatranum 144
Heisteria 3, 4
micrantha 3
Hennecartia 257
Hernandia kunstleri 9
Heterosamara birmanica (O.K.) Chodat 463
Heterotropa 53, 63
Hexastylis 53, 63
Hibbertia 123
Himantandraceae 562
Hippophaë L. 151
Holopeira Miers 231
australis Miers 234
laurifolia (DC.) Miers 234
Holostylis 53, 61, 63
Homalium dasyanthum 716
Hopea *gracilis* Miq. 716
Horsfieldia iryaghedi (Gaertn.) Warb. 605
Hortonia 258, 259
Hortoniaceae 261
Hugonia L. 608, **609**
sect. *Durandea* (Planch.) Baillon 609, 611
sect. Hugonia **611**
costata Miq. 610*, **611**, 612 map
jenkinsii F.v.M. **611**, 612 map, 613*
pentagyna (Warb.) K.Sch. 612
robinsonii Merr. 612
sumatrana Miq. 618
Hugoniaceae 607, 608, 629
Humiria 629
Humiriaceae 607, 609, 629, 630
Hunga Pancher ex Prance 635–637, 642, 643, **650**
fusicarpa Kosterm. 647
longifolia Prance 651, **653*** map
novoguineensis Prance **651**, 652*, 653 map
papuana (Baker f.) Prance **651**, 652*, 653 map
Hyalisma 112
Hydnocarpus nana King 716
Hydrocaryaceae 4: **43–44**
Hydrocharitaceae 5: **381–413**, **569**; 6: **952**; 7: **828**; 9: **566**; 10: 112, **717**
Hydrophyllaceae 4: **207–209**
Hypericaceae 8: **1–29**; 10: **717**
Hypericinea macrocarpa Wall. 626
Hypericum henryi Lév. & Vaniot ssp. hancockii Robson 717
uralum Buch.-Ham. ex D. Don 717
Hyperixanthes 489
Hypserpa Miers 157, 161, 167–169, 172, 222, **218**
borneensis (Miq.) Becc. 219
cuspidata (Hk.f. & Th.) Miers 219
var. *microphylla* (Miq.) Boerl. 219
heteromera Miers 219
jagorii Diels 219
latifolia Miq. ex Diels 221
laurina (F.v.M.) Diels 218, **219**
monilifera (Burk.) Diels 221
nandinifolia Yamamoto 219
nitida Miers **219**, 220*
parvifolia Kaneh. & Hatus. 219
polyandra Becc. 219, **221**
var. tomentosa Forman **221**
praevaricata Miers 219
propensa Miers 219
raapii Diels 221
selebica Becc. 221
selwynii F.v.M. 219
triflora [non (DC.) Miers] Miers 219
Hypsipodes Miq. 188

Iberis amara L. 543
umbellata L. 543
Icacinaceae 7: **1–87**, **828**; 9: **566**; 10: 29, 33, 91, 145, 166, 629, **717**
Idenburgia Gibbs 145, 146, 326, 333
arfakensis Gibbs 149
(*Idenburgia*)
elaeocarpoides Gilg & Schltr 147
novoguineensis Gibbs 147
pachyphylla Gilg & Schltr 147
pauciflora A.C. Smith 147
Indorouchera Hall.f. 607–609, **615**
contestiana (Pierre) Hall.f. 616*, **619** map
griffithiana (Planch.) Hall.f. 616*, **617***, 618* map
rhamnifolia Hall.f. 619
Iridaceae 8: **77–84**; 10: **717**
Irina integerrima Bl. 702
Irvingiaceae 621, 622
Isomerocarpa A.C. Smith 263
novoguineensis (Perkins) A.C. Smith p.p. 265, 266
Ixionanthes 622
Ixonanthaceae 607, 609, **621–627**, 629
Ixonanthes Jack 621, **622**, 623*
sect. Brewstera (M.J. Roemer) Hall.f. 621, **625**
sect. *Emmenanthes* Hall.f. 626
sect. Ixonanthes 621, 625, **626**
beccarii Hall.f. 627
chinensis (Hk.f. & Arn.) Champ. 626
cochinchinensis Pierre 626
crassifolia Hall.f. 627
cuneata Miq. 625
dodecandra Griff. 625
grandiflora Hochr. 626
grandifolia Ridl. 627
hancei Pierre 626
icosandra Jack 624*, **625**
var. *cuneata* Miq. 625
var. *obovata* Ridl. 625
khasiana Hk.f. 626
longipedunculata Merr. 627
lucida Bl. 625
multiflora Stapf ex Ridl. 626
obovata Hk.f. 625
papuana (Schltr) Hub.Winkler 627
petiolaris Bl. 623, 625, **626**, 627*
petiolaris (non Bl.) Hall.f. 627
philippinensis Elmer 626
reticulata Jack 625, **626**
subdodecandra 625

Jackia longifolia 514
vitellina 514
Jacquemontia browniana Ooststr. 716
pannosa (R.Br.) Mabberley 716
Jakkia Bl. 493, 508
excelsa Bl. 501
longifolia Bl. 514
vitellina Bl. 514
Juglandaceae 6: 143–154, 953
Juncaceae 4: **210–215**; 5: **557**; 6: **953**; 9: **566**
Juncaginaceae 4: **57**; 5: **554**
Juniperus 345
chinensis 453
elata Roxb. 363
Juppia borneensis Merr. 253

Kairoa Philipson 255, 256, 258, 259, 262, 263, 284 map, **305**
suberosa Philipson 304*, **305**, 306*
Kibara Endl. 255, 257, 259, 260, 262, 263, **287**, 308
angustifolia Perkins 298
archboldiana A.C. Smith 257, 289, 291, **293**
aruensis Becc. 305
blumei Steud. 298
borneensis Boerl. 305
buergersiana Perkins 305
bullata Philipson 289, **293**
carrii Philipson 257, 290, 291, **297**
chartacea Bl. 298
chimbuensis Philipson 290, **301**
clemensiae Perkins 298
coriacea (Bl.) Tulasne 262, 290, **298**
cuspidata Bl. 298
depauperata Merr. 300
dichasialis Suesseng. & Heine 298
ellipsoidea Merr. 298
elmeri Perkins 305
elongata A.C. Smith 290, **297**
ferox Philipson 257, 258, 289, **291**, 292*
flagelliformis Philipson 290, **301**
formicarum Becc. 305
fragrans Philipson 290, **300**
(Kibara)
fugax Philipson 290, 300, **301**, 302*
grandifolia Merr. 298
hartleyi Philipson 289, **295**, 296
hirsuta Warb. 315
hospitans Becc. 311
inamoena Perkins 298
karengana Philipson 289, **293**
katikii Philipson 290, **298**
kostermansii Philipson 289, **294**
latifolia Philipson 257, 289, **291**
laurifolia A.C. Smith 290, **300**
leachii Philipson 289, **294**
ledermannii Perkins 296
longipes Perkins 298
macrantha Philipson 288*, 289, **297**, 300
macrocarpa Perkins 298
macrophylla Perkins 298
merrilliana Perkins 298
microphylla Perkins 289, **296**
mollis Merr. 298
moluccana Perkins 288*, 289, 295, **296**, 303
monticolia Perkins 290, **303**
motleyi Perkins 298
myrtoidea Perkins 289, **291**
neriifolia Perkins 305
nitens Philipson 290, **299**
novobritanica Philipson 290, **301**
oblongata Philipson 288*, 289, **295**
obtusa Bl. 290, **300**
oligocarpella (Kaneh. & Hatus.) Philipson 256, 289, **291**
olivaeformis Becc. 305
papuana A.C. Smith 290, **299**
perkinsiae K.Sch. & Laut. 305
rigidifolia A.C. Smith 256, 258, 288, 290, **302**
roemeri (Perkins) Philipson 289, **290**
rosselensis Philipson 289, **295**
royenii Philipson 289, **295**
serrulata Perkins 298
shungolensis Philipson 289, **296**
(Kibara)
sleumeri Philipson 290, **303**
stapfiana Perkins 298
streimannii Philipson 288, 289, **296**
sudestensis Philipson 290, **303**
symplocoides Perkins 289, 290, **303**
teijsmanniana Perkins 296
timorensis Boerl. 305
tomentosa Perkins 298
trichantha Perkins 298
versteeghii Philipson 289, **294**
vidalii Perkins 298
vrieseana Perkins 296
warburgii Perkins 298
warenensis Kaneh. & Hatus. 289, **295**
Kibaropsis 260
Kingsboroughia Liebm. 690
Kmeria 566
Korthalsella 353
dacrydii 353
Kostermanthus Prance 636–639, 641, 642, **675**
heteropetalus (Scort. ex King) Prance 676*, **677** map, 678
malayanus (Kosterm.) Prance **677** map
Krameriaceae 457, 458

Labiatae 8: 301–394; 9: 566
Lagarostrobus Quinn 360, 361
Lardizabalaceae 163, 679
Larix 343
Lauraceae 539, 715, 717
Laurales 127, 327, 330
Lauterbachia Perkins 263, 284 map, **326**
novoguineensis Perkins 325*, **326**
Lavallea Baill. 19
ceylanica (Gardn.) Baill. 22
philippinensis Baill. 22
Leeaceae 7: 755–782
Legnephora Miers 158, 165, 169, 170, 172, **225**
acuta Forman 159, 225, **226***
microcarpa Forman 225, 226*, **227**
minutiflora (K.Sch.) Diels 225, 226*, **227**, 228*

(Legnephora)
moorei (F.v.M.) Miers 225, 226*
nyctericarpa Diels 227
philippinensis Forman 225, **226***
Lemnaceae 7: **219–237**
Lentibulariaceae 8: **275–300**
Lepidium L. 541, 543, 545, **547**
laeteviride (P. Royen) Hewson **548**, 549*
maccowagei Hews. 547, **549**
minutiflorum (Ridl.) Hews. **548**
sativum L. 547, **548**
virginicum L. 547, **548**
Lepidocarpa Korth. 655
costata Korth. 663
ovalis (Korth.) Bl. ex Miq. 661
Lepidocarya costata 663
Lepidothamnus Phil. 360
Lepionurus Bl. 31–35, 42, **43**
javanicus G. Don 43
oblongifolius (Griff.) Mast. 44
var. *angustifolius* Roxb. 44
pubescens Ridl. 52
sylvestris Bl. 31, 33, 34, **43**, 44* map, 46
var. *lanceolata* Val. 43
Leptonium Griff. 43
oblongifolium Griff. 43
Levieria Becc. 263, **275**
acuminata (F.v.M.) Perkins 277, **279**
beccariana Perkins 277, 280*, **281***
forbesii Perkins 281, 282
laxiflora Perkins 279, 281
montana Becc. 277, **279**, 281, 282
montana (non Becc.) Kaneh. & Hatus. 277
nitens Perkins 277, **278**
orientalis Philipson 277, **278**
parvifolia A.C. Smith 277
rudolfii Perkins 278
scandens Philipson 277, **279**
schlechteri Perkins 278, 279, 281
squarrosa Perkins 276*, **277**, 278
urophylla Perkins 279, 281
Levieria Kosterm. p.p. 263
Libocedrus Endl. 337, 339, 340, 342, 347, **443**, 444 map
(Libocedrus)
subg. *Eulibocedrus* Pilger 443
arfakensis Gibbs 446
papuana F.v.M. 342, **444**, 445*
var. **arfakensis** (Gibbs) de Laub. **446**, 447 map
var. papuana **445**, 446*, 447 map
torricellensis Schltr ex Laut. 444
Licania Aubl. 635–640, 642, 643, **645**
angelesia Bl. 646
diemenia Bl. 649
elaeosperma 640
fusicarpa (Kosterm.) Prance 646, **647**, 650 map
macrophylla 639
palawanensis Prance **646**, 647 map
splendens (Korth.) Prance 640, **646**, 647 map
Liliaceae 9: **189–235**; 10: 109, 112, 166
Limacia Lour. 158, 160, 161, 167, 168, 170, 172, **221**, 222
blumei (Boerl.) Diels 222, **223**
borneensis Miq. 219
cerasifera Becc. 224
cerasifolia 224
cuspidata Hk.f. & Th. 219
distincta Miers 223
inornata Miers 223
kunstleri King 233
microphylla Miq. 219
monilifera Burk. 221
nativitatis Ridl. 218
oblonga Hk.f. & Th. 160, 165, 166, **223**
scandens Lour. 220*, **223**
selwynii (F.v.M.) Bailey 219
sumatrana Scheff. 198
triandra (Colebr.) Hk.f. & Th. 185
velutina Hk.f. & Th. 160, 223
var. *glabrescens* King 223
Limnanthaceae 639
Linaceae 29, **607–619**, 621, 622, 629, 630, 639
subfam. Hugonioideae 607, **608**, 609
subfam. Ixonanthoideae 621
subfam. Linoideae 607, 609
Linum 609
Liriodendron 562, 563, 565–567, 605
liliiferum L. 582
tulipifera 567
Liriopsis Spach 598
fuscata (Andr.) Spach 598
Litsea baticulin (Blco) Kosterm. 717
insignis (Bl.) Boerl. 539
leytensis Merr. 717
Lobbia Planch. 65
dependens Planch. 75
Lobularia maritima (L.) Desv. 545
Loganiaceae 6: **293–387**, **953**, **960**; 7: **828**; 9: **567**
Longpistillate Manglietia Meijer 591
Lophopetalum beccarianum Pierre 716
Lophopyxidaceae 7: **89–91**
Lophostylis Hochst. 483
javanica Miq. 484
Loranthaceae 2, 3, 34, 35

Macadamia 123
Macrococculus Becc. 157, 158, 160–162, 167–169, 171, **178**
pomiferus Becc. 159, **178**, 179, 180*
tympanopodus Laut. & K.Sch. 211
Madhuca burckiana (Koord.) Lamk 593
Magnolia L. 564, 566, 567, **568**
sect. Gwillimia 566, 569
sect. Lirianthe 565
sect. *Liriopsis* Baillon 598
sect. Maingola 565, 567
sect. *Manglietia* (Bl.) Baillon 589
sect. *Talauma* Baillon 568
sect. Theorodon 569
subg. Magnolia 564–567, **570**
sect. Maingola Dandy 569, **570**
subg. Talauma (Juss.) Pierre 564–567, **576**
sect. Aromadendron (Bl.) Noot. 566, 569, **576**
sect. Blumiana Bl. 565, 566, 569, **581**
subg. *Talauma* Pierre 568
subg. Yulania 565

(Magnolia)
aequinoctialis Dandy 571
angatensis Blco 585
ashtonii Dandy ex Noot. 570, 576, 578*, **579**
ashtonii Noot. 579
beccariana (Agostini) Noot. 571
betongensis (Craib) H. Keng. 585
bintuluensis (Agostini) Noot. 570, 576, **577**
blumei Prantl 589
borneensis Noot. 570, 576, **579**, 580*
candollii (Bl.) H. Keng 569, **581**, 582
var. angatensis (Blco) Noot. 582, **585**
var. beccarii (Ridl.) Noot. 582, **586**
var. candollii **582**, 584*
var. obovata (Korth.) Noot. 582, **585**
var. singapurensis (Ridl.) Noot. 582, **586**
carsonii Dandy ex Noot. 570, **571**
var. carsonii 572*, **573**, 576
var. drymifolia Noot. **573**, 574*
carsonii Dandy ex Cockburn 571, 572
coco (Lour.) DC. 569
decandollii 581, 582
denudata 562
drymifolia Dandy ex Cockburn 571, 573
elegans (Bl.) H. Keng 570, 576, **577**
forbesii King 582
fragrans Reinw. ex Bl. 583
gigantifolia (Miq.) Noot. 581, **586**
grandiflora L. 569
javanica K. & V. 571
kachirachirai 563
kunstleri King 582
lasia Noot. 581, **587**
liliifera (L.) Baillon 582
macklottii (Korth.) Dandy 569, 570, **571**
var. beccariana (Agostini) Noot. **571**
var. macklottii **571**
maingayi King 570, 571, **573**
(Magnolia)
maingayi (non King) Ridl. 577
mariusjacobsia Noot. 581, **588**
nitida 563
nutans (Dandy) H. Keng 577
odoratissima Reinw. ex Bl. 583
pachyphylla Dandy 583
paenetalauma 566
pahangensis Noot. 570, 576, **579**
pealiana (non King) K. & V. 571
pealii 571
persuaveolens Dandy 581, **587**
ssp. persuaveolens **587**
ssp. rigida Noot. **587**
var. pubescens Noot. 587, **588**
var. rigida **587**
phaulantha Dandy ex Noot. 570, 571, **576**
philippinensis Parment. 604
plumierii Schwartz 568
pumila auct. 582, 583
rumphii Spr. 582
sarawakensis (Agostini) Noot. 581, **588**
singapurensis (Ridl.) H. Keng 586
splendens Reinw. ex Bl. 582
sprengeri 567
stellata 562
uvariafolia Dandy ex Cockburn 574
uvariifolia Dandy ex Noot. 570, 571, **574**, 575*
villosa (Miq.) H. Keng 581, **588**
virginiana L. 568
vrieseana (Miq.) Baillon ex Pierre 596
Magnoliaceae 261, **561–605**
subfam. Liriodendroideae 561, 564
subfam. Magnolioideae 561, 563, 564, 567, **568**
tribe Magnolieae 561, **568**
tribe Michelieae Law Yuh-wu 561, 568, **593**
Magnoliales 62, 64, 261
Maingaya malayana Oliver 717
Malania 1
Malpighiaceae 5: **125–145**, **566**; 6: **960**; 10: 458
Malulucban 35
Malvanae 151
Manglietia Bl. 564–568, **589**
calophylla Dandy 589, **591**
candollii (Bl.) Wall. 582
celebica Miq. 582
dolichogyna Dandy ex Noot. 589, 590*, **591**
dolichogyna Dandy ex Cockburn 591
glauca Bl. **589**, 590*
var. glauca 589, **590**
var. *lanuginosa* Dandy 591
var. sumatrana Dandy 589, **591**
glauca (non Bl.) King 591
glauca (non Bl.) Ridl. 591
glauca auct. 585
lanuginosa (Dandy) Noot. 589, **591**
macklottii Korth. 571
macklottii auct. 589
minahassae K. & V. 593
oortii Korth. 577
oortii (non Korth.) Miq. 577, 589
oortii auct. 589
pilosa Parment. 590, 591
sabahensis Dandy ex Noot. 589, **591**, 592*
sabahensis Dandy ex Cockburn 591
scortechinii King 601
sebassa King 582
singalanensis Agostini 590
sumatrana Miq. 589, 591
Manglietiastrum 563
Martyniaceae, see Pedaliaceae
Matthaea Bl. 255, 258, 262, 263, 288, **319**, 321 map
calophylla Perkins 323
chartacea Merr. 321 map, 322*, **323**
heterophylla Quis. & Merr. 321 map, 322*, 323, **324**
intermedia Merr. 321 map, 322*, 323, **324**
latifolia Perkins 323
philippinensis Perkins 326
pinchotiana Perkins 323
pubescens Merr. ex Perkins 321 map, 322*, **323**
roemeri Perkins 290
sancta Bl. 320*, 321 map, 322*, **323**
var. *mindanaoensis* Perkins 323
var. *venulosa* Perkins 323

(Matthaea)
vidalii Perkins 321 map, 322*, 323, **324**
williamsii Perkins 323
Matthiola incana (L.) R.Br. 545
Meiogyne virgata (Bl.) Miq. 716
Melientha Pierre 31–34, **38**, 40 map
acuminata Merr. 39
suavis Pierre 34, **39***
ssp. macrocarpa Hiepko **40** map
ssp. suavis **40*** map
Meliosma Bl. 163, 679–682, **690**, 691*, 692*
subg. Kingsboroughia (Liebm.) Beus. 691*, 694
sect. Hendersonia Beus. 692*, 694
sect. Kingsboroughia 692*, 694
subg. Meliosma 691*, 693, 694
sect. Lorenzanea (Liebm.) Beus. 694
sect. Meliosma 692*, 693
subsect. Pinnatae (Warb.) Beus. 693, 694
subsect. Simplices (Warb.) Beus. 693, 694
ser. Curvinervia Beus. 693
ser. Rectinervia Beus. 693
acuminatissima Merr. 712
angulata Bl. 690, 698
apoensis Elmer 709
arnottiana Walp. 709
bartlettii Merr. 710
bontocensis Merr. 697
brachybotrys Merr. 713
cannarioides Elmer 709
celebica Warb. ex Dihm 715
confertiflora Merr. & Perry 710
confusa Bl. 702
var. *laxior* Baker f. 713
costata Cufod. 701
cuspidata Bl. 702
diepenhorstii Valet. 702
dolichomischa Vidal 696
elegans Ridl. 710
elliptica Hk.f. 701
elmeri Merr. 702
evrardii Gagnep. 701

(Meliosma)
ferruginea Bl. 711
ferruginea (non Bl.) Backer & Bakh.f. 709
ferruginea (non Bl.) Koord. 709
ferruginea (non Bl.) Merr. & Perry 711
floribunda Bl. 709
fruticosa Bl. 701
glauca Bl. 709
var. *floribunda* (Bl.) K. & V. 709
glomerulata Rehd. & Wils. 699
grandifolia Lecomte 713
harmandiana Pierre 699
hirsuta Bl. 694, 703 map, **705**, 715
humilis Merr. & Perry 713
lanceolata Bl. 694, 703 map, **704**, 715
var. *chartacea* Bl. 704
var. *genuina* Hochr. 704
var. lanceolata **705**
f. lanceolata **705**
f. nervosa (K. & V.) Beus. 694, **705**
var. *membranacea* Bl. 704
var. *obliqua* Bl. 704
var. *obliqua* (non Bl.) Koord. 711
var. *pendula* Bl. 704
var. polyptera (Miq.) Beus. 703 map, **705**
lancifolia Hk.f. 701
latifolia Ridl. 713
laurina Bl. 715
lepidota Bl. 694, **695**
ssp. dolichomischa (Vidal) Beus. 695, **696***
ssp. kinabaluensis Beus. 695, **697**
ssp. lepidota **695**
ssp. squamulata (Hance) Beus. 697
ssp. vulcanica (Merr.) Beus. 695, **697**
levis King 704
loheri Merr. 701
luzonensis 709
luzonica 709
macgregorii Merr. 712
macrocarpa Elmer 711
macrophylla Merr. 711
megalobotrys Merr. 711
monophylla Merr. 701
monophylla Ridl. 696

(Meliosma)
multiflora 709
myriantha Sieb. & Zucc. 681
nervosa K. & V. 704, 705
nitida Bl. 702
var. *cerasiformis* Bl. 702
var. *splendens* Bl. 702
var. *tridenta* Bl. 702
pannosa Hand.-Mazz. 701
patens Hemsl. ex Forb. & Hemsl. 699
paucinervia Merr. 710
pedicellata K. & V. 695
pedicellata (non K. & V.) Merr. 697
pendula Merr. 712
petiolaris Miq. 715
philippinensis Merr. & Perry 702
pinnata (Roxb.) Maxim. 694, **707**
ssp. arnottiana (Wight) Beus. 707, 708 map, **709**
ssp. ferruginea (Bl.) Beus. 707, 708 map, 709, **710**
ssp. humilis (Merr. & Perry) Beus. 707, 708 map, **713**
ssp. macrophylla (Merr.) Beus. 706*, 707, 708 map, 709, **711**
ssp. pendula (Merr.) Beus. 707, 708 map, 709, **712**
ssp. ridleyi (King) Beus. 707, 708 map, 709, **710**
ssp. sylvatica (Elmer) Beus. 707, 708 map, 709, **712**
pinnata Koord. 702
polyptera Miq. 704, 705
pungens (Wall. ex W. & A.) Walp. 702
pungens auct. 699
reticulata Merr. 712
ridleyi King 710
rigida Sieb. & Zucc. 699
var. *angustifolia* Miq. 699
var. *patens* Cufod. 699
rufo-pilosa Hend. 694, 703 map, **714**
sambucina Miq. 709
sarawakensis 694
schlechteri Merr. & Perry 713

(Meliosma)
simplicifolia (Roxb.) Walp. 681, 694, **697***, 698, 699 map
ssp. fruticosa (Bl.) Beus. 697*, 698, 699 map, 700*, **701**
ssp. pungens (Wall. ex W. & A.) Beus. 697*, 698, 699*, **702**
ssp. rigida (Sieb. & Zucc.) Beus. 697*, 698, **699** map
ssp. simplicifolia 690, 697*, **698**, 699 map
sumatrana (Jack) Walp. 694, **702**, 703 map, 715
sylvatica Elmer 712
timorensis Bl. ex Blenk 715
tongcalingii Elmer 711
trichocarpa Merr. 710
vulcanica Merr. 697
wallichii (non Planch. ex Hk.f.) Koord. 711
wightii Planch. 702
Meliosmaceae Endl. 679, 680
Memecylanthus Gilg & Schltr 335
Meniscosta Bl. 682
javanica Bl. 684
scandens Bl. ex Spr. 684
Menispermaceae 19, **157–253**, 305, 679, 680, 681
tribe Coscinieae 161, 162, 164
tribe Fibraureeae 162, 164, 168
tribe Menispermeae 161, 162, 164, 168
tribe Tiliacoreae 162, 164, 168
tribe Tinosporeae 158, 161, 162, 164, 167, 168, 189*
tribe Triclisieae 162
Menispermum 158, 165
cocculus L. 213
crispum L. 194, 195
dauricum 165
fenestratum Gaertn. 215
flavescens Lamk 210
flavum L. 210
glabrum Burm.f. 199, 200
glaucum Lamk 229
japonicum Thunb. 245
lacunosum Lamk 213
limacia (DC.) Spreng. 223
malabaricum Lamk 200
(Menispermum)
orbiculatum L. 231
ovalifolium Vahl ex Pers.
triandrum Roxb. 185
trilobum Thunb. 231
tuberculatum Lamk 194
Metasequoia 345
Michelia L. 562, 564–567, 593, 595, **598**, 605
× alba DC. 601, **605**
arfakiana Agostini 596
beccariana Agostini 571
blumei Steud. 601
celebica Koord. 596
champaca L. 562, 565, 598, **601**
var. champaca **603**
var. pubinervia (Bl.) Miq. **603**
champaca Miq. 603
champacca auct. 596
cumingii Merr. 604
doltsopa auct. 589
ecicatrisata Miq. 603
figo (Lour.) Spr. 599, **605**
forbesii Baker f. 596
fuscata 562
koordersiana Noot. **601**, 602*
longiflora 605
longifolia Bl. 605
var. racemosa Bl. 605
mollis (Dandy) McLauchlin 596
montana Bl. 563, 601, **603**, 604 map
var. *subvelutina* Miq. 604
montana auct. 603
parviflora 604
philippinensis (Parment.) Dandy 601, **604**
pilifera Bakh.f. 603
platyphylla Merr. 596
pubinervia Bl. 603
rufinervis Bl. 603
salicifolia Agostini 601, **604**
scortechinii (King) Dandy 600*, **601**
spec. Stapf 587
suaveolens Pers. 601
sumatrae Dandy 604
tsiampacca Bl. 603
tsiampacca L. 596
var. *blumei* Mor. 603
velutina Bl. 603
Microcachrys 338, 343, 351, 352
Microcarpus 351
Microdesmis Hk.f. 29
Microtinomiscium 158
Millingtonia Roxb. 690
arnottiana Wight 709
ferruginea Schult. & Schult. 711
lanceolata Schult. & Schult. 704
nitida Schult. & Schult. 702
pinnata Roxb. 707
pungens Wall. ex W. & A. 702
sambucina Jungh. 709
simplicifolia Roxb. 697, 698
sumatrana Jack 702
Minquartia 3
Miquelia 166
Mirtana loureiri (Pierre) Pierre 210
Modeccopsis vaga Griff. 17
Mollinedia 256
acuminata F.v.M. 279
coriacea (Bl.) Baill. 298
sancta (Bl.) Baill. 323
Molluginaceae, see Aizoaceae
Monaria Korth. ex Val. 17
Monimia 257–261
ovalifolia 257
Monimiaceae 145, **255-326**, 256 map, 327, 330
subfam. Atherospermatoideae 255, 258–263
subfam. Hortonioideae 260, 261
subfam. Mollinedioideae 259, 261, 263
subfam. Monimioideae 259–263, 277
subfam. Siparunoideae 258–261
tribe Hedycaryeae 255, 259, 262, 263, 277
tribe Mollinedieae 255, 262, 263, 277, 284 map, 326
tribe Monimieae 259
tribe Trimenieae 327
Monnina 456
emarginata 458
excelsa (Bl.) Spr. 501
longifolia (Bl.) Spr. 514
macrophylla Steud. 514
vitellina (Bl.) Spr. 514
Monoon incertum (Bl.) Miq. 515
Monquartia 4
Moquilea Aubl. 645
sect. *Cyclandrophora* (Hassk.) Endl. 665
Moringaceae 4: **45–46**; 5: **554**; 6: **960**

Moutabea Aubl. 456, 493
Munnickia Bl. ex Rchb. 65
Myoporaceae 4: **265–266**; 9: **568**
Myricaceae 4: **276–279**
Myristicaceae 605
Myrtales 151
Myrtanae 151
Myrtiflorae 151

Nageia Gaertn. 337, 343, 347, 353–355, **389**, 391 map
sect. Nageia **390**
sect. Polypodiopsis (Bertrand) de Laub. 390, **394**
amara (Bl.) O.K. 387
beccarii (Parl.) Gordon 393
blumei (Endl.) Gordon 393
cumingii (Parl.) O.K. 381
discolor (Bl.) O.K. 400
falciformis (Parl.) O.K. 372
leptostachya (Bl.) O.K. 400
maximus (de Laub.) de Laub. 339, **394** map
motleyi (Parl.) de Laub. **393**, 394 map
neglecta (Bl.) O.K. 400
neriifolia (D. Don) O.K. 400
polystachyus (R.Br. ex Endl.) O.K. 417
rumphii (Bl.) F.v.M. 415
teysmannii (Miq.) O.K. 406
thevetiaefolia (Bl.) F.v.M. 417
vitiensis (Seem.) O.K. **394** map
wallichiana (Presl) O.K. **391**, 392*, 393 map
Najadaceae 6: **157–171**
Nallogia Baill. 35
gaudichaudiana Baill. 36
Nasturtium R.Br. 555
backeri Schulz 556
benghalense DC. 560
diffusum auct. 559
heterophyllum Bl. 559
homalospermum Schulz 557
var. *macrocarpum* Schulz 557
hybospermum Schulz 559
indicum (L.) DC.
var. *javana* Bl. 559
indicum auct. 557, 559
novo-guineense Gilli 557
officinale R.Br. 555
palustre (L.) DC. 557
peekelii Schulz 557
schlechteri Schulz 559
Natsiatum Rheede 213
Nemuaron 256
Neocarya Prance 642
macrophylla (Sabine) Prance 641
Nephroia Lour. 231
elegans Ridl. 233
sarmentosa Lour. 233
Nigrina Thunb. 129
spicata Thunb. 133
spicifera Lamk 133
Nouhuysia Laut. 145, 146
arfakensis (Gibbs) Steen. 149
novoguineensis (Gibbs) Hatus. 147
pachyphylla (Gilg & Schltr) Hatus. 147
papuana Laut. 147
pauciflora (A.C. Smith) Steen. 147
Nyctaginaceae 6: **450–468**; 7: **829**
Nyssaceae 4: **29–31**

Ochanostachys Mast. 1–6, **12**, 14 map
amentacea Mast. 5, 13*, **14**
bancana (Becc.) Val. 14
Ochnaceae 7: **97–119**; 10: 145, 621
Ochthocosmus Benth. 621
Octarillum fruticosum Lour. 153
Octoknema 3
Octoknemaceae 33
Odontocarya 158, 164
Odontocaryioides 158
Olacaceae 1–29, 166, 629, **717**
tribe Agonandreae 34
tribe Anacoloseae 3
tribe Aptandreae 4
tribe Couleae 4
tribe Heisterieae 4
tribe Olaceae 4
tribe Opilieae 34
tribe Schoepfieae 4
Olacales 33, 34
Olacinea ignota 25
Olacineae 29, 34
Olax L. 1–5, **6**
sect. Triandrae Engl. 7
baticulin Blco 717
benthamiana 3
imbricata Roxb. 7, **8**
laxiflora Ridl. 9
multiflora A. Rich. ex Baill. 8
multiflora Ridl. 9
(Olax)
obtusa Bl. 7
psittacorum (Willd.) Vahl **717**
rosea Ridl. 9
scandens Roxb. 2, 7, 8*, 9, 717
semiinfera Val. 9
stricta 2
sumatrana Miq. 9, 50
Onagraceae 8: **98–113**
Ongokea 3, 4
Ophiocaryon Schomb. 163, 679, 680
Opilia Roxb. 4, 31–35, **46**
sect. *Lepionurus* (Bl.) Baill.
sect. *Opiliastrum* Baill. 35
subg. *Urobotrya* (Stapf) Engl. 41
acuminata Wall. 44
amentacea Roxb. 31–34, **47** map
celtidifolia (Guill.& Perr.) Endl. ex Walp. 33, 47
cumingiana Baill. 36
fragrans Elmer 47
javanica Miq. 47
manillana Baill. 36
pentitdis Bl. 47
thorelii Gagn. 47
tomentella (Oliv.) Engl. 47
Opiliaceae 2, 9, 29, **31–52**
tribe Opilieae 34
Osmoxylon sessiliflorum (Laut.) Philipson 716
Oxalidaceae 7: **151–178**, **829**; 10: 607

Pachydiscus Gilg & Schltr 335
Pachygone Miers 160, 165, 167, 168, 170, 172, **217**
brachystachya (DC.) Miers 217
hebephylla Miers 217, 218
leptostachya (DC.) Miers 217, 218
ovata (Poir.) Hk.f. & Th. **217**, 218, 220*
var. *dasyphylla* Miq. 217
var. *rotundifolia* Miq. 217
pubescens Benth. 217, 218
zeylanica Sant. & Wagh 218
Pachylarnax Dandy 561, 567, 568, **593**
praecalva Dandy **593**, 594*
Paelae 493

Palmeria F.v.M. 255, 257–263, **267**
acuminata Kaneh. & Hatus. 270, 271
angica Kaneh. & Hatus. 267, **271**
arfakiana Becc. 262, 267, **270**
brassii Philipson 269, **271**, 272
clemensae Philipson 268*, 269, **273**
dallmannensis Kaneh. & Hatus. 272
fengeriana Perkins 269, 271
gracilis Perkins 267, **269**, 272
habbemensis A.C. Smith 272
hooglandii Philipson 267, **269**
hypargyrea Perkins 269, **272**
hypochrysea Perkins 275
incana A.C. Smith 269, **272**
montana A.C. Smith 269, **272**, 275
myriantha Perkins 270, 271
myrtifolia Perkins 270
paniculata Ridl. 269
parvifolia Kaneh. & Hatus. 270, 271
puberula A.C. Smith 270
pulchra Perkins 270, 271
pulleana Perkins 272
scandens 272
schoddei Philipson 269, **275**
warburgii Perkins 270, 271
womersleyi Philipson 269, **273**, 274*
Pandaceae 29
Papaveraceae 5: 114–117
Papuacedrus Li 443
arfakensis (Gibbs) Li 446
papuana (F.v.M.) Li 444
torricellensis (Schltr) Li 445
Papuzilla Ridl. 541, 547
laeteviridis P. Royen 548
minutiflora Ridl. 548
minutiflora auct. 549
Parabaena Miers 158, 161, 162, 167, 168, 170, 171, **201**
amplifolia Diels 193
cincinnans (K. Sch.) Diels 203
denudata Diels 189*, 202, **203**
echinocarpa Diels 189*, 201, 202, **204**
var. *pubescens* Yamamoto 204
(Parabaena)
elmeri Diels 189*, **202**
var. *philippinensis* (Merr.) Yamamoto 203
hirsuta (Becc.) Diels 193
hirsuta (non Becc.) Diels 202
megalocarpa Merr. 158, 186*, 189*, **202**
myriaditha 203
myriantha K. Sch. 203
philippinensis Merr. 203
sagittata Miers 189*, 201, 202
scytophylla Diels 197
tuberculata Becc. 189*, 202, **203**
Paracryphiaceae 145
Parakibara Philipson 255, 262, 263, 284 map, **286**
clavigera Philipson **286**, 287*
Paramanglietia Hu & Cheng 589
aromatica (Dandy) Hu & Cheng 589
Paramichelia H.H. Hu 565, 567, 593, 599
baillonii (Pierre) Hu 599
scortechinii (King) Dandy 601
Pararistolochia 53, 57, 59, 61, 62, 64
Parasitaxus 343, 351, 354
Parastemon A.DC. 635–638, 640, 642, **648**
grandifructus Prance 649, **650** map
spicatus Ridl. 649
urophyllus (Wall. ex A.DC.) A.DC. 637, 648*, **649**, 650 map
versteeghii Merr. & Perry 637, **649**, 650 map
Parinari Aubl. 635, 636, 639–642, **654**
sect. *Exitelia* (Bl.) C. Muell. 673
sect. Neocarya DC. 641
sect. Petrocarya 641
sect. *Sarcostegia* Benth. 671
subg. Euparinari 654
subg. *Exitelia* Bl. 673
subg. *Sarcostegia* (Benth.) Miq. 671
anamensis 656
argenteo-sericea Kosterm. 655, **656** map
ashtonii Kosterm. 660
asperula auct. 667
(Parinari)
bicolor Merr. 664
campestris 641
canarioides Kosterm. 636, 655, **656** map
coriacea Benth. 641
costata (Korth.) Bl. 636, 656, **663**
ssp. costata **663**, 664 map
ssp. polyneura (Miq.) Prance 655, 663, **664** map
ssp. rubiginosa (Ridl.) Prance **663**, 664 map
curatellifolia 641
elmeri Merr. 655, **657** map
excelsa Sabine 639, 641
gigantea Kosterm. 636, 655, **660** map
glaberrima Hassk. 641
glaberrimum (Hassk.) Hassk. 669
var. *lanceolatum* (T. & B.) K. & V. 669
griffithiana 641
heteropetala Scort. ex King 675
insularum 639, 656
jackiana Benth. 641, 671
latifrons Kosterm. 666
macrophylla Sabine 641
metallica Kosterm. 656, **660** map
montana 641
myriandra Merr. 675
nannodes Kosterm. 667
nonda F.v.M. ex Benth. 636, 655, **658** map
nonda auct. 658
oblongifolia Hk.f. 636, 655, **659**, 660 map
papuana C.T.White 655, **658**
ssp. papuana **658**, 659 map
ssp. salomonense (C.T.White) Prance 658, **659** map
ssp. whitei Prance 658, **659** map
parva Kosterm. 636, 655, **657** map
polyandra 641
prancei Kosterm. 656, **660**, 661 map
rigida Kosterm. 656, **660**, 661 map
rubiginosa Ridl. 663
salomonense C.T. White 659

(Parinari)
scabra Hassk. 641
senegalensis DC. 641
sumatrana (Jack) Benth. 641, 656, **661** map, 662*
wallichiana R. Br. 665
Parinari auct. 665, 675
Parinarium Juss. 654
sect. *Cyclandrophora* (Hassk.) C. Muell. 665
sect. *Neocarya* DC. 654
sect. *Petrocarya* DC. 654
subg. *III* Hk.f. 665
subg. *Cyclandrophora* (Hassk.) Bl. 665
subg. *Macrocarya* Miq. 665
subg. *Petrocarya* (DC.) Miq. 654
amboinense T. & B. 669
asperulum Miq. 671
borneense Merr. 659
corymbosum (Bl.) Miq. 673
costatum Bl.
var. *rubiginosum* Ridl. 663
curranii Merr. 669
elatum King 669
excelsum 654
fragile T. & B. 646
griffithianum Benth. 673
hahlii Warb. 669
helferi Hk.f. 663
heteropetalum Scort. ex King 677
jackianum Benth. 670
kunstleri King 677
lanceolatum T. & B. 669
latifolium Hend. 666
laurinum A. Gray 669
maingayi King 671
maranthes Bl. 673
margarata A.Gray 669
mindanaense Perk. 669
multiflorum (Korth.) Miq. 674
myriandrum Merr. 677
nitidum Hk.f. 646
nitidum auct. 674
palauense Kaneh. 674
philippinense Elmer 646
polyneurum Miq. 664
racemosum Vidal 674
salicifolium (Presl) Miq. 674
scabrum Hassk. 669
spicatum King 671
villamilii Merr. 671
warburgii Perk. 669
Parinarium auct. 661, 665
Passiflora aurantia Forst. f. 717
Passifloraceae 7: **405–434**, **829**; 10: 166, **717**
Pedaliaceae 4: **216–221**; 5: **557**; 7: **829**
Pelae Adanson 493
Pentaphragmataceae 4: **517–528**
Pentaphylacaceae 5: **121–124**, **566**
Pentitdis Zipp. ex Bl. 46
Peponaster major Rumph. 94
Pericampylus Miers 160, 169, 170, 172, **227**
glaucus (Lamk) Merr. 165, 228*, **229**, 236
incanus (Colebr.) Hk.f. & Th. 229
lanuginosus (Bl.) Miq. 229
membranaceus Miers 229
Periomphale Baill. 335
papuana Steen. 336
Peripetasma polyanthum Ridl. 253
Perrottetia alpestris (Bl.) Loes.
ssp. philippinensis (Vidal) Ding Hou 716
Petalinia Becc. 12
bancana Becc. 14
Petrocarya Schreb. 641, 654
excelsa Jack 641, 670, 671
glaberrima (Hassk.) Miers 669
scabra (Hassk.) Miers 669
sumatrana Jack 661
Petrocarya auct. 665
Petrosavia 109, 112
Petrosaviaceae 109
Peumus 259, 260–262
boldus 260
Phanerodiscus 4
Phelima Nor. 605
Pherosphaera 343
Pherosphaeraceae 354
Philbornea Hall.f. 607–609, **614**
magnifolia (Stapf) Hall.f. 614*, **615** map
palawanica Hall.f. 615
Philydraceae 4: **5–7**; 7: **829**
Phlebocalymna 145
lobospora F.v.M. 149
Phyllocladaceae 354
Phyllocladus L.C. Rich. ex Mirbel 337–343, 347, 354, **355**, 357 map
(Phyllocladus)
hypophyllus Hk.f. 342, 357*, 358*, 359*, 360*
var. *protracta* Warb. 359
major Pilger 359
protractus (Warb.) Pilger 359
Phyllocosmus Klotzsch 621
Phytocrene 91, 166
loheri Merr. 219
malacothrix Sleumer 227
Phytolaccaceae 4: **228–232**; 5: **557**
Picea 338
Pierotia Bl. 622
lucida Bl. 625
reticulata Bl. 626
Pimela angustifolia Bl. 715
Pinaceae 343, 347, **447–453**
Pinus L. 337–340, 342, 347, **447**
subg. Diploxylon 449
dammara Lamb. 433, 434
finlaysoniana Bl. 451
insularis Endl. 452
kasya Parl. 452
kesiya Royle ex Gordon 341, 346, 451, **452** map
khasia Engelmann 452
khasya Hk.f. 452
var. *insularis* (Endl.) Gaussen 452
khasyana Griff. 452
latteri Mason 451, 452
merkusiana Cooling & Gaussen 451
merkusii Jungh. & de Vriese 340, 341, 346, 448*, 449*, 450*, **451** map
var. *tonkinensis* Chev. 451, 452
sumatrana Jungh. 451
sylvestris auct. 451
taeda auct. 452
timorensis 452
Piperaceae 127
Piperales 127, 567
Piptocalyx Oliv. ex Bth. 255, 261, 326, 327, 330
macrurus Gilg & Schltr 330, 332
moorei Oliv. 330
Pittosporaceae 5: **345–362**; 6: **960**; 7: **829**; 9: **568**; 10: **717**
Pittosporum moluccanum (Lamk) Miq. 717
Platea 145
Plumbaginaceae 4: **107–112**

Podocarpaceae 338, 342, 343, 347, **351–419**, 420
Podocarpus l'Hérit. ex Persoon 337, 340, 343, 347, 351–355, **395**, 397 map
sect. Acuminatus de Laub. 397, 398, **404**
sect. *Dacrycarpus* Endl. 374
sect. *Dacrydioideae* Bennett 374
sect. *Dacrydium* Bertrand 374
sect. *Dammaroides* Bennett 390
sect. Foliolatus de Laub. 397, 398, **399**
sect. Globulus de Laub. 397, 398, **405**
sect. Gracilis de Laub. 398, **409**
sect. Longifoliolatus de Laub. 398, **407**
sect. Macrostachyus de Laub. 398, **412**
sect. *Nageia* Endl. 390
sect. *Polypodiopsis* Bertrand 394
sect. Polystachyus de Laub. 398, 399, **416**
sect. *Prumnopitys* (Philippi) Bertrand 384
sect. Rumphius de Laub. 398, 399, 406, **414**
sect. *Stachycarpus* Endl. 384
sect. *Sundacarpus* Buchholz & Gray 385
sect. *Taxoideae* Bennett 384
subg. Foliolatus de Laub. **397**
subg. *Stachycarpus* (Endl.) Engl. 384
affinis 410
agathifolia Bl. 391
amara Bl. 385
archboldii N.E. Gray 399, **402**, 403 map
var. *crassiramosus* N.E. Gray 409
archboldii (non N.E. Gray) Gaussen 412
atjehensis (Wasscher) de Laub. 408 map, **409**
beccarii Parl. 393
blumei Endl. 391
borneensis de Laub. 398, 400, **403** map
bracteatus Bl. 341, **408**, 409 map
var. *brevipes* Bl. 408
(Podocarpus)
brassii Pilger 412, **413** map
var. brassii **413**
var. humilis de Laub. 339, 413, **414**
brevifolius (Stapf) Foxw. 402, 412, 413 map, **414**
brevifolius (non Stapf) Foxw. **411**
celebica (non Hemsl.) Warb. 410
celebicus Hemsl. 349
cinctus Pilger 383
compacta Wasscher 383, 445*
confertus de Laub. 340, 341, 407, **408**, 409 map
costalis Presl 412, 413 map, **414**
costalis (non Presl) Foxw. 410
crassigemmis de Laub. 353, 402, **412**, 413 map
cumingii Parl. 381
cupressina sensu Lane-Poole 379
cupressina R. Br. ex Mirbel 377
cupressina Ridl. 379
var. *curvula* Miq. 380
dacrydiifolia Wasscher 383
decipiens Gray 400
deflexus Ridl. 340, 341, 400, **403** map
discolor Bl. 400
dulcamara Seem. 387
elata R. Br. 453
eurhyncha Miq. 385, 387
falciformis Parl. 372
filicifolius Gray 395
gibbsii N.E. Gray 398, 407, **408** map
glaucus Foxw. 409, 410, **411** map
globulus de Laub. **406** map
idenburgensis N.E. Gray 405
imbricatus Bl. 376
var. *cumingii* (Parl.) Pilger 381
var. *curvula* (Miq.) Wasscher 380
var. *kinabaluensis* Wasscher 381
imbricatus sensu Foxw. 379
imbricatus (non Bl.) Gibbs 379, 381
insularis de Laub. 399, **402**, 404 map
(Podocarpus)
javanica sensu Merr. 379
javanicus (Burm. f.) Merr. 453
javanicus (non Burm. f.) Merr. 377
junghuhniana Miq. 400
kawaii Hayata 379
koordersii Pilger ex K. & V. **415**
latifolia f. *ternatensis* de Boer 393
latifolius (non Thunb.) Bl. 391
laubenfelsii Tiong 399, 415, **416** map
ledermannii Pilger **405** map
leptophylla Wasscher 371
leptostachya Bl. 400
levis de Laub. 398, 400, **403**, 404 map
lophatus de Laub. 410, **411** map
lucienii 406
macrocarpus de Laub. 399, 417, **418** map
maximus (de Laub.) Gaussen 394
micropedunculatus de Laub. 339, 341, **405** map
nakaii 406
neglecta Bl. 400
neriifolius D. Don 399, **400** map
var. *atjehensis* Wasscher 409
var. *bracteatus* (Bl.) Wasscher 408
var. *brevifolius* Stapf 414
var. *brevipes* (Bl.) Pilger 408
var. *polyantha* Wasscher 400
var. *ridleyi* Wasscher 419
var. *teysmannii* (Miq.) Wasscher 406
var. *timorensis* Wasscher 401
neriifolius D. Don in Lamb. 417
neriifolius (non D. Don) Steen. 408
novaecaledoniae 403
palembanica Miq. 453
papuanus Ridl. 379
papuanus (non Ridl.) Pilger 383
papuanus (non Ridl.) Steup. 380

(Podocarpus)
pedunculata Bailey 387
philippinensis Foxw. 415
pilgeri Foxw. 402, **410**, 411 map
pilgeri (non Foxw.) v. Royen 401
polyantha (Wasscher) Gaussen 400
polystachyus R.Br. ex Endl. 339–341, **417***, 418 map
var. *rigidus* Wasscher 403
polystachyus (non R.Br.) Li & Keng 414
pseudobracteatus de Laub. 342, **409** map
ridleyi (Wasscher) N.E. Gray 340, 341, 398, 417, 418 map, **419**
ridleyi auct. 405
rotundus de Laub. 410, **411** map
rubens de Laub. 399, **401***, 402 map
rumphii Bl. 403, **415**, 416 map
schlechteri Pilger 410
solomoniensis 403
spathoides de Laub. 398, 400, **404** map
steupii Wasscher 380, 381 map
teysmannii Miq. **406** map
thevetiifolia Bl. 417
vitiensis Seem. 394
wallichianus Presl 391
wangii Chang 410
Podocarpus Labill. 356
Podostemaceae 4: **65–68**; 6: **963**; 10: **717**
Polemoniaceae 4: **195–196**
Polyalthia pulchrinervia Boerl. 674
Polycarpicae 165, 261
Polygala L. 455–457, **459**
sect. Chamaebuxus DC. 455, 460, 461, 465, **467**
sect. **Melchiora** (Steen.) Meijden 461, **465**
sect. *Orthopolygala* Chodat 469
sect. Polygala 460, 461, **469**
sect. Pseudosemeiocardium Adema 460, 461, **462**
sect. *Semeiocardium* [non (Zoll.) Hassk.] Chodat 462
acicularis Oliv. 465

(Polygala)
arillata Buch.-Ham. 461, 467*, **469**
arvensis Willd. 477, 478
var. *squarrosa* Benth. 476
arvensis (non Willd.) Adema 477
arvensis (non Willd.) Benth. 482
brachistachyos 476
brachystachya Bl. 477, 480
brachystachya DC. 476, 477
buchanani Buch.-Ham. ex D. Don 474
buxiformis Hassk. 477
cardiocarpa Kurz 461, **463**, 464*
cardiocarpa (non Kurz) Ridl. 463
chamaebuxus 460
chinensis (non L.) Benn. 477
chinensis L. 458, 462, 477, **478***, 479
var. *brachystachya* (Bl.) Benn. 481
var. *linearifolia* (non Willd.) Chodat 481
var. *triflora* (L.) Benn. 482
ciliata L. 487
densiflora Bl. 478
discolor Buch.-Ham. ex D. Don 474
elongata Willd. 477, 480
elongata (non Willd.) Benn. 482
eriocephala Benth. 476
eumekes Hassk. 481
exsquarrosa Adema 460, 462, **476***
fernandesiana Paiva 475
furcata Royle 463, 465, 488
glaucocarpa Ridl. 468
glaucoides L. 462, 477, 479, **480**, 481*
var. *triflora* (L.) Trimen 482
glomerata Lour. 478, 479
hondoënsis Nakai 472
humilis Span. 481
isocarpa Chodat 463
japonica Houtt. 462, **472***
javana DC. 460, 461, 470*, **471***
karensium Kurz 469
khasyana Hassk. 472
leptalea DC. 474
linarifolia Willd. 477, 481

(Polygala)
linarifolia (non Willd.) Adema 481
linearifolia 481
longifolia Poir. 460, 462, **474***
lutea 460
luzoniensis Merr. 472
macrostachya Hassk. 481
malesiana Adema 461, **463**, 464*
mariesii Hemsl. 465
monspeliaca (non L.) Blco 482
monticola HBK 460
monticola (non HBK) Ridl. 467
oligophylla DC. 474
oreotrephes Burtt 461, **467***
paenea 457
palustris Lace 463
paniculata L. 458, 460, 461, **475***
papuana (Steen.) Meijden 461, **465**, 466*
persicariaefolia DC. 460, 462, **473***
polifolia Presl 462, **476**, 477*
polyfolia 476
polygama 458
prostrata Willd. 482
pulchra Hassk. 468
pyramidalis Lév. 474
rhinanthoides Benth. 460, 461, **480***
riukiuensis Ohwi 474
rufa Span. 474
septemnervia Merr. 474
sibirica L. 473
sibirica (non L.) Hassk. 472
simadae Masam. 477
simassan Miq. 468
sumatrana Miq. 461, 467*, **468**
tatarinowii Regel 461, **462**, 464*, 488
telephoides Willd. 477, 478
telephoides (non Willd.) W. & A. 476
tinctoria (non Vahl) Hassk. 471
tonkinensis Chodat 469
toxoptera Turcz. 478
tranquebarica Mart. 478
trichocolpa Chodat 469
triflora L. 462, 479, **481**, 482*

(Polygala)
trinervata Ham. ex Wall. 487
triphylla Buch.-Ham. ex D. Don
var. *glaucescens* (non Wall.) Benn. 463
triphylla (non Buch.-Ham. ex D. Don) Royle 462, 539
umbonata Craib 463
undulata Roxb. 487
variabilis (non HBK) Hassk. 475
vauthieri Chodat 460
venenosa Juss. ex Poir. 461, 467*, **468**
ssp. *pulchra* (Hassk.) Steen. 468
ssp. *venenosa* Steen. 469
var. *eramosa* O.K. 468
var. *robusta* Craib 468
veronicaefolia 472
veronicea F.v.M. 472
virgata 458
vulgaris L. 460
vulgaris (non L.) Thunb. 472
wallichiana Wight 474
warburgii Chodat ex Warb. 477
wattersii Hance 465
wightiana W. & A. 460, 462, **479***
Polygalaceae 455–539, 639
tribe Moutabeae 455, 458
tribe Polygaleae 458
tribe Xanthophylleae 458
Polygalales 457, 458
Polyosma 145
Pontederiaceae 4: 255–261; 5: 557; 6: 964
Porotheca K.Sch. 187
petiolata K.Sch. 187
Portulacaceae 7: 121–123
Primulaceae 6: 173–192, 964
Proteaceae 5: 147–206, 566; 6: 965; 7: 830; 9: 568; 10: 151
Proteales 151
Proteanae 151
Protium 123
Protoatherospermoxylon 256
Prumnopitys Philippi 343, 347, 352, 353, 355, **384**, 385 map
sect. Sundacarpus (Buchholz & Gray) de Laub. **385**
amara (Bl.) de Laub. **385**, 386*, 387 map, 388*, 389*
Prunus 640
Pseudaleia imbricata (Roxb.) Hassk. ex Valeton 9
ongistylis Hassk. ex Valeton 9
Pteleocarpa Oliv. 29
Pterocarya griffithiana (Benth.) Miers 674
Pteroneurum DC. 550
decurrens Bl. 554
javanicum Bl. 551
Ptychopetalum 2–4
Punicaceae 4: 226–227
Pycnarrhena Miers ex Hk.f. & Th. 157, 160–162, 167–171, **172**, 173, 178, 305
australiana F.v.M. 175
balabacensis Yamamoto 175
batanensis Yamamoto 175
borneensis Diels 175
calocarpa (Kurz) Diels 174
castanopsidifolia Yamamoto 177
celebica (Boerl.) Diels 175
elliptica Diels 175
fasciculata (Miers) Diels 174
grandis K.Sch. & Laut. 175
insignis (Hatus.) Forman 173, **174**
longifolia (Decne ex Miq.) Becc. 173, **174**
lucida (T. & B.) Miq. 173, **174**, 178
manillensis Vidal 173, **175**
membranifolia Merr. 175
merrillii Diels 175
montana Back. 174, 178
nogovuineensis Miq. 173, **175**
ozantha Diels 173, 176*, **177**, 179
papuana Kaneh. & Hatus. 177
pleniflora 173
sayeri Diels 175
tumefacta Miers 159, 173, **175**, 176*
Pyrolaceae 335
Pyrrhosa horsfieldii (Bl.) Hassk. 605
Pyrularia 33

Quercus gilva Bl. 701
var. *procera* Bl. 701
jama-buwa Sieb. 699
Radix puluronica Rumph. 97
Ranunculales 163, 680
Raphanus L. 541, 543, 545, **546**
caudatus L. 546
raphanistrum L. 547
sativus L. 541, **546**
Reinwardtia 609
Restionaceae 5: 416–420, 569
Rhamnales 151
Rhipogonum album R.Br. 253
Rhizophoraceae 5: 429–493; 6: 965; 8: 550; 9: 568; 10: 253, 717
Rhopalopilia 31–33
pallens Pierre 33
Rorippa Scop. 541, 543, 545, **555**
backeri (Schulz) Jonsell 541, 555, **556**
benghalensis (DC.) Hara 555, **560**
dubia (Pers.) Hara 559
heterophylla (Bl.) Williams 555, **559**
hybosperma (Schulz) Jonsell 55, **559**
indica (L.) Hiern
var. *apetala* (Lour.) Hochr. 559
islandica (Oed.) Borb. 557
micrantha (Roth) Jonsell 555, **560**
nasturtium-aquaticum (L.) Hayek **555**, 556*
officinalis (R.Br.) P. Royen 556
palustris (L.) Becc. 555, **557**
peekelii (Schulz) P. Royen 555, **557**, 558*
schlechteri (Schulz) P. Royen **559**
Rosaceae 638, 639
subfam. Chrysobalanoideae 639
subfam. Neuradoideae 639
subfam. Prunoideae 640
Rosales 639
Roucheria 608
contestiana Pierre 619
griffithiana Planch. 617
Rutaceae 165
Ryparosa kunstleri King 539

Sabah Manglietia Dandy ex Meijer 591

Sabia Colebrooke 163, 166, 679–681, **682**, 683 map
campanulata Wall. 685
celastrinea Muell. 685
densiflora Miq. 690, 698
elliptica (Miq.) Miq. 684
erratica v.d.Water 683, **684**
floribunda Miq. 690, 698, 701
harmandiana Pierre 687
japonica 163
javanica (Bl.) Backer ex Chen **684**, 685
var. *glabriuscula* (Bl.) Chen 684
limonacea 685
limoniacea Wall. ex Hk.f. & Th. 684, **685**, 686*, 687*
malabarica Bedd. 685
menescorta 684
menicosta 684
meniscosta Bl. 684
var. *elliptica* Miq. 684
var. *firma* Bl. 684
var. *glabriuscula* Bl. 684
var. *latifolia* Bl. 684
papuana Warb. 688
parviflora Wall. 683, **687**
ssp. parviflora 685, **687**
ssp. philippinensis (Robins.) v.d. Water 687, **688***
var. *harmandiana* Lecomte 687
pauciflora Bl. 683, 684, **688**
philippinensis Robins. 687, 688
racemosa Chen 684, **689**
ssp. kinabaluensis v.d.Water 683, **689**
ssp. racemosa **689**
reticulata Elmer 688
sumatrana Bl. 682, 683, **689**
Sabiaceae 163, 166, **679–715**
Salacia *bartlettii* Ridl. 25
Salicaceae 5: **107–110**
Salmonea 486
Salomonia Lour. 455–457, 459, **486**
sect. *Epirixanthes* (Bl.) Benn. 488
angulata Griff. 488
aphylla Griff. 490
arnottiana Miq. 488
canarana Miq. 488
cantoniensis Lour. **487**
cantoniensis auct. 488
cavalereriei Lév. 488
ciliata (L.) DC. **487**
(Salomonia)
cordata Wight 487
cylindrica (Bl.) Kurz 491
edentula DC. 487
elongata (Bl.) Kurz ex Koord. 490
horneri Hassk. 488
longiciliata Kurz 488
martinii Lév. 488
oblongifolia DC. 487
obovata Wight 487
parasitica Griff. 490
petiolata D.Don 487
ramosissima Turcz. 488
rigida Hassk. 488
seguinii Lév. 488
sessiliflora 487
sessilifolia D.Don 487
setoso-ciliata Hassk. 488
stricta Sieb. & Zucc. 488
subrotunda Hassk. 487
trinervata Steud. 487
uncinata Hassk. 488
Salomonia auct. 488
Salvadoraceae 4: **224–225**
Sampacca O.K. 598
domestica IV alba Rumph. 605
longifolia O.K. 605
montana O.K. 603
montana Rumph. 582
sylvestris Rumph. 596
velutina O.K. 603
Santalaceae 2, 3, 33–35, 52
Santalales 5, 34
Sapindaceae 639, 679, 680, 681
Sapindales 163, 458, 639, 681
Sapindus *microcarpus* W. & A. 709
Sapotaceae 453, 593
Sarcandra Gardner 123, 125, 126, 128, 129, **134**, 144
glabra (Thunb.) Nakai 124, 127, 128, **134**, 135*, 136
ssp. brachystachys (Bl.) Verdcourt **136**
var. brachystachys **136**
var. melanocarpa (Ridl.) Verdcourt **136**
hainanensis (Pei) Swamy & Bailey 136
glabra auctt. mult. 136
Sarcodiscus Griff. 287
chloranthiformis Griff. 298
Sarcopetalum F.v.M. 157–161, 167, 169, 172, **224**
harveyanum F.v.M. 159, **224**, 228*
Sarcosperma 29
Sarcosperma(ta)ceae 4: **32–34**; 6: **967**; 10: 29
Sarcostegia Benth. 641
Saruma 53, 57, 59, 61–64
henryi 62
Saururaceae 4: **47–48**
Saxegothaea 343, 351, 352
Saxegothaeaceae 354
Saxifragaceae 145
Scaphocalyx *parviflora* Ridl. 716
spathacea Ridl. 716
Schisandraceae 163, 679
Schoepfia Schreb. 1–6, **27**
fragrans Wall. 2, **27**, 28*
Schoepfiopsis Miers 27
fragrans (Wall. in Roxb.) Miers 27
Sciadocarpus Hassk. 287
brongniartii Hassk. 298
Sciadopitys 354
Sciaphila Bl. **110**, 111 map, 112, 720
sect. Hermaphroditantha subsect. Polyandra 112
sect. Hexanthera 113
sect. Oliganthera
subsect. Bilobatae 113
subsect. Quadrilobatae 112, 113
subsect. Trilobatae 113
affinis Becc. 113
andajensis Becc. 117
arfakiana Becc. 109, 112, 113, 115*, **117**
asterias Ridl. 116
atroviolacea Schltr 118
australasica Hemsl. 117
brachystyla Schltr 116
buruensis 112
clemensae Hemsl. 117
conferta J.J. Smith 115
consimilis Bl. 113, **120**
corallophyton K.Sch. & Schltr 113, **119**
var. *gracilis* Giesen 119
corniculata Becc. 112, **115**, 116, 117
corniculata (non Becc.) Went 117
crinita Becc. 117
decipiens Backer 113
densiflora Schltr 112, 113, **118**, 119*
dolichostyla Schltr 119
erubescens (Champ.) Miers 114

(Sciaphila)
flexuosa Giesen 118
gatiensis Schltr 115
hermaphrodita Schltr 113
hydrophila Schltr 120
inaequalis Schltr 118
inornata Petch 116
longipes Schltr 118
maboroensis Schltr 116
macra K.Sch. & Laut. 120
macra K.Sch. & Schltr 116
macra Schltr 120
maculata Miers 112, **113**
major Becc. 116
micranthera Giesen 112, **121**
mindanaensis Giesen 120
minuta Schltr 113
monticola K.Sch. & Schltr 116
multiflora Giesen 112, 113, **120**
nana Bl. 113, 116, **117**
neo-caledonica Schltr 115
nutans Giesen 118
oligochaete Schltr 115
papillosa Becc. 121
papuana Becc. 116
pilulifera Schltr 116
pumila Giesen 114
purpurea 109
quadribullifera J.J.Sm. 112, **114**
reflexa Schltr 118
secundiflora Thw. ex Bth. 112, 115*, **116**, 120
stemmermannii Fosb. & Sachet 120
subhermaphrodita J.J.Sm. 114
sumatrana Becc. 116
tenella Bl. 112, **113**, 115*
var. *robusta* Giesen 114
var. *voigtii* Giesen 114
torricellensis K.Sch. & Schltr 114
trichopoda Schltr 118
tuberculata Giesen 112, 118
valida Giesen 118
versteegiana Went 116
vitiensis A.C. Smith 118
wariana (Schltr) Meerendonk 112, **117**
werneri Schltr 116
winkleri Schltr 112, 113, **120**
Scleropyrum 33
aurantiacum (Laut.& K.Sch.) Pilger 52
(Scleropyrum)
pentandrum (Dennst.) Mabberley 52
wallichianum (W. & A.) Arn. 52
Scorodocarpus Becc. 1–6, 14 map, **15**
borneensis (Baill.) Becc. 5, **15**, 16*
Scyphostegia Stapf 326
Scyphostegiaceae 5: 297–299; 6: **967**; 7: **830**; 10: 326
Securidaca L. 455–459, **483**
atro-violacea Elmer 483, **484**
bracteata Benn. 484
var. *papuana* F.v.M. 485
complicata auct. 484
corymbosa Turcz. 484
cumingii Hassk. 484
ecristata Kassau 483, **485***
var. *nitida* Kassau 485
inappendiculata Hassk. **483**
ssp. **corymbosa** (Turcz.) Meijden **484**
ssp. inappendiculata **484**
paniculata Roxb. 484
philippinensis Chodat 483, **484**
scandens Ham. ex Benth. 484
tavoyana Wall. ex Benn. 484
volubilis auct. 484
yaoshannensis Hao 484
Selwynia F.v.M. 218
laurina F.v.M. 219
Semeiocardium Zoll. 539
hamiltonii Hassk. 463
Semeiocardium (non Zoll.) Hassk. 459, **462**
Shepherdia Nutt. 151
Simaroubaceae 6: **193–226**, **968**; 10: 621, 622, **718**
Sinapis 541
alba L. 545
juncea L. 546
imoriana DC. 546
Siparuna 259
gilgiana 261
guyanensis 261
Siparunaceae 261
Siphonodon celastrineus Griff. 539
Sisymbrium 541, 543
amphibium L.
var. *palustre* L. 557
micranthum Roth 560
nasturtium-aquaticum L. 555
Skaphium Miq. 493
anceatum Miq. 527
Sonneratiaceae 4: **280–289**, **513**; 5: **557**; 6: **973**
Sparganiaceae 4: **233–234**; 10: **718**
Sparganium fallax Graebn. 718
simplex Huds.
f. *simplex* 718
subglobosum Morong 718
Spermabolus T. & B. 605
fruticosa T. & B. 605
Sphaerocarya leprosa Dalz. 22
Sphenocleaceae 4: **27–28**
Sphenostemon Baill. 145, **146**, 326, 333
sect. **Apetalae** (Steen.) Steen. **147**
sect. Sphenostemon **147**
ser. *Apetalae* Steen. 147
ser. *Sphenostemon* 146, 147
arfakensis (Gibbs) Steen. & Erdtman 147, **149**
lobosporus (F.v.M.) L.S. Smith 147, **149**
oppositifolius Hürl. 146
pachycladus 146
papuanus (Laut.) Steen. & Erdtman **147**, 148*, 149
pauciflorum (A.C. Smith) Steen. & Erdtman 147, 148
Sphenostemonaceae **145–149**, 326, 333
Stachycarpus (Endl.) Tiegh. 352, 384
sect. *Sundacarpus* (Buchholz & Gray) Gaussen 385
amara Gaussen 387
Stackhousiaceae 4: **35–36**
Staphyleaceae 6: **49–59**
Steganthera Perkins 255–263, 288, **306**, 321
alpina Perkins 319
atepala Perkins 319
australiana C.T.White 309, **318**
brassii (A.C. Smith) Kaneh. & Hatus. 315
buergersiana Perkins 316
chimbuensis Philipson 309, **318**
crispula Perkins 316
cyclopensis Philipson 308, **310**
dentata (Val.) Kaneh. & Hatus. 308, **310**
elliptica A.C. Smith 278
fasciculata Philipson 307*, 308, **309**
fengeriana Perkins 315

(Steganthera)
forbesii Perkins 316
hentyi Philipson 308, **309**
hirsuta (Warb.) Perkins 262, 300, 308, 309, 314*, **315**, 318
hospitans (Becc.) Kaneh. & Hatus. 257, 258, 308–310 **311**, 313*, 319
ilicifolia A.C. Smith 256, 296, 309, **317***, 318
insculpta Perkins 308, 309, **319**
insignis Perkins 312
ledermannii (Perkins) Kaneh. & Hatus. 257, 308, 319
moszkowskii (Perkins) Kaneh. & Hatus. 257, 308, 309, **311**
myrtifolia (A.C. Smith) Philipson 309, **313**
oblongiflora Perkins 315, 316
oblongifolia 315
odontophylla Perkins 319
oligantha (Perkins) Kaneh. & Hatus. 308, 309, **315**
oligocarpella Kaneh. & Hatus. 291
parvifolia (Perkins) Kaneh. & Hatus. 309, **315**
psychotrioides Perkins 319
pycnoneura Perkins 319
riparia Kaneh. & Hatus. 316
royenii Philipson 257, 308, 309, **310**
salomonensis (Hemsl.) Philipson 308, 309, **311**, 312*
schlechteri Perkins 278
schumanniana Perkins 315
suberoso-alata Kosterm. 311
symplocoides Perkins 319
thyrsiflora Perkins 315, 316
torricellensis Perkins 316
villosa Kaneh. & Hatus. 284
warburgii Perkins 315
Stellatopollisbarghoornii 256
Stemonurus *frutescens* Bl. 25
membranaceus Bl. 22
Stephania Lour. 157, 160–162, 165, 167, 169, 171, **243**
sect. *Eustephania* Diels 243, 244
sect. *Thamnothyrsa* Diels 243, 244
acuminatissima (Bl.) Spreng. 252

(Stephania)
borneensis Yamamoto 249
capitata (Bl.) Spreng. 159, 160, 161, 165, 167, 236, 243–245, **252***, 253
catosepala Diels 249, 250
catosepala (non Diels) Merr. 251
cauliflora Becc. 249, 250
cincinnans K. Sch. 203
concinna Miers 247
corymbosa (Bl.) Walp. 243–245, **249**, 250
corymbosa (non Bl.) Turcz. 251
dictyoneura Diels 160, 167, 243, 244, **253**
discolor (Bl.) Spreng. 245
var. *hernandiifolia* (Willd.) Boerl. 245
exigua Miers 247
florulenta Becc. 251
formanii Kundu & Guha 250, 251
forsteri (DC.) A. Gray 247
glaucescens (Decne) Walp. 245
grandiflora Forman 244, **248**
hallieri Diels 247
hernandiifolia (Willd.) Walp. 245, 247
var. *discolor* (Bl.) Miq. 245
var. *genuina* (Bl.) Miq. 245
var. *glabra* (Bl.) Miq. 245
hernandiifolia [non (Willd.) Walp.] Koord. 249
hernandiifolia [non (Willd.) Walp.] Ridl. 248
hernandiifolia [non (Willd.) Walp.] Vidal 251
japonica (Thunb.) Miers 159, 165, 243–245, **245**, 246*, 247
var. discolor (Bl.) Forman 247, **248**
var. japonica **247**
var. timoriensis (DC.) Forman **247**
japonica [non (Thunb.) Miers] Miers 251
longifolia Becc. 252
menadonensis Diels ex Koord.-Schum. 249
merrillii Diels 249, 250
moluccana Forman 244, 245, **250**

(Stephania)
montana Diels 159, 243–245, **250**, 253
neoguineensis Kundu & Guha **253**
obvia Miers 252
prapatensis Yamamoto 248
psilophylla (Presl) Forman 243–245, **251**
ramosii Diels 249
ramuliflora Miers 249
reticulata Forman 244, 245, **249**
rotunda (non Lour.) Miq. 248
rotundifolia 248
salomonum Diels 244, 245, **250**
tomentosa (Bl.) Spreng. 229
truncata Yamamoto 252
venenosa 248
venosa (Bl.) Spreng. 243–245, **248**
zippeliana Miq. 243–245, **251**
Strakaea Presl 65
melastomaefolia Presl 78
Strombosia Bl. 1–6, **19**
ceylanica Gardn. 20*, 21, 22, 23 map
var. *lucida* (T. & B. ex Valet.) Hochr. 22
var. *membranacea* (Bl.) Hochr. 22
var. *sessilis* Hochr. 22
dubia Vidal 22
elmeri Salvosa 22
javanica Bl. 5, 20*, **21** map
var. *sumatrana* Val. 21
javanica auct. 22
latifolia Stapf 22, 23
lucida T. & B. 22
maingayi (Mast.) Whitm. 22
membranacea (Bl.) Valet. 22
minor Elmer ex Merr. 22
multiflora King 22
philippinensis (Baill.) Rolfe 21, **22**
philippinensis [non (Baill.) Rolfe] Lam & Holthuis 29
rapaneoides S. Moore 22
rotundifolia King 22
Strombosiopsis 3, 4
Stropha Noronha 129
Stylidiaceae 4: **529–532**; 5: **564**; 6: **976**
Styracaceae 4: **49–56**; 6: **976**; 9: **568**

Symplocaceae 8: **205–274**; 9: **569**; 10: **718**
Symplocos Jacq.
subg. Hopea Clarke 718
ambangensis Noot. 719
cochinchinensis 719
ssp. laurina 719
costatifructa Noot. 719
herzogii 718
iliaspaiensis Noot. 719
laeteviridis 719
maliliensis 719
ophirensis
ssp. cumingiana 719
rayae Noot. 718, 719
riangensis Noot. 718, 719
verticillifolia 718
Synandrium *exsertum* 243
inclusum 243

Taccaceae 7: **806–819**
Talauma Juss. 563, 568
sect. *Aromadendron* Miq. 569, 576
angatensis (Blco) Vidal 585
athliantha Dandy 583
beccarii Ridl. 586
betongensis Craib 585
bintuluensis Agostini 577
borneensis Merr. 583
candollei auct. 585
candollii Bl. 569, 581, 582
var. *latifolia* Bl. 582
elegans (Bl.) Miq. 577
var. *glauca* (Korth.) Parment. 577
elegans auct. 583
elmeri Merr. ex Soderberg 587
forbesii King 582
gigantifolia Miq. 586
gigantifolia auct. 585
gitingensis Elmer 583
var. *glabra* Dandy 583
var. *rotundata* Dandy 583
glaucum (Korth.) Miq. 577
gracilior Dandy 583
grandiflora Merr. 585
inflata Parment. 582
intonsa Dandy 588
javanica Parment. 583
kunstleri King 582
kuteinensis Agostini 586
lanigera Hk.f. & Th. 588
lanigera auct. 586
levissima Dandy 585
liliifera (L.) O.K. 582
(*Talauma*)
longifolia (Bl.) Ridl. 582
luzoniensis Warb. ex Perkins 585
macrophylla Bl. 583
magna Agostini 586
megalophylla Merr. 586
miqueliana Dandy 582
mutabilis Bl. 582
var. *acuminata* Bl. 582
var. *acuminatissima* T. & B. 583
var. *brevifolia* T. & B. 583
var. *latifolia* T. & B. 583
var. *leiocarpa* T. & B. 583
var. *longifolia* Bl. 582
var. *sciagraphia* 582
var. *splendens* Bl. 582
mutabilis auct. 585
oblanceolata Ridl. 585, 586
oblongata Merr. 585
obovata Korth. 585
obovata auct. 586
oreadum Diels 583
ovalis Miq. 596
papuana Schltr 596
peninsularis Dandy 583
persuaveolens Dandy 587
plumierii (Schwartz) A.DC. 568
pubescens Merr. 596
pumila Bl. 582
pumila auct. 583
rabiana Craib
var. *villosa* (Miq.) Parment. 588
reticulata Merr. 583
rubra Miq. 582
rumphii Bl. 582
sarawakensis Agostini 588
sclerophylla Dandy 585
sebassa Miq. ex Dandy 582
singapurensis Ridl. 586
soembensis Dandy 583
sumatrana Agostini 583
undulatifolia Agostini 583
villariana Rolfe 583, 585
villarii 583
villosa Miq. 588
f. *celebica* Miq. 603
vrieseana Miq. 569, 596
Tambourissa 257, 258
ficus (Tul.) A.DC. 326
Taxaceae 343, 346, **347–351**, 354
Taxales 347
Taxodiaceae 338, 343, 354
Taxus L. 337, 342, 347, **348**
map
baccata (non L.) Mast. 349
ssp. *cuspidata*
var. *chinensis* Pilger 349
ssp. *wallichiana* (non Zucc.) Pilger 349
var. *sinensis* Henry 349
celebica (Wall.) Li 350
chinensis (Pilger) Rehd. 350
cuspidata (non Sieb.& Zucc.) Kaneh. 350
cuspidata var. *chinensis* (Pilger) Rehd. & Wilson 350
mairei (Lemée & Lév.) Hu & Liu 350
speciosa Florin 350
sumatrana (Miq.) de Laub. **349**, 350*, 351 map
wallichiana (non Zucc.) Foxw. 349
wallichiana var. *chinensis* (Pilger) Florin 350
yunnanensis Cheng 350
Ternstroemiaceae 327
Tetanosia Rich. ex M. Roemer 46
olacioides (W. & A.) M. Roemer 47
Tetrastylidium 3, 4
Tetrasynandra 284 map
Thalamia Spr. 356
Thalictrum 165
Theaceae 145
Theales 145
Thlaspi 541, 543
Thottea Rottb. 53–55, 57–59, 61–64, **65**
beccarii Ding Hou 67, **74**
borneensis Val. 65, 66, **73**
celebica Ding Hou 67, **78**, 80*
corymbosa (Griff.) Ding Hou 56*, 57, 59, 62, 67, **78**, 82*
curvisemen Ding Hou 61, 66, **73**
dependens (Planch.) Klotzsch 56*, 57, 62, 67, **75**
dinghoui 62
grandiflora Rottb. 59, 62, 66, 68*, **69**
hirsuta Ridl. 81
macrantha (Boerl.) Ding Hou 60*, 62, 65, 67, **81**
macrophylla Becc. 59, 66, **71**
muluensis Ding Hou 56*, 57, 67, 76*, **78**

(Thottea)
parviflora Ridl. 59, 62, 66, **67**, 80*
paucifida Ding Hou 59, 62, 67, 72*, **73**, 81
penitilobata Ding Hou 57, 67, 76*, **77**
philippinensis Quis. 67, **75**, 82*
reniloba Ding Hou 60*, 67, **77**
rhizantha Becc. 67, **75**
robusta Steen. 66, 70*, **71**
siliquosa (Lamk) Ding Hou 81
sp. Ding Hou 83
straatmanii Ding Hou 66, **69**
sumatrana (Merr.) Ding Hou 67, 80*, **81**
tomentosa (Bl.) Ding Hou 54, 57, 59, 62, 65, 79
tricornis Maingay 62, 67, **74**, 80*
triserialis Ding Hou 55, 59, 66, **69**
Thuja 444
javanica Burm.f. 453
papuana (F.v.M.) Voss 444
Thujoideae 444
Thuya javanica 453
Thymelaeaceae 4: **349–365**; 6: **1–48**, **976**; 7: **830**; 10: 151
Thymelaeales 151
Tiliacora Colebr. 157, 160–168, 170, 172, **185**
triandra (Colebr.) Diels 162, 166, **185**, 187, 208*
Tinomiscium Miers 157–162, 166–170, **204**
arfakianum (Becc.) Diels 197
elasticum Becc. 205
javanicum Miers 205
molle Diels 205
petiolare Hk.f. & Th. 159, **205**, 206*
philippinense Diels 205
phytocrenoides Kurz ex T. & B. 205
pyrrhobotryum Miq. 205
Tinospora Miers 19, 158–171, **188**
andamanica Diels 199
angusta 190
arfakiana Becc. 190, 191, **197**
baenzigeri Forman 159, 160, 190, 191, **195**, 196*, 197
(Tinospora)
celebica Diels 190, **193**, 194
cordifolia 190, 197
coriacea (Bl.) Beumée ex Heyne 199
crispa (L.) Hk.f. & Th. 160, 165, 166, 190, 191, **194**, 195, 196*, 197, 200
crispa [non (L.) Hk.f. & Th.] Diels 199
curtisii Ridl. 253
dentata 190
dissitiflora (Laut. & K.Sch.) Diels 159, 190, 191, 192*, **197**
glabra (Burm.f.) Merr. 159, 165, 186*, 191, 192*, 194, 195, **199**, 200
glandulosa Merr. 190, **194**
hastata Elmer 193
havilandii Diels 193, 210
hirsuta (Becc.) Forman 190, **193**
homosepala Diels 190, 200
macrocarpa Diels 191, 192*, **198**, 199
megalobotrys Laut. & K.Sch. 187
merrilliana Diels 159, 190, 191, **191**
minutiflora K. Sch. & Laut. 227
negrotica Diels 193
var. *monticola* Yamamoto 193
peekelii Diels 197
polygonoides Diels 200
pseudo-crispa Boerl. 199
reticulata 199
rumphii Boerl. 194, 195, 200
sagittata 190
sinensis (Lour.) Merr. 190, 200
smilacina Benth. 191, 196*
subcordata (Miq.) Diels 159, 191, 192*, **200**
sumatrana (Scheff.) Becc. 190, 191, **198**, 199
var. hanadae Yamamoto 198
teijsmannii Boerl. 191, 192*, **199**
tinosporoides (F.v.M.) Forman 190, 192*
trilobata Diels 159, 190, **191**, 202
tuberculata (Lamk) Beumée ex Heyne 194
(Tinospora)
uliginosa Miers 199
uliginosa (non Miers) Hk.f. & Th. 198
Trapaceae 4: **43–44**; 6: **982**
Tremandraceae 458
Tricercandra A. Gray 128
Trichocarya Miq. 645, 648
splendens 645
Triclisia 165
Trigoniaceae 4: **58–60**; 10: 458
Trimenia Seemann 145, 255, 261, 326, **327**, 329 map
arfakensis Gibbs 330, 331
bougainvilleensis (Rodenburg) A.C. Smith 332
grandifolia Warb. 333
macrura (Gilg & Schltr) Philipson 329 map, 330, 331, **332**
moorei (Oliv. in Bth.) Philipson 328, 329 map, **330**
myricoides Gilg & Schltr 330, 331
neocaledonica 328, 329 map, 330
papuana Ridl. 328*, 329 map, 330, **331***
weinmanniifolia Seem. 328, 329 map, 330–332
ssp. bougainvilleensis Rodenb. 328, 330, **332**
Trimeniaceae 145, 255, 261, **327–333**
Trimeria grandifolia (Hochst.) Warb. 333
Trimeriza Lindl. 65
Tristichocalyx F.v.M. 217
Triuridaceae 109–121, 110 map, **720**
Triuridales 109
Triuris 110, 112
Trochiscus Gilli 555
macrocarpus Gilli 559
Tropaeolaceae 639
Tsjeru-caniram Rheede 49
Tsjerucaniram 49
Tsjerucanirum 49
Tsoongiodendron 563, 564, 567, 593
Tsuga 338, 343
mairei Lemée & Lév. 350
Tuba baccifera Rumph. 213
flava Rumph. 210
Turneraceae 4: **235–238**
Typhaceae 4: **242–244**; 6: **982**

Ulmaceae 8: **31–76, 551**; 9: **569**; 10: 29
Umbelliferae 4: **113–140, 595**; 5: **555**; 6: **983**; 7: **830**; 9: **569**
Urobotrya Stapf 31–35, **41**
sect. Lepionuroides Hiepko **42** map
sect. Urobotrya 42
floresensis Hiepko **42** map, 43, 48
latisquama (Gagn.) Hiepko 32, 43, 42 map
longipes (Gagn.) Hiepko 42 map
parviflora Hiepko 41*, 42 map, **43**
siamensis Hiepko 34, 42 map, 43, 46
Uvaria-leaved Magnolia Meijer 574

Vaccinium *angulatum* J.J. Sm. 716
commutatum Mabberley & Sleumer 716
Valerianaceae 4: **253–254**
Vallisneria 112
Vanhallia Schult. 65
omentosa J.A. & J.H. Schultes 79
Vidara littorea Rumph. 11
Viola rheophila Okamoto 720
Violaceae 7: **179–212, 831**; 10: **720**
Violaria Post & O.K. 568, 569
Viscaceae 353
Vochysiaceae 458

Weinmannia 123
Wellingtonia arnottiana Meisn. 709
Wilkiea F.v.M. 255–257, 262, 263, **282**, 288
foremanii Philipson **282**, 283*
huegeliana 288
macrophylla 288
Wittsteinia F.v.M. **335**
papuana (Steen.) Steen. **336***
Worcesterianthus Merr. 29

Xanthophyllum Roxb. 455–459, **493**
subg. Brunophyllum Meijden 494, **535**
(Xanthophyllum)
subg. Coriaceum Meijden 494, **528**
subg. Exsertum Meijden 494, **533**
subg. Triadelphum Meijden 494, **530**
subg. Xanthophyllum 494, **500**
sect. Eystathes (Lour.) Meijden 500, **507**
subsect. Eystathes 507, **526**
subsect. Jakkia (Bl.) Meijden 507, **508**
sect. Xanthophyllum **500**
acuminatissimum Miq. 515
adenopodum Miq. 501
adenotus Miq. 497, 498, 511, **515**
var. adenotus **516**
var. lineare Meijden **516**
affine Korth. ex Miq. 498, 500, 501, **503**
ß *excelsa* K. & V. 500
α *genuina* K. & V. 503
var. *adenopodum* (Miq.) K. & V. 501
affine (non Miq.) K.Sch. & Hollr. 537
affine (non Miq.) Koord. 512
affine (non Miq.) Ridl. 528
amoenum Chodat 499, **533**
amoenum (non Chodat) Keith 535
ancolanum Miq. 498, **511**
f. *angustifolia* Miq. 511
angustigemma Meijden 496, **519**
arsatii C.E.C. Fischer 516
beccarianum Chodat 495, **522**
borneense Miq. 495, **508**
bracteatum Chodat 518*, 496, **519**
brevipes Meijden 495, 535, **536***
brigittae Meijden 496, 498, **511**, 512*
bullatum King 498, **501**
celebicum Meijden 499, **532**
ceraceifolium Meijden 497, **517**
chartaceum Meijden 499, 535, **539**
citrifolium Chodat 530
clovis (Steen. ex Meijden) Meijden 496, **517**
cockburnii Meijden 494, **502**
(Xanthophyllum)
contractum Meijden 499, **532**
cordatum Korth. ex Miq. 515
f. *aequale* Chodat 515
curtisii King 514
densiflorum Chodat 521, 522
discolor Chodat 495, **520**
ssp. discolor **520**
ssp. macranthum Meijden **520**
ecarinatum Chodat 499, **539**
ellipticum Korth. ex Miq. 499, **530**, 531*
erythrostachyum Gagnep. 497, 511, **523**
eurhynchum Miq. 497, **524**, 525
ssp. eurhynchum **525**
ssp. maingayi (Hk.f. ex A.W. Benn.) Meijden **525**
excelsum Bl. 503
var. *affine* (Miq.) Boerl. 503
excelsum (Bl.) Miq. 500
ferrugineum Meijden 498, **503**
flavescens (non Roxb.) F.-Vill. 514
flavescens Roxb. 498, **500**, 504, 528
var. *virens* (Roxb.) A.W. Benn. 528
flavovirens Elmer 520
flavum Ridl. 505, 507
floriferum Elmer 501
forbesii Baker 523
glabrescens Ridl. 508
glandulosum Merr. 501
glaucescens Miq. 539
glaucum Wall. ex Hassk. 527
gracile Chodat 513
griffithii Hk.f. ex A.W. Benn. 496, **513**, 514
ssp. angustifolium (Ng) Meijden **513**
ssp. erectum Meijden 513, **514**
var. *angustifolium* Ng 513
var. *curtisii* (King) Ng 513, 515
var. *montanum* Ng 513, 514
griffithii (non A.W. Benn.) Rolfe 514
hebecarpum Chodat 539
heterophyllum Meijden 496, **519**

(Xanthophyllum)
heteropleurum Chodat 505, 507
hildebrandii Meijden 498, **532**
hookerianum King 514
hosei Ridl. 498, **502**
hypoleucum Merr. 520
impressum Meijden 496, **513**
incertum (Bl.) Meijden 496, **515**
insigne A.W. Benn. 536
kalimantanum Meijden 539
kingii Chodat 530
korthalsianum Miq. 496, **520**
kunstleri King 514
laeve Meijden 499, **524**
lanceatum (Miq.) J.J. Sm. 494, 496, **527**
lanceolatum 527
lateriflorum Miq. 497, **527**
loheri Merr. 501
longifolium (Bl.) Dietr. 514
macranthum Chodat ex Elmer 520
macrophyllum Baker 498, **507**
maingayi Hk.f. ex A.W. Benn. 524, 525
malayanum Meijden 495, **526**
microcarpum Chodat 527
molle Ridl. 522
montanum Meijden 499, **532**
monticolum Meijden 496, **514**
multiramosum Elmer 501
neglectum Meijden 497, 498, **509**
ngii Meijden 496, **526**
nigricans Meijden 495, **508**
novoguineense Meijden 496, **526**
obscurum A.W. Benn. 499, **536**
ovatifolium Chodat 498, **508**
palawanense Elmer 497, **516**
palembanicum Miq. 511
palembanicum (non Miq.) Keith 509
palembanicum (non Miq.) King 524. 525

(Xanthophyllum)
pallidum Ridl. 501
paniculatum Miq. 514
papuanum Whitm. ex Meijden 457, 499, **537**, 538*
parvifolium Meijden 496, **510**
parvum Chodat 513
pauciflorum Meijden 496, **509**
pedicellatum Meijden 495, **522**
penibukanense Heine 495, **521**
petiolatum Meijden 496, **517**
philippinense Chodat 498, **510**
pseudoadenotus Meijden 495, **521**
pseudostipulaceum Merr. 513
pseudostipulaceum (non Merr.) Meijer 519
puberulum Ridl. 525
pubescens Meijden 495, **504**
pulchrum King 495, **521**, 522
ssp. pulchrum **521**
ssp. stapfii (Chodat) Meijden **522**
purpureum Ridl. 495, **522**
ramiflorum Meijden 494, 495, 529*, **530**
reflexum Meijden 496, **519**
resupinatum Meijden 498, **504**
reticulatum Chodat 495, **522**
retinerve Meijden 497, **524**
robustum Chodat 515
var. *elmeri* Chodat 515
rufum Benn. 494, **505**, 506*
sarawakense Chodat 503
sarawakensis 503
schizocarpon Chodat 495, **504**
scortechinii King 536
spec. 504
spec. Anderson 530
spec. E Ng 539
stapferi 521
stapfii Chodat 521, 522

(Xanthophyllum)
stipitatum A.W. Benn. 497, 499, **535**
var. *borneense* Chodat 535
var. glabrum Meijden **535**
var. *nitidum* Chodat 533
var. *pachyphyllum* Chodat 533
var. stipitatum **535**
subcoriaceum (Chodat) Meijden 498, **509**
suberosum C.T.White 499, **533**, 534*
subglobosum Elmer 539
var. *longifolium* Elmer 539
sulfureum 502
sulphureum King 494, **502**
sumatranum Miq. 511
tardicrescens Meijden 498, **510**
tenue Chodat 498, **508**
tenuipetalum Meijden 498, **512**
trichocladum Chodat 495, **522**
velutinum Chodat 495, **505**
venosum King 497, **525**
verrucosum Chodat 524, 525
virens Roxb. 497, **528**
virescens 528
vitellinum (Bl.) Dietr. 497, 498, **514**
var. *clovis* Steen. ex Meijden 517
wrayi King 497, **525**
Ximenia L. 1–6, **10**
americana L. 2, 5, **11**
var. americana **11**, 12*
borneensis Baill. 15
loranthifolia Span. 11
olacioides W. & A. 47
Xylosma *leprosipes* Clos 715
Xyridaceae 4: 366–376, 598; 5: 557; 9: 571

Zanonia indica L. 253
Zizyphus littorea Teysm. ex Hassk. 11
Zonalapollenites 338
Zygophyllaceae 4: 64