

INDEX TO SCIENTIFIC PLANT NAMES

compiled by

M. J. VAN STEENIS-KRUSEMAN

Families and higher taxa have been entered under their name.

Names of families which have been revised in volumes 4–8 have been entered and are printed in **bold** type, so that as far as this is concerned this index is complete for all preceding volumes as well.

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamilies, tribes, etc.).

Infrageneric epithets have been entered immediately under the generic name to which they belong preceded by the indication of their rank (subgenera, sections, series, etc.).

Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, etc.).

Epithets of new names and new combinations have been printed in **bold** type, *synonyms* in *italics*.

'Map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

An asterisk behind a page number denotes the presence of a figure of the concerned taxon.

Page numbers in **bold** type denote main treatment.

Some minor printing errors in plant names have been corrected.

Of synonyms with a double authority, the latter has not always been cited in full. The full authority can easily be derived from the text.

- Acacia 249, 286
Acajou Miller 420
Acanthaceae 120, 121
Acer 209
 laurinum Hassk. 549
Aceraceae 4: 3–4, 592; 6: 915;
 7: 820; 8: 549
Achyrospurum Bl. 301, 302,
 308, 310, 326
 densiflorum Bl. 302, 327*, 328
 philippinense Bth. 328
 phlomoides Bl. 328
 wallichianum (Bth.) Bth. 328
Acinos thymoides Moench 306
Acrocephalum 364
Acrocephalus Bth. 301, 308,
 309, 364
 blumei Bth. 365
 capitatus (Roth) Bth. 365
 indicus (Burm. f.) O. K. 365*
 f. spicatus (C.B. Robins.)
 Keng 365
 spicatus C.B. Robins. 365
Acrasia Prain 302, 307, 308,
 311
 ajugiflora Prain 311*, 312
Actinidiaceae s.str. 4: 37–39
Aeschynanthes *albidus* (Bl.)
Steud. 179
 angustifolius (Bl.) Steud. 179
 longiflorus (Bl.) DC. 179
Agathis 263, 532
Ainsliaea pteropoda 358
 reflexa 358
Aizoaceae 4: 267–275; 7: 133
Ajuga L. 301, 302, 304, 305, 307,
 310, 312
 bracteosa Wall. 303, 312, 313*
chamaepitys 303
chia 305
decumbens 305
genevensis 313
 incisa 305
 iva 305
 japonica 305
 macroperma Miq. 312
 nipponensis 305
 remota Bth. 304, 312, 313
 turkestanica 305
Alangiaceae 85
Alismataceae 5: 317–334; 6: 915
Allophylus cobbe (L.) Raeuschl.
 541
 mutabilis (Bl.) Boerl. 541
Allospondias 481
Alopecuro-veronica L. 351
Alstonia 464
spathulata 431
Alternanthera *brasiliiana* (Corner) O. K. 549
 pungens H.B.K. 549
 repens (L.) Link 549
Alzatea 187, 188, 190
Amaranthaceae 4: 69–98, 593;
 5: 554; 6: 915–917; 7: 820; 8:
 549
Amomum 45
Ampelocera 33, 34, 36
 ruizii Klotzsch 36
Amphicome 115, 120
 emodi Lindl. 119
Amphilophium 118
Amphitecna *latifolia* (Mill.)
Gentry 182
Anacardiaceae 395–548, 396
 map, 397 map
 tribe Anacardieae 402, 403,
 404
 tribe Dobineae Engl. 401,
 403
 tribe Mangifereae March.
 401, 402, 405
 tribe Rhoeae March. 402,
 403, 404, 405
 tribe Rhoideae March. 401
 tribe Semecarpeae March.
 401, 403, 404
 tribe Spondiadeae DC. 402,
 404, 405, 481
 tribe Spondieae March. 401,
 402, 403
Anacardium L. 395, 396, 397,
 398, 400, 402, 403, 404, 405,
 406, 408, 409, 410, 411, 420
 excelsum Skeels 400, 401
 longifolium Lamk 510
 occidentale L. 398, 400, 401,
 402, 405, 406, 420, 421*
 var. *indicum* DC. 421
Anauxanopetalum T. & B. 440
 schwenkii T. & B. 443
Ancistrocladaceae 4: 8–10; 5:
 553
Ancistrolobus Spach 4
 brevipes Turcz. 8
 carneus Voigt 8
 floribundus Turcz. 6
 glaucescens Turcz. 11
 ligustrinus Spach 8
 micradenius Turcz. 7
 sp. Wight 8
Androtrium Stapf 395, 397, 398,
 402, 403, 404, 408, 409, 410,
 411, 420
 astylum Stapf 398, 414*, 420
Anemopaegma chamberlainii
(Sims) Bur. & K. Sch. 181,
 182
 longepetiolatum 119
 scandens Mello ex K. Sch. 182
Anisochilus carnosus (L.) Wall.
 329
 euneurus Miq. 332
 siamensis Ridl. 394
Anisomeles R. Br. 301, 303, 304,
 308, 310, 328

- (Anisomeles)
albiflora (Hassk.) Miq. 329
australis (Sieb.) Spreng. 318
candicans Bth. 328, 329
candicans Decne 330
disticha Heyne ex Roth 329
glabrata Bth. 329
heyneana Bth. 328, 329
indica (L.) O. K. 329, 330*
 f. *albiflora* (Hassk.) O. K.
 329
 f. *rubicunda* O. K. 329
var. *albiflora* (Hassk.) Back.
 329
var. *biflora* Steen. 329
var. *mollissima* (Bth.) Back.
 329
var. *serratifolia* (Miq.)
 Adelb. 329
inodora R. Br. 330
intermedia Wight ex Bth. 330
malabarica (L.) R. Br. 304,
 305, 329, 368
malabarica Hassk. 329
 var. *albiflora* Hassk. 329
 var. *inodora* (R. Br.) Domin
 330
mollissima Wall. 329
moschata R. Br. 330
ovata R. Br. 304, 329
 var. β *mollissima* Bth. 329
 var. γ *serratifolia* Miq. 329
salviifolia R. Br. 328, 330
 var. *moschata* (R. Br.)
 Domin 330
secunda O. K. 329
tonkinense Gandoer 329
Anisopterlea R. Br. ex Sabine
 550, 551
 ferruginea Ding Hou 551
 grandis (Bth.) Burk. 551
Anisoptera 258
Anthocoma Zoll. & Mor. 315
flavescens Zoll. 315
Antholyza *meriana* (non L.)
 Blanco 82
Antidesma 138
Aphananthe Planch. 32, 33, 34,
 36, 39, 66, 69 map
aspera 'Engl.' 69 map
aspera (Thunb.) Planch. 36
cuspidata (Bl.) Planch. 38, 67,
 68*, 69 map
lissophylla Gagnep. 69
monoica Hemsl. 69 map
negrosensis Elmer 70
philippinensis Planch. 67, 68*,
 69 map
rectinervia (F.v.M.) Planch. 67
sakalava Leroy 69 map
yunnanensis (Hu) Grudz. 69
Aphanochilus Bth. 331
 blandus Bth. 331
Aponogetonaceae 4: 11–12; 5:
 553; 7: 213–218
Araliaceas 85, 88
Araucaria 173, 253, 255
Arbor rediviva Rumph. 245, 246
verniciis Rumph. 463
- Archidendron molle* (K. Sch.)
 de Wit 180
Argylia 115, 118, 119
Arrabidaea magnifica Steen. 185
 mollissima (H.B.K.) Bur. &
 K. Sch. 181, 182
 sp. Daubenton 185
Arthropodium ceylanicum Miq.
 129
 reticulatum Bl. ex Miq. 129
Ascyrum L. 14
 humifusum Labill. 27
 involutum Labill. 26
Astianthus 115
antisiphilitica 119
Astronium Jacq.
 sect. *Parisia* (Hook. f.)
 March. 541
 insigne March. 545
Astropetalum Griff. 440
 sp. 1 Griff. 443
 sp. 2 Griff. 445
Aucuba japonica Thunb. 85
Austrobuxus 466
Axinandra Thw. 187, 188, 189,
 190, 201, 204 map
 sect. *Axinandra* 203
 sect. *Naxiandra* Baill. 203
alata Baill. 203
beccariana Baill. 203, 204 map
borneensis Bakh. f. 203, 204
coriacea Baill. 202*, 203,
 204 map
maingayi Clarke 204
zeylanica Thw. 203
- Baeckea* 239
Balanophoraceae 7: 783–805; 8:
 549
Balem-canda schularmani
 Rheede 82
Ballota 304
 disticha L. 239
 suaveolens L. 372
 verticillata Noronha 393
Banksia 373
Baranda Llanos 217
 angatensis Llanos 269
Barnettia Santisuk 151, 158
Barringtonia conoidea 462
 rigida Clarke 242
Basellaceae 5: 300–304
Basilicum Moench 301, 308,
 309, 366
polystachyon (L.) Moench
 366, 367*
Batidaceae 5: 414–415; 6: 917
Belamcanda Adans. 77, 82
 chinensis (L.) DC. 77, 82
Betulaceae 5: 207–208; 6: 917
Bignonia adenophylla (Wall.) ex
 G. Don 158
 africana Lamk 183
albida Bl. 179
amara (sphalm.) 155
amoena Wall. 155
angustifolia Bl. 179
australis Ait. 175
capensis Thunb. 185
- (Bignonia)*
capreolata L. 179
caudata A. DC. 149
chamberlaynii Sims 182
chelonoides L. f. 147, 148, 149
chelonoides (non L. f.) Roxb.
 148
cicutaria Mart. 133
colei G. Don 179
comosa Roxb. 179
compressa Lamk 179
discolor A. Rich. 179
diversifolia H.B.K. 121
fimbriata Wall. 146
fraxinoides Perrott. 179
gigantea Noronha 155
glauca Wall. 179
hirsuta Lamk 179
indica
 var. α L. 128
 var. β L. 163
'insignis' 117
javanica Thunb. 142
laeta Wall. 179
longiflora Reinw. ex de Vriese
 179
longiflora Willd. ex DC. 142
longifolia Willd. 163
longissima Jacq. 182
longissima Lour. 142
macrostachya Wall. 179
magnifica Bull. 185
meonantha Link 175
moluccana DC. 179
multijuga Wall. 163
oxyphylla DC. 155
pajanelia Buch. Ham. 163
pandorae Sims 175, 177
pandorana Andr. 175
pandorea Vent. 175
pentandra Lour. 128
porteriana Wall. ex DC. 153
purpurea Thunb. 179
quadripinnata Blanco 128
ramiflora Decne 179
rostrata Wall. 179
scandens Vell. 182
spathacea L. f. 142
spathacea (non L.) sens.
 Roxb. 141
stans L. 135
suaveolens Roxb. 147
suberosa Roxb. 133
ternata Reinw. ex de Vriese
 179
tripinnata Noronha 128
tweediana Lindl. 183
unguis-cauli L. 183
venusta Ker 184
Bignoniaceae incerta Zoll. 179
Bignoniaceae 114–186
 tribe *Bignoniaceae* B. & H. 117,
 118, 123, 127
 subtribe *Eubignoniaceae* DC.
 123
 tribe *Crescentieae* 114, 116,
 117, 118
 tribe *Eubignoniaceae* Endl. 123
 tribe *Tecomeae* Endl. 117,

- (Bignoniaceae)
 118, 119, 124, 134
 subtribe *Catalpeae* DC. 134
- Biovularia* Kamienski 276
- Bixa* s.str. 4: 239-241
- Blepharocarya* F.v.M. 401
- Blepharocaryaceae* 401
- Bobua cerasifolia* Miers 245
- Bombacaceae* 35
- Boraginaceae* 120, 307
- Bouea* Meisn. 396, 397, 398, 402, 403, 404, 408, 410, 411, 466
angustifolia Bl. 466
burmanica Griff. 466
 var. *kurzii* Pierre 466
 var. *microphylla* (Griff.) Engl. 466
 var. *roxburghii* Pierre 466
diversifolia Miq. 466
gandaria Bl. ex Miq. 468
macrophylla Griff. 406, 466, 467*, 468
microphylla Griff. 466
myrsinoides Bl. 466
oppositifolia (Roxb.) Meisn. 466, 467*
- Brathys* Mutis ex L. f. 14
billardieri Spach 26
caespitosa Bl. 28
 var. *pusilla* Bl. 28
debilis Bl. 28
forsteri Spach 26
humifosa (Labill.) Spach 27
japonica (Thunb. ex Murray) Wight 28
 var. *accumbens* Bl. 28
 var. *acutispala* Miq. 28
 var. *muconrisepala* Miq. 28
laxa Bl. 28
nepalensis Bl. 28
oryzatum Bl. 28
radicans Bl. 28
- Brucea javanica* (L.) Merr. 541
- Bruguiera* 188
- Brunella* 394
- Buchanania* Spreng. 395, 397, 398, 399, 402, 403, 404, 407, 408, 409, 410, 411, 412
 ser. *Adnatae* 412
 ser. *Sagittatae* 413
acuminata Turcz. 418
acuminatissima Merr. 415
amboinensis Miq. 413, 417
arborescens (Bl.) Bl. 400, 401, 413, 415, 416*, 419
 var. *obovata* Bl. 415
aruensis Ridl. 417
auriculata Bl. 529
bancana Miq. 417
conglomerata Elmer 418
decandra Blanco 415
florida Schau. 415
 var. *arborescens* Engl. 415
 var. *cumingii* Engl. 415
 var. *lucida* (Bl.) Engl. 415
 var. *petiolaris* (Miq.) Engl. 415
fragrans Ridl. 413
- (*Buchanania fragrans*)
 var. *ob lanceolata* Ridl. 413
glaberrima Ridl. 417
halmaherae Miq. 507
heterophylla K. Sch. 417
 var. *pubescens* Merr. & Perry 417
insignis Bl. 413, 415
lanzana Spreng. 412
latifolia Roxb. 400, 401, 419
longifolia Span. 415
longifolia Turcz. 415
lucida Bl. 415
 var. *laxiflora* Ridl. 415
 var. *palembanica* (Bl.) Miq. 415
- macrocarpa* Laut. 413, 418, 419*
macrophylla Bl. 530
macrophylla (sphalm.) 415
microphylla Engl. 413, 414*
mollis Laut. 418
montana Laut. 418
monticola Kaneh. & Hatus. 417
nabirensis Kaneh. & Hatus. 417
nitida Engl. 413, 418, 419*
novo-guineensis Warb. 419
novo-hibernia Laut. 417
oxyphylla Miq. 418
oxyrhachis Miq. 529
palembanica Bl. 415
papuana C.T. White 417
petiolaris Miq. 417
platyneura Kurz 413
platyphylla Merr. 417
polybotrya Miq. 417
pseudoflorida Perk. 417
racemiflora Miq. 530
reticulata Elmer 430
scandens Laut. 417
sessifolia Bl. 412, 413, 414*, 418
 'sessilifolia' 418
solomonensis Merr. & Perry 417
sorsogonensis Elmer 418
splendens Miq. 413
subovata Griff. 415
versteeghii Merr. & Perry 417
Bulga pyramidalis (L.) O. K.
 var. *braceosa* (Wall.) O. K. 312
- Bulweria* F.v.M. 136
nobilissima F.v.M. 138
- Burmanniaceae* 4: 13-26, 592; 5: 553; 7: 820
- Burseraceae* 5: 209-296, 567; 6: 917-928; 7: 820-822; 8: 403, 404, 523
Butea monosperma 148

Butomaceae 5: 118-120, 566

Byblidaceae 7: 135-137

Byst(e)ropogon graveolens Bl. 372

Calamintha Mill. 360
gracilis Bth. 361

(*Calamintha gracilis*)
 var. *β pilosior* Miq. 341, 361
 var. *γ rubella* Miq. 361
moluccana Miq. 361
repens Bth. 362
 var. *γ colorans* Miq. 362
 var. *β javanica* Bth. 362
umbrosa (Bieb.) Rchb. 361
 var. *javanica* (Bth.) Boerl. 362

Calanynthia negrosensis (Elmer) Grudz. 70

Calesiam Adans. 476
grande (Dennst.) O. K. 478

Callitrichaceae 4: 251-252

Calosanthes Bl. 128
indica Bl. 128

Cambessedea W. & A. 466

Campanula Rumph. 167
rubra 171

Campanulaceae 6: 107-141, 928; 8: 549

Campnosperma Thw. 201, 397, 398, 399, 400, 402, 403, 404, 405, 407, 408, 409, 410, 411, 524, 527*

acutiauris Boerl. & Koord. 532

auriculata (non Hook. f.) King 532

auriculatum (Bl.) Hook. f. 525*, 526, 527, 528*, 529, 530
 var. *wallichii* (King) Ridl. 529

brassii Merr. & Perry 530

brevipetiolatum Volkens 525*, 526, 527, 529, 530, 532

coriaceum (Jack) Hall. f. 398, 525*, 526, 527, 529, 530, 531*, 532

griffithii (non March.) Hook. f. 529

griffithii March. 530

macrophylla Hook. f. 530

minor Corner 532

montana (non Laut.) Anderson 532

montanum Laut. 399, 525*, 526, 527, 529, 530, 532

oxyrhachis Engl. 529

philippinense Merr. 418

sp. Rand & Brass 530

squamatum Ridl. 525*, 527, 529, 532

wallichii King 529

Campsodium 114, 115, 169

filicifolium Bull 175

Campsis 114, 118, 120, 166, 169

amboinensis (Bl.) Seem. 171

chinensis (Lamk) Voss. 118

dendrophila (Bl.) Seem. 171

grandiflora (Thunb.) K. Sch. 118

pandorana (Andr.) Steen. 177

radicans (L.) Seem. 118, 121

× tagliabuana (Vivianii) Rehder 118

- Campylopetalum Forman 401
 Cannabinaceae 4: 222–223
 Cappar(id)aceae 6: 61–105; 7: 822
 Caprifoliaceae 4: 175–194; 6: 928–930; 8: 85
 Carallia 188, 550
 eugenioidea King 551
 longipes Ding Hou 551
 Cardiopteridaceae 7: 93–96
Carlea Presl 217
oblongifolia Presl 269
 Cassia nodosa 524
Cassuvium Rumph. 420
pomiferum Lamk 421
reniforme Blanco 421
silvestre Rumph. 510
silvestre s. Lau Lassi (e Ternate) Rumph. 509
Castanopsis 173, 251, 254, 255, 265
 Casuarina 111, 245, 251, 302, 325, 355, 362, 386
junguhuiana 332, 333, 340
 Catalpa 114, 115, 119, 120, 121
bignonioides Walt. 118, 119, 120, 121
longissima (Jacq.) Dum. 181, 182
 ovate G. Don 118, 120
 × *syringifolia* Sims 118
 Catopheria chiapensis 303
 Catophractes 115
 Cedronella 308
canariensis (L.) Webb & Berth. 393
 Celastraceae 6: 227–291, 389–421, 930–932
 Celiadaceae 36
 Celtis L. 31, 32, 33, 34, 35, 36, 38, 39, 47, 55, 57 map, 59 map
acuta Hamilt. 66
amboinensis Brongn. 53
amboinensis Willd. 50, 53
angustifolia (Miq.) Planch. 66
asperifolia Merr. 58
australiae L. 35, 57
 var. *eriocarpa* 57
brevinervis (Bl.) Planch. 62
cinnamomea Lindl. ex Planch. 57, 65
collinsae Craib 62
commersonii Brongn. 50
crenato-serrata Merr. 65
discolor Brongn. 51
djungiel (Bl.) Planch. 62
dysosylon Thw. 65
glabra Planch. 66
grewioides Warb. 66
hamata Bl. 65
hamiltonii Planch. 66
hasselii (Bl.) Planch. 62
hildebrandii Soepadmo 38, 57, 58, 59, 63, 64*
ingens F.v.M. 61
inguana 57
kajewski Merr. & Perry 63
laevigata Willd. 35
latifolia (Bl.) Planch. 57, 58,
 (Celtis)
 59, 63, 64*
laurifolia (Bl.) Planch. 62
lima (non Sw.) Blanco 53
luzonica Warb. 57, 58, 61, 64*
mauritiana Planch. 62
mindanaensis Elmer 62
mollis Planch. 66
multifolia Elmer 62
napalensis Planch. 66
nymanii K. Sch. 58
occidentale 57
orientalis (non L.) Bl. 53
orientalis L. 51
pacifica Planch. 61
paniculata (Endl.) Planch. 57, 58, 59*, 61, 64*
philippensis Blanco 32, 56*, 62
 var. *consimile* (Bl.) Leroy 62
 var. *philippensis* 57, 58, 62
 var. *wightii* (Planch.) Soepadmo 32, 57, 58, 60*, 62
'philippensis' 62
reticulosa Miq. 65
rigescens (Miq.) Planch. 32, 38, 57, 58, 59*, 64*
rigida Bl. 51
roxburghii Planch. 66
rubrovenia Elmer 32, 57, 58, 64*, 65
serotina Planch. 66
similis Merr. & Perry 65
sinensis 57
solenostigma (Miq.) Planch. 58
spinosa 57
strychnoides Planch. 62
tetrandra Roxb. 32, 38, 56*, 57, 58, 64*, 66
 var. *hamiltonii* Hook. f. 66
 var. *mollis* (Planch.) Hook. f. 66
timorensis Span. 32, 57, 58, 59*, 64*, 65
tomentosa Roxb. 53
trinervia Roxb. 66
tupalangi 57
vitiensis A.C. Smith 61
waitzii Bl. 65
wightii Planch. 62
zippelii (Bl.) Planch. 63
 Centrolepidaceae 5: 421–427
 Ceratanthus F.v.M. 301, 302, 308, 368, 384
longicornis (F.v.M.) G. Taylor 301, 367*, 368
 Ceratophyllaceae 4: 41–42
 Ceriops decandra (Griff.) Ding Hou 551
Chaetacme 33, 34, 36
Chaetoptelea 35, 38
 Chenopodiaceae 4: 99–106, 594; 6: 932; 8: 549
Chenopodium ambrosioides L. 549
Chevalierodendron glabrum Leroy 76
 Chilosiphis 115, 121
Chrysosplenium 306
Cipura martinicensis Kth 84
Circaea 99
Citharexylum spinosum L. 180
Clarkia 113
Cleistanthus orgyalis (Blanco) Merr. 465
Clerodendranthus Kudo 379
spicatus C.-Y. Wu ex H.-W. Li 380
stamineus (Bth.) Kudo 380
Clerodendron lanuginosum Bl. 179
spicatum Thunb. 380
 Clethraceae 7: 139–150
Clinopodium L. 361
gracile (Bth.) O. K. 361
repens (D. Don) Wall. ex Bth. 362
umbrosum (Bieb.) C. Koch 362
 var. *repens* O. K. 362
Clusiaceae 3
Coccoceras 464
 Cochlospermaceae 4: 61–63
Cochlospermum religiosum (L.) Alston 148
Coelospyrum Jack 526
coriaceum Jack 530
Colea aberrans Baill. 179
colei M.L. Green 179
decora DC. 179
ramiflora DC. 179
timorensis Perr. 179
Coleus Lour. 305, 382, 387
 sect. *Solenostemon* (Schum.) Bth. 384
acuminatus Bth. 389
amboinicus Lour. 384, 387
 var. *violaceus* Gürke 387
apoensis Elmer 387
aromaticus Bth. 387
atropurpureus Bth. 389
 var. *densiflorus* Bth. 389
 var. *javanicus* Bth. 389
 var. *ramosior* Bth. 389
barbatus (Bth.) Agnew 305
bicolor (Bl.) Bth. 391
blancoi Bth. 392
blumei Bth. 389, 392
carnosa Hassk. 387
crispipilus Merr. 390
formosanus Hayata 390
galeatus (Vahl) Bth. 384, 391
 var. *borneensis* Keng 391
 var. *ruberinivus* Hassk. 391
gaudichaudii Briq. 390
gibbsiae S. Moore 390
grandifolius Blanco 389, 392
grandifolius Bth. 389, 392
grandifolius (non Bth.) Koord. 392
heynei Bth. 392
hybridus Hort. ex Vilim. 390
igotorum Briq. 390
ingratius (Bl.) Bth. 389
integrifolius Elmer 390
laciiniatus (Bl.) Bth. 389, 390

- (*Coleus*)
- macranthus* Merr. 391
 - var. *crispipilus* Merr. 390
 - var. *macrophyllus* (Bl.) Bth. 391
 - var. *concolor* Hassk. 391
 - macropus* Miq. 391
 - macrostachys* Bth. 392
 - multiflorus* Bth. 389
 - parviflorus* Bth. 388
 - persoonii* Bth. 392
 - puberulus* Miq. 391
 - pubescens* Merr. 390
 - pumilus* Blanco 389
 - rehneltianus* A. Berger 390
 - remotiflorus* Miq. 391
 - rotundifolius* (Poir.) Chev. & Perrot 388
 - savannicola* K. Sch. 392
 - scutellarioides* (L.) Bth. 384, 389, 392
 - var. *blumei* (Bth.) Miq. 389
 - var. *celebica* Miq. 389
 - var. *crispipilus* (Merr.) Keng 389
 - var. *gibbsiae* (S. Moore) Keng 389
 - var. *gracilis* Miq. 389
 - var. *grandifolius* (Bth.) Keng 389, 392
 - var. *ingratius* (Bl.) Miq. 389
 - var. *integrifolius* (Elmer) Keng 389
 - var. *laciniatus* (Bl.) Miq. 389
 - scutellarioides* Elmer, non (L.) Bth. 391
 - secundiflorus* Bth. 389
 - sp.* Merr. 390
 - sparsiflorus* (Elmer) H. Keng 384, 391
 - spectabilis* Miq. 391
 - spicatus* Bth. 392
 - suborbicularis* Zoll. & Mor. 387
 - suganda* Blanco 387
 - tuberosus* (Bl.) Bth. 388
 - verschaffeltii* Lem. 389, 392
 - zschokkei* Merr. 390
- Combretaceae* 4: 533-589; 5: 564; 6: 932-933; 7: 823; 8: 190
- Combretocarpus* 201, 550
 - rotundatus* 551
- Comeyra* Baill. 468
- cumingianum* Baill. 470
- Comiphylon* J.J. Fioret 550
- Compositae* 304
- Condondrum* Rumph. 481
 - malaccense* Rumph. 481
 - Coniogeton* Bl. 412
 - arborescens* Bl. 415
- Connaraceae* 5: 495-541; 6: 933-936; 7: 823; 8: 549
- Connarus paniculatus* Roxb. 549
 - semidecandrus* Jack 549
 - var. 8 Leen. 549
 - var. *gaudichaudii* (DC.) Fosb. 549
- Convolvulaceae* 4: 388-512, 599; 5: 558; 6: 936-941; 7: 823
- Cordyloblaste* Mor. 214
 - henscheli* Mor. 214
 - maingayi* Ridl. 214
 - obovata* Ridl. 215
 - pulcherrima* Ridl. 215
 - scortechinii* Ridl. 214
- Cornaceae* 85-97, 205, 212
 - subfam. *Alangoideae* 85
 - subfam. *Cornoideae* 85
 - subfam. *Curtisioideae* 85
 - subfam. *Davidioidae* 85
 - subfam. *Garryoideae* 85
 - subfam. *Mastixioideae* 85
 - subfam. *Nysoideae* 85
- Cornales* 85, 88
- Cornus* 121
 - caudata* Hassk. & Zoll. 97
 - ilicifolia* (Bl.) Hassk. & Zoll. 97
 - serrulata* (Bl.) Zoll. 97
- Corokia* 85
- Corynocarpaceae* 4: 262-264; 5: 557; 6: 941
- Craniotome* versicolor Rchb. 394
- Crassulaceae* 4: 197-202
- Cratoxylum* Bl. 1, 2, 3, 4, 5*, 6 map
 - sect. *Cratoxylum* 5, 8 map
 - sect. *Isopterygium* 5, 14 map
 - sect. *Tridesmos* 5, 11 map
 - A* Corner 11
 - acuminatum* Merr. 9
 - arborescens* (Vahl) Bl. 5, 11, 12*, 14 map
 - var. *miquelianum* King 11
 - arboreum* Elmer 6
 - biflorum* (Lamk) Turcz. 8
 - blancoi* Bl. 7
 - var. *apiculatum* Merr. 7
 - celebicum* Bl. 3, 6
 - chinense* (Retz.) Merr. 8
 - clandestinum* Bl. 6
 - cochinchinense* (Lour.) Bl. 5, 6, 7*, 8 map
 - var. *calcareum* Ridl. 9
 - cuneatum* Miq. 11
 - formosum* (Jack) Dyer 3, 5, 9, 11
 - ssp. *formosum* 9, 10*, 11 map
 - ssp. *pruniflorum* (Kurz) Gogel. 9, 10*, 11 map
 - var. *thorelii* Gagnep. 9
 - glaucum* Korth. 11, 13*, 14 map
 - harmandii* Pierre 9
 - hornschtchii* Bl. 6
 - hypericinum* (Bl.) Merr. 6
 - hypoleuca* Elmer 8
 - lanceolatum* Miq. 8
 - ligustrinum* (Spach) Bl. 8
 - maingayi* Dyer 9, 10*, 11 map
 - microphyllum* Miq. 11
 - myrtifolium* Bl. 8
 - parviflorum* Merr. 9
 - pentadelphum* Turcz. 9
- (Cratoxylum)*
- petiolatum* (Lour.) Bl. 8
 - polyanthum* Korth. 8
 - var. *carneum* Kurz 8
 - var. *genuinum* Kurz 8
 - var. *ligustrinum* (Spach) Dyer 8, 9
 - var. *macrocarpum* Boerl. 8
 - var. *wightii* Dyer 8, 9
 - polystachyum* Turcz. 11
 - procerum* Diels 11
 - punctulatum* Elmer ex Merr. 7
 - racemosum* Bl. 6
 - subglaucum* Merr. 9
 - sumatranum* (Jack) Bl. 3, 5*, 6
 - ssp. *blancoi* (Bl.) Gogel. 7, 8 map
 - ssp. *neriifolium* (Kurz) Gogel. 7, 8 map
 - ssp. *sumatranum* 5*, 7*, 8 map
 - thorelii* Pierre ex Gagnep. 9
 - wightii* Bl. 8
- Crescentia* 115, 116, 121
 - aculeata* H.B.K. 184
 - alata* H.B.K. 181, 182
 - cucurbitina* L. 182
 - cujeite* L. 181, 182
 - edulis* Desv. 184
 - ovata* Burm. f. 182
 - pinnata* Jacq. 183
 - trifolia* Blanco 182
- Crocus* 77
- '*Crypteronia*' 191
- Crypteronia* Bl. 188, 189, 190, 191, 194 map, 200
 - sect. *Basispermia* 191, 194 map
 - sect. *Crypteronia* 191, 194 map
- affinis* (Planch.) Planch. ex Endl. 194, 196
- cumingii* (Planch.) Planch. ex Endl. 194, 196 map
- glabra* (Wall.) Planch. ex Endl. 194, 195
- griffithii* Clarke 194, 196, 197*, 198 map
- hookeri* Wall. ex DC. 195, 196
- javanica* Baill. 196
- laxa* Elmer 196
- leptostachys* (Planch.) Planch. ex Endl. 195
- lutea* (Blanco) Bl. 195
- macrophylla* Beus.-Osinga 187, 192*, 193*, 194, 198 map
- paniculata* Bl. 187, 190, 191, 194
 - var. *affinis* (Planch.) Beus.-Osinga 195 map, 196
 - var. *glabra* (Wall.) Kurz 194, 195
 - var. *leptostachya* (Planch.) K. & V. 194, 195
- var. *paniculata* 195 map
- var. *pubescens* (Wall.) Kurz 194

- (*Crypteronia*)
pubescens (Wall.) Planch. ex Endl. 195, 196
 var. *affinis* (Planch.) DC. 195, 196
 var. *hookeri* (Wall. ex DC.) Clarke 195
 var. *typica* Niedenzu 195
wallichii DC. 195
- Crypteroniaceae** 187–204
 tribe Axinandrae 190
 tribe Crypteronieae 190
- Cryptoneria* (sphalm.) 191
- Cryptoranta* (sphalm.) 194
- Cunila moluccana* Zipp. 361
nepalensis D. Don 348
- Cunoniaceae** 190
- Cuspidaria** pterocarpa DC. 121
- Cyathea contaminans* 45
- Cyathula prostrata* (L.) Bl.
 var. *lancifolia* (Merr.) Back. 549
 var. *stenophylla* (Merr.) Kanis 549
- Cyclostemon cuspidatum* Bl. 69
- Cymara* Bth. 301, 307, 311, 312,
 315
acuminata Decne 303, 315
dichotoma Bth. 302, 314*, 315
elongata Bth. 302, 314*, 315,
 317
mollis Miq. 315
timoriensis Back. 315, 317
triphyla Back. 317
- Cyperaceae** 7: 435–753, 823
- Cytandromoea repens* Ridl. 322
- Cyrtocarpa quinquestyla* Blanco 486
- Dacrydium* 81, 251
- Dactyodes rostrata* (Bl.) H.J. Lam 474
- Dactylocladus* Oliv. 188, 189,
 190, 199, 200 map, 201, 203
stenostachys Oliv. 187, 190,
 199*, 200 map
- Datiscaceae* 4: 382–387; 7: 823
- Debregeasia longifolia* (Burm. f.) Wedd. 55
- Decadia aluminosa* Lour. 249
- Delostoma* 137
- Dendrophila trifoliata* Bl. 171
- Deplanchea* Vieill. 114, 116, 118,
 122, 135, 138 map
bancana (Scheff.) Steen. 136*,
 137, 138 map, 141
 var. *glabra* Steen. 137
- bulwerii* F.v.M. 138
- coriacea* Steen. 137, 138
glabra (Steen.) Steen. 136*,
 137, 138 map
hirsuta (F.M. Bail.) Steen. 138
tetraphylla (R. Br.) F.v.M.
 136*, 137, 138 map, 139*,
 140*
 var. *novoguineensis* Steen.
 138
- tubulosa* Steen. 137, 138
- Dermatocalyx* 118
- Desmodium gangeticum* 381
- Dialium coromandelicum* Houtt.
 476
- Dicalix* Lour. 217
cochininchinensis Lour. 245, 246
- '*Dicalyx'* 217
acuminatus Bl. 249
aluminosus Bl. 246, 247, 266
ciliatus Bl. 264
costatus Bl. 256
javanicus Bl. 246
odoratissimum Bl. 266
salaccensis Bl. 247
sessifolius Bl. 247
tinctiorius Bl. 259
- Dichapetalaceae** 5: 305–316,
 567; 6: 941–943; 7: 823
- Dichapetalum obovatum* Elmer 518
- Dichrotrichum ternatum*
 Reinw. ex de Vriese 179
- Digitalis purpurea* 121
- Dilleniaceae** 4: 141–174; 5: 557;
 6: 933; 7: 824–827
- Dioscoreaceae** 4: 293–335; 5: 557
- Diplanthera* Banks & Soland. ex R. Br. 136
bancana Scheff. 137
glabra Steen. 138
hirsuta F.M. Bail. 137, 138
tetraphylla R. Br. 138
- Diplarrhena* 77
- Dipsacaceae** 4: 290–292; 5: 557
- Dipterocarpaceae* 262, 271, 272
- Dipterocarpus* 523
- Dipterosperma* Hassk. 145
personatum Hassk. 149
- Dobinea* Buch.-Ham. 401, 403
- Dolichandra*
 sect. *Dolichandrone* Fenzl 141
- Dolichandrone* (Fenzl) Seem.
 114, 116, 118, 122, 141, 142
 map, 158
 subg. *Coriaceae* Steen. 141
alternifolia (R. Br.) Seem. 142
falcata (Wall. ex DC.) Seem.
 141, 179
- filiformis* (DC.) F.v.M. 115,
 142
- heterophylla* (R. Br.) F.v.M.
 115, 142
- longissima* (Lour.) K. Sch. 142
- rheedii* (Spreng.) Seem. 142
- serrulata* (Wall. ex DC.)
 Seem. 161, 179
- sp.* Ceron 180
- spatulacea* (L. f.) K. Sch. 115,
 116, 118, 141, 142 map,
 143*, 144*
- tulipifera* Bth. 180
- Doxantha unguis-cati* (L.) Miers em. Rehd. 121, 183
- Doxomma rigidum* Miers 242
- Dracocephalum cochinchinense* Lour. 375
- Dracontomelon* Bl. 395, 397,
 398, 399, 400, 402, 403, 404,
 405, 406, 407, 409, 411, 412,
 468
- (*Dracontomelon*)
brachyphyllum Ridl. 470
- costatum* Bl. 411, 469*, 470,
 473, 474 map
- cumingianum* Baill. 470
- cuspidatum* Bl. 474
- dao* (Blanco) Merr. & Rolfe 398, 400, 401, 406, 469*,
 470, 471*, 472*
- edule* Merr., non Skeels 470
- edule* [non (Blanco) Skeels]
 Royen 473
- edule* (Blanco) Skeels 470
- lamiyo* Merr. 470
- laxum* K. Sch. 470
- lenticulatum* Wilkinson 401,
 470, 473
- mangiferum* (Bl.) Bl. 406, 470,
 473
- var. *puberulum* (Miq.) Engl.
 470
- var. *pubescens* K. & V. 470
- papuanum* Laut. 474
- puberulum* Miq. 470
- sp.* Lane-Poole 473
- sylvestre* Bl. 470
- '*Dracontomelum*' 470
- Drimyccarpus* Hook. f. 395, 397,
 402, 403, 404, 408, 409, 410,
 411, 520
- luridus* (Hook. f.) Ding Hou 519*, 520
- racemosus* (Roxb.) Hook. f.
 ex March. 520
- Drosera* 275
rotundifolia 277
- Droseraceae* 4: 377–381; 5: 557;
 6: 943
- Drupatris cochinchinensis* Lour.
 249
- Dryobalanops* 201, 242
- Duabanga* 188
- Duckera* Barkley 535
taitensis (Guillem.) Barkley 537
- Durio* 399, 437
- Dysophylla* auct. 352
- Dysophylla* sens. El-Gazzar &
 L. Watson ex Airy Shaw 351
- Dysophylla* Bl. 351
auricularia (L.) Bl. 351, 352,
 356
- var. *montana* Ridl. 356
- benthamiana* Hance 352
- gracilis* Dalz. 356
- quadrifolia* (Roxb.) Bth. 352
- stellata* (Lour.) Bth. 352
 var. *roxburgiana* King 353
- verticillata* (Roxb.) Bth. 352
 var. *macrostachya* (Miq.) Boerl. 352
- Ebenales* 205, 211, 212
- Eccremocarpus* 120
- Elaeocarpus* 520
- Elatinaceae* 4: 203–206
- Eleutherine* Herbert 77, 82
americana Merr. ex Heyne 82
- bulbosa* (Mill.) Urb. 82

- (Eleutherine)
palmifolia (L.) Merr. 77, 82
plicata Herbert 82
Eliae Cambess. 1, 2, 5
articulata 3
Elodea (non Juss.) Jack 4
chinensis (Retz.) Hance 8
formosa Jack 9
pulchella Loud. 8
sp. Griff. 8
sumatrana Jack 6
Elsholtzia Willd. 301, 302, 308, 310, 331
 sect. *Rabdosia* Bl. 384
blanda Bth. 331
blanda Keng 301, 331
elata Z. & M. 331, 332
eriantha Bth. 332
incisa Bth. 332
Javanica Bl. 386
mollissima Bth. 331
pubescens Bth. 302, 303, 331, 332*, 333*
villosa Roxb. 354
Endospermum medullosum 530
Englerastrum scandens Alston 305
Epacridaceae 6: 422–444, 943
Epilobium L. 98, 99, 107
 sect. *Chamaenerion* 98
 sect. *Epilobium* 98, 99
brasiliense Hausskn. 110
brevifolium D. Don 109
 ssp. *trichoneurum*
 (Hausskn.) Raven 109
cephalostigma
 var. *linearifolium* Hisauti 110
cinereum (non A. Rich.) Raven 110
detznerianum (non Diels) Hoogl. 112
detznerianum Schltr ex Diels 98, 108*, 109, 111 map, 112
duclouxii H. Lév. 110
formosanum Masum. 110
hirtigerum A. Cunn. 109, 110
hooglandii Raven 108*, 109, 112
keysseri Diels 109, 111 map, 112
nepalense Hausskn. 110
papuanum (non Ridl.) Hoogl. 111
papuanum Ridl. 112
 var. *alpestre* Ridl. 111
pedunculare (non A. Cunn.) F.V.M. 112
philippinense C.B. Rob. 109
platystigmatosum C.B. Rob. 109, 110
prostratum Warb. 108*, 109, 112 map
sarmentaceum (non Hausskn.) Bünn. 110
sarmentaceum (non Hausskn.) Koord. 110
sohayakiense Koidz. 110
- (*Epilobium*)
wallichianum Hausskn. 109, 110
Epimeredi Adans. 329
indicus (L.) Rothmaler 329
malabaricus (L.) Rothmaler 330
salviifolius (R. Br.) Rothmaler 330
Eremostachys 304, 306
Ericaceae 6: 469–914; 7: 827; 8: 549
Erythroxylaceae 5: 543–552; 8: 549
Erythroxylon cuneatum (Miq.) Kurz 549
kochummenii Ng 549
Eucalyptus 69, 332
tereticornis 138
Eugenia 247, 466
laurina Willd. 249
Eugeniodes O. K. 217
adenophyllum (Wall.) O. K. 239
celastrifolius (Griff.) O. K. 244
cerasifolium (DC.) O. K. 245
costatum (Bl.) O. K. 256
diengense O. K. 247
fasciculatum (Zoll.) O. K. 259
ferrugineum (Roxb.) O. K. 246
henscheli (Mor.) O. K. 214
lachnobotrys (Miq.) O. K. 246
maingayi (Bth.) O. K. 214
odoratissima (Bl.) O. K. 266
ophirensis (Clarke) O. K. 267
ribes (Jung. & de Vriese) O. K. 249
rigidum (Clarke) O. K. 242
sessilifolius (Bl.) O. K. 247
Euphorbia atoto 143
Euphorbiaceae 406
Euroschinus Hook. f. 395, 397, 399, 402, 403, 404, 411, 412, 534
ledermannii Laut. 485
papuanus Merr. & Perry 399, 403, 408, 409, 533*, 534 map
Eurya 211, 247
acuminata 260
Eurysolem Prain 301, 302, 308, 310, 333
gracilis Prain 334*
Eustheralis Rafin. 351, 352
Evia Commers. ex Bl. 479
acida Bl. 483
amara Commers. ex Bl. 483
 var. *tuberculosa* Bl. 482
dulcis (Forst. f.) Commers. ex Bl. 482
- Fagaceae* 7: 265–403; 8: 209, 246, 549
Fagraea 399
Faradaya chrysoclada K. Sch. & Laut. 138
'Ferdinandia' 157
- 'Ferdinandoa'* 157
Fernandoa Welw. ex Seem. 114, 115, 122, 151, 157, 159 map, 161
adenophylla (G. Don) Steen. 115, 116, 158
macroloba (Miq.) Steen. 115, 122, 156*, 158, 159*
- Ficoidaceae*, see *Aizoaceae*
Ficus 399
retusa 431, 464
Firmiana 543
Flacourtiaceae 5: 1–106, 563; 6: 943–944; 7: 827
Flagellariaceae 4: 245–250; 5: 557
Fuchsia 99
boliviiana Carr. 112
coccinea (non Sol. ex Ait.) Curt. 98, 113
corymbiflora (non R. & P.) Back. & Bakh. f. 112
magellanica Lamk 98
 var. *gracilis* (Nich.) Bail. 113
Fuerstia 305
Galeopsis 304, 306
magnifolia Noronha 394
Galumpita Bl. 68
cuspidata (Bl.) Bl. 69
Garcinia 201, 466
Garrettia siamensis Fletcher 317
Garryaceae 85
Gaura 113
Gelsemium amboinense O. K. 171
cuspitatum 125
dendrophilum O. K. 171
leptophyllum O. K. 167
ochroanthum O. K. 175
pandorea O. K. 175
Geniosporum axillare Bth. 341
parviflorum Wall. 373
Genilsea St. Hil. 275
Genosiris Labill. 77
Geraniaceae 6: 445–449
Germania 368
Germanea Lamk 382
galeatus (Vahl) Poir. 391
rotundifolia Poir. 388
Gesneriaceae 114, 118, 120
Gibsoniothamnus 118
Gironniera Gaudich. 31, 32, 33, 34, 36, 38, 39, 70, 72 map
 subg. *Galumpita* Hook. f. 68
amboinensis Laut. 75
blumei Gandog. 75
borneensis Gandog. 75
celtidifolia Gaudich. 38, 71*, 72, 73
chinensis Bth. 75
curranii Merr. 69
cuspidata (Bl.) Kurz 69
ferruginea Gandog. 75
glabra Merr. 76
grandifolia Merr. & Perry 73, 74
hirta Ridl. 71*, 72, 73, 74

(*Gironniera*)
longifolia Craib 75
lucida Kurz 69
nervosa Planch. 32, 38, 71*, 72, 73, 74, 75
var. *subaequalis* (Planch.) Kurz 75
nitida Bth. 69
parvifolia Planch. 71*, 73, 75
paucinervia Merr. 75
penangiana Gandog. 74
reticulata Thw. 69
retinervia Merr. 73, 74
rhamnifolia Bl. 71*, 73, 76
scabrida (Thw.) Alston 75
sibuyanensis Elmer 73, 74
sponioides Gandog. 74
subaequalis Planch. 32, 71*, 73, 75
var. *brevistylis* Bl. 75
var. *ceylanica* Planch. 75
var. *papuana* J.J.S. 75
var. *scabrida* Bl. 75
var. *serrulata* Bl. 75
sumatrana Gandog. 75
thompsonii King ex A.M. & J.M. Cowan 69
yunnanensis Hu 69
zeylanica Gandog. 75
Gladiolus L. 77, 83
natalensis (Ecklon) Reinw. ex Hook.
var. *natalensis* 83
Gleichenia 141, 242, 270
Gluta L. 395, 396, 397, 398, 399, 400, 402, 403, 404, 405, 407, 408, 409, 410, 411, 439, 446, 448 map, 464, 490
aptera (King) Ding Hou 448, 450, 452
beccarii (Engl.) Ding Hou 448, 449, 452
‘*bangas*’ L. 463
cambodiana Burk. 458
capituliflora Ding Hou 449, 450, 458
coarctata Hook. f. 461
curtisiae (Oliv.) Ding Hou 449, 454
elegans (Wall.) Hook. f. 448, 449, 450, 460*, 461
var. *curtisiae* Burk. 459, 461
var. *helpferi* Hook. f. 459
lanceolata Ridl. 449, 458
laxiflora Ridl. 449, 450, 456
macrocarpa (Engl.) Ding Hou 400, 448, 449, 450, 454
malayana (Corner) Ding Hou 398, 449, 455*
oba (Merr.) Ding Hou 449, 450, 453*, 454
orygialis Blanco 465
papuana Ding Hou 447*, 448, 449, 450, 462
pubescens (Ridl.) Ding Hou 398, 448, 449, 450, 451*
renghas L. 398, 400, 404, 431, 439, 446, 448, 449, 450, 462, 463, 464*, 465*

(*Gluta renghas*)
var. *petiolata* K. & V. 463
rostrata Ding Hou 448, 450, 452
rugulosa Ding Hou 448, 449, 452, 453*
sabahana Ding Hou 449, 450, 453*, 455
sp. Endert 461
sp. Royen 462
speciosa (Ridl.) Ding Hou 448, 450
tavoyana Wall. ex Hook. f. 449, 450, 459
torquata (King) Tard. 449, 455
usitata (Wall.) Ding Hou 400, 405, 407
velutina Bl. 398, 404, 448, 449, 450, 461*, 462*, 463*
virosa Ridl. 456
wallachii (Hook. f.) Ding Hou 408, 449, 456, 457*, 458*, 459*
wrayi King 448, 449, 450, 456
Gmelina asiatica Lour. 179
moluccana 530
Gnetaceae 4: 336–347; 6: 944–949
Gomphandra capitulata Becc. 97
Gomphostemma Wall. ex Bth. 301, 302, 307, 310, 312, 319
sect. *Gomphostemma* 319
sect. *Podosiphon* 319
sect. *Stenostoma* 319
bartlettii Merr. 321
cinereum Elmer 322
crinitum Wall. ex Bth. 301, 319, 321
var. *griffithii* Prain 321
curtisiae Prain 302, 319, 321, 322
dichotomum Z. & M. 315, 321
dolichobotrys Merr. 302, 319
flavescens (Zoll.) Miq. 315
furfureum Hall. f. 322, 323
hemsleyanum Prain ex Collett & Hemsl. 302, 319, 321
insuave Hance 346
javanicum (Bl.) Bth. 319, 322, 323
f. *javanicum* Back. & Bakh. f. 323
f. *phlomoides* (Bth.) Back. & Bakh. f. 323
lacteum Ridl. 322
luzonense Elmer 350
macrophyllum Miq. 350
membranifolium Miq. 350
microcalyx Prain 302, 319, 320*, 321
oblongum Wall. ex Bth. 322
var. *setosa* Ridl. 322
parviflorum (non Wall. ex Bth.) Bth. 321
parviflorum Wall. ex Bth. 301, 319, 321, 322, 323
parvum Merr. 322
petiolare Miq. 350

(*Gomphostemma*)
philippinarum Bth. 322
phlomoides (Reinw. ex Bl.) Bth. 322
racemosum H. Keng 319, 320*
rugosum (Bth.) Prain 350
scortechinii Prain 319, 323
sumatrense Ridl. 350
Goodeniaceae 5: 335–344; 6: 949–952; 7: 827
Grevillea 373
Grewia 32, 61
Guettarda *polyandra* Blanco 266, 269
Guttiferae 1, 2, 3, 4, 277, 406
subfam. *Hypericoideae* 1–29
Gynandropsis 380
Gynotroches 550
axillaris 551

Haberlia Dennst. 476
grandis Dennst. 476
Hadongia *eberhardtii* Gagnep. 180
Haemodoraceae 5: 111–113
Haloragaceae 7: 239–263, 828
Hamamelidaceae 5: 363–379; 6: 952
Hansemannia mollis K. Sch. 180
Haplophragma P. Dop 157
adenophyllum (DC.) P. Dop 158
macrolobum (Miq.) Steen. 159
Haplostachys 302
Harmsiopanax 386
Haronga madagascariensis 3
Harungana madagascariensis 3
Hausemannia mollis K. Sch. 180
Hausmannia mollis K. Sch. ex Steen. 180
Haussmannia F.v.M. 165
jucunda 124
Haussmannianthes Steen. 165
Hedeoma Pers.
sect. *Mosla* Bth. 346
nepalensis (D. Don) Bth. 348
Hedyotis verticularis 277
Helicia 211
Helicteres pinnata Blanco 486
Helminthospermum Thw. 70
scabridum Thw. 75
Hemiandra 304
Hemiptelea 33, 36
Hemsleya Kudo 368
Henslowia Wall. 191
affinis Planch. 194, 196
cumingii Planch. 196
glabra Wall. 194
hookeri Wall. 194
leptostachys Planch. 194
paniculata (Bl.) Miq. 195
pubescens Wall. 194
sp. Griff. 196
Herba vitiigineum Rumph. 101
Heterophragma 120, 151
adenophyllum Seem. ex B. & H. 158
macrolobum Back. ex Heyne 159

(*Heterophragma*)
quadriloculare K. Sch. 121
Hexaneurocarpon P. Dop 157
Hieranthes Rafin. 145
fragrans Rafin. 147
Hieris Steen. 114, 115, 116, 122,
 123, 124, 127
curtisiae (Ridl.) Steen. 124,
 126*, 127
Hippocrateaceae, see *Celastraceae*
Hippoxylon Rafin. 128
indicum Rafin. 129
Holigarna 395
longifolia Span. 507
Holoptelea 33, 34, 36, 38
integrifolia Planch. 34, 35, 36
Homoioceltis Bl. 68
aspera Bl. 36
Hopea L. 215
lucida Thunb. 264
Horminum 305
Hornschlorchia Bl. 4
hypericina Bl. 6
Hydrocyaceae 4: 43–44
Hydrocharitaceae 5: 381–413,
 569; 6: 952; 7: 828
Hydrophyllaceae 4: 207–209
Hypericaceae 1–29
 tribe *Cratoxyleae* 1, 2, 3, 15
 tribe *Hypericeae* 1, 2, 3, 15
 tribe *Vismieae* 1, 2, 3
Hypericum L. 1, 2, 3, 4, 5, 14, 15
 map
 sect. *Androsaemum* (Dun.)
Godr. 29
 sect. *Ascyreia* Choisy 15, 16
 sect. *Brathys* (Mutis ex L. f.)
Choisy 15, 16
 sect. *Campylopus* 3
 sect. *Campylosporus* 3, 15, 21
 sect. *Elodea* (Juss.) Choisy 14,
 15
 sect. *Euhypericum* sensu R.
Keller 3
 sect. *Humifusoideum* Keller
 15, 16, 21, 22
 sect. *Hypericum* 15, 16
 sect. *Takasagoya* 15
 sect. *Tridesmos* 4
acutispelatum Hayata 19, 21
aegiptium Blanco 9
androsaemum L. 3
arborescens Vahl 11
aureum Banks & Sol. ex
Hook. f. 26
aureum Lour. 19
beccarii N. Robson 16, 24*,
 25
 ssp. *beccarii* 25 map
 ssp. *steenii* N. Robson 16,
 24*, 25 map
biflorum (non Lamk) Choisy 9
biflorum Lamk 8
bifurcatum N. Robson 16, 21
 map, 22, 23*
calycatum Jacqem. ex Dyer 28
campestre Moon 27
carneum Wall. 8

(*Hypericum*)
cavaleriei Lév. 28
cerastoides 3
chinense L., non Osbeck 19,
 29
chinense Osbeck 29
chinense Retz., non Osbeck,
 nec L. 7
 ssp. *obtusifolium* O. K. 19
 ssp. *salicifolium* (Sieb. &
Zucc.) O. K. 19
 var. *salicifolium* (Sieb. &
Zucc.) Choisy 19
coccineum Wall. 11
cochininchinense Lour. 7
consimile R. Keller 29
coriaceum Bl. 17
dichotomum Buch.-Ham. ex
 D. Don 27
dominii Lév. 28
elatum Ait. 3, 29
foetidum Hook. f. & Thoms.
 ex Dyer 27
garrettii
 var. *ovatum* Craib 18
geminiflorum Hemsl. 16, 19
gramineum G. Forster 16, 26
habbemense A.C. Smith 23, 24
hellwigii Laut. 23
hircinum L. × *androsaemum*
 L. 29
hookerianum (non W. & A.)
Buysman 18
hookerianum W. & A.
 var. *leschenaultii* (Choisy)
Dyer 18
horridum Wall. 8
humifusum 3
 × *inodorum* Mill. 3, 29
involutum (Labill.) Choisy 26
japonicum Thunb. ex Murray
 16, 27
 f. *microphylla* Miq. 27
 f. *tenuior* Miq. 27
 f. *yabei* (Lév. & Van.)
Makino 27
 var. *accumbens* (Bl.) Pamp.
 27
 var. *australe* R. Keller 27
 var. *calyculatum* R. Keller
 27
 var. *cavaleriei* (Lév.) Koidz.
 27
 var. *humifusum* (Labill.)
Hook. f. 27
 var. *kainantense* Masam. 27
 var. *lanceolatum* Y. Kimura
 27
 var. *major* Fyson 27
 var. *maximowiczii* R. Keller
 27
 var. *plurinervium* Lév. 27
 var. *ramosum* Choisy 27
 var. *robustum* Miq. 27
 var. *simplicius* R. Keller 27
 var. *thunbergii* (Franch. &
Sav.) R. Keller 27
 var. *typicum* Hochr. 27
japonicum Warb. 23

(*Hypericum*)
javanicum Bl. 17
lackeyi Elmer 19
lalandii Dyer 27
laxum (Bl.) Koidz. 28
 var. *hananoegoense* Masam.
 28
 var. *novo-guineense* Hatus.
 28
leschenaultii Choisy 16, 17*,
 18 map
 f. *elatior* Hochr. 17
 var. *coriaceum* (Bl.) Hochr.
 17
 var. *typicum* Hochr. 17
loheri Merr. 19
macgregorii F.v.M. 16, 21, 23*
 ssp. *macgregorii* 21 map
 ssp. *punctatum* N. Robson
 21 map
macgregorii (non F.v.M.)
Hoogl. 22
macgregorii (non F.v.M.)
Laut. 23
maculatum 3
mitchellianum Rydb. 3
monogynum L. 16, 19
mutilum L. 29
mutilum (non L.) Maxim. 28
natalense Wood & Evans 15
nervatum Hance 28
nervosa (Choisy) Miq. 18
nervosum Choisy, non D. Don
 17
olympicum (non L.) Blanco 7
papuanum Ridl. 16, 22, 23
 map
patulum Wall. 18
 ssp. *leschenaultii* (Choisy)
O. K. 18
 ssp. *β variable* O. K. 18
 var. *uralum* (Buch.-Ham. ex
 D. Don) Koehne 18
pedicellare Endl. 26
peplidifolium A. Rich. 15
perforatum L. 3, 4, 16
petiolatum (non L.) Lour. 8
petiolatum Hook. f. &
 Thoms. ex Dyer 16, 26 map
 ssp. *petiolatum* Hook. f.
 & Thoms. ex Dyer 26
 map
 ssp. *yunnanense* (Franch.)
N. Robson 26 map
pseudo-japonicum Nakai 28
pseudopetiolatum R. Keller
 16, 25
 var. *taihezanense* (S.
Suzuki) Y. Kimura 25
pulchellum Wall. 8
puligense Merr. 16, 23*, 24,
 25 map
punctatum Lamk 3
pusillum Choisy 27
pustulosum Keller 19
rhodopenum 3
salicifolium Sieb. & Zucc. 19
saruwagedicum Diels 16, 22
 map, 23*

- (Hypericum)
sewense N. Robson 16, 20*, 21
 map
sumatranum Miq. 28
taihezanense S. Suzuki 25
taquetii Lév. & Van. 28
thunbergii Franch. & Sav. 28
triflorum Bl. 17
 var. *angustatum* Bl. 17
trinervium Hemsl. 19, 21
uliginosum 3
uralum Buch.-Ham. ex D. Don 16, 18
wilmsii R. Keller 15
yabei Lév. & Van. 28
- Hyptis* Jacq. 305, 308, 310, 368
 subsect. *Genuinae* 371
acuta Bth. 369
atrorubens Poit. 372
brevipes Poit. 369, 370*
 var. *serrata* Briq. 369
capitata Jacq. 369
 var. *mariannarum* Briq. 370
celebica Zoll. ex Koord. 370
decurvata (Blanco) Epling 370
erecta R. Br. 372
emoryi 305
lanceolata Briq. 370
macrocephala Mart. & Gal. 371
mariannarum (Briq.) Epling 370
mutabilis (A. Rich.) Briq. 372
pectinata (L.) Poit. 305, 369,
 371
radiata Willd. 372
rhomboidea (non Mart. & Gal.) Epling 370
rhomboidea Jacq. 371
rhomboidea Mart. & Gal. 371
spicata Poit. 372
spicigera Lamk 369, 371
suaveolens (L.) Poit. 302, 369,
 371
verticillata 306
- Icacinaceae* 7: 1-87, 828; 8: 419,
 440
Icica timoriensis DC. 474
Incarvillea 115, 118, 120, 121
Iridaceae 77-84
Iris martinicensis Jacq. 84
Ischaemum 141
Isodeca flaccida (R. Br.) Rafin. 340
Isodon (Bth.) Kudo 305, 384
Isophysis 77
Ixia americana Aubl. 82
chinensis L. 82
- Jacaranda* 118, 121, 180
 acutifolia (non H.B.K.) auct.
 183
 acutifolia H.B.K. 183
caucana Pittier 120
filicifolia D. Don 183
mimosifolia D. Don 181, 183
obtusifolia H.B.K.
- (*Jacaranda obtusifolia*)
 ssp. *rhombifolia* (G.F.W. Meijer) Gentry 181, 183
ovalifolia R. Br. 183
rhombifolia G.F.W. Meijer 183
Jasmineae 164
Juglandaceae 6: 143-154, 953
Juliania 403
Julianaceae 401, 402, 403, 404
Juncaceae 4: 210-215; 5: 557;
 6: 953
Juncaginaceae 4: 57; 5: 554
Jussiaea L. 99
adscendens L. 106
angustifolia Bl., non Lamk 101
angustifolia Lamk 101
blumeana DC. 101
burmannii DC. 101
costata Pr. 101
erecta Ridl. 101
 var. *exaltata* (Roxb.) Ridl. 101
exaltata Roxb. 101
fluvialis Bl. 106
hirta (L.) Sw. 100
hyssopifolia G. Don 104
junguhuiiana Miq. 101
linifolia Vahl 104
octovalvis (Jacq.) Sw. 101
perennis Brenan 103
peruviana L. 98, 100
pubescens L. 101
repens L. 104
 ssp. *glabrata* Hassl. 106
 f. *albiflora* Hochr. 106
 var. *glaberrima* O. K. 104
 var. *pilosa* O. K. 104
speciosa Ridl. 100
suffruticosa L. 101
 var. *hirta* Ridl. 101
suffruticosa (non L.) Ridl. 104
tenella Burm. f. 107
villosa Lamk 101
Jussiaea, see *Jussiaea*
- Kalesiam* Rheede 478
Kandelia candel (L.) Druce 551
Kigelia 115, 116, 120
aethiopica (Fenzl) Decne 183
africana (Lamk) Bth. 181, 183
pinnata DC. 121, 183
Kigelianthe Baill. 157
Kiosmina hispanica (L.) Rafin. 360
Klattia 77
Kokkia Zipp. ex Bl. 476
Koompassia 201
excelsa 524
Koordersina O. K. 486
Koordersiodendron Engl. 395,
 397, 398, 402, 403, 404, 405,
 407, 409, 411, 486
celebicum Engl. 486
papuanum Kaneh. & Hatus.
 486
pinnatum (Blanco) Merr. 398,
 400, 401, 486, 487*, 488*
- Labiatae* 301-394
 subfam. *Ajugoideae* 307
 subfam. *Catopherioideae* 301
 subfam. *Ocimoideae* 308
 subfam. *Prasioideae* 307
 subfam. *Prostantheroideae* 301, 307
 subfam. *Scutellarioideae* 307
 subfam. *Stachyoideae* 304,
 307
Lagaropyxis Miq. 149
gigantea Miq. 155
 f. *borneensis* Miq. 155
 f. *sumatrana* Miq. 155
glandulosa Miq. 153
Lagerstroemia 464
Lagochilus 304, 306
Lamiaceae 121, 307
Lamiodendron Steen. 114, 116,
 122, 161
magnificum Steen. 115, 160*,
 161
Lamium 304, 306
gesnerioides Hayata 350
longepetiolata Hayata 350
purpureum L. 307
Lannea A. Rich. 397, 402, 403,
 404, 406, 408, 409, 410, 412,
 476
coromandelica (Houtt.) Merr.
 398, 400, 477*, 478*, 479*
grandis (Dennst.) Engl. 478
speciosa (Bl.) Engl. 486
wodier Adelb. 478
Lasiocorys 304
Lauraceae 209
Laurocerasus laurifolia (Decne)
 Roem. 415
Laurophylus 401
Laurus lucida Thunb. 264
serrata floris spicatis Burm.
 249
Lavandula 309
bipinnata O. K. 394
burmannii Boerl. 394
officinalis Chois 393
Leeaceae 7: 755-782
Lemnaceae 7: 219-237
Lemmopsis mnioidea Zippel 300
Lentibulariaceae 275-300
Leonotis R. Br. 304, 308, 309,
 335
leonurus (L.) R. Br. 335
nepetaefolia (L.) R. Br. 303,
 306, 307, 335
'repetifolia' 335
Leonurus L. 304, 306, 308, 335
artemisiae (Lour.) S.Y. Hu
 336
 var. *albiflorus* Hu 336
cardiaca Thunb. 336
cordifolia Noronha 336
heterophyllus Sweet 336
indica Noronha 336
japonicus Houtt. 336
 f. *niveus* Hara 336
javanicus Bl. 350
marrubiastrum Burm. f. 336,
 338

(*Leonurus*)
marrubifolia Noronha 336
membranifolius (Miq.) Bold.
 350
oblongifolius Bl. 350
sibiricus L. 336
tataricus Burm. f. 336
Lepichinia chamaedryoides 305
Leptospermum 207, 239, 247
Leucas R. Br. 301, 303, 304, 308,
 309, 337
angularis Hook. f. 340
aspera (Willd.) Link 337
bancana Miq. 338
biflora Bth. 340
ceylonica 338
chinensis R. Br. 341
β obliquanthos Hassk. 340
decendens Bth. 340
flaccida R. Br. 337, 340, 341,
 342
globulifera Hassk. 369
javanica Bth.
f. javanica Back. 340
f. littoralis Back. 340
f. montana Back. & Bakh.
 f. 340
var. horsfieldiana Miq. 340
var. littoralis Zoll. 340
var. montana Zoll. 340
lavandulifolia J.E. Sm. 337,
 338, 339*
leucocephala Miq. 340
linifolia (Roth) Spreng. 339
malayana Hance ex Walp. 338
marruboides Ceron 340
marruboides Desf. 302, 337,
 340
var. leucocephala (Miq.)
 O. K. 340
martinicensis R. Br. 337, 340
minahassae Koord. ex Boerl.
 337
mollissima Wall. ex Bth. 340,
 341
oxyodon Miq. 340
parviflora Bth. 340
procumbens Decne 340
pubescens Bth. 341
sericea Elmer 340
urticifolia Koord. 362
zeylanica (L.) R. Br. 337,
 338*, 394
var. latifolia Hall. f. 338
Libertia Spr. 80
pulchella Spr. 81
Libocedrus 81
Lignum equinum Rumph. 142
Lithocarpus 532
Lobelia borneensis 261
Lodhra ferruginea (Roxb.)
 Miers 246
Javanica (Kurz) Miers 246
ribes (Jungh. & de Vr.) Miers
 249
rubiginosa (DC.) Miers 271
verhuellii (Jungh. & de Vr.)
 Miers 246
xanthophylla Miers 249

Loganiaceae 6: 293–387, 953
 960; 7: 828–829
Lophopyxidaceae 7: 89–91
Loxopterygium 406
Lozanella 33, 36
Ludwigia L. 98, 99
 sect. Africana 100
 sect. Macrocarpon 100
 sect. Myrtocarpus 100
adscendens (L.) Hara 98, 100,
 104, 106*, 107 map
erigata L. 107
fruticulosa Bl. 103
gracilis Miq. 103
helminthorrhiza (Mart.)
 Hara 107
hyssopifolia (G. Don) Exell
 98, 100, 103, 104, 105*, 107
leucorrhiza Bl. 103
lythroides Bl. 103
octovalvis (Jacq.) Raven 98,
 100, 101, 102*, 107
ssp. brevisepala (Brenan)
 Raven 101
ssp. sessiliflora (Mich.)
 Raven 101
parviflora Roxb. 103
peploides (H.B.K.) Raven 100
perennis (non L.) Burm. f. 101
perennis L. 100, 103 map
peruviana (L.) Hara 98, 99,
 100, 101, 104
prostrata Roxb. 100, 103, 104
 map
prostrata (non Roxb.) C.T.
 White 104
pubescens (L.) Hara 101
stolonifera (Guill. & Perr.)
 Raven 107
triflora Desr. 107
trifolia Burm. f. 107
Lumnitzera Jacq. ex Spreng.,
 non Willd.
acrocephala Bl. ex Miq. 365
capitata (Roth) Spreng. 365
polystachyum (L.) Jacq. f. ex
 Spreng. 366
Lycopus 306
dianthera Buch.-Ham. ex
 Roxb. 348
Lythraceae 188, 189, 190
Macaranga 32
Macfadyena cynanchoides Morong 119
dentata Bur. & K. Sch. 183
uncata (Andr.) Sprague &
 Sandw. 183
unguis-cati (L.) A. Gentry
 181, 183
Machaerina 79
Macranthisiphon Bur. 124
Macrocatalpa longissima (Jacq.)
 Britton 182
Majana (Rumph.) O. K. 384
amboinica (Lour.) O. K. 387
foetida Rumph. 356
scutellarioides (L.) O. K. 389
var. atropurpureus (Bth.)

(*Majana scutellarioides*)
 O. K. 390
var. blumei (Bth.) O. K. 390
Majorana 308
hortensis Moench 306, 393
Mallotus 32
Malpighiaceae 5: 125–145, 566;
 6: 960
Malvales 35, 36, 38
Manga calappa Rumph. 427
domestica Rumph. 427
domestica minor Rumph. 428
foetida I Rumph. 435
foetida II Rumph. 438
silvestris altera Rumph. 440
simiarum Rumph. 427
sylvestris prima Rumph. 440
Mangifera L. 395–399, 402–406,
 408–411, 423, 424 map, 425,
 520
sect. Limus 426, 433
sect. Mangifera 425, 426
altissima Blanco 424, 425, 430
anisodora Blanco 427
arbor Hermann 427
beccarii Ridl. 431
caesia Jack 406, 424, 425, 426,
 438, 439
var. kemanga (Bl.) Kos-
 term. 438
var. verticillata (C.B. Rob.)
 Mukherji 438
var. wanji Kosterm. 438
camptosperma Pierre 424
decandra Ding Hou 403, 424,
 426, 433
domestica Gaertn. 427
foetida Lour. 398, 406, 424,
 425, 426, 435*, 436*, 437
var. bakkili Miq. 437
var. bombom Bl. 437
var. kawini Bl. 437
var. leschenaultii 435
var. mollis Bl. 437
var. odorata (Griff.) Pierre
 437
var. spheroidea Bl. 435
fragrans Maingay ex Hook. f.
 439
gedebe Miq. 398, 400, 422*,
 424, 425, 431, 464
glauca Bl. 440
glauca (non Bl.) Span. 432
gracilipes Hook. f. 426, 433
griffithii Hook. f. 424, 425,
 430, 432
havilandii Ridl. 422*, 426,
 432
indica (non L.) Bl. 427, 435
indica L. 398, 400, 401, 403,
 405, 406, 424, 425, 426, 437,
 440
indica (non L.) Laut. 431
inocarpoides Merr. & Perry
 422*, 424, 425, 431
kemanga Bl. 438
kukula Bl. 427
lagenifera Griff. 424, 425, 426,
 433, 434*

(*Mangifera*)
lanceolata Ridl. 426
langong Miq. 429
laurina Bl. 427
linnaei Korth. ex Hassk. 427
longipes (non Griff.) F.-Vill. 430
longipes Griff. 424, 425, 428
var. *glabrescens* Mukherji 428
longipetiolata King 429
macrocarpa Bl. 426, 439
maingayi Hook. f. 429
membranacea Bl. 440
merrillii Mukherji 430
microphylla Griff. ex Hook. f. 430
minor Bl. 424, 425, 428, 440
monandra Merr. 426, 432, 440
var. *fasciculata* Mukherji 432
mucronulata Bl. 430
oblongifolia Hook. f. 437
odorata Griff. 399, 406, 424, 425, 426, 437, 438*
var. *pubescens* Engl. 437
oppositifolia Roxb. 466
var. *microphylla* (Griff.) Merr. 466
var. *roxburghii* (Pierre) Tard. 466
pajang Kosterm. 422*, 424, 425, 426, 436
parish Miq. 428
parvifolia Boerl. & Koord. 425, 431
parvifolia Merr., non Boerl. & Koord. 430
pentandra Hook. f. 425, 426
philippinensis Mukherji 432
pinnata L. f. 473, 483
polycarpa Griff. 438
quadrifida Jack 422*, 425, 429
var. *spathulaefolia* (Bl.) Engl. 429
rigida Bl. 429
rostrata Blanco 427
rumphii Pierre 430
salomonensis C.T. White (ex F.S. Walker) 430
sclerophylla Hook. f. 430
similis Bl. 424, 425, 429
sp. King 456
spathulaefolia Bl. 429
sumatrana Miq. 428
superba Hook. f. 423, 424, 426, 439
taipa Buch.-Ham. 440
timorensis Bl. 426, 432
torquenda Kosterm. 429
utana Buch.-Ham. 440
verticillata C.B. Rob. 438
xylocarpa Laut. 440
Mansonia altissima A. Chev. 35
Mapania 526
Markhamia 114, 116, 158

(*Markhamia*)
cauda-felina (Hance) Craib 158, 180
stipulata (Wall.) Seem.
var. *cauda-felina* (Hance) Santisuk 180
Marrubium 304, 306
indicum Burm. f. 329
indicum (non Burm. f.) Thunb. 372
Marsypianthes 310
chamaedrys (L.) O. K. 393
hypoides Mart. ex Bth. 393
Martyniaceae, see *Pedaliaceae*
Mastixia Bl. 85, 87 map
subg. *Manglesia* Matthew 88, 89
subg. *Mastixia* 88, 89
ser. *Alternae* Matthew 86, 88, 94
ser. *Oppositae* Matthew 86, 88, 89
subg. *Pentamastixia* Wang 87, 89
subg. *Tetramastixia* Wang. 87, 89
acuminatissima Bl. 92
alternifolia Merr. & Chun 96
arborea Clarke 96
bracteata Clarke 95
caesia Bl. 92
cambodiana Pierre 96
caudatifolia Merr. 94
chinensis Merr. 96
clarkeana King 92, 93
var. *macrophylla* King 92, 93
crassifolia Merr. 95
cuneata Bl. 97
cuspidata Bl. 90, 94, 95 map
var. *margarethae* Hall. f. 94, 95
eugenoides Matthew 88, 91 map, 93
euonymoides Prain 89
glaucia Matthew 89, 95 map
gracilis Bl. 97
heterophylla Bl. 97
junguhnuiana (non Miq.) Clarke 92, 93
junguhnuiana Miq. 94
kaniensis Melch. 88, 89
ssp. *kaniensis* 86*, 90*, 91 map
ssp. *ledermannii* (Melch.) Matthew 90*, 91 map
kimballii Bl. 92
var. *caesia* Miq. 92
korthalsiana Wang. 92, 93
var. *macrophylla* Wang. 92, 93
laxa Bl. 92
var. *angustifolia* Bl. 92
ledermannii Melch. 89, 91
macrocarpa Matthew 88, 94, 95 map
maingayi Clarke 92
var. *subtomentosa* King 92, 93
Mastixia
margarethae Wang. 94
megacarpa Ridl. 96, 97
octandra Matthew 88, 89
pachyphyllea Merr. 95
parvifolia Hall. f. 96, 97
pentandra Bl. 89, 95
ssp. *chinensis* (Merr.) Matthew 90*, 96
ssp. *moluccana* Matthew 96
ssp. *pentandra* 96, 97
ssp. *philippinensis* (Wang.) Matthew 90*, 96, 97, 274
ssp. *scortechinii* (King) Matthew 96, 97
var. *cuspidata* Miq. 95
pentandra (non Bl.) Dans. 89
philippinensis Wang. 96, 97
poilanei Tardieu 96
premnoides Hall. f. 92, 93
propinqua Ridl. 92, 93
rostrata Bl. 88, 89, 94
ssp. *caudatifolia* (Merr.) Matthew 90*, 91 map, 94, 97
ssp. *rostrata* Ridl. 92, 93
scortechinii King 96, 97
subcaudata Merr. 96, 97
tetrandra (Thw.) Clarke 97
tetrapetala Merr. 88, 89, 95
trichotoma Bl. 88, 92 map
var. *acuminatissima* Dans. 92
var. *benculuana* Dans. 92, 93
var. *clarkeana* Dans. 92, 93
var. *korthalsiana* (Wang.) Dans. 88, 90*, 92, 93
var. *laxa* Miq. 92
var. *maingayi* Dans. 92, 93
var. *rhyynchocarpa* Dans. 90*, 92, 93
var. *simularana* Dans. 92, 93
var. *tenuis* Dans. 92, 93
var. *trichotoma* 92, 93
Matania Gagnep. 466
laotica Gagnep. 466
Mayodendron Kurz 149
Melaleuca 138, 249, 282, 283, 386, 298, 526, 532
Melanochyla Hook. f. 395, 397, 398, 399, 402, 403, 404, 407, 408, 409, 410, 411, 490, 520
angustifolia Hook. f. 493, 496
auriculata Hook. f. 398, 490, 495
axillaris Ridl. 493, 495
beccariana Oliver 491*, 492*, 493, 497
var. *breviflora* Oliver 497
borneensis (Ridl.) Ding Hou 491*, 493, 497
bracteata King 398, 493, 494*, 496
bullata Ding Hou 493, 496
caesia (Bl.) Ding Hou 492*, 493, 498

- (*Mastixia*)
castaneifolia Ding Hou 493,
 496
densiflora King 493, 497
elmeri Merr. 493, 498
ferruginea Merr. 498
fulvinervis (Bl.) Ding Hou
 400, 409, 490, 492*, 493
glabrescens K. & V. 498
kunstleri King 493, 499
maingayi Hook. f. 498
minutiflora Ding Hou 493,
 497
nitida King 493, 496
rugosa King 493
semecarpoides Ding Hou 493,
 495
tomentosa (non Hook. f.)
 Engl. 512
tomentosa Hook. f. 493, 498
tomentosa (non Engl.) K. & V.
 498
- Melanococca* Bl. 535
tomentosa Bl. 537
- Melanocommia* Ridl. 499
boreensis Ridl. 513
- Melanorrhoea* Wall. 400, 404,
 405, 407, 446, 448
aptera King 452
curtisiae Oliv. 454
inappendiculata King 452
macrocarpa Engl. 454
maingayi Hook. f. 456
malayana Corner 455
oba Merr. 454
pilosa Ridl. 455
pubescens Ridl. 450
sp. Corner 450, 451
speciosa Ridl. 450
torquata King 455
tricolor Ridl. 452
usitata Wall. 400, 405, 407
'wallichiana' 456
wallichii Hook. f. 456
woodiana Scort. ex King 456
- Melastomataceae 188, 189, 190,
 201
- Meliaceae 179, 402
- Meliosma 87
- Melissa* Tourn. ex L. 301, 302,
 308, 309, 341
 sect. *Calamintha* (Moench)
 Bth. 360
- axillaris* Bakh. f. 301, 326,
 341, 342*
hirsuta Bl. 341
hortensis Noronha 342
inodora Hassk. 318
longifolia Noronha 342
montana Noronha 342
officinalis L. 342
parviflora Bth., non Salisb.
 326, 341
umbrosa Bieb. 361, 362
- Melittia* 304
- Memecylon 201, 466
- Memora 127
- Mentha* L. 301, 303, 308, 310,
 343
- arvensis* L. 343, 344
 ssp. *haplolocalyx* Briq.
 var. *zollingeri* Briq. 343
 var. *javanica* (Bl.) Hook. f.
 343, 344*
auriculata L. 356
auriculata Blanco 353
cablin Blanco 353
 × *cordifolia* Opiz ex Fresen
 343, 344
crispia Blanco 344
foetida Burm. f. 356
javanica Bl. 343, 344
javanica (non Bl.) Span. 369
merdinah Back. ex Ochse &
 Bakh. 344
 × *piperita* L. 343, 344
pulegium L. 343, 344
quadrifolia Roxb. 353
sativa L. 344
sativa (non L.) Thunb. 344
stellata Lour. 352
verticillata Roxb. 352
- Merrilliodendron* megacarpum
 (Hemsl.) Sleum. 440
- Mesona* Bl. 301, 308, 309, 373
capitata (Prain) Doan 375
clausa Merr. 375
palustris Bl. 302, 373, 374*
 var. *petiolata* Miq. 373
parviflorum (Wall. ex Bth.)
 Briq. 373
philippinensis Merr. 373
procumbens Hemsl. 373
prunelloides Hemsl. 375
wallichiana Bth. 373
- Mesosphaerum* P. Browne 368
brevis (Poir.) O. K. 369
capitatum Jennings 370
pectinatum (L.) O. K. 371
radiatum (Willd.) O. K. 372
spicigerum (Lamk.) O. K. 371
suaveolens (L.) O. K. 372
- Metopium* *toxiferum* (L.) Krug
 & Urban 405
- Microcorys* 304
- Microcos* 61
- Micromeria benthamii* Webb &
 Berth. 305
- Microptelea* 35
- Microstemon* Engl. 520, 523
curtisiae Ling 524
velutina Engl. 523
- '*Microtaenia*' 346
- Microtoena* Prain 301, 302, 308,
 311, 346
cymosa Prain 346
insuavis (Hance) Prain ex
 Briq. 345*, 346, 354
- Millingtonia* L. f. 116, 118, 122,
 133 map
dubiosa Span. 133
hortensis L. f. 121, 122, 132*,
 133, 181, 183
pinnata Blanco 153
quadripinnata Blanco 153
- Mirandaceltis* A.J. Sharp 36, 68
- Molluginaceae*, see *Aizoaceae*
- Molucella* 304
spinosa Burm. f. 394
- Monarda* *didyma* L. 306
lindheimeri 303
- Moraceae* 34, 36, 38
- Moraea* *plicata* Sw. 82
- Moringaceae* 4: 45–46; 5: 554;
 6: 960
- Moschosma* Reichb. 366
philippinense Elmer 386
'polystachyon' 366
polystachyum (L.) Bth. 366
tenuiflorum (L.) Heynh. 379
tenuiflorum [non (L.) Heynh.]
 Merr. 366
- Mosla* Buch.-Ham. ex Maxim.
 301, 302, 308, 346
dianthera (Roxb.) Maxim.
 301, 347*, 348
formosana Maxim. 301, 347*,
 348
- lysimachiiflora* Hayata 348
ocymoides Buch.-Ham. ex
 Duthie 348
- Musaceae*
 tribe *Ravenalae* 277
- Myoporaceae* 4: 265–266
- Myrica* 247
- Myricaceae* 4: 276–279
- Myrsine* 207, 247
- Myrtaceae* 188, 189, 254
- Myrtales* 98, 188, 189
- Myrtus* *laevis* 264
laurinus Retz. 245, 248, 249
- Najadaceae* 6: 157–171
- Naxiandra* (Baill.) Krasser 201
- coriacea* (Baill.) Krasser 204
- Nematopyxis* Miq. 99
fruticulosa (Bl.) Miq. 103
prostrata (Roxb.) Miq. 103
pusilla Miq. 103
- Nemostigma* Planch. 70
- Neoscortechinia* 201
- Neosepicaea* Diels 114, 115,
 116, 117, 123, 165, 166 map
aurantiaca (Diels) Steen. 166,
 167, 176*
juncunda (F.v.M.) Steen. 166,
 167
- leptophylla* (Bl.) Steen. 165*,
 166, 167
- superba* Steen. 167
- viticoides* Diels 165*, 166
- Nepenthes* 526
- Nepeta* 304, 305, 310
amboinica L. f. 329
aragonensis Lamk 305
cataria L. 304, 393
disticha Bl. 329
indica L. 329
malabarica (non L.) Bl. 329
malabarica L. 330
pectinata L. 371
- Nevrilis* Rafin. 133
suberosa Rafin. 133
- Newbouldia* 120
laevis Seem. 121
- Niedzwedzka* 118, 121

- Niir pongelion** Rheed 142
Nivenia 77
Norysca Spach 14
 aurea (Lour.) Bl. 19
 chinensis (L.) Spach 19
 coriacea (Bl.) Bl. 17
 hookeriana
 var. *leschenaultii* (Choisy)
 Y. Kimura 18
 javanica (Bl.) Bl. 17
 leschenaultii (Choisy) Bl. 17
 punctata Bl. 19
 urala (Buch.-Ham. ex D. Don) 18
Nosema Prain 301, 308, 309, 375
 capitatum Prain
 var. *javanica* C.B. Clarke ex Prain 375, 376
 clausum (Merr.) H. Keng 375
 cochinchinense (Lour.) Merr. 301, 374*, 375
 prunelloides (Hemsl.) C.B. Clarke ex Prain 375
Notaphoebe umbelliflora (Bl.) Bl. 97
Nothofagus 173, 174, 251, 253, 254, 255, 265, 532, 541
 crenata Steen.
 var. *sapeei* Steen. 549
Nothopgiopsis Laut. 499
 nidificans Laut. 505
Nothoprotium Miq. 520, 523
 sumatranum Miq. 524
Nyctaginaceae 6: 450–468; 7: 829
Nycticalos K. Sch. (sphalm.) 123
Nyctcalos T. & B. 115, 116, 119, 122, 123, 126
 subg. *Hausmannia* Seem. 165
 assamica Hook. f. ex K. Sch. 125
 brunfelsiaeae T. & B. 125
 brunfelsiiflora T. & B. 124, 125 map
 cuspidata (Bl.) Miq. 119, 124*, 125* map
 var. *oblonga* Steen. 125
 cuspidatum 125
 macrosiphon T. & B. 125
 pinnata Steen. 124, 125 map, 127
 shanica MacGregor & W.W. Smith 125, 127
 thomsonii Hook. f. 125
Nypa 245, 462
Nyssaceae 4: 29–31

Ochnaceae 7: 97–119
Ocimum L. 301, 303, 308, 309, 372, 376
 africanum Lour. 376
 album Blanco 379
 americanum (non L.) Blanco 377
 americanum L. 376, 377
 basilicum L. 307, 377
 var. *glabratum* Bth. 377
 var. *pilosum* Bth. 377
 brachiatum Bl. 376

 (Ocimum)
 brachiatum (non Bl.) Hassk. 379
 canum (non Sims) F.-Vill. 379
 canum Sims 307, 376, 377, 379
 capitatum Roth 365
 capitellatum L. f. 365
 citriodorum Blanco 377
 flaccidum A. Rich. 382
 flexuosum Blanco 379
 frutescens L. 393
 glabratus Bth. 381
 gratissimum L. 303, 307, 376, 377
 f. *caryophyllatum* 378
 f. *graveolens* 378
 menthooides (non L.) Burm. f. 379
 monachorum L. 378
 monadelphum Roth 392
 nelsonii Zipp. ex Span. 379
 sanctum L. 378
 var. *ciliata* Prain 378
 var. *thyrsoidea* Prain 378
 stamineus Bth. 380
 var. *angustifolia* Bth. 380
 tenuiflorum (non L.) Burm. f. 366
 tenuiflorum L. 376, 378*
 var. *anisodorum* (F.v.M.) Domin 378
 thymiflorum Roth 381
 tomentosus (non Lamk) Bth. 381
 var. *glabratus* (Bth.) Back 381
 var. *parviflorus* Bth. 381
 virgatum Blanco 379
 viride Willd. 379
 viscosum Roth 381
 zatarhendii Forssk. 392
Ocymum (orth. variant for Ocimum) 376, 377
 acrocephalum Bl. 365
 aristatum Bl. 380
 grandiflorum (non L'Hérit.) Bl. 380
 polystachyon L. 366
 polystachyum L.
 var. Bl. 366
 scutellarioides L. 389
 tenuiflorum Bl., non L. 386
 tuberosum Fée 388
Odina Roxb. 476
 gummifera Bl. 478
 multijuga Vidal 486
 speciosa Bl. 486
 var. *multijuga* Vidal 486
 wodier Roxb. 478
 var. *wirtgenii* Engl. 478
Oenothera 98
 erythrosepala (non Borbás) Back & Bakh. f. 113
 hirta L. 100
 lamarkiana 98
 octovalvis Jacq. 101
 sp. 113
 stricta Ledeb. ex Link 98, 113
Oldenlandia biflora L. 107

Olea 466
Oliniaceae 189, 190
Onagraceae 98–113
 tribe Epilobieae 98
Oncocarpus A. Gray 499
 densiflorus Merr. 516
 ferruginea C.B. Rob. 508
 obovatus Merr. 518
 trachyphylla Merr. 508
Origanum *benghalense* (non Burm. f.) Bl. 365
 majorana L. 393
Oroxylum (sphalm.) 128
Oroxylum Vent. 116, 118, 122, 128, 130 map, 164
 flavum Rehd. 128
 indicum (L.) Kurz 115, 122, 128, 129*, 131*
 var. *cirrinum* Steen. 128
Orthodon Bth. ex Oliv., non R. Br. 346
 formosanum (Maxim.) Kudo 348
 lysimachiiflorus (Hayata) Masam. 348
 punctatum Kudo 348
Orthosiphon Bth. 301, 308, 309, 379
 aristatus (Bl.) Miq. 303, 380, 381*
 grandiflorum Bold., non Terrac. 1892 380
 grandiflorus 381
 petiolaris Miq. 381
 spicatus (Thunb.) Back. 380
 spiralis (Lour.) Merr. 381
 stamineus Bth. 305, 306
 var. *angustifolia* Bth. 380
 thymiflorus (Roth) Sleesen 302, 380, 381
 var. *viscosus* (Bth.) Sleesen 381, 382
 tomentosus Bth.
 var. *viscosus* (Bth.) Hook. f. 381
 tomentosus (non Bth.) T. & B. 380
 viscosus Bth. 381
Ottonychium *retusum* Miq. 537, 538
Otophora *paradoxa* Bl. 182
Owenia *cerasifera* F.v.M. 476
 cerasifera Hemsl. 474
 'cerasifolia' 476
Oxalidaceae 7: 151–178, 829

Pachyptera *alliacea* (Lamk) Gentry 183
 hymenaea (DC.) Gentry 183
Padri Rheed 148, 149
Pajaneli Rheed 163
Pajanelia A.P. DC. 115, 116, 118, 122, 160, 163 map
 bijuga (sphalm.) 163
 longifolia (Willd.) K. Sch. 115, 122, 162*, 163 map, 164*, 179
 multijuga A.P. DC. 163
 rheedii Wight 163

- Palega-pajaneli* Rheede 128
Palurus dao Blanco 470
edulis Blanco 470
lamiyo Blanco 470
Pandanuss 295, 530
helicopus 462
Pandorea Spach 114, 115, 116, 118, 120, 123, 166, 169, 171, 174, 177 map, 178
 sect. *Grandiflores* Steen. 165, 167
 sect. *Leptophyllae* Steen. 165
 sect. *Parviflores* Steen. 174
acutifolia Steen. 175
amboinensis (Bl.) Boerl. 171
australis Spach. 175
 ssp. *linearis* (F.M. Bail.) Steen. 175
 ssp. *meonantha* (Link) Steen. 175
 ssp. *pandorea* (Vent.) Steen. 175
 var. *meonantha* (Link) Domin 175
 var. *oxleyi* (DC.) Domin 175
austrocaledonica (Bur.) Seem. 175
baileyana (Maid. & R.T. Baker) Steen. 175
ceramensis (T. & B.) Baill. 175
ceramica (T. & B.) K. Sch. 175
curtisii Ridl. 127
dendrophila (Bl.) Boerl. 171
doratoxylon J.M. Black 177
jasminoides (Lindl.) K. Sch. 175, 180, 183
leptophylla (Bl.) Boerl. 167
montana (Diels) Steen. 175, 178*
nervosa Steen. 175
pandorana (Andr.) Steen. 115, 117, 175, 176*, 181, 184
 ssp. *timorensis* Steen. 177
poinciantha Steen. 177
 var. *fragrans* Steen. 177
ricasoliana Baill. 184
stenantha Diels 175, 178*
Panzeria 306
Papaveraceae 5: 114–117
Papuacedrus 253, 254, 255
Paraphlomis Prain 301, 308, 310, 348
brevidens Merr. 350
javanica (Bl.) Prain ex Back. & Bakh. f. 348, 349*, 350
oblongifolia (Bl.) Prain 302, 348, 349*, 350
rugosa (Bth.) Prain 350
Parasponia Miq. 31, 32, 33, 34, 36, 38, 43 map, 47, 551
andersonii (Planch.) Planch. 43 map, 44, 46
aspera Bl. 44, 46
lancifolia Ridl. 55
melastomatifolia J.J.S. 43 map, 44
 (Parasponia)
parviflora Miq. 34, 44, 46 map
parviflora (non Miq.) Steen. 44
paucinervia Merr. & Perry 46
ridleyi Merr. & Perry 42*, 44, 46 map
rugosa Bl. 44, 45*, 46 map
similis Bl. 46
stimulans Merr. & Perry 44
Paratecoma 120
Paratrophis glabra Steen. 76
Pardanthus chinensis Ker-Gawl. 82
Parishia Hook. f. 395, 397, 398, 400, 402, 403, 404, 408, 409, 410, 411, 541
borneensis Ridl. 545
elmeri Merr. 543
insignis Hook. f. 400, 401, 543, 545
 var. *andamensis* Engl. 545
 var. *pubescens* King 545
 var. *tomentosa* King 545
lowei Ridl. 545
maingayi Hook. f. 404, 542*, 543
malabog Merr. 543, 545
minor Ridl. 543
oblongifolia Merr. 543
paucijuga Engl. 542*, 543, 544
Parmentiera 115, 116
aculeata (H.B.K.) Seem. 181, 184
alata (H.B.K.) Miers 182
cereifera Seem. 181, 184
edulis DC. 184
Passifloraceae 7: 405–434, 829
Patersonia R. Br. ex Ker-Gawl. 77
boreensis Stapf 79
fragilis (Labill.) Aschers. & Graebn. 80
lowii Stapf 78*, 79*, 80 map
novoguineensis Gibbs 79
 var. *auriculata* Went 79
Pauldopia Steen. 116, 151
Paulownia 117, 118, 121
fargesii Franch. 119
tomentosa Steud. 119, 121
Paulowniaceae 117
Pauw I. Maxima Rumph. 430
II. Media Rumph. 430
III. Minima Rumph. 430
Payanelia 163
Pedaliaceae 4: 216–221; 5: 557; 7: 829
Pegia Colebrooke 395, 397, 399, 402, 403, 408, 409, 411, 488
philippinensis Elmer 485
sarmentosa (Lecomte) Hand.-Mazz. 488, 489*
- Pellacalyx* 550
Pentaphragmataceae 4: 517–528
Pentaphylacaceae 5: 121–124, 566
Pentaspadon Hook. f. 397, 398, 402, 403, 404, 408, 409, 411, 412, 520
curtisii (King) Corner 398, 521*, 523, 524
minutiflora B.L. Burtt 524
moszkowskii Laut. 524
motleyi Hook. f. 398, 403, 404, 522*, 523, 524
officinalis Holmes ex King 523, 524
teleianthera Ridl. 485
velutinus Hook. f. 523
Peracarpa carnosa Hook. f. & Thoms. 549
Perilla elata D. Don 331
frutescens (L.) Britt. 393
ocimoides L. 393
 sp. 393
Perrottetia caudata Ridl. 541
Philydraceae 4: 5–7; 7: 829
Phlebochiton Wall. 488
philippinense (Elmer) Merr. 485
sarmentosum Lecomte 488
Phlomis L. 304, 306
alba Blanco 329
aspera Willd. 337
cephalotes Bl. 338
ceylanica 394
chinensis Bl. 340
flavescens (Zoll.) Boerl. 315
indica (L.) Blanco 329
javanica (Bl.) Prain 350
linifolia Roth 338
moluccana Roxb. 340
nepetaefolia L. 335
obliqua Thunb. 338
oblongifolia (Bl.) O. K. 350
rugosa Bth. 350
zeylanica (non L.) Bl. 339
zeylanica L. 338
zeylanica (non L.) Thunb. 394
Pholidocarpus kingianus Ridl. 451*
Photinia 247
Phryganocodia corymbosa (Vent.) Bur. ex K. Sch. 181, 184
Phyllanthus urinaria 381
Phyllarthron 120
bernierianum 115
comorense DC. 121
Phyllocladus 254
Phyllostegia 302
Phyllostylon 33, 34, 36, 38
Physostegia 304
Phytolaccaceae 4: 228–232; 5: 557
Pinguicula L. 275, 278
Pistacia L. 395, 396, 397, 401, 402, 403, 404, 406, 409, 410, 412, 547
chinensis Bunge 401, 546*, 547

- (*Pistacia*)
formosana Matsum. 547
lentiscus L. 405
malayana Henders. 546*, 547
philippinensis Merr. & Rolfe 547
vera L. 405, 406
Pistaciaceae (March.) Caruel 401, 403
Pithecoctenium *cynanchoides* DC. 181, 184
Pittosporaceae 5: 345–362; 6: 960–963; 7: 829–830
Planera 31, 33, 34, 36
Plantaginaceae 121, 306
Platostoma Beauv. 301, 308, 309, 382
africanum Beauv. 301, 302, 382
flaccidum Bth. ex Hook. f. 382
Platystoma Bth. & Hook. f. 382
Plectranthus L'Hérit. 301, 302, 305, 308, 309, 310, 368, 382, 384
sect. *Cornigera* F.v.M. 368
sect. *Isodon* Bth. 384
subg. *Isodon* (Bth.) Briq. 384
amboinicus (Lour.) Spreng. 385, 387, 393
apoensis (Elmer) H. Keng 302, 384, 385, 387
aromaticus Roxb. 389
aromaticus (Bth.) Roxb. 387
australis R. Br. 388
australis (non R. Br. 1810) Decne 392
benthamicus Miq. 386
bicolor Bl. 391
var. Bl. 391
blumei (Bth.) Launert 390
var. Verschaffelt 392
caninus Roth 392
coetsa Buch.-Ham. ex D. Don 326, 392
congestus R. Br. 301, 384, 385, 387
crassifolius Hassk. 393
diffusus Merr. 386
galeatus Vahl 302, 385, 391
ingratus Bl. 389
intermedius Zoll. & Mor. 386
japonicus (Thunb.) Koidz. 326
javanicus (Bl.) Bth. 302, 303, 385, 386
klossii S. Moore 388
var. *major* S. Moore 388
kunstleri Prain 385, 392
lacinatus Bl. 389, 390
leschenaultii Bth. 393
longicornis F.v.M. 368
var. *scapiger* Domin 368
macrophyllus Bl. 391
marrubioides Hochst. 306
menthooides Mor. 386
merrillii H. Keng 302, 385, 391
monadelphus Llanos ex F.-Vill. & Naves 389

- (*Plectranthus*)
monadelphus Roxb. 392
parviflorus Willd. 301, 384, 385, 388, 392, 394
patchouli Clarke 346, 393
petraeus Back. ex Adelb. 302, 385, 386
punctatus Bl. 385
rotundifolius (Poir.) Spreng. 308, 385, 388
rufescens Bth. 386
rugosus Wall. 305
scutellarioides (L.) R. Br. 385, 389, 392
sparsiflorus (Elmer) H. Keng 385, 391
steenii H. Keng 302, 383*, 385, 386
teysmannii Miq. 326, 384, 385, 392
tuberosus Bl. 303, 388
virgatus Reinw. ex Bl. 386
zatarhendii (Forssk.) Bruce 392
zollingeri Briq. 385
Pleiogynium Engl. 397, 402, 404, 409, 411, 474
cerasiferum (F.v.M.) Parker 474, 476
papuanum C.T. White 476
solandri (Bth.) Engl. 474, 476
timorense (DC.) Leenh. 402, 403, 474, 475*
Plumbaginaceae 4: 107–112
Podoaceae Baill. ex Franch. 401, 403
Podocarpus 249, 253, 254, 255, 263, 541
pilgeri 251
Podostemaceae 4: 65–68; 6: 962–964
Podranea 169
ricasoliana (Tanf.) Sprague 184
'Pogonostemon' Hassk. 351, 353, 356
mollis Hassk. 353
plectranthoides Hassk. 365
tomentosus Hassk. 353
Pogostemon Desf. 301, 302, 304, 308, 310, 351
sect. *Eusteralis* (Rafin.) Keng 352
sect. *Pogostemon* 353
auricularius (L.) Hassk. 352, 356
battakianus Ridl. 353
cablin (Blanco) Bth. 304, 346, 352, 353, 393
comosus Miq. 353
cristatus Hassk. 356
fraternus Miq. 355
gracilis Hassk. 356
heyneanus Bth. 346, 351, 353, 354, 356
var. *patchouly* (Pellet.) O. K. 353
hispidus Prain 354
hortensis Back. 354, 356
- (*Pogostemon*)
javanicus Back. ex Adelb. 353
membranaceus Merr. 355
menthooides Bl. 352, 355
mollis Hassk. 353
nepetoides Stapf 353
var. *glandulosus* Merr. 353
patchouli (non Pellet.) Hook. f. 353
var. *suavis* Hook. f. 353
patchouly Pellet. 353
philippinensis S. Moore 302, 352, 354*, 355
plectranthoides Desf. 355
plectranthoides (non Desf.) Koord. 355
reticulatus Merr. 302, 352, 355
'stellatum' 352
stellatus (Lour.) O. K. 302, 351, 352
var. *roxburghianus* (Keng) Keng 352
var. *stellatus* 352
tomentosus Hassk. 353
velatus Bth. 302, 352, 355
verticillatus (Roxb.) Miq. 352
var. *macrostachya* Miq. 352
villosus (Roxb.) Bth. 352, 354
williamsii Elmer 355
Polemoniaceae 4: 195–196
Polygalaceae 278
Polygonanthus Ducke 550
Polyosma Bl. 97
Polypodium *ovatum* Burm. f. 389
Polypompholyx (non Lehm.) Benj. 276
madecassa Perrier 283
Polypompholyx Lehm. 275
Pomum *draconum* Rumph. 470
draconum *silvestre* Rumph. 470
Pongelia Rafin. 141
longiflora Rafin. 142
Pontederiaceae 4: 255–261; 5: 557; 6: 964
Portulacaceae 7: 121–133
Poupartia *dulcis* (Forst. f.) Bl. 482
dulcis [non (Forst. f.) Bl.] Bl. 483
mangifera Bl. 470, 472
pirnata Blanco 473, 483
Prasium 304
Javanicum Bl. 322
phlomoides Reinw. ex Bl. 322
Primulaceae 6: 173–192, 964; 8: 275
Prostanthera 304, 307
Proteaceae 5: 147–206, 566; 6: 965; 7: 830
Protium *macgregorii* (F.M. Bail.) Leenh. 474
Prunella *bicolor* Noronha 394
indica Burm. f. 365
violacea Noronha 394
Prunus *laurifolia* Decne 415
Pseudocalymna Samp. & Kuhlm. 183

- Psorospermum guineense** 3
Pteridium 333
Pteroceltis 33, 34, 36
Punicaceae 4: 226–227
Pycnanthemum decurrens
 Blanco 370
elongatum Blanco 371
subulatum Blanco 369
Pycnostachys 308
speciosa Gürke 393
afl. stuhlmannii Gürke 393
urticifolia Hook. 393
Pygeum grandiflorum King 266
viride Baker 266
Pyrenaria serrata Bl. 264
Pyrostegia ignea (Vell.) Presl 184
venusta (Ker) Miers 181, 184

Quercus 251
Quilamum Blanco 191
luteum Blanco 194, 195
Quintinia 254

Rabdodia Hassk. 384
Radermachera Zoll. & Mor.
 122, 143, 148, 149, 152 map,
 158
 sect. *Alatae* Steen. 151
acuminata Merr. 153
amoena [non (Wall.) Seem.]
 Gamble 154
amoena (Wall.) Seem. 155,
 157
banaibana Bur. 153
biternata Merr. 155, 157
borii (non Fischer) Santisuk
 155
borneensis Steen. 155, 157
brachybotrys Merr. 153
coriacea Merr. 152, 157
corymbosa Steen. 154
elegans Steen. 153
elliptica Merr. 155, 157
elmeri Merr. 155
 var. *fragrans* Elmer 155
fenicis Merr. 153
 var. *acuminata* Steen. 153
fenicis (non Merr.) Steen. 153
fragrans Steen. 155, 157
frondosa Chun & How 151
gigantea [non (Bl.) Miq.]
 Burk. 154
gigantea (Bl.) Miq. 115, 122,
 152, 153, 155
glandulosa (Bl.) Miq. 115,
 116, 150*, 152
hainanensis Merr. 151
hypostictum 153
ignea (Kurz) Steen. 151
'lobbiana' 154
lobbii Miq. 154, 155
 ssp. *acuminata* Steen. 154
mindorensis Merr. 153
palawanensis Merr. 155, 157
peninsularis Steen. 116, 150*,
 151, 152, 155
pentandra 116
pinnata (Blanco) Seem. 150,
 152, 153
- (**Radermachera pinnata**)
 ssp. *acuminata* (Steen.)
 Steen. 153, 154*, 157
 ssp. *pinnata* 153
 var. *glabra* Merr. 153
punctata Elmer ex Steen. 155
quadripinna Seem. 153
ramiflora Steen. 116, 151, 152
sibuyanensis Elmer 155, 157
sinica (Hance) Hemsl. 116,
 151, 155
sorsogonensis Elmer ex Steen.
 153
stricula Z. & M. ex Zoll. 153
whitfordii Merr. 153
Radermachia 149
Renealmia R. Br. 80
pulchella R. Br. 81
Restionaceae 5: 416–420, 569
Rheedia 277
Rhigozum 115
Rhizobium 551
Rhizophora L. 550–551
apiculata 550, 551
conjugata
 var. *lamarckii* Guillaum.
 550
harrisonii Leechm. 551
lamarckii Montrouz. 550
mucronata 551
pachypoda Baill. 550
stylosa 551
Rhizophoraceae 5: 429–493; 6:
 965–967; 8: 550–551
 tribe *Anisophylleae* 550
 tribe *Gynotrocheae* 550
 tribe *Macarisieae* 550
 tribe *Rhizophoreae* 550
Rhodocolea racemosa H. Perr.
 179
 var. *humblotiana* H. Perr.
 179
Rhodosphaera 535
Rhus L. 395–399, 402–412, 534
 sect. *Melanocarpeae* Engl.
 535
aromatica Ait. 400, 401
borneensis Stapf 398, 403,
 408, 409, 535, 541
caudata Laut. 398, 535, 536*,
 537, 540
chinensis Mill. 398, 399, 404,
 405, 407, 409, 537
copallina L. 407
coriaria L. 407
densiflora Bl. 541
diversiloba Torr. & Gray 405
engleriana Warb. 537
glabra L. 407
glauca Thunb. 400
javanica L. 541
javanica (non L.) Thunb. 537
lamprocarpa Merr. & Perry
 398, 536*, 537, 540
lenticellosa Laut. 535, 540
 var. *monophylla* Laut. 540
 var. *pentaphylla* Laut. 540
linguata Slis 398, 403, 535,
 537, 541
- (**Rhus**)
nodosa Bl. 400, 401, 535,
 536*, 537, 539*
novoguineensis Laut. 524
ovata S. Wats. 400, 401
panaciformis F.v.M. 537
perakensis Scort. ex King 539
pubigera Bl. 539
radicans L. 405
retusa Zoll. ex Engl. 537, 538
 var. *blumei* Engl. 537
 var. *rufa* (T. & B.) K. & V.
 537
rufa T. & B. 537, 538
semialata Murray 399, 405,
 537
simarubaefolia A. Gray 537
 var. *taitensis* (Guillem.)
 Engl. 537
succedanea L. 398, 406, 407,
 537, 539
 var. *discolor* Hassk. 539
taitensis Guillemin 398, 537,
 538 map
thunbergiana Schult. 400
typhina L. 400, 401, 407
vernicifera DC. 405, 535
verniciflua Stokes 405, 407,
 541
vernix L. 405
Rhynchosalyx 187, 188, 190
lawsonioides 190
Rhysotoechia Radlk. 518
Rhyticaryum novoguineense
 (Warb.) Sleum. 419
Rosmarinus 305, 307, 308
communis Noronha 394
officinalis L. 305, 306, 393
Rubiaceae 107, 120
Rutaceae 402
- Sabiaceae** 402
Saccharum spontaneum 45
Salazaria 304
Salicaceae 5: 107–110
Salvadoraceae 4: 224–225
Salvia L. 301, 303, 304, 305,
 308, 356
alpina L. 364
azurea Lamk
 ssp. *pitcheri* (Torr. ex Bth.)
 Epling 360
coccinea Buchoz 359
coccinea Juss. ex Murr. 357,
 359, 360
 var. *lactea* Adelb. 359
 var. *pseudococcinea* (Jacq.)
 Gray 359
confertiflora Pohl 360
farinacea Bth. 360
fungens Cav. 360
glutinosa 305
hispanica L. 357, 359
ianthina Otto & Dietr. 360
misella Kunth 357, 358, 359
nilotica Murr. 307
obscura Bth. 359
occidentalis (non Sw.) Welsem
 359

- (*Salvia*)
officinalis L. 360
plebeja R. Br. 306, 357, 358
plebeja (non R. Br.) Henry & Pritchard 359
privoides Bth. 359
pseudococcinea Juss. ex Murr. 359
purpurea Cav. 360
riparia Kunth 357, 359
saxicola Bth. 357
scaphiformis 357
scapiformis Hance 301, 357, 358*
spendens Buchoz 360
spendens Sellow ex Nees 360
stachyoides Kunth
 var. *β allodapa* Hassk. 360
tiliaeifolia Vahl 360
triloba L. f. 306
uliginosa Bth. 360
violacea Blanco 358
virgata Jacq. 306
viridis L.
 var. *horminum* (L.) Batt. & Trabut 360
yunnanensis Wright 357
Santalum album L. 148
Sapindaceae 402, 537, 541
Saraca 153
Sarcospermataceae 4: 32-34; 6: 967
Sariava Reinw. 217, 259
Saritaea magnifica (Steen.) Dugand 184
Sarothora L. 2, 14
 graminea (G. Forster) Y. Kimura 27
japonica (Thunb. ex Murray) Y. Kimura 28
 f. *microphylla* (Miq.) Y. Kimura 28
 f. *robusta* (Miq. ex Koidz.) Y. Kimura 28
laxa (Bl.) Y. Kimura 28
 f. *erecta* Y. Kimura 28
f. hananoegoensis (Masam.) Y. Kimura 28
 f. *ramosa* Y. Kimura 28
 f. *ramosissima* Y. Kimura 28
 f. *repens* Y. Kimura 28
 f. *simplex* Y. Kimura 28
saginoides Y. Kimura 27
Satureja L. 301, 308, 309, 360
 sect. *Calamintha* Briq. 361
acinos Scheele 306
gracilis (Bth.) Loes. 361, 362*
hortensis L. 362
umbrosa (Bieb.) Scheele 361
 var. *javanica* Briq. 361
 var. *repens* (D. Don) Briq. 361
Saururaceae 4: 47-48
Saxifragaceae—*Escallonioideae* 85
Schaueria Hassk. 368
graveolens Hassk. 372
Schefflera 138

- Schima* 247
Schinopsis 405, 407
 quebracho-colorado (Schlecht.) Barkl. & Meyer 407
Schinus terebinthifolius Raddi 406
Schlegelia 118
Schleichera oleosa 148
Schmidelia mutabilis Bl. 541
Schrebera 164
Scleria 526
Scoparia australis Sieb. 318
Scrophulariaceae 117, 118, 119, 120, 121, 275, 306
Scrophulariales sensu Cronq. 121, 307
Scutellaria L. 301, 304, 307, 309, 323
 baicalensis Georgi 306
colebrookiana (non Wall.) Z. & M. ex Mor. 324
copelandii Merr. 325
cyrtopoda Miq. 325
discolor Wall. ex Bth. 323, 324
 var. *cyrtopoda* (Miq.) Adelb. 324*, 325
 var. *discolor* 324
heteropoda Miq. 324
 var. *grandis* Miq. 324
horsfieldiana Miq. 325
indica (non L.) Bl. 324
indica L. 323, 325
japonica Burm. f. 326
javanica Jungh. 302, 323, 325
 var. *javanica* 325
 var. *luzonica* (Rolle) H. Keng 325, 326
 var. *russeliaefolia* (Vatke) H. Keng 325, 326
 var. *sumatrana* (Miq.) Back. 325, 326
luzonica Rolfe 326
marivelensis Elmer 326
russeliaefolia Vatke 326
sp. 326
splendens Link 326
sumatrana Miq. 326
violacea Heyne
 var. *horsfieldiana* (Miq.) O. K. 325
zollingeriana Briq. 324, 325
Scyphostegiaceae 5: 297-299; 6: 967; 7: 830
Semecarpus L. f. 395, 397, 398, 399, 402, 403, 404, 406, 407, 408, 409, 410, 411, 490, 499, 501 map, 520
acuminatissima Merr. 518
albescens (non Kurz) K. & V. 512
albescens (non Kurz) Vidal 517
albicans Laut. 399, 504, 505, 509
anacardium (non L. f.) Blanco 517
anacardium (non L. f.) Bl. 512
(Semecarpus)
anacardium L. f. 518
 var. *angustifolium* DC. 510
archboldianus Merr. & Perry 515
aruensis Engl. 399, 501*, 504, 505, 515
australiensis Engl. 399, 504, 505, 510
borneensis Merr. 503, 504, 507
brachystachys Merr. & Perry 399, 504, 505, 516
bracteatus Laut. 398, 504, 505, 513
bunburyanus Gibbs 399, 408, 500*, 503, 512
caesia Bl. 498
cassuvium Roxb. 399, 503, 504, 505, 510
cinerrea H.H.W. Pearson 512
cochininchensis Engl. 502, 516
congestiflora K. Sch. & Laut. 509, 510
cuneiformis Blanco 503, 504, 517 map
curtisiae King 399, 400, 401, 501*, 503, 511*
 var. *brevipetiolata* Hend. 511
decipiens Merr. & Perry 509
densiflorus (Merr.) Steen. 503, 516
elmeri Perk. 517
engleriana Laut. 518
euphlebia Merr. 507
ferruginea Merr. 517
forstenii Bl. 503, 504, 505, 509 map
fulvinervis Bl. 493
fulvo-villosa Laut. 515
gigantifolia Vidal 507
glabra Ridl. 520
glabrescens Heine 512
glauciphyllus Elmer 503, 518
glaucus Engl. 503, 513, 514*
glomerulata Ridl. 516
heterophyllus Bl. 398, 503, 504, 512
 var. *angusta* Bl. 512
 var. *caesia* Engl. 498
 var. *major* Bl. 512
 var. *recurva* Bl. 512
hirtiflora Ridl. 515
lamii Slis 504, 505, 507
lanceolata Merr. 507
lanceolatus Ridl. 517
laxiflora K. Sch. 509
 var. *glabrescens* Laut. 509
longifolius Bl. 502, 503, 504, 507, 508 map
lucens King 502, 513
lurida Hook. f. 520
macrophyllus Merr. 503, 516
macrothyrsa Perk. 508
magnificus K. Sch. 399, 504, 505, 506*
megabotrys Merr. 517

- (*Semecarpus*)
merrilliana Perk. 517
micrantha Perk. 517
myrmecophlia Laut. 399, 518
nidificans (Laut.) Ding Hou
 399, 504, 505
nubigena Laut. 515
oblanceolatus Merr. 512
oblongifolius Quis. 518
obovatus (Elmer) Steen. 518
obtusata Elmer 510
obtusifolia Merr. 517
papuanus Laut. 504, 505, 508
paucinervius Merr. 503, 510
perrottetii March. 517
 var. *glabra* March. 517
philippinensis Engl. 517
pilosa Merr. 517
prainii King 502, 509
ridleyi Merr. 517
rostratus Valeton 504, 505,
 515
roxburghii Bl. 509
rufovelutinus Ridl. 503, 513
scaberulus Merr. 512
scabrida Bl. 509
 var. *elongata* Bl. 509
schlechteri Laut. 399, 504,
 505, 518
stenophyllus Merr. 398, 503,
 507
subsessilifolia Merr. 512
taftiana Perk. 517
testaceus Elmer 507
thyrsoides Elmer 517
trachyphyllus Perk. 503, 508
uncata Slis 509
undulatus C.T. White 505
velutinus King 502, 517
verniciifera Hayata & Kawa-
 kami 507
whitfordii Merr. 517
Shorea laevis 245
Sideritis 304, 305, 306
canariensis Ait. 306
montana L. 306
rigida Noronha 394
Simaroubaceae 6: 193–226, 968–
 972
Sisyrinchium L. 77, 80
bulbosum Mill. 82
micranthum Cav. 81
palmifolium L. 82
pulchellum (R. Br.) F.v.M.
 81* map
Skolostigma Laut. 479
defolians Laut. 485
Solenocarpus W. & A. 402, 479,
 481
 var. *philippinensis* (Elmer) Kos-
 term. 548
Solenostemon Schumach. &
 Thonn. 382
blumei (Bth.) Maza 390
scutellarioides (L.) Codd 390
Solenostigma Endl. 55
angustifolium Miq. 66
brevinerve Bl. 62
consimile Bl. 62
- (*Solenostigma*)
djungiel Bl. 62
hasselii Bl. 62
latifolium Bl. 63
laurifolium Bl. 62
 var. *constricta* Miq. 62
paniculatum Endl. 61
philippinensis (Blanco) Miq.
 62
rigescens Miq. 58
sumatrana Miq. 58
wightii (Planch.) Miq. 62
zippelii Bl. 63
Sonneratiaceae 4: 280–289, 513;
 5: 557; 6: 973
Sorindeia glaberrima Hassk. 548
madagascariensis Thou. 548
 var. *paucijuga* Engl. 548
Sparatospelta vernicosum
 Bur. & K. Sch. 121
Sparganiaceae 4: 233–234
Spathodea R. Br. 118, 141, 164
adenophylla DC. 158
campanulata P. Beauv. 115,
 116, 121, 181, 185
comosa G. Don 179
corymbosa Vent. 184
diepenhorstii Miq. 142
gigantea Bl. 155
glandulosa Bl. 153
indica (L.) Pers. 128
lobbii T. & B. 154
longiflora Vent. 142
loureiriaca DC. 142
luzonica Blanco 142
macroloba Miq. 159
rheedii Spreng. 142
sp. Teysm. 159
tulupifera G. Don 180
Spathodeopsis P. Dop 157
Spermacoce denticulata Walp.
 338
Sphagnum 282
Sphenocleaceae 4: 27–28
Spondias L. 395, 396, 397, 398,
 399, 400, 402, 403, 404, 405,
 406, 408, 409, 410, 411, 412,
 477, 479, 535
amarra Lamk 473
cytherea Sonnerat 406, 481
ducilis (non Forst. f.) Blanco
 584
ducilis Soland. ex Forst. f. 481
 var. *acida* (Bl.) Engl. 483
lutea (non L.) F.-Vill. 485
lutea L. 484
mangifera Willd. 473, 483
 var. *javanica* K. & V. 483
 var. *tuberculosa* (Bl.) Engl.
 482
mombin (non L.) Burk. 485
mombin L. 400, 401, 481, 484
'monbin' 485
philippinensis (Elmer) Airy
 Shaw & Forman 399, 408,
 409, 480*, 481, 485
pinnata (L. f.) Kurz 398, 400,
 401, 406, 473, 477, 481,
 482*, 483, 484*
- (*Spondias*)
pleiogyna F.v.M. 474
purpurea L. 400, 401, 406,
 481, 485
romblonensis Elmer 545
solandri Benth. 474
wirtgenii Hassk. 478
Sponia Commers. ex Lamk 47
acuminatissima Miq. 54
amboinensis (Willd.) Decne
 50, 53
andersonii Planch. 46
angustifolia Planch. 54
annulata Teysm. & Binn. 75
argentea Planch. 51
aspera
 var. *viridis* (Planch.) Bth.
 50
blancoi Planch. 53
burmannii (Bl.) Planch. 51
carinata (Bl.) Miq. 50
commersonii (Brongn.) Decne
 50
discolor (Brongn.) Decne 51
glabrescens Planch. 50
griffithii Planch. 53
imbricata (Bl.) Planch. 53
morifolia (Bl.) Planch. 50
orientalis (L.) Decne 51
pallida (Bl.) Miq. 50
pubigera (Bl.) Miq. 50
rigida (Bl.) Decne 51
sampsonii Hance 54
scaberrima (Bl.) Miq. 51
strychnifolia Teysm. & Binn.
 62
tetrandra (Roxb.) Voigt 66
timorensis Decne 50
timorensis (Roxb.) Planch.
 53
velutina Planch. 53
vieillardii Planch. 50
virgata Planch. 36, 50
 var. *major* Planch. 50
viridis Planch. 50
wightii Planch. 51
Stachys L. 301, 302, 304, 306,
 308, 310, 362
artemisioides Lour. 336
arvensis L. 364
floccosa Bth. 364
melissaefolia (non Bth.) Back.
 & Bakh. f. 363
melissaefolia Bth. 364
oblongifolia Bth. 301, 302,
 363*, 364
rubisepala Elmer 362
sericea (non Wall. ex Bth.)
 Steen. 363
sericea Wall. 364
sieboldii Miq. 364
splendens Bth. 364
vestita Bth. 364
Stackhousiaceae 4: 35–36
Stagmaria Jack 446
verniciiflua Jack ex Hook. 463
Stalagmites erosipetala Miq. 8
Staphyleaceae 6: 49–59
Stenogyne 302, 358

Stenolobium D. Don 134
? incisum Rose & Standl. 135
stans (L.) Seem. 135, 186
 var. *apiifolium* (DC.) Seem.
 135
 var. *pinnata* Seem. 135
Sterculiaceae 35
Stereospermum Cham. 114, 115,
 117, 118, 119, 120, 121, 122,
 145, 146 map, 151, 158
 sect. *Eustereospermum* B. &
 H. 145
 sect. *Radermachera* B. & H.
 149, 151
 sect. *Xylocarpeae* B. & H. 151
banaibanae Rolfe 153
caudatum Miq. 149
chelonoides (L. f.) A.P. DC.
 146, 147
chelonoides [non (L. f.) A.P.
 DC.] A.P. DC. 148
cylindricum Pierre ex P. Dop
 146, 180
fimbriatum (Wall. ex G.
 Don) A. DC. 146, 147*
glandulosum Miq. 153
hasskarlii Z. & M. ex Zoll.
 149
hypostictum Miq. 155
personatum (Hassk.) Chat-
 terjee 145*, 146, 147, 148
pinnatum F.-Vill. 153
quadripinnatum F.-Vill. 153
seemannii Rolfe 153
suaveolens (Roxb.) A. DC.
 147
 f. *verticillatum* Steen. 147
tetragonum A. DC. 149
Streblus asper Lour. 36
glaber (Merr.) Corner 70, 76
Styliidaeae 4: 529-532; 5:
 564; 6: 976
Styracaceae 4: 49-56; 6: 976;
 8: 211, 212
Styrax obovatus Ridl. 215
Swertia bimaculata 277
Swintonia Griff. 395, 397, 398,
 399, 400, 401, 402, 404, 405,
 407, 408, 409, 410, 411, 440
acuminata Merr. 444
acuta Engl. 441*, 442, 444
elmeri Merr. 456
floribunda Griff. 398, 440,
 442, 445
'florida' 445
foxworthyi Elmer 442, 443
glauca Engl. 398, 442
griffithii Kurz 445
helpertii Hook. f. 445
lurida King 520
luzoniensis Merr. & Rolfe 444
minutalata Ding Hou 441*,
 442, 443, 444
obtusifolia Engl. 456
penangiana King 445
pierrei Hance 444
puberula Pearson 445
robinsonii Ridl. 398, 442, 444
schwenkii (T. & B.) T. & B.

(*Swintonia*)
 ex Hook. f. 403, 441*, 442,
 443
 var. *beccarii* Engl. 444
spicifera Hook. f. 408, 441*,
 442, 445*
 var. *scortechini* King 445
spicifera (non Hook. f.)
 Smythies 443
Symplocaceae 205-274
Symplocos Jacq. 87, 205, 206
 map, 207, 208 map
 sect. *Cordyloblaste* B. & H.
 213
 subg. *Cordyloblaste* Gamble
 213
 subg. *Hopea* (L.) Clarke 205,
 206 map, 209, 210, 211, 212,
 215, 246
 subg. *Symplocos* 205, 206
 map, 207, 210, 212
acuminata Miq. 249
acuminatissima Merr. 266
adenophylla Wall. ex G. Don
 216*, 218, 219, 220, 224,
 225, 226, 228, 229, 230,
 232, 233, 234, 236, 237, 239
 var. *atrata* Brand 239
 var. *merritii* Brand 239
 var. *montana* Ridl. 239
 var. *virgata* Wall. 239
aggregata White & Francis
 251
agusianensis Elmer 268
ahernii Brand 247
albifrons Brand 215
aluminosa Brand 266
alurina Wall. ex G. Don 249
angiensis Kaneh. & Hatus. 254
angularis Elmer 268
anomala Brand 211, 216*,
 218, 223, 225, 227, 231,
 233, 235, 239
apoensis Elmer 226
aprilis Brand 274
arcuata Brand 256
arfakensis Gibbs 255
argenna Brand 274
atjehensis Noot. 216*, 218,
 219, 220, 223, 224, 232,
 239, 240*
atrata Brand 215
atrocyanea Elmer 274
bakeri Symington 270
 bancana Miq. 239
barisanica Noot. 216*, 223,
 224, 232, 239
barringtoniifolia Brand 210,
 216*, 221, 226, 227, 234,
 235, 241*, 242
batakensis Noot. 216*, 222,
 224, 232, 241*, 242*
beccarii Brand 239
betula Brand 263
borneensis Brand 216*, 222,
 227, 235, 242
brachybotrys Merr. 211, 216*,
 218, 219, 220, 221, 227,
 228, 235, 236, 243
(Symplocos)
brachybotrys Merr., non
 Merr. 268
brandiana King & Gamble
 257
brandii Elmer 239
brandisii K. & V. 209, 222,
 227, 234, 243
 var. *brandisii* 216*, 243
 var. *pseudoclethra* (Hall. f.)
 Noot. 222, 243
bulusanensis Elmer 266
buxifolia Stapf 207, 216*,
 221, 222, 227, 235, 243
cagayanensis Brand 272
calycodactylus Brand 219,
 225, 233, 244
candidans Brand 244
capitellata Brand 215
caryophylloides Zoll. 256
caudata Ridl. 268
celastrifolia Griff. ex Clarke
 207, 209, 210*, 216*, 222,
 224, 226, 227, 229, 230,
 231, 232, 234, 235, 237,
 238, 244*
cerasifolia (non Wall. ex
 DC.) Choisy 256
cerasifolia Wall. ex DC. 216*,
 219, 224, 225, 228, 231,
 233, 236, 238, 242*, 245
 var. *cerasifolia* 216*, 245,
 259 map
 var. *grandifolia* Noot. 219,
 224, 233, 245
cernua 209
ciliata Miq. 264
ciliata Presl 266
clementis Merr. 273
cochininchinensis (Lour.) S.
 Moore 207, 212, 216*, 218,
 221, 222, 227, 234, 238, 245
 ssp. *cochininchinensis* 216*,
 218, 219, 223, 225, 226,
 227, 228, 229, 230, 231,
 232, 233, 234, 236, 238,
 246
 var. *cochininchinensis* 246,
 247, 248, 249
 topod. *morobeensis*
 247
 var. *imbricata* (Brand)
 Noot. 216*, 245, 246,
 248
 var. *philippinensis*
 (Brand) Noot. 216*,
 246, 247, 248
 var. *sessifolia* (Bl.) Noot.
 207, 209, 246, 247,
 248*, 249*
 ssp. *laurina* (Retz.) Noot.
 216*, 223, 224, 226, 227,
 230, 232, 234, 235, 246,
 247, 248
 var. *laurina* 216*, 248,
 249*
 ssp. *leptophylla* (Brand)
 Noot. 212, 216*, 218,
 219, 220, 221, 222, 223,

- (*Symplocos cochinchinensis*)
 227, 230, 231, 234, 237,
 238, 244, 245, 246, 250
 var. *aneityensis* (Brand)
 Noot. 251
 var. *doormanensis*
 (Brand) Noot. 251, 252
 var. *floresana* Noot.
 216*, 251, 253
 var. *insularis* Noot. 216*,
 250, 252
 var. *leptophylla* 216*,
 250, 251
 var. *longilobata* Noot.
 216*, 250, 252
 var. *maculata* (Brand)
 Noot. 216*, 251, 254
 var. *molobros* (Brand)
 Noot. 216*, 250, 252
 var. *monticola* Noot.
 216*, 251, 252
 var. *orbicularis* (Hemsl.)
 Noot. 216*, 250, 253
 var. *ovata* Noot. 216*,
 250, 254
 var. *parvifolia* Noot.
 216*, 251, 255
 var. *pedicellata* Noot.
 216*, 251, 252
 var. *reginae* (Brand)
 Noot. 216*, 250, 253
 var. *revoluta* Noot. 216*,
 250, 254
 var. *schumanniana*
 (Brand) Noot. 216*,
 251, 253
 var. *sogeriensis* (Brand)
 Noot. 216*, 250, 254
 var. *tomentosa* Noot.
 250, 252
 var. *versteegii* (Brand)
 Noot. 250, 254
 ssp. *sessilifolia* Noot. ex
 Steen. 247
 ssp. *thwaitesii* (F.v.M.)
 Noot. 216*, 222, 223,
 231, 238, 245, 246, 250
 var. *montana* (C.T.
 White) Noot. 250
 var. *stawellii* (F.v.M.)
 Noot. 216*, 250
colombonensis Noot. 216*,
 218, 228, 235, 255*
compositracemosa Noot. 223,
 231, 238, 255
concolor Brand 239
confusa Brand 215
constricta Brand 239
costata (Bl.) Choisy 209,
 216*, 222, 234, 255*, 256*,
 257*, 259 map
crassipes Clarke 216*, 219,
 220, 221, 225, 226, 228,
 233, 234, 236, 256
 var. *brandiana* (K. & G.)
 Noot. 257
 var. *crassipes* 257
 var. *curtissii* (Oliv.) Noot.
 216*, 257
- (*Symplocos crassipes*)
 var. *ernae* (Brand) Noot.
 216*, 257, 258
 var. *havilandii* (Brand)
 Noot. 257, 258
 var. *penangiana* (K. & G.)
 Noot. 216*, 257, 258
 var. *rufomarginata* Noot.
 257, 258
crenulata Ridl. 215
cumingiana Brand 268
curtiflora Elmer 268
curtisiae Oliv. 257
cyanocarpa C.T. White 207
cyclops Brand 253
cylindracea Noot. 207, 216*,
 221, 222, 231, 238, 258
dagamensis Brand 266
dalmannensis Kaneh. &
 Hatus. 252
deflexa Stapf 207, 216*, 219,
 228, 255*, 258
delectans Brand 246
depauperata Merr. 263
 var. *angustissima* Brand 263
 var. *sordida* Brand 263
dolichanthe Merr. 214
doormanensis Brand 252
elliptifolia Merr. 268
elmeri Brand 266
englishii Hemsl. 253
ensicuspis Brand 254
ernae Brand 258
fasciculata Zoll. 207, 209,
 212, 216*, 218, 220, 224,
 225, 226, 228, 229, 230,
 232, 233, 234, 236, 237,
 259 map, 262
 var. *blumeana* K. & V. 259
 var. *minor* Miq. 259
ferruginea Roxb. 246
 var. *delectans* Kaneh. &
 Hatus. 246
 var. *philippinensis* Brand
 247
 var. *polystachya* (Wall. ex
 DC.) Clarke 246
 var. *syringoides* (Brand)
 Hall. f. 247
filipes Noot. 216*, 218, 220,
 221, 229, 236, 237, 260
flava Miq. ex Clarke 249
floridissima Brand 266
 var. *serrata* Brand 266
forbesii Brand 262
foxworthyi Brand 215
fragrans Elmer 268
fulvosa King & Gamble 239
gambliana Brand 222, 227,
 235, 260
gigantifolia Noot. 209, 221,
 231, 238, 260, 261
glabriramifera Noot. 216*,
 222, 229, 237, 260
glauca (Thunb.) Koidz. 210*
glomerata King ex Clarke
 216*, 218, 223, 225, 226,
 233, 234, 260
 var. *glomerata* 260
- (*Symplocos*)
goodeniacea Noot. 223, 227,
 235, 261
havilandii Brand 258
havilandii K. & G., non Brand
 260
henschelii (Mor.) Bth. ex
 Clarke 209, 214
 var. *henschelii* 214, 215*
 var. *maingayi* (Clarke)
 Noot. 214, 215*
henschelii Clarke 215
 var. *hirtistylis* Clarke 215
herzogii Sleum. 209, 216*,
 217, 230, 238, 260, 261
horsfieldiana Miq. 246
hutchinsonii Brand 244
ilocana Merr. 268
imbricata Brand 248
imperialis Brand 274
inconspicua Brand 263
iteophylla Miq. 239
 var. *elliptica* Miq. 239
 var. *rostrata* Miq. 239
javanica Kurz 246
javanica (non Kurz) Merr.
 247
johniana Stapf 207, 216*,
 218, 220, 228, 235, 236,
 261
junghuhnii Koord. 216*, 221,
 227, 234, 261, 262*
kinabaluensis Heine 263
klossii S. Moore 253
koordersiana Brand 243
lachnobotrys Miq. 246
 var. *glabrior* Miq. 246
laeteviridis Stapf 207, 216*,
 218, 219, 220, 221, 223,
 224, 225, 226, 227, 228,
 229, 230, 232, 233, 234,
 235, 237, 238, 260, 261
 var. *alternifolia* Noot. 262,
 263
 var. *basirotunda* Noot. 262,
 263
 var. *kinabaluensis* (Heine)
 Noot. 262, 263
 var. *laeteviridis* 208*, 216*,
 262
 var. *mjöbergii* (Merr.)
 Noot. 216*, 262, 263
 var. *pauciflora* Noot. 262,
 263
 var. *velutinosa* Noot. 262,
 263
laeviramulosa Elmer 264
lamii Brand 253
lancifolia S. & Z. 211, 216*,
 218, 219, 220, 222, 223,
 228, 229, 236, 237, 263
laurina Mor. 247
laurina Wall. ex G. Don 246,
 249
ledermannii Brand 274
leptophylla Turrill 250, 251
 f. *compacta* Turrill 251
leucocarpa Brand 274
lilacina Brand 274

- (*Symplocos*)
loheri Brand 264
lucida (Thunb.) S. & Z. 206,
 209, 211, 212, 216*, 217,
 223, 225, 226, 228, 229,
 231, 233, 234, 236, 237,
264
luteifolia Kaneh. & Hatus.
251
luzoniensis (non Rolfe) Brand
272
luzoniensis Rolfe 263
macrocarpa 209
macrophylla Wall. ex DC.
 ssp. *cordifolia* (Thw.) Noot.
 var. *apicalis* (Thw.) Noot.
210*
maculata Brand 254
maingayi Bth. ex Clarke 214
maliliensis Noot. 216*, 222,
 230, 238, 264
mamberamo Brand 250
margarita Brand 254
megabotrys Merr. 266
merrilliana Brand 263
microtricha Hand.-Mazz. 264
minutiflora Elmer 268
mjöbergii Merr. 263
mollis Wall. 246
mobobros (Brand) Noot. 252
montana Vidal 263
monticola King & Gamble
257
morobeensis Sleum. 255
multibracteata Noot. 218,
 219, 231, 238, 265*
myrmecophila Schltr ex Brand
253
nageli K. & V. 214
nigricans Brand 244
nivea Brand 222, 226, 234,
265, 270
novoguineensis Gibbs 215
oblongifolia Rolfe 269
obovata Ridl. 215
obovatofolia Merr. 216*, 223,
 229, 237, 266
odoratissima (Bl.) Choisy ex
 Zoll. 207, 212, 216*, 218,
 223, 225, 226, 227, 228,
 229, 232, 233, 234, 235,
 236, 237, 238, 266
 var. *aluminosa* K. & V. 266
 var. *divaricata* Brand 266
 var. *leptocarpa* S. Moore
266
 var. *odoratissima* 216*, 266
 var. *wenzelii* (Merr.) Noot.
216*, 266, 267
ophirensis Clarke 207, 216*,
 221, 224, 225, 226, 227,
 229, 230, 232, 234, 235,
 237, 238, 267
 ssp. *cumingiana* (Brand)
 Noot. 267, 268
 var. *cumingiana* 210*,
216*, 267, 268
 var. *pachyphylla* (Merr.)
 Noot. 216*, 267, 269
- (*Symplocos ophirensis*)
 ssp. *ophirensis* 216*, 267
 var. *densireticulata* Noot.
 220, 230, 233, 237, 267,
268
 var. *ophirensis* 216*, 267
 ssp. *perakensis* (K. & G.)
 Noot. 267, 268
 var. *lingaensis* Noot. 267,
268
 var. *perakensis* 210*,
 216*, 267, 268
 var. *sumatrana* Noot.
267, 268
- oranjeensis* Brand 274
orbicularis Hemsl. 253
pachyphylla Merr. 269
pahangensis Brand 239
palawanensis Brand 239
palmarum Brand 251
paniculata (Thunb.) Miq.
 207, 210*, 211
patens Presl. 266
 var. *ciliata* Brand 266
 f. *ciliata* Brand 266
 f. *elmeri* Brand 266
paucistaminea F.v.M. &
 F.M. Bail. 216*, 219, 231,
 238, 269
- penangiana* King & Gamble
 258
pendula Wight 214
 var. *hirtistylis* (Clarke)
 Noot. 215*
 var. *pendula* 215*
peninsularis Brand 244
perakensis K. & G. 268
phanerophlebia Merr. 259
pisisera Brand 254
 var. *miophylla* Brand 254
polyandra (Blanco) Brand
 207, 210, 216*, 218, 221,
 223, 224, 227, 228, 230,
 232, 236, 237, 266, 269
- polycarpa* Wall. ex G. Don
 249
polystachya Wall. 246
pruniflora Ridl. 239
pseudoclethra Hall. f. 243
pseudospicata Vidal 266
pulcherrima Ridl. 214
pulchra Wight 244
pulgarensis Elmer 266
pulverulenta K. & G. 266
pulvinata Noot. 216*, 223,
 231, 238, 269
purpurascens Brand 268
pusilliflora S. Moore 253
pyriflora Ridl. 216*, 222, 226,
 227, 234, 265, 270
racemosa F.-Vill. 266
ramosii Merr. 247
reginae Brand 253
repandula Miq. 266
rhynchocarpa K. Sch. ex
 Brand 253
ribes Jungh. & de Vriese 249
ridleyi K. & G. 264
rigida Clarke 242
- (*Symplocos*)
robinsonii Ridl. 216*, 218,
 220, 224, 232, 270
 var. *angustifolia* Noot. 270,
271
 var. *latifolia* Noot. 216*,
270
 var. *pilosa* Noot. 270
 var. *robinsonii* 216*, 270
- römeri* Brand 251
rubiginosa Wall. ex DC. 210,
 216*, 219, 221, 224, 225,
 226, 228, 232, 233, 235,
 236, 246, 271
- rupestris* Brand 253
salicoides Noot. 220, 231,
 238, 271
- salix* Brand 266
- schlechteri* Brand 253
- schumanniana* Brand 253
- scortechinii* Ridl. 214
- sericea* Brand 256
- sessili(folia)* Gürke 247
- sogeriensis* Brand 254
- spicata* (non Roxb.) F.-Vill.
 247, 266
- spicata* Roxb. 249
- f. *acuminata* K. & V. 249
 f. *javanica* K. & V. 249
 f. *subsessilis* K. & V. 247
 f. *xanthophylla* K. & V. 249
 var. *acuminata* Brand 249
 var. *australis* Bth. 250
 var. *laurina* Clarke 249
 var. *malasica* Clarke 249
 var. *platystachya* G. Don
246
- stawellii* F.v.M. 250
- var. *leptophylla* Brand 250,
251
- stenosepala* Steen. 214
- subsessilis* Choisy 247
- sumatrana* Brand 216*, 219,
 220, 224, 232, 233, 271
- sumuntia* Buch.-Ham. ex D.
 Don 216*, 222, 226, 234,
271
- superba* Brand 269
- syringoides* Brand 247
- theaefolia* D. Don 264
'theifolia' 264
- thwaitesii* F.v.M. 250
- tinctoria* 206, 209, 212
- topicia* Brand 215
- trichomarginalis* Noot. 216*,
 218, 219, 228, 235, 272
- trichophlebia* Merr. 267
- tricoccata* Noot. 210, 216*,
 222, 227, 235, 272
- trifurceps* Brand 251
- trisepala* Merr. 223, 228, 229,
237, 272
- turrialiana* A.C. Smith 251
- verdifolia* Elmer 266
- verhuellii* Jungh. & de Vriese
 246
- versteegii* Brand 254
- verticillifolia* Noot. 209, 216*,
 217, 228, 236, 272, 273*

- (*Symplocos*)
vidalii Rolfe 216*, 220, 229,
 237, 272
villarii Vidal 266
wenzelii Merr. 267
whitfordii Brand 212, 216*,
 222, 223, 229, 237, 273
wikstroemifolia Hayata 210,
 211, 216*, 217, 218, 219,
 220, 225, 226, 233, 264
zamboangensis Brand 263
zizyphoides Stapf 207, 216*,
 219, 228, 235, 255, 272, 273
Syndesmis Wall. 446
coarctata Griff. 461
elegans Wall. 461
sp. Griff. 459
- T. (sphalm. for *Buchanania*)
macrophylla 415
Tabebuia 120, 135, 179
chrysanthia 181
pallida 181
rosea 181
 Taccaceae 7: 806-819
Takasagoya Y. Kimura 14
acutisepala (Hayata) Y.
 Kimura 19
geminiflora (Hemsl.) Y.
 Kimura 19
trinervia (Hemsl.) Y.
 Kimura 19
Tanaecium Sw. 124
Tapiria wodier March. 478
Taxotrophis rectinervia F.v.M.
 67
Tecomaria Juss. 114, 116, 118, 120,
 122, 134
 sect. *Pandorea* Endl. 174
 sect. *Tecomaria* (Spach) Endl.
 135
africana G. Don 183
alata DC. 118
amboinensis Bl. 171
australis R. Br. 175
 var. *linearis* Bail. 175
 var. *meonantha* (Link) DC.
 175
 var. *pandorea* (Vent.) Bail.
 175
austro-caledonica Bur. 175
capensis (Thunb.) Lindl. 118,
 120, 180, 182, 185
ceramensis T. & B. 175
 var. *elliptica* Miq. 175
curtisii Ridl. 127
cuspidea Bl. 125
dendrophila Bl. 171
diversifolia G. Don 175
doratoxylon J.M. Black 177
filicifolia Nichols. 117
filicifolium Nichols. 175
floribunda Cunn. ex DC. 175
hirsuta DC. 179
incisa (Rose & Standl.)
 Johnst. 135
incisa Sweet 135
jasminoides Lindl. 184
leptophylla Bl. 117, 166, 175
- (*Tecoma*)
meonantha Sweet 175, 177
mollis H.B.K. 135, 186
ochroxantha Kth & Bouché
 175
oxleyi Cunn. ex DC. 175,
 177
pandorana (Andr.) Skeels 175
ricasoliana Tanf. 184
 × *smithii* W. Watson 118, 135
stans (L.) H.B.K. 116, 118,
 120, 121, 122, 135, 180,
 182, 186
 var. *angustatum* Rehd. 135
 var. *apifolium* DC. 135
 var. *incisa* G. Don 135,
 186
 var. *multipliciflora* R.E. Fries
 135
 var. *velutina* DC. 135, 186
suaveolens G. Don 147, 148
velutina 118, 135
venusta (Ker) Lem. 184
Tecomanthe Baill. 114, 115,
 116, 121, 122, 123, 167, 169,
 172 map
 sect. *Aurantiaceae* Steen. 165
 sect. *Dendrophilae* Steen. 167
 sect. *Montanae* Steen. 174
 sect. *Saxosiae* Steen. 167
 sect. *Volubiles* Steen. 167
acutifolia Steen. 171
amboinensis (Bl.) Steen. 171
arfakii Steen. 172
aurantiaca Diels 167
bureavii Baill. 171
cyclopensis Steen. 173
dendrophila (Bl.) K. Sch. 118,
 168*, 170*, 171
elliptica Steen. 171
gjellerupii Steen. 172
gloriosa S. Moore 171
hillii (F.v.M.) Steen. 171, 172
montana Diels 178
nitida (non Steen.) Herklots
 173
nitida Steen. 172
saxosa Diels 173
speciosa Oliv. 116, 169, 171
ternatensis Steen. 171, 172
venusta S. Moore 171
 var. *parviflora* Steen. 171
vulobilis Gibbs 171, 172*
 ssp. *silvicola* Steen. 171,
 173*, 174
 ssp. *tenax* Steen. 171, 173,
 174 map
 ssp. *vulobilis* 173
Tecomaria Spach 116, 134
capensis (Thunb.) Spach 135,
 185
 ssp. *nyassae* (Oliver) Brummitt
 186
Tecomella 115, 120
undulata Seem. 119, 120
Terminalia 526, 527
brassii Exell 527
copelandii Elmer 527
Tetradenia fruticosa 305
- Teucrium* L. 301, 303, 304, 306,
 307, 310, 317
corymbosum R. Br. 301, 317,
 318
depressum Small 307
marum L. 304
melissaeifolium Noronha 318
oliganthum Hassk. 318
philippinense Merr. 318
quadrifarium Ham. ex D.
 Don 301, 318
quadrifarium (non Ham. ex D.
 Don) Keng 318
stolonifera Ham. ex Bth. 318
 var. *typicum* Maxim. 318
tomentosum Wight 318
virginicum (non L.) Thunb.
 318
viscidum Bl. 316*, 317, 318
 var. *densiflora* Miq. 318
wightii Hook. f. 317, 318
- Theaceae 205, 212
 Thoracostachyum 526
 Thymelaeaceae 4: 349-365; 6:
 1-48, 976; 7: 830
 Thymus 303, 309
biserratus Blanco 369
repens D. Don 361
virginicus Blanco 370
vulgaris L. 394
Tisseranthodendron Sillans 157
Toxicodendron Mill. 406, 535
borneense (Stapf) Gillis 541
nodosum (Bl.) Gillis 539
succedanea (L.) Mold. 539
 Trapaceae 4: 43-44; 6: 982
Trema Lour. 31, 32, 33, 34,
 36, 38, 39, 43, 45, 47, 49
 map, 386, 551
acuminatissima (Miq.) Boerl.
 54
amboinensis auct. non (Willd.)
 Bl. 51
amboinensis (Willd.) Bl. 49,
 50, 53
angustifolia (Planch.) Bl. 50,
 54
argentea (Planch.) Bl. 51, 52
aspera Bl. 35, 36
blancoi (Planch.) Bl. 53
burmannii Bl. 51, 53
cannabina Lour. 36, 47, 50,
 51
 var. *scabra* 51
carinata Bl. 50
commersonii (Brongn.) Bl. 50,
 51
dielsiana Hand.-Mazz. 53
discolor (Brongn.) Bl. 51, 52
glabrescens (Planch.) Bl. 50,
 51
griffithii (Planch.) Bl. 51, 53
guineensis Ficalho 35, 49
imbricata Bl. 51, 53
lanceolata Merr. 54
lancifolia Ridl. 55
morifolia Bl. 50
orientalis (L.) Bl. 35, 48*, 49,
 50, 51, 52*, 53, 54*

- (*Trema orientalis*)
 var. *amboinensis* (Willd.) Kurz 50, 51, 53
 var. *bicolor* de Wit 54
 var./ssp. *bicornis* de Wit 51, 52
 var. *rigida* (Bl.) Laut. 51
 var. *viridis* 51
orientalis [non (L.) Bl.] Merr. 53
pallida Bl. 50
philippinensis Elmer 44
politoria 49
pubigera Bl. 50
rigida Bl. 51, 52
sampsonii (Hance) Merr. & Chun 54
scaberrima Bl. 51
timorensis (Decne) Bl. 50, 51
 var. *carinata* (Bl.) Laut. 50
 var. *pallida* (Bl.) Laut. 50
tomentosa (Roxb.) Hara 47, 49, 50, 52*, 53
velutina 51
vieillardii (Planch.) Schltr 51
virgata (Planch.) Bl. 50, 51
 var. *pubigera* (Bl.) Laut. 50
 var. *scabra* 51
viridis (Planch.) Bl. 50, 51
vulcanica Merr. 44
wightii (Planch.) Bl. 51, 52
Triadenium Rafin. 1, 4, 5, 15
virginicum (L.) Rafin. 3
Trichoptelea 35
Trichostema 304
Tridesmis (non Lour.) Spach 4
formosa (Jack) Korth. 9
jackii Spach 9
ochroneoides Spach 9
Tridia frankeniioides Korth. 28
Trigoniacae 4: 58–60
Trigonobalanus *verticillatus* Forman 550
Trimezia Salisb. ex Herbert 77, 83
lurida Salisb. 84
martinicensis (Jacq.) Herbert 84
Tripinna tripinnata Lour. 180
Tripinnaria asiatica Spreng. 180
cochininchensis Pers. 180
Tristania cf. *whiteana* Griff. 532
Trochodendraceae 189
Tropidopetalum Turcz. 466
javanicum Turcz. 468
Turneraceae 4: 235–238
Typhaceae 4: 242–244; 6: 982
- Ulmaceae** 31–76, 32 map, 551
 subfam. *Celtidoideae* Engl. 36
 subfam. *Ulmoideae* Engl. 36
 tribe *Celteae* 33
 tribe *Celtideae* Hutch. 34, 35, 36
 tribe *Celtoideae* 31
 tribe *Ulmeae* Hutch. 33, 34, 36
Ulmus L. 32, 33, 34, 35, 36, 38, 39, 40 map

- (*Ulmus*)
 sect. *Blepharocarpus* 35
 sect. *Chaetoptelea* 35
 sect. *Madocarpus* 35
 sect. *Microptelea* 35
 sect. *Trichoptelea* 35
americana L. 34, 35
hookeriana Planch. 40
lancaefolia Roxb. ex Wall. 32, 33, 36, 37*, 38, 40*, 41*
 map
lancifolia (sphalm.) 40
parvifolia Jacq. 36, 41
rubra Muhl. 35
tonkinensis Gagnep. 40
Umbelliferae 4: 113–140, 595; 5. 555; 6: 983–984; 7: 830–831; 8: 85, 88
Urticaceae 33, 34, 36, 38
Urticales 33, 36
Utricularia L. 275, 276
affinis Wight 282
 var. *griffithii* (Wight) Oliver 282
albiflora Griff. 288
albina Ridl. 288
ambigua A. DC. 294
amphibia Welw. ex Kamienski 294
anthropophora Ridl. 289
antirrhinoidea Wall. 281
aurea Lour. 278, 289*, 295*, 296*, 297*, 299
aurea (non Lour.) Ridl. 279
aurea (non Lour.) P. Taylor 293
australis R. Br. 276, 277, 278, 279, 296, 299*, 300
baouleensis A. Chev. 277, 279, 280*, 284*
barnesii Lloyd 286
baueri R. Br. 287
bifida L. 280*, 281*
bifida (non L.) Macrae ex A. DC. 288
bifida (non L.) Wight 292
biflora Hayata 281
biflora (non Lamk.) Roxb. 294
biloba P. Taylor 292
blumei (A. DC.) Miq. 297
brevicaulis Benj. 281
brevilabris Lace 286
 var. *pariflora* Pellegr. 286
caerulea L. 287, 288*
calliphysa Staph 286
calumpitensis Llanos 297
campestris Miq. ex Clarke 288
capillacea (non Willd.) Vahl 287
capillacea (non Willd.) Wall. 286
cavalerii Staph 288
charnleyensis Fitzg. 288
chrysantha R. Br. 276, 279, 285*
complanata Wall. 287
conferta Hassk. 294
confervifolia Jacks. ex D. Don 296
- (*Utricularia*)
cyanea R. Br. 282
diantha Roxb. ex Roem. & Schultes 294
dichotoma Labill. 277
diflora Roxb. 294
elegans Wall. ex Oliv. 294
elmeri Staph 284
evrardii Pellegr. 286
exoleta R. Br. 278, 280*, 286, 294, 295*
 var. *lusitanica* Kamienski 294
extensa Hance 297
fasciculata Roxb. 296
filicaulis Wall. 288
 var. *papillosa* Pellegr. 288
flexuosa (non Vahl) Bth. 299
flexuosa Vahl 296
 var. *blumei* A. DC. 296
fluitans Ridl. 293, 296
'fluvialis' (sphalm.) 293
gibba L.
 ssp. *exoleta* (R. Br.) P. Taylor 294
gibbsiae Staph 283
glochidiata Wight 289
gracilis Lepr. ex Oliv. 294
griffithii Wight 282
harlandii Oliv. ex Bth. 289
heterosepala Benj. 276, 279, 283, 284*
hirta Klein ex Link 279, 287*
 var. *elongata* Pellegr. 287
humboldtii 278
humilis Vahl 281
inaequalis Benj. 297
incerta Kamienski 299
inflata Walt. 277
inflexa Forsk. 298
 var. *stellaris* (L. f.) P. Taylor 298
involvens Ridl. 276, 277, 279, 281*
japonica Makino 299
kerrii Craib 288
lilliput Pellegr. 286
limosa R. Br. 277, 279, 292*
livida 277
minor L. 276, 277, 278, 299, 300*
 var. *multispinosa* Miki 299
minutissima Vahl 279, 286*, 287
mulleri Kamienski 276, 278, 286, 298*
multispinosa (Miki) Miki 299
nagurai Makino 294
neglecta Lehm. 299
neottioides 278
nigricaulis Ridl. 286
nipponica Makino 286
nivea Vahl 287
obtusiloba Benj. 288
odorata 277
ophirensis Ridl. 288
orbiculata Wall. ex A. DC. 289, 300
pauciflora Bl. 294

(*Utricularia*)
paucifolia Benj. 288
pilosa (Makino) Makino 297
pterosperma Edgew. 294
pulchra P. Taylor 276, 279,
 290*
punctata Wall. ex A. DC. 278,
 293, 294*
punctata (non Wall. ex DC.)
 P. Taylor 299
purpurea Willd. ex Benj. 288
pusilla Grah. 289
pygmaea R. Br. 286
racemosa Wall. ex Walp. 287
 var. *filiculata* Clarke 288
radiata Small 277
ramosa Vahl 281, 296
reclinata Hassk. 297
recurva Lour. 281
riccioides A. Chev. 294
rogersiana Lace 293, 299
rosea Edgew. 288
roseo-purpurea Stapf ex
 Gamble 288
rosulata Benj. 289
roxburghii Spreng. 294
sacciformis Benj. 299
saharunporensis Royle ex
 Oliv. 294
salwinensis Hand.-Mazz. 276,
 277, 279, 291*
scandens Benj. 277, 279, 283*
 ssp. *scandens* P. Taylor 283
scandens (non Benj.) Oliver
 284
setacea (non Mich.) Wall. 287
siamensis Ostenf. 286
sootepensis Craib 288
squamosa Benj. 288

(*Utricularia*)
stellaris (non L. f.) Bth. 298
stellaris L. f. 276, 277, 278,
 298
stellaris (non L. f.) Wager 299
striatula J. Sm. 276, 277, 279,
 280*, 289*, 290*, 291, 300
striatula (non J. Sm.) Ridl.
 290
 var. *minor* Ridl. 289
subulata L. 276, 279, 292,
 293*
sumatrana Miq. 281, 294
tenerrima Merr. 284
uliginosa Vahl 280*, 282*
uniflora R. Br. 277
verticillata Benj. 292
vitellina Ridl. 276, 279, 280*
volubilis Wight ex Benj. 283
vulgaris L. 296
 var. *pilosa* Makino 297
vulgaris (non L.) P. Taylor
 299
wallichiana Benj. 281
wallichiana Wight 283
wallitchii Wight 283
warburgii Goebel 288

Vaccinium 207, 373, 399
bancanum Miq.
 var. *tenuinervium* J.J.S.
 97
dialypetalum J.J.S. 549
pseudodialypetalum Ng 549
whitmorei Ng 549

Valerianaceae 4: 253-254

Verbenaceae 115, 118, 119, 120,
 121, 304, 306, 307

Viburnum 85, 406

Viola biflora 277
Violaceae 7: 179-212, 831

Vismia 3
arborescens (Vahl) Choisy 11
cochininchinense (Lour.)
 Spreng. 8

Vitex 179
cymariooides Lam & Meeuse
 317
premnoides Elmer 92, 93
tripinnata (Lour.) Merr. 180

Weinmannia 253
Wightia 117, 386, 399
borneensis Hook. f.
 ssp. *ottolanderi* (Koord.)
 Steen. 179

Wirtgenia Jungh. ex Hassk. 476,
 477, 479
decandra Jungh. ex Hassk.
 477, 483
octandra Jungh. ex Hassk.
 477, 478

Witsenia 77

Xanthomyrtus 254
Kyridaceae 4: 366-376, 598;
 5: 557

Zelkova 31, 33, 34, 35, 36, 38
serrata (Thunb.) Makino 35

Zeyhera 120
digitalis Hoehne 121
tuberculosa Bur. ex Verlot 121

Ziziphora javanica Bl. 361

Zizyphus 133
angustifolius (Miq.) Hatus.
 ex Steen. 61, 66

Zygophyllaceae 4: 64