

INDEX TO SCIENTIFIC PLANT NAMES

compiled by

M. J. VAN STEENIS-KRUSEMAN

Families and higher taxa have been entered under their name.

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (tribes, e.g.).

Supraspecific epithets have been entered under the generic name to which they belong preceded by the indication of their rank (sections, series).

Infrageneric epithets have been entered under the generic name to which they belong preceded by the indication of their rank.

Names of families which have been revised in volumes 4 and 5 have been printed in bold type.

New names and new combinations have been printed in bold type, synonyms in italics.

'Map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

An asterisk behind a page number denotes the presence of a figure of the concerned taxon.

Page numbers in bold type denote main treatment.

Some minor printing errors in plant names have been corrected.

N.B. An index to persons, plant names, and topics mentioned in the chapter on 'Specific Delimitation' is found on p. ccxxx. A select index has further been added to the 'Supplement Cyclopaedia of Collectors', see p. cccxxvii. Plant names mentioned in the general chapters have not been inserted in the general index.

- Acacia 201
Acalypha 427
Acanthus 432, 440, 447
 ilicifolius L. 436
Aceraceae 4:3-4, 4:592
Achyranthes *repens* L. 554, 555
Acorus *marinus* Rumph. 402
Acrostichum 432, 447, 463
 aureum 436, 440
Acrotrema 1
 costatum Jack 557
Actinidiaceae sens. str. 4:37-39
Adenostephanus (non Kl.) Bth.
 152
Aegiceras 439, 457, 517
 corniculatum (L.) Blco 442,
 457
 minus Gaertn. 514, 517
Aembilla Adans. 8
Agathis 174
Agelaea Soland. ex Planch. 495-
 497, 500, 505
 agamae Merr. 504
 borneensis (Hook. f.) Merr.
 501*, 502, 504
 cambodiiana Pierre 504
 densiflora Pierre 504
 diepenhorstii (Miq.) King 502
 everettii Merr. 504
 glabrifolia Hance 504
 hullettii King 502
 insignis (Schellenb.) Leenh.
 502, 505
 macrophylla (Zoll.) Leenh.
 502, 503*, 504
 obliqua Baill. 496, 502
 pinnata King 510
 platyphylla Elm. 504
 sarawakensis Merr. 502
- subg. Agelaea Schellenb. 500,
 502
subg. Troostwykia (Miq.)
 Schellenb. 500, 502
 trifolia Gilg 496
 trinervis (Llanos) Merr. 501*,
 502
 vestita Hook. f. 504
 villosa Soland. ex Planch. 504
 wallichii Hook. f. 502-504
 woodii Merr. 504
- Ahernia Merr. 1, 3-6
 glandulosa Merr. 6
- Aizoaceae 4:267-275; 414
- Aldrovanda 317
- Alepyrum (non R.Br.) Hieron.
 422
- Alepyrum R.Br. 422, 423
 palidum Hook. f. 423
- Algae 404
- Alisma 317-319, 325
 acanthocarpum F.v.M. 320,
 322
 apetalum Ham. 320
 calophyllum Wall. 319
 flava L. 120
 glandulosum Thw. 320, 322
 kotschyi Hochst. ex A. Braun
 324
 obtusifolium Thw. 324
 oligococcum F.v.M. 320
 parnassifolium Bassi ex L. 319
 plantago L. 317, 318, 334
 reniforme D. Don 319
 sagittifolium (non Willd.) Lla-
 nos 332
 sagittifolium Willd. 324
 sect. *Caldesia* B. & H. 319
 sect. *Echinodorus* Schultes 325
- sect. *Lophiocarpus* Seub. 327
 subulata L. 329
- Alismataceae 317-334, 382
- Alismatales (order) 318
- Allium *cepa* L. 480
- Alnus Ehrh. 207
 formosana Makino 207
 japonica Steud. 207, 208
 maritima (Marsh.) Nutt. 207,
 208*
 var. *formosana* Burk. 207
 nepalensis D. Don 207
 oblongata Willd. ex Regel
 207
- Alseodaphne *crassipes* Hook. f.
 175
- Alternanthera Forsk. 554
 achyrantha Forsk. 554
 brasiliiana (Torner) O.K. 555
 ficoidea (L.) R.Br. ex Link
 555
 philoxeroides (Mart.) Griseb.
 555
 pungens H.B.K. 555
 repens (L.) Gmel. 554
- Altingia Noroñæ 363-366, 376
 excelsa Nor. 376, 377*, 378*
 var. *velutina* K. & V. 376,
 379
- Alysicarpus *bupleurifolius* DC.
 559
- Amaranthaceae 4:69-98, 4:593;
 300, 414, 554
- Amaranthus 301
- Amaryllidaceae 111
- Amentiferae 414
- Amyema *gravis* 440
- Amyris *maritima* Jacq. 296
 oleosa Lamk 278, 279

Anacardiaceae 210, 236, 237,
247, 251, 296, 316
Anasser Juss. 358
 borbonica 358
 moluccana Lamk 356, 358
Anassera moluccana Pers. 356
Anavinga fuliginosa Blco 92
Ancistrocladaceae 4:8–10; 553
Ancistrocladus Wall. 553
Androsace umbellata (Lour.)
 Merr. 558
Aneulophus Bth. 543, 545
Aniseia hastata Meissn. 561
Anisophyllea R.Br. ex Sabine
 429, 431, 445–448, 474
 ^apetala Scort. ex King 474,
 475, 478
 beccariana Baill. 444, 474–
 476*
 corneri Ding Hou 474, 475,
 478, 479
 curtisiae King 474, 475, 477
 disticha (Jack) Baill. 431, 444,
 474–476*, 479
ferruginea Ding Hou 474, 475,
 477
flavicans (Wall.) Hook. f. &
 Thoms. ex Dur. & Jacks. 477
gaudichaudiana Baill. 477
grandifolia Hensl. 477
grandis (Bth.) Burk. 431, 474,
 475, 477
griffithii Oliv. 431, 448, 474–
 476
guyanensis Sandwith 474
laurina 474
rhomboidea Baill. 479
scortechinii King 474, 475,
 479
 sp. 431, 474, 475, 478
Anisophylleaceae 445
Anisophylloideae (subfam.) 445
Anisophyllum G. Don ex Hook.,
 non Haw. 474
 grande Bth. 477
 trapezoidale Baill. 479
Anisostemon Turcz. 525
 trifoliatus Turcz. 529
Annonaceae 33, 50
Anopyxix Pierre ex Engl. 431
Anredera Juss. 300, 302
 baselloides Baill. 304
 baselloides (H.B.K.) Baill.
 302, 303*
 cordifolia (Ten.) Steen. 302,
 303*
 cumingii Hassk. 304
 leptostachys (Moq.) Steen.
 302, 303*
 scandens (L.) Moq. 302, 303*,
 304
 sect. *Anredera* 302
 sect. *Moquiniella* Hauman 302
 sect. *Tandonia* (Moq.) Volk.
 302

spicata Gmel. 304
vesicaria Gaertn. 304
Ansyris 296
Aphanamixis 296
Aphania cuspidata (Bl.) Radlk.
 33
Aphelia 423
Aponogeton 317
 loriae Martelli 553
Aponogetonaceae 4:11–12; 553
Aquifoliaceae 121
Aquilaaria pentandra Blco 355
Araceae 248*, 415
Araliaceae 347
Arbor vespertilionum Rumph.
 176
Argemone Tournef. ex L. 114
 mexicana L. 114, 115*
 var. *ochroleuca* (Sweet)
 Lindl. 116
Argyreia Lour. 563
 apoensis (Elm.) Ooststr. 563
 boholensis (Merr.) Ooststr.
 563
 corneri Hoogl. 563
 lamiifolia Ooststr. 563
 pseudorubicunda Ooststr. 563
 sect. *Ptyxanthus* G. Don 563
Artocarpus chapasha Roxb. ex
 Koord.-Schum. 194
Arytera macrocarpa Miq. 218
Asclepiadaceae 440
Aspidandra Hassk. 40
 fragrans Hassk. 47
Aspidopterys Juss. 125, 126, 566
 andamanica Hutch. 127, 130
 celebensis Arènes 126, 127,
 130 map
 concava (Wall.) Juss. 126,
 127*, 129 map, 130, 566
 var. *helferiana* Niedenzu
 127
 var. *philippinensis* Niedenzu
 127
 var. *sumatrana* Niedenzu
 129
 concava (non Juss.) Merr. 130
 elliptica (Bl.) Juss. 126, 127*,
 128*, 129 map, 130
 glabriuscula (Wall.) Juss.
 var. *subrotunda* Niedenzu
 130
 helferiana (non Kurz) King 127
 helferiana Kurz 129, 130
 longirostris Arènes 130
 macrocarpa Dop 127
 obcordata Hemsl. 130
 ovata Merr. & Rolfe 127
 sp. 127
 tomentosa (Bl.) Juss. 126,
 127*, 129, 130 map
 var. *longirostris* (Arènes)
 Jacobs 130 map
 var. *obcordata* (Hemsl.)
 Niedenzu 130 map
var. *tomentosa* 130 map
Aspidopteryx auct. 126
Asteriastigma Bedd. 30
Astranthus foetida Wall. ex
 Clarke 57
Avicennia 432, 434, 435, 439,
 441–444, 447, 450, 453, 467
Baileyoxylon C. T. White 1, 51
Balanus myrepica Gars. 554
Baldellia Parl. 325
Balingayum Blco 337
 decumbens Blco 337
Banara brevifolia Blco 12
 racemosa Blco 12
Banisteria benghalensis L. 132
 dichotoma (non L.) Spanoghe
 142
 javonica Thunb. 132
 tiliaeifolia Vent. 140
 timoriensis DC. 142
Banksia L. f. 113, 148, 150, 151,
 203, 205*
 dentata L. f. 148, 149, 156,
 203*, 204*, 205
Baraultia Spreng. 481
Barkania Ehrenb. 407
 stipulacea Zanardini 411
Barraldeia Thouars 481, 482
 madagascariensis DC. 485
Barringtonia 138, 335
Basella L. 300
 alba L. 300, 301*, 302
 cordifolia Lamk 301
 japonica Burm. f. 301
 lucida L. 301
 nigra Lour. 301
 rubra L. 300, 302
 vesicaria Lamk 304
Basella Rheed 300
Basellaceae 300–304
Batidaceae 414–415
Batis P. Browne 414
 argillicola v. Royen 414, 415*
 hermaphroditica Blco 415
 maritima L. 414
 spinosa Roxb. 415
Bennettia Miq. 63, 566
 horsfieldii Miq. 64
 leprosipes Koord. 64
 longipes Oliv. 64
 papuana Gilg 65
 trinervia (Laut. & K.Sch.)
 Gilg ex Diels 64
Bennettiodendron Merr. 1, 3–5,
 63, 65, 566
 brevipes Merr. 64
 leprosipes (Clos) Merr. 64
 map
 longipes Merr. 64
 papuanum (Gilg) Merr. 65
Bergsma Bl. 40
 acuminata Miq. 50
 javonica Bl. 45
 sumatrana Miq. 27

- Berrya ammonilla* Roxb. 145
Betula alnus (non L.) Thunb. 207
 japonica Thunb. 207
Betula-Alnus maritima Marsh. 207
Betulaceae 207-208
Bhesa 541
Bixaceae sens. str. 4:239-241; 2
Bixineae 2
Blackwellia Lamk 52
 caryophyllacea Z. & M. 58
 dasyantha Turcz. 56
 foetida Wall. 57
 longiflora Miq. 58
 macrocarpa (sphalm.) 55
 macrostachya Turcz. 55
 moluccana Bl. 57
 monostachya (sphalm.) 55
 propinqua Wall. 57
 spiralis Wall. 53, 57
 tomentosa Vent. 53
Blakwellia (sphalm.) 52
Bleasdalea F.v.M. 152
 papuana (Diels) Domin 154
Blepharistemma Bth. 431
 corymbosum (Bth.) Wall. ex Bth. 489
 membranifolia (Miq.) Ding Hou 489
Blyxa Noronha ex Thouars 381, 383, 384, 389, 390, 392, 394
 alternifolia (Miq.) Hartog 383, 384, 390, 391*, 392
 angustipetala Masamune 392, 393
 auberti Rich. 390*, 391*
 bicaudata Nakai 391
 caulescens Maxim. ex Makino 393
 ceratosperma Maxim. ex A. & G. 391
 ceylanica Hook. f. 390
 coreana (non Léveillé) Nakai 390
 delavayi Gagnep. 391
 ecaudata Hayata 390
 echinosperma (Clarke) Hook. f. 390, 391*, 392
 echinospermoides Blatter 391
 griffithii Planch. ex Hook. f. 390-392
 japonica (Miq.) Maxim. ex Aschers. & Gürke 382, 390, 391*, 392, 393
 laevissima Hayata 393
 lancifolia Hook. f. 391
 leiocarpa Maxim. ex Makino 393
 leiosperma Koidz. 390, 392
 malayana Ridl. 390
 muricata Koidz. 390
 novoguineensis Hartog 381, 390, 393*
 octandra (non Planch. ex Thw.) Merr. 391
 octandra (Roxb.) Planch. ex Thw. 382, 390, 391*, 392
 oryzetorum Hook. f. 390
 roxburghii (non Rich. 1812)
 Miq. 390
 roxburghii Rich. 392
 sect. *Blyxa* 390
 sect. *Caulescentes* Koidz. 317, 390
 shimadai Hayata 391
 somai Hayata 391
 subg. *Diplosiphon* (Dence)
 Aschers. & Gürke 389
 sect. *Acaulis* Koidzumi 390
 sect. *Caulescens* Koidzumi 390
 subg. *Saivala* (Buch.-Ham.)
 Aschers. & Gürke 389, 390
 talbotii Hook. f. 391, 392
 zeyanica Hook. f. 390
Blyxopsis O.K. 389
Bocconia Plum. ex L. 114, 116
 frutescens L. 116*
Boettia Bigel. 396
Boettia Wall. 396, 397
 alata Gagnep. 399
 crispifolia Warb. 401
 lanceolata Gagnep. 399
 mesenterium Hall. f. 401
 renifolia Merr. 394
Borraginaceae 379
Boswellia 209
 balsamifera Spreng. 279
 glabra Roxb. 279
 hirsuta Smith 289
 hirsuta Spreng. 287
 integra Blco 296
 javanica Turcz. 215
 malaccensis March. 218
 obliqua Blco 296
Bougueria nubicola Decne 468
Boussingaultia H.B.K. 302
 baselloides H.B.K. 303, 304
 baselloides (non H.B.K.) F. Vill. 304
 baselloides (non H.B.K.)
 Hook. 304
 cordifolia Ten. 303
 cordifolia (Moq.) Volk. 303
 gracilis Miers 303
 f. *pseudo-baselloides* Hau-
 man 303
 var. *pseudo-baselloides*
 (Haum.) Bailey 304
leptostachys Moq. 302
ramosa 303
 sect. *Tandonia* Moq. 302
volkensis Ulbr. 303
Brachylophon Oliv. 125, 126, 138
 curtisii Oliv. 138*, 139 map,
 140*
 hullettii King 138
 scortechinii King 138
 sect. *Brachylophon* 138
 sect. *Catosepalis* Niedenzu
 138
Brasenia 317
Bridelia 2
Bruguiera Lamk 429, 431, 434, 435, 439, 441-448, 450, 453, 457, 458*, 466*
 10-angulata Griff. 463
 australis A. Cunn. ex Arn. 463
 capensis Bl. 461
 caryophylloides (Burm. f.) Bl.
 435, 467
 conjugata "(L.) Merr." 461,
 463
 cylindrica (L.) Bl. 433-435,
 457, 461, 463, 464, 466, 467
 cylindrica (non L.) Bl. 463
 cylindrica (non Bl.) Hance 461
 decandra Griff. 471
 eriopetala W. & A. ex Arn.
 434, 463
 exaristata Ding Hou 444,
 460*, 461, 464 map
 gymnor(r)hiza (L.) Lamk 431,
 434-437, 440, 445, 453, 457,
 459*, 460*, 461, 463, 466
 var. *palun* (DC.) Bl. 461
hainesii C. G. Rogers 444,
 460*, 461, 468
malabarica Arn. 467
malabarica (non Arn.) F.-Vill. 463
 nemorosa Blco 486
 nubicola Pritz. (sphalm.) 468
 oxyphylla Miq. 463
 parietosa Griff. 463
 parviflora (Roxb.) W. & A.
 ex Griff. 434, 442*, 443,
 447, 457, 461, 463, 464,
 465*
 rheedii Bl. 461
 ritchiei Merr. 464
 rumphii Bl. 461
 sect. *Kanilia* (Bl.) Miq. 457,
 460
 sect. *Mangium* Miq. 457, 460
 sexangula (Lour.) Poir. 434,
 436, 442*, 453, 460*-462*,
 463, 467*
 sexangularis Spreng. 463
 wightii Bl. 461
 zippelii Bl. 461
 var. *oblongifolia* Bl. 461
Bruguiera Thouars 457
Bruniaceae 365
Brunoniaceae 335
Bucklandia R.Br. ex Griff., non Pr., nec Brongn. 365, 374, 375
 populifolia Hook. f. & Thoms.
 375
 populnea R.Br. ex Griff. 375
 tricuspid Hall. f. 375
Buglossum litoreum Rumph. 339
Bulbophyllum xylocarpum J.J.S.
 440

- Burmannia** 428
geelvinkiana Becc. 553
ledermannii Jonker 553
Burmanniaceae 4:13–26, 4:592; 553–554
- Bursaria** 361
inermis Azaola 355
spinosa Cav.
var. *incana* Bth. 362
- Bursera** 209
javanica Baill. 213
macgregorii F. M. Bail. 214
nitida (Turcz.) F.-Vill. 296
- Burseraceae** 209–296, 567
tribe Burserae 209, 211
subtribe Burserinae 211
subtribe Commiphorinae 211
tribe Canarieae 209, 210, 212
subtribe Canartiinae 212
subtribe Dacryodiinae 212
tribe Protieae 209–211
- Butomaceae** 118–120, 318, 566
- Butomales** (order) 318
- Butomopsis** Kunth 118
lanceolata Kunth 118
latifolia Kunth 118
- Butomus** 118, 318
lanceolatus Roxb. 118
latifolius D. Don 118
- Buxaceae** 365
- Byrsocarpus** Schum. & Thonn. 496, 510, 512, 513
subg. *Jaundea* Schellenb. 513
- Byrsonima** coriacea Kunth var. *spicata* (L. C. Rich.) Niedenzu 125
- Caldesia** Parl. 317–319
acanthocarpa Buch. 320
grandis Samuelsson 319, 320
oligococca (F.v.M.) Buch. 319, 320, 322* map
var. *acanthocarpa* (F.v.M.) Hartog 322*
var. *echinata* Hartog 321*, 322*
var. *oligococca* 322*
- parnassifolia** (Bassi ex L.) Parl. 319, 320, 322 map
var. *major* Buch. 319
var. *majus* Micheli 319
var. *nilotica* Buch. 319
- reniformis** Makino 319
sagittarioides Ostenf. 324
- Callitrichaceae** 4:251–252
- Calogyne** R.Br. 335–337
cambodiana Danguy 337
pilosa R.Br. 337
- Calopsis** Kunth 416
- Campanulaceae** 335, 566
subfam. Lobelioidae 335
- Camphusia** *glabra* (H. & A.) De Vriese 344
- Camnosperma** 480
macrophylla 481
- Canariellum** Engl. 251
- Canariopsis** Bl. ex Miq. 249
altissima Bl. ex Miq. 287
angustifolia Miq. 296
aspera Miq. 293
decumana Bl. ex Miq. 277
decumana (non Bl.) Miq. 277
denticulata Bl. ex Miq. 293
glabra Bl. ex Miq. 279
hirsuta Bl. ex Miq. 287
hispida Bl. ex Miq. 287
var. *tomentella* Miq. 287
- paucijuga** Bl. ex Miq. 279
- villosa** Miq. 293
- Canarium** Stickm. 209–211*, 212, 213, 249, 250*, 257*, 258 map, 567
amboinense Hochr. 266
angulatum Ridl. 225
angustifolium (Bl.) Miq. 296, 567
antonii Elm. 282
apertum H. J. Lam 255, 274 map, 275
apoense Elm. 293
appendiculatum Laut. 261
articulatum Engl. ex Koord.
asperum Bth. 252, 266, 291, 292 map, 293, 294*, 295
ssp. *asperum*
var. *asperum* 295, 296
var. *clementis* (Merr.) Leenh. 291, 295
ssp. *papuanum* (H. J. Lam) Leenh. 292, 295
australasicum (Bail.) Leenh. 285
australasicum F.v.M. ex Bth. 284
australianum F.v.M. 210, 252, 275, 281 map, 284*
var. *australianum* 285
var. *glabrum* Leenh. 285
acutifolium (DC.) Merr. 252, 291, 292 map, 293
var. *acutifolium* 251, 257*, 292
var. *aemulans* (Laut.) Leenh. 292
var. *celebicum* Leenh. 292
acuteum Engl. 256
aemulans Laut. 291, 292
agusianense Elm. 293
ahernianum Merr. 287
album (Lour.) DC. 251, 282
altissimum Bl. 287
baileyanum Leenh. 285
balsamiferum Willd. 211, 255, 279 map, 280
var. *englerianum* Cretzoiu 279
var. *typicum* Cretzoiu 279
barnesii Merr. 293
- bataanense** Merr. ex Sasaki 287
- beccarii** Engl. 271
- bennettii** Engl. 256
- bersamifolium** Perk. 287
- branderhorstii** Laut. 261
- brunneum** Bedd. 247
- calophyllum** Perk. 293
- carapifolium** Perk. 270
- caudatifolium** Merr. 226
- caudatum** King 259 map, 261 f. *auriculiferum* Leenh. 253, 260
- f.
- caudatum*
- 254, 257*, 260
- celebicum** Engl. ex Koord. 279
- cestacion** Leenh. 250*, 252, 287 map, 290
- chinare** Grutt. & H. J. Lam 252, 287 map, 289, 567
- clementis** Merr. 293, 295
var. *perumbrium* Elm. 293
- coccineo-bracteatum** Kurz 272
- commune** (non L.) Bico 293
- commune** (non L.) F.-Vill. 270
- commune** L. 263, 265, 266
var. *β* Willd. 266
var. *minor* Bl. 263
var. *zephyrinum* 266
- connarifolium** Perk. 215
- costatum** Ridl. 222
- costulatum** Elm. 287
- crassifolium** Merr. 226
- cumingii** Engl. 293
- cuspidatum** Merr. 226
- decipiens** H. J. Lam 284, 296
- decumanum** (non Gaertn.) Engl. 276
- decumanum** Gaertn. 211, 251, 257*, 276*, 277*
- denticulatum** Bl. 250*, 253, 257*, 261, 271 map, 272, 273*, 274
- ssp.
- denticulatum*
- 272
-
- f.
- fissistipulum*
- Leenh. 262
-
- ssp.
- kostermansii*
- Leenh. 253, 272
var.
- latifolia*
- Bl. 272
- dichotomum** (Bl.) Miq. 252, 257*, 283
- var.
- lucidula*
- 283
- divergens** Engl. 254, 259 map, 260

dolichophyllum Merr. 291

ellipsoideum Merr. 287

emarginatum Engl. ex Koord. 287

enderitii H. J. Lam 283

englieri H. J. Lam 279

englerianum Hochr. 279

euphlebium Merr. 293

euphyllum 251

eupteron Miq. 233

var. *puberula* Miq. 232, 233

eurypyllum Perk. 255, 279 map, 280

- var. *euryphyllum* 251, 256,
280
var. *ramosii* (Merr.) Leenh.
280
expansum Ridl. 228
fissistipulum Miq. 272
flavum Ridl. 257
fragile Engl. 224
fulvum Laut. 293, 296
furfuraceum Laut. 244
fuscocalyicum Stapf ex Ridl.
252, 283, 296
fuscum Engl. 272
gawadaense Baker f. 269
giganteum Engl. 256
gilvescens Miq. 226
glaucum Bl. 256
gracile Engl. 249*, 250*, 255,
279 map, 282
grandiflorum Benn. 281
grandifolium (Ridl.) H. J.
Lam 249*, 255, 274 map,
275
grandistipulatum Laut. 266
greshoffii Koord. 287
gutur De Miklouho-Maclay
296
harveyi Seem. 259 map, 261
heterophyllum Merr. 293
hirsutum Willd. 210, 251, 255,
287 map, 288*
f. ♀ (*leeuwenii*) H. J. Lam
289
f. ζ (*multicostulatum*) H. J.
Lam 289
ssp. *hirsutum* 287
var. *beccarii* Leenh. 287,
289
var. *hirsutum* 287, 289
ssp. *multicostulatum* Leenh.
287, 289
var. *leeuwenii* Leenh.
287, 289
var. *multicostulatum* 287,
289
hirtellum Benn. 281
hirtipetalum Ridl. 231
hispidum Bl. 287, 288
f. *minor* Hochr. 287
var. *majus* Hassk. 287
var. *scabrum* Bl. 287
var. *tomentellum* Engl. 287
incurvatum Engl. 224
indicum L. 250*, 266, 270
map, 290
var. *indicum* 254, 266, 267*,
268*, 269*
var. *platyceroideum* Leenh.
254, 269
intermedium H. J. Lam 255,
281 map, 285, 286
juglandifolium Perk. 293
kadondon Benn. 226
kaniense Laut. 211*, 254,
257*, 268, 269, 270 map
var. *globigerum* Leenh. 210,
250*, 270
var. *kaniense* 269, 270
karoense H. J. Lam 253, 254,
271 map, 272, 274
kinabaluense Leenh. 254, 259
map, 260
kipella (Bl.) Miq. 255, 281
map, 285
kitengo Miq. 285
koordersianum Engl. ex
Hochr. 293
korthalsii Miq. 231
kostermansii Leenh. 252, 281
map, 567
kunstleri King 272
laciniatum Elm. 272
laevigatum Miq. 232
lagunense Merr. 293
lamii Leenh. 254, 259 map,
261, 567
latistipulatum Ridl. 254, 258,
259 map
laxiflorum Decne 278
laxum Benn. 224
ledermannii Laut. 290
leeuwenii H. J. Lam 291, 292
legitimum (non Miq.) Heyne
291
legitimum Miq. 293
leytense Elm. 293, 295
lian H. J. Lam 260
lineistipula K.Sch. & Laut. 291
littoralis-group 260
littoriale Bl. 211, 254–256, 258,
259 map, 260
f. *pruinosa* (Engl.) Leenh.
253, 258
littoriale (non Bl.) H. J. Lam
258
littoriale (non Bl.) Ridl. 259
longiflorescens Elm. 287
longiflorum Zipp. ex Miq. 291
longissimum Hochr. 279
lucidum Perk. 293
luxurians Engl. 293
luzonicum (Bl.) A. Gray 210,
251, 254, 266, 270 map, 271
macadamiae Leenh. 252, 287
map, 289
mahassan Miq. 218
maluense Laut. 253, 254, 257,
259 map, 260
ssp. *borneense* Leenh. 261
ssp. *maluense* 250*, 260,
261
manii King 272
megacarpum Leenh. 210,
250*, 254, 259 map, 261
megalanthum Merr. 253,
257*, 271 map, 274
mehenbethene Gaertn. 266
melioides Elm. 271
merrillii H. J. Lam 251, 281
map, 282
var. *originarium* H. J. Lam
282
var. *villosum* H. J. Lam 282
micrantherum Stapf ex Ridl.
231
microcarpum Willd. 278, 279
f. *minor* Hochr. 278
microphyllum Merr. 280
minahassae Koord. 226
minutiflorum Engl. 293
molle Engl. 293
moluccanum Bl. 266
f. *porphyropyrena* Laut. 266
var. *obtusatum* Bl. 266
var. *palla* Laut. 266
montanum Korth. 226
motleyanum Engl. 281
moultonii Ridl. 221
multifidum H. J. Lam 271
multijugum H. J. Lam 287, 289
multipinnatum Llanos 287
nervosum Elm. 287
nigrum Roxb. 291
nitens Merr. 225
nitidum Benn. 259
nungi Guill. 266
oblongifolium Miq. 233
odontophyllum Miq. 253,
257*, 271 map, 272
odoriferum *hirsutum* Rumph.
287, 289
odoriferum *leve* Rumph. 279
ogat Elm. 293
oleosum (Lamk) Engl. 211,
249*, 250*, 256, 278*, 279
map, 280
oliganthum Merr. 270
ovatum Engl. 251, 254, 257*,
266, 270 map, 271
oxygonum Quis. & Merr. 287
pachyphyllum Perk. 271
pachypodium Laut. 241
palawanense Elm. 271
papuanum H. J. Lam 293,
295
parciflorum Ridl. 234
parvifolium Benn. 259
patentinerium Miq. 255, 256,
258, 259 map, 260, 261
var. *genuinum* Hochr. 258
var. *meizocarpum* Hochr.
258
var. *nitidum* Cretzoiu 259
patentissimum (sphalm.) 258
pauciflorum Ridl. 259
paucinervium Merr. 280
perkinsae Merr. 280
perlisanum Leenh. 253, 254,
256, 258, 259 map
pilososo-sylvestre Leenh. 253,
259 map, 262
pilosum Benn. 281 map, 282,
284
ssp. *borneensis* Leenh. 256,
281, 282

ssp. pilosum 250*, 252, 253,
281
var. *hirtellum* Ridl. 281
pimela Koen. 251, 261
pimela (non Koen.) Blco 293
pimela (non Koen.) Bl. 285
pimela (non Koen.) Spanoghe
278
planchonii King 237
poeloetimbeo Engl. ex Hochr.
279
polyanthum Perk. 270
polyneurum Perk. 293
polyphyllum (non K. Sch.)
Krause 266
polyphyllum K.Sch. 249*,
255, 287 map, 290
pruinatum Engl. 257, 258
pseudocommune Hochr. 257,
260
var. *genuinum* Hochr. 257
var. *subelongatum* Hochr.
257
pseudodecumanum Hochr.
255, 275, 276, 277
pseudopatentinerium H. J.
Lam 212*, 255, 274 map,
275
pseudosumatranum Leenh.
255, 286, 287 map
purpurascens Benn. 256
purpurascens (non Benn.)
Henders. 258
purpureum Elm. 280
quadrangle H. J. Lam 260
racemosum Merr. 287
radikoferi Perk. 287
ramosii Merr. 280
var. *parvum* Merr. 280
reticulatum Merr. 293
reticulatum Ridl. 226, 293
riedelianum Engl. 287
rigidum Zipp. 296
rigidum (Bl.) Zipp. ex Miq.
255, 287 map, 290
robustum Merr. 287
rooseboomii Hochr. 279
rostratum Zipp. ex Miq. 291
rostriferum Miq. 226
var. *cuspidatum* Engl. 226
rubiginosum Benn. 225
rubiginosum Miq. 237
rufescens Miq. 232
rufum Benn. 256
rugosum Miq. 221
var. *sumatranum* 221
salomonense B. L. Burtt 253,
259 map, 263
ssp. *papuanum* Leenh.
250*, 263
ssp. *salomonense* 263
sambarensis Merr. 293
sanchezii Merr. 293
schlechteri Laut. 249*, 253,
292 map, 293, 296

schweinfurthii 251
sect. *Canaria* DC. 256
sect. *Canarium* 211*, 256,
257*, 259, 275
sect. *Pimela* DC. 211, 257*,
275, 277
sect. *Progressiva* H. J. Lam
256
sect. *Regressiva* H. J. Lam
subsect. *Auriculata* H. J.
Lam 256
subsect. *Foliosa* H. J. Lam
275
subsect. *Subulata* H. J. Lam
277
sect. *Scutinanthe* Benn. 246
sect. *Tenuipyrena* Engl. 219
secundum Benn. 256
sericuspe Miq. 256
serratulum Miq. 256, 275
shortlandicum Rechinger 266
sibulanense Elm. 291
sibuyananse Elm. 293
simplicifolium Engl. 261
solo Engl. ex Koord. 293
spectabile Miq. 272
stachyanthus Perk. 293
stenophyllum Merr. 280
subcordatum Ridl.
subg. *Canariellum* 251
subg. *Canarium* 209, 211, 251
subrepandum Miq. 259
subtruncatum (non Engl.)
Baker 257
subtruncatum Engl. 266
subulatum Guill. 211*
subvelutinum Elm. 293
sumatranum Boerl. & Koord.
251, 255, 286, 287 map
sumatranum (non Boerl. &
Koord.) H. J. Lam 286
sylvestre (non Gaertn.) Bl. 272
sylvestre Gaertn. 253, 257*,
259 map, 261, 262, 263
sylvestre Willd. 261
sylvestre alterum Rumph. 261
tamborae Laut. 293
thysoideum Perk. 293
todayense Elm. 280
tomentosum Bl. 256
var. *flavum* H. J. Lam 256
var. *typicum* H. J. Lam 256
tongcalingii Elm. 291
treubianum Engl. ex Koord.
293
triandrum Engl. 270
trigonum H. J. Lam 255, 279
map, 280
unifoliolatum Merr. 293
urdanetense Elm. 293
valetonianum Engl. ex Hochr.
293
vilosiflorum Elm. 291
vilosum Bth. & Hook. f. ex
F.-Vill. 293

virgatum Miq. 221, 222
vrieseanum Engl. 252, 284,
291, 292 map
f. *stenophyllum* Leenh. 291
f. *vrieseanum* 291
f. *williamsii* (C. B. Rob.)
Leenh. 291
vrieseo-teysmannii H. J. Lam
296
vulgare Leenh. 248*, 251, 254,
257*, 263*, 264*, 265*,
266*, 268, 270 map
vulgare prima species Rumph.
266
vulgare quarta species Rumph.
263
vulgare secunda species
Rumph. 266
vulgare tertia species Rumph.
263
warburgianum Perk. 287
wenzelii Merr. 293, 295
williamsii R. B. Robinson 291
zephyrinum Rumph. 266
zeylanicum (Retz.) Bl. 251,
262*
zollingeri Engl. 293
Cannabinaceae 4:222-223
Capraria Rumph. 215
Caprifoliaceae 4:175-194, 4:598
Carallia Roxb. 431, 442, 445-
448, 481
arguta K. & V. 486
baraldeia W. & A. 486
borneensis Oliv. 483, 484
brachiata (Lour.) Merr. 431,
441, 442, 444, 482, 483, 485,
486*, 487*
calophyloidea Ding Hou 483,
485
calycina Bth. 486
celebica Bl. 486
ceriopsisfolia Miq. 486
ceylanica Arn. 486
confinis Bl. 486
var. *latifolia* Miq. 486
var. *oxyodon* Miq. 486
var. *pauciflora* Bl. 486
coriifolia Ridl. 482, 483*
corymbosa Wight ex Arn. 486
cuprea Ridl. 486
cuspidata Bl. 486
eugen(i)oidea King 431, 482,
483*, 484
euroides Ridl. 484
fascicularis Guill. 485
floribunda Miq. 486
hulstijnii Val. 482, 484
integerrima DC. 485
integrifolia Graham 486
lanceaefolia Roxb. 485
lanceofolia (sphalm.) 485
lucida Roxb. 444, 485
madagascariensis (Spreng.)
Tul. 486

- mindanaensis* (Merr.) Merr.
 484
montana Ridl. 484
multiflora Bl. 486
multiflora Miq., non Bl. 486
papuana Ding Hou 482, 484
scortechinii King 486
sinensis Arn. 486
spinulosa Ridl. 485, 486
suffruticosa Ridl. 483, 485
symmetria Bl. 486
timorensis Bl. 486
viridiflora Ridl. 486
- Caryophyllaceae 414
Casearia Jacq. 1-4, 6, 81, 82, 566
 agusanensis Elm. 93
 albicans (non Wall.) Clarke 99
 albicans (non Wall.) King 102
 albicans Wall. ex Clarke 83, 89
 amplectens Sleum. 82, 85
 angiensis Sleum. 84, 85, 98
 angustata Teysm. & Binn. 95
 anisophylla Gilg 83, 92
 archboldiana Sleum. 84, 98
 arfakensis Sleum. 83, 90
 auriculata Sleum. 82, 85
 borneensis Merr. 102
 brassii Sleum. 84, 97
 brevipes Merr. 85, 102
 brideliifolia Sleum. 85, 103
 brunneo-striata Gilg 83, 90
 capitellata Bl. 85, 102, 105
 carriei Sleum. 83, 88
 cinerea Turcz. 95
 clarkei King 84, 99
 var. *clarkei* 99
 var. *kunstleri* (King) Ridl. 84, 100
 clutiaefolia Bl. 83, 88
 confertiflora Merr. 93
 contermina Miq. 93
 coriacea (non Vent.) Miq. 99
 coriacea Vent. 105
 crenata Merr. 95
 cuspidata Bl. 82, 87
 deandra Jacq. 91
 densifolia Elm. 92
 densifolia (non Elm.) Sloot. 95
 elliptica (non Willd.) Bl. 91
 elliptica (non Willd.) Naves 92
 elliptifolia Elm. ex Merr. 104
 elliptifolia Merr. 84, 96
 erythrocarpus Sleum. 82, 86
 esculenta Roxb. 105
 euphlebia Merr. 85, 103
 fasciculata Boj. 105
 flavovirens Bl. 84, 98, 100, 101*
 flexicaulis K. Schum. 85, 104
 flexula Ridl. 85, 102
 flexuosa (non Craib) Ridl. 102
 forbesii Bak. f. 87
 fragilis (non Vent.) F.-Vill. 91
 fragilis Vent. 105
 fuliginosa (Blco) Blco 83, 92
 gigantifolia Sloot. 84, 99
 glabra Roxb. 85, 104
 glabrata Bl. 95
 glauciramea Elm. 92
 globifera Gilg 83, 92
 glomerata (non Roxb.) F.-Vill. 95
 gonocarpa Miq. 95
 grandifolia Miq. 87
 grewiaeifolia Vent. 2, 82, 84, 93, 94*, 95
 var. *cineræa* (Turcz.) Sleum. 84, 95
 var. *contermina* K. & V. 93
 var. *deglabrata* Koord. & Val. 85, 93, 95
 var. *grewiaeifolia* 93
 var. *grosse-serrata* Miq. 93
 var. *subcuneata* (Miq.) K. & V. 93
 halmaherensis Sloot. 85, 103
 hexagona Decne 95
 var. *gelonioides* Bl. 95
 hosei (non Merr.) Heine 87
 hosei Merr. 83, 92
 hydnocarpoides Quis. 99
 impressinervia Merr. 83, 91
 kerrii Craib 93
 kostermansii Sleum. 84, 96
 kunstleri King 100
 latifolia Ridl. 102
 laurina Bl. 95
 ledermannii Gilg 84, 100
 leucolepis Turcz. 95
 lobbiana (non Turcz.) Heine 87
 lobbiana Turcz. 83, 84, 89, 566
 loheri Merr. 85, 104
 luteocarpa Elm. 95
 luzonensis Warb. 105
 macrantha Gilg 82, 83, 86, 566
 macrocarpa Clarke 84, 100
 megalophylla Gilg 83, 90
 microcarpa Sleum. 82, 84, 86
 microdon Miq. 93
 mindanaensis Merr. 84, 96
 minutidens Merr. 87
 minutiflora Ridl. 85, 101, 105
 mollis K. Schum. 88
 moluccana (non Roxb.) Bak. f. 95
 moluccana Bl. 104
 moluccana (non Roxb.) Merr. 92
 monticola Sleum. 84, 97
 moultonii Ridl. 92
 multipunctata Merr. 91
 nitens Merr. 92
 novo-guineensis Val. 85, 102
 oblonga Craib 93
 odorata T. & B. 100
 olivacea Sleum. 85, 105
 oreogenes Sleum. 85, 103
 pachyphylla Gilg 83, 87
 palida Craib 84, 98
 papuana Sleum. 83, 85, 89
 paucinervia Merr. & Quis. 104
 phanerophlebia Merr. 84, 96
 philippinensis Merr. 84, 95
 pilosissima Quis. & Merr. 95
 polyantha Merr. 95
 propinqua Bl. 91
 pubescens Merr. 87
 rhynchophylla Gilg 82, 86
 rinoreoides Sleum. 83, 90
 ripicola Sleum. 84, 97
 rugulosa Bl. 82, 87
 salacioides Bl. 95
 sect. Pitumba (Aubl.) Bth. 82
 serrata Macf. & Sw. 95
 sogerensis Bak. f. 93
 solida Merr. 91
 stapfiana Ridl. 83, 88
 subcordata Merr. 95
 subcuneata Miq. 93
 tinifolia Vent. 105
 tomentosa (non Roxb.) F.-Vill. 95
 tomentosa (non Roxb.) Koord. & Val. 91
 trivalvis (Blco) Merr. 83, 91
 truncata Bl. 95
 tuberculata Bl. 84, 99, 105, 566
 turbinata Bl. 87
 uniflora Decne 95
 urophylla Gilg 85, 104
 variabilis Bl. 93
 var. *nudata* Bl. 95
 var. *sphaerocarpa* Bl. 95
 velutina Bl. 82, 83, 91, 566
 var. *pilosiuscula* Bl. 91
 velutinosa Ridl. 83, 89
 yatesii Sleum. 84, 98
 zschokkei Elm. 91
- Cassipourea Aubl. 429, 431, 442, 445
Cassytha filiformis L. 341*
Castanola Llanos 496, 500
 agamæ (Merr.) Schellenb. 504
 everetti (Merr.) Schellenb. 504
 glabrifolia (Hance) Schellenb. 504
 hullettii (King) Schellenb. 502
 insignis (Schellenb.) Schellenb. 505
 macrophylla (Zoll.) Schellenb. 502
 obliqua (Zoll.) Schellenb. 504
 sumatrana Schellenb. 502
 trinervia Llanos 502
 villosa (Zoll.) Schellenb. 504
 wallichii (Hook. f.) Schellenb. 504
 Castanopsis 377
 Castronia Noronha 164

- Casuarina* 437
equisetifolia Forst. 437
Casuarinaceae 365
Caucalis glochidiata Poir. 556
Caulinia ovalis R.Br. 409, 410
spinulosa R.Br. 412
Celastraceae 121, 123, 541
Celastrales (order) 121
Celastrus acuminatus Wall. 310, 311
Celosia argentea L. 554
var. cristata 554
castrensis Dietr. 554
Cenarium (sphalm.) 249
Centrolepidaceae 416, 421–427
Centrolepis Labill. 421, 422, 423, 426
asiatica Merr. ex Gagnep. 423
banksii (R.Br.) R. & S. 421*, 423, 424 map
cambodiana Hance 424
fascicularis Labill. 421*, 423, 424* map, 425*, 428*
haiyanensis Merr. & Metcalf 423
kinabaluensis Gibbs 424
miborooides Gagnep. 423
novoguineensis Gibbs 424
philippinensis Merr. 421*, 423, 424 map, 426*
strigosa R. & S. 424
Centrospermae (order) 414
Ceratophyllaceae 4:41–42
Ceratophyllum submersum 317
Cerbera 435
Cercidiphyllaceae 365
Ceriops Arn. 431, 439, 441–443, 445–448, 468
boviniana Tul. 470
candoliana Arn. 469
var. sasakii Hay. 470
var. spathulata Bl. 469
decandra (Griff.) Ding Hou 468, 469*–471, 473
forsteniana Bl. 470
lucida Miq. 470
var. latifolia Miq. 470
var. subspathulata Miq. 470
pauciflora Bth. 470
roxburghiana Arn. 471
roxburghiana (non Arn.) Kanehira 470
somalensis Chiov. 470
tagal (Perr.) C. B. Rob. 431, 434, 468, 469*, 471*, 472
f. sasakii (Hay.) Kudo 469
timoriensis (DC.) Domin 470
zippeliana Bl. 471
Chaetocrater tinifolia Raf. 105
Chiailletia DC. 305
andamanica King 310, 312
beccariana Stapf ex King 307
benthamiana Turcz. 307
benthamii F. Dieder. 307
bojeri Tul. 316
- deflexifolia* Turcz. 307
var. sordida Hook. f. 309
var. tomentosa Hook. f. 307
gelonoides Bedd. 310
griffithii (non Hook. f.) F.-Vill. 307
griffithii Hook. f. 313
hainanensis Hance 314
helpferiana (non Kurz) F.-Vill. 312
helpferiana Kurz 315
hookeri King 307
laurocerasus Planch. ex Hook. f. 315
longipetala Turcz. 314
macropetala (sphalm.) 314
papuana Becc. 309
setosa King 313
sordida Ridl. 309
sumatrana Miq. 310, 312
tenuifolia King 312
tessellata King 307
timoriensis DC. 307
Chailletiaceae 316
Chenopodiaceae 4:99–106, 4:594; 300, 414
Chrysosplenium macrophyllum Oliv. 557
Chunia Chang 365, 375
Cinnamomum eucalyptoides Nees 479
Citriobatus Cunn. ex Putterl. 345, 347, 360
javanicus Boerl. & Koord. 362
lanceolatus F. M. Bail. (sphalm.) 362
lancifolius F. M. Bail. 361, 362
linearis (F. M. Bail.) C. T. White 362
megacarpus F.v.M. 362
multiflorus Cunn. ex Bth. 361
var. intermedius F. M. Bail. 362
var. linearis F. M. Bail. 362
pauciflorus Cunn. ex Ettingh. 361, 362
var. kennyi F. M. Bail. 361, 362
pauciflorus Cunn. ex Ettingh. 361, 362
spinescens (F.v.M.) Druce 361, 362*
Cladium vaginalis (non Bth.) Camus 419
Claoxylon 106
Clerodendron 432
inerme 440
sericeum Wall. 131
Clethra 121
Clethraceae 123
Clompanus funicularis Rumph. 534
Cnestis Juss. 497
acuminata Wall. 514
- corniculata* (non Lamk) Blco 499
corniculata Lamk 499
diffusa Blco 499
emarginata Jack 508, 509
erecta Blco 514
florida Jack 514
glabra (non Lamk) Blco 514, 517
mimosoides (Vahl) Jack 517
monadelpha Roxb. ex DC. 514
obliqua P. Beauv. 503
palala (Lour.) Merr. 499, 514
ssp. diffusa (Blco) Andreas 498*, 499
ssp. palala 499
pentaphylla Spanoghe 538
platantha Griff. 498*, 499
platantha (non Griff.) Kurz 499
polyphylla (non Lamk) Blco 499
ramiflora Griff. 499, 500
ramiflora (non Griff.) Hook. f. 500
sect. Ceratocnestrina Schellenb. 499
sect. Eucnestrina Schellenb.
subsect. Aequipetalina Schellenb. 497
trifolia Lamk 517
vestita Wall. 505
volubilis Blco 500, 515, 517
Cocculus flavicans Wall. 477
Cochlospermaceae 4:61–63
Combretaceae 4:533–589; 446, 557, 564–565
Combretocarpus Hook. f. 429, 431, 441, 445–448, 480
motleyi Hook. f. 480
rotundatus (Miq.) Danser 431, 480, 481*
Combretum kostermansii Exell 564
nigrescens King 564
sect. Glandulosae Engl. & Diels 564
sexalatum Merr. 127
Commiphora 209
Compositae 566
Connaraceae 296
Connaraceae 306, 316, 495–541
tribe Agelaeae 496
tribe Byrsocarpeae 496, 512
tribe Castanoleae 496
tribe Connareae 496, 512
Connaropsis diversifolia (Miq.) Kurz 520
varians Craib 515
Connarus L. 495–497, 525
africanus Lamk 539
agamae Merr. 526, 527*, 528, 530
amplifolius Pierre 534
attopoouensis Pierre 536

- balsahanensis* Elm. 534, 535
bankensis Burck 534
bariensis Pierre 533
borneensis Merr. 534
bracteatus Merr. 530
carnosus Elm. 538
castaneus Merr. 530
caudatus Merr. 536
celebicus Schellenb. 538
cochinchinensis (Baill.) Pierre 527, 536
cilionensis Merr. 525, 531
 var. *cilionensis* 526, 533
 var. *stellatus* (Merr.) Leen. 526, 533
densiflorus Merr. 538
diepenhorstii Miq. 502
diversifolius Scheffer ex Back. 529
ellipticus (Zoll.) King 529, 534
erianthus Bth. ex Baker 532
erianthus Elm. 532, 533
euphlebius Merr. 526, 527, 529*
 f. *microcarpa* Schellenb. 527
 ssp. *euphlebius* 528
 var. *bullatus* Leen. 528
 var. *euphlebius* 528
 ssp. *moluccanus* Leen. 528
falcatus Bl. 538
ferrugineus Jack 525, 526, 530, 531, 533
 f. *macrocarpa* Schellenb. 531
 f. *microcarpa* Schellenb. 531
foetens Blco 541
fragrans Elm. 538
fulgens Wall. 519
furfuraceus Bl. 527*, 534, 535
gaudichaudii (DC.) Planch. 534–536
gibbosus Wall. ex Hook. f. 534
gracilis Bakh. f. 534
grandis (non Jack) Hook. f. 528, 529
grandis Jack 496, 526, 529, 530, 532*, 535
 var. *kiladja* Bl. 529
 var. *lunulatus* Bl. 529
griffithii Hook. f. 534, 535
hainanensis Merr. 533
hallieri Merr. 538
harmandianus Pierre 533
hasseltii Bl. 538
hebephylloides King 533
jackianus Schellenb. 534
javanicus Bl. 514
kingii Schellenb. 529
lamii Leen. 526, 536
lanatus Schellenb. 532, 533
latifolius Wall. 534, 535
lucens Schellenb. 526, 539*
lucidus Hassk. 517, 519
lucidus Jack 509, 517, 541
lunulatus (Bl.) Schellenb. 529
maingayi Hook. f. 538
microphyllus Hook. f. & Arn. 514
mimosoides Vahl 517, 519
mindanaensis Merr. 536, 537, 540
monocarpus (non L.) F.-Vill. 514
monocarpus L. 534, 538, 540
 ssp. *malayensis* Leen. 527*, 538
 ssp. *monocarpus* 538
mutabilis Bl. 534
 var. *barbatus* Bl. 534
 var. *elongatus* Bl. 534
 var. *splendens* Bl. 534
neurocalyx Planch. 534, 535
nigropunctus Gagnep. 534
nitidus Hassk. 517, 519, 534
nitidus Wall. ex Planch. 534
obliquus (Presl) Presl 514
obtusifolius Planch. 534
odoratus Hook. f. 525–527*, 531, 533, 534
oliganthus Elm. 536, 538
oligophyllus Wall. ex Planch. 538
 var. *maingayi* (Hook. f.) Ridl. 538
pachyphyllus Merr. 540, 541
palawanensis Elm. 538
paniculatus (non Roxb.) F.-Vill. 515, 517
paniculatus Roxb. 526, 527*, 533, 535, 536
pekelii Schellenb. 526, 541
pentaphyllus Schellenb. 538, 540
pickeringii A.Gr. 541
planchonianus Schellenb. 526, 528, 529, 534
plumoso-stellatus Merr. 531
polyanthus Planch. 529
polyphyllus Miq. 500
pyrrhocarpus Miq. 534
quocensis Pierre 534, 536
rolfei Vidal 529
roxburghii Hook. f. & Arn. 514
rufulus Pierre 533
rugosus Wall. 514
salomonianus Schellenb. 526, 527*, 540
santaloides (non Vahl) Blco 541
schumannianus Gilg 526, 527*, 540
 sect. *Pseudoxyloconnarus* Schellenb. 530
 sect. *Xyloconnarus* Schellenb. 530
semidecandrus Jack 526, 527*, 530, 533, 534, 536–538, 541
 var. *latifoliolatus* Bl. 534
spanoghei Bl. 538
- stellatus* Merr. 531, 533
strictinervis Schellenb. 538
subfoveolatus Merr. 541
subinaequifolius Elm. 526, 530, 531, 532*
 var. *sericeus* Leen. 530
 var. *subinaequifolius* 530
subinequifolius (sphalm.) Elm. 530
tricholobus Schellenb. 531
trifoliatus (Turcz.) Rolfe 496, 529, 530
trifoliolatus (sphalm.) Rolfe 529
urdanetensis Elm. 521, 524
villosus Jack 525, 526, 531, 532*, 533
villosus (non Jack) Ridl. 533
wallichii Planch. 534, 535
wallichii (non Planch.) Schellenb. 528, 534
whitfordii Merr. 526, 536, 537*
wightii Hook. f. 533
winkleri Schellenb. 526, 527*, 537, 539, 540, 541
 ssp. *philippensis* Leen. 540
 ssp. *winkleri* 540
yunnanensis Schellenb. 533
Convolvulaceae 4:388–512, 4:
 599; 558–564
Convolvulus L. 558
abruptus Spreng. 563
nummularius L. 558, 559*
Corallia (sphalm.) = *Carallia*
Cordylanthus Bl. 56, 565
frutescens Bl. 58
Cortex filarius Rumph. 358, 359, 360
foetidus Rumph. 356, 358, 359
Corybas 421
Corynocarpaceae 4:262–264; 121, 557
Corynocarpus australasicus C. T. White 557
cribrianus (F. M. Bail.) L. S. Smith 557
Costularia pilisepala (Steud.) Kern 420
Crassulaceae 4:197–202
Craterianthus Val. ex Heyne 490
fimbripetalus Val. ex Heyne 493
Cremonobates Ridl. 493
Crossostylis 429, 431, 444, 445, 447, 448
Croton curviflorus Elm. 371
Cryptocoryne ciliata 440
Cudrania cochinchinensis (Lour.) Kudo & Masam. 415
Cudrania bimanus Rumph. 415
Culi tamara Rheedea 324
Cunoniaceae 446
Curtisia Ridl. 219

- penangensis* Ridl. 228, 229
Cuscuta cassyoides Nees ex Engelm. 558
timorensis Decne ex Engelm. 558
Cyanocarpus F. M. Bail. 164
cribiana F. M. Bail. 557
Cybele Salisb. 198
Cycas 203
Cyclotemon iwahicensis Elm. 20
leavis (Miq.) J.J.S. 33
Cymodocea 406
rotundata 407
serrulata 407
Cynanchum carnosum 440
Cyperaceae 416, 420, 425*
Cyperus malaccensis 440
Cyrillaceae 123
Dacrydium 421
Dacryodes Vahl 209, 212, 213, 219, 251
angulata H. J. Lam 225
breviracemosa Kalkm. 221, 229
costata (Benn.) H. J. Lam 220, 221, 222, 223*
crassipes Kalkm. 221, 226
elmeri H. J. Lam 220, 221, 225, 567
expansa (Ridl.) H. J. Lam 221, 228
floribunda H. J. Lam 224
incurvata (Engl.) H. J. Lam 221, 224, 225, 567
kingii (Engl.) Kalkm. 220, 224, 567
kostermansii Kalkm. 227, 228
laxa (Benn.) H. J. Lam 211, 213, 220, 221, 224, 567
var. *forbesii* H. J. Lam 224
longifolia (King) H. J. Lam 220, 221, 228, 229
var. *longifolia* 229
var. *penangensis* (Ridl.) H. J. Lam 229
var. *typica* H. J. Lam 229
macrocarpa (King) H. J. Lam 226, 227*, 228
var. *genuina* H. J. Lam 228
var. *kostermansii* (Kalkm.) Kalkm. 227, 228
var. *macrocarpa* 227, 228
var. *merrillii* H. J. Lam 227, 228
papuana Husson 221, 228
puberula (Benn.) H. J. Lam 220, 223
rostrata (Bl.) H. J. Lam 212*, 220, 221, 225, 226, 293
ruginosa H. J. Lam 220, 225
rugosa (Bl.) H. J. Lam 220, 221, 223
var. *rugosa* 222
var. *virgata* (Bl.) H. J. Lam 222
scandens Husson 281, 282
sect. *Dacryodes* 209, 220
sect. *Pachylobus* H. J. Lam 220
sect. *Tenuipyrena* Engl. 220, 222 map
Dactylocladus 480
Damasonium Mill. 317, 396
Damasonium Schreb. 396
indicum Willd. 398
javanicum Bl. 398
Dammaria nigra Rumph. 291
nigra legitima Rumph. 293
Daphne decandra Bl. 91
Daphniphyllaceae 365
Daphniphyllum 365
Dasiyantha Presl 8
luzonensis Presl 11
α ovatifolia Presl 12
β intermedia Presl 12
γ lancifolia Presl 12
Datisaceae 4:382-387
Daucus L. 556
brachiatius Sieb. ex DC. 556
carota L. 556
glochidiatus (Labill.) Fischer, Meyer & Lallémant 556*
var. *glochidiatus* 556
subvar. *glochidiatus* 556
subvar. *leptacanthus* (Thell.) Kern 556
subvar. *platyacanthus* Thell. 556
var. *leptacanthus* Thell. 556
var. *pachyacanthus* Thell. 556
montanus Humb. & Bonpl. ex Schult. 556
pusillus (non Michx.) F.v.M. 556
Decaspernum fruticosum Forst. 493
Demidofia Dennst., non Gmel. 481
nodosa Dennst. 485
Dendrobium rhizophoreti J.J.S. 440
prostratum Ridl. 440
callitropis Ridl. 440
Derris 496, 513
heptaphylla (L.) Merr. 440, 512
heterophylla (Willd.) Back. 440
Devauxia R.Br. 422, 423
banksii R.Br. 423
Dialypetalanthaceae 446
Diatoma Lour. 481, 482
brachiata Lour. 485
Dichapetalaceae 305-316, 524, 567
Dichapetalum Thou. 305, 497
andamanicum Engl. 310
- australianum* C. T. White 309
baillonii Pierre 314
beccarianum Stapf ex Ridl. 307
benthamicum (F. Diedr.) Engl. (sphalm.) 307
benthamicum (Turcz.) Engl. 307
benthamii De Wild. 307
borneense Merr. 310, 312
ciliatum Merr. 306, 312
ciliatum (non Merr.) Merr. 310, 312
deflexifolium Boerl. 307
euphlebium Merr. 310, 312
gagnepainii Pellegrin 310, 311
gelonioides (Roxb.) Engl. 306, 307, 310, 313, 524
ssp. *andamanicum* (King) Leenh. 311, 312
ssp. *gelonioides* 311-313
ssp. *pilosum* Leenh. 311, 312
ssp. *sumatranum* (Miq.) Leenh. 311*, 312, 567
ssp. *tuberculatum* Leenh. 311*, 312
glabratum Krause 309
glabrum Elm. 312
grandifolium Ridl. 309, 310
griffithii (Hook. f.) Engl. 306, 311*, 313
hainanense Engl. 314
helferianum (Kurz) Pierre 307, 311*, 315
holopetalum Merr., non Ruhl. 310, 312
hookeri 309
howii Merr. & Chun 310
kerrii Craib 310, 311
laurocerasus (Hook. f.) Engl. 306, 315
ledermannii Krause 316
longipetalum (Turcz.) Engl. 307, 314*
longistipulaceum Krause 307
luzoniense Merr. 307
malaccense Engl. 307
maluense Krause 307
missionum Krause 307
moluccanum Merr. 309
monospermum Merr. 310, 311
nitidum Merr. 307
novo-guineense Krause 307
oblongifolium Merr. 312
ovovatum Elm. 316
olivaceum Elm. 307
papuanum (Becc.) Boerl. 306, 307, 309, 310
ssp. *borneense* Leenh. 310
ssp. *papuanum* 309, 311*
pekelii Krause 307, 309
platyphyllum Merr. 307, 310
pulei Krause 309
robinsonii Merr. 307

- scandens* Boerl. 307
schlechteri Krause 307
 sect. *Dichapetalum* 305
 sect. *Eu-Dichapetalum* Engl. 305
sericeum Merr. 307
sessiliflorum Leen. 307, 311*, 315
setosum Leen. 306, 311*, 313
sordidum (Hook. f.) Leen. 307, 309, 311*
spicatum Elm. 79, 316
steenisi Leen. 306, 313
 ssp. *celebicum* Leen. 311*, 313
 ssp. *steenisi* 313
submaritimum Elm. 307
sumatranum Boerl. 310
tenerum Leen. 306, 316
tenuifolium (King) Engl. 306, 311*, 312
tenuifolium (non Engl.) Schell. 310, 311
tesselatum F. N. Williams 307, 309
tetramerum Ridl. 316, 524
timoriense (DC.) Boerl. 305–307, 308*, 309, 312, 313, 315, 316
tonkinense Engl. 314
tricapsulare (Blco) Merr. 306, 312, 315
validum Krause 307
venulosum C. T. White 307
vestitum Baill.
 var. *scandens* Baill. 307
Dicoryphe 363, 365
Digaster Miq. 316
Digera muricata (L.) Mart. 554
Dilleniaceae 4:141–174; 557
Dioscorea palawana Prain & Burk. 557
Dioscoreaceae 4:293–335, 557
Diplachne polystachya 440
Diplanthera uninervis 407, 409, 410
Diplosiphon Decne 389
 var. *oryzetorum* Decne 390
Dipsacaceae 4:290–292; 336, 557
Dipseudochorion sagittifolium Buch. 324
Disanthus 365
Distichia muscoides Nees & Meyen 427
Distylium Sieb. & Zucc. 363–366, 369, 371
 var. *racemosum* Sieb. & Zucc. 364
stellare O.K. 364*, 369, 370*
Dolichandrone 432
Dovyalis macrodendron Gilg 105
Dracontomelum cuspidatum Bl. 226
 var. *mangiferum* Bl. 247
Drosera 113, 119
rotundifolia L. 557
 ssp. *bracteata* Kern & Steen. 558
 ssp. *rotundifolia* 558
 sect. *Rossolis* 558
spathulata Labill. 558
 subg. *Ergaleium*
 sect. *Polypeltetes* 421
Drosaraceae 4:377–381; 557–558
Dryobalanops 377
Dryptopetalum Arn. 445, 488
coriacum Arn. 488
membranaceum Miq. 489
Durandea 33
Dysoxylum 296, 377
Echinodorus L. C. Rich. 317, 318, 325
humilis (Kunth) Buch. 325, 327
radicans 327
ranunculoides (L.) Engelm. 317, 325
repens 327
ridleyi Steen. 325, 326*
rostratus Gagnep. 325
 subg. *Ranalisma* (Stapf) Hartog 325
subulatus Engelm. 329
Ehretia acuminata 379
Eichhornia 318, 396
crassipes Solms 120, 381
Elaeocarpus 377
integrifolius (non Lamk) Blco 310–312
Elatinaceae 4:203–206
Elattosis Gagnep. 118
apetala Gagnep. 118
Eleutherandra Sloot. 1, 3–5, 50
pes-cervi Sloot. 50
Elisma natans (L.) Buch. 334
Elliptanthus Hook. f. 495, 497, 520
beccarii Pierre 316, 521, 523, 524
 var. *beccarii* 524
 var. *peltatus* (Schellenb.) Leen. 524
bureibensis Elm. 521, 524
calophyllus (non Kurz) F. Vill. 521, 524
cinereus Pierre 521, 523
curtissii King 521, 523
gibbosus King 521, 523
griffithii Hook. f. 521, 523
helpferi Hook. f. 521, 523
helpferi (non Hook. f.) Vidal 524
kingii Boerl. & Koord. 521, 523, 524
longifolius Merr. 521, 524
luzoniensis Vidal 521, 524
mindanaensis Merr. 521, 523
mindanaensis (non Merr.) Merr. 521, 524
monophyllus O.K.
 var. *griffithii* (Hook. f.) O.K. 521
neglectus Gamble 521
sarawakensis Schellenb. 521, 523, 524
scortechinii King 310, 311, 524
subrufus Pierre 521
tomentosus Kurz 521, 522*
 ssp. *kingii* (Boerl. & Koord.) Leen. 496, 521, 522*, 523, 524
 ssp. *tomentosus* 523
 var. *gibbosus* (King) Leen. 521, 522*, 523
 var. *luzoniensis* (Vidal) Leen. 522*, 524
 var. *tomentosus* 523
urdanetensis (Elm.) Merr. 521, 524
vidalii Elm. 521, 524
Elodea 318, 381, 383, 384
callitrichoides 383
canadensis 381, 383
dense 383
occidentalis 381, 383
Embolanthera Merr. 363, 365, 366, 368
spicata Merr. 368*, 369
Embothrium 203
brachycarpum Sleum. 201
Empetraceae 414
Enalus (sphalm.) auctt. 401
Engelhardtia 377
Enhalus L. C. Rich. 381–384, 401, 402, 404, 413
acroides (L.f.) Rich. ex Steud. 383, 384, 388, 402, 403*, 407, 409
koenigi Rich. 402
marinus Griff. 402
Enhydrias Ridl. 389, 390
angustipetala (non Ridl.) Gagnep. 393
angustipetala Ridl. 392, 393
 var. *latifolia* Ridl. 393
Epigynanthes Bl. ex Nees 413
blumei Hassk. 413
Eriocaulon 420
setaceum 317
Eriocaulonaceae 416, 422
Eriosema chinense Vogel 559
Erythrospermum Lamk 1–6, 7
 map, 565
candidum (Becc.) Becc. 4, 7, 360, 565
scortechinii King 7
wichmannii Val. 7
Erythrostigma Hassk. 525
diversifolia Hassk. 534, 535
ellipticum Zoll. 534, 535
macrophyllum Zoll. 502
obliquum Zoll. 503

villosum Zoll. 504
Erythroxylaceae 543-552
Erythroxylon L. 543
Erythroxylum P. Browne 543
 acuminatum (Arn.) Walp. 552
areolatum L. 545
bancanum Burck 549
boliviianum Burck 547
borneense Merr. 549
burmanicum Griff. 549
coca Lamk 543, 545-547
 var. *novogranatense* Morris 546
 var. *spruceanum* Burck 546
cuneatum (Miq.) Kurz 543,
 544*, 545, 546, 548*, 550*,
 551*
 var. *bancanum* (Burck) O. E.
 Schulz 548
densinerve O. E. Schulz 543,
 549
ecarinatum Burck 543, 544*,
 545-547
 var. *ledermannii* O. E.
 Schulz 548
iwahigense Elm. 549
kunthianum Kurz 552
lanceolatum (Wight) Walp.
 552
latifolium Burck 549
 var. *angustatum* O. E.
 Schulz 549
 var. *longipetalum* Boerl. 549
leandrianum Payens 549
longistipulatum Burck 549
moullucanum T. & B. ex
 Schulz 547
monogynum Roxb. 545, 552
montanum T. & B. ex Eykman
 547
novogranatense (Morris) Hie-
 ron. 545, 546
obtusifolium (Wight) Hook. f.
 552
peruvianum Prescott 547
platyphyllum Merr. 549
retusum Baill. ex Schulz 549
retusum Bauer ex T. & B.
 549
salomonense White 547
 sect. Archerythroxylum 543,
 546
 sect. Coelocarpus 543, 545,
 552
 sect. Heterogyne O. E. Schulz
 545
 sect. Sethia 545
 sp. 547
sumatrana Miq. 549
truxillense Rusby 546
Eschscholzia *californica* (non
 Cham.) Lindl. 117
douglasii Walp. 117
Eucalyptus 150, 205, 556
deglupta Bl. 110

Eucommiaceae 365
Eugenia 377
Euphorbiaceae 2, 63, 65, 106,
 305, 306, 365, 566
Euplassa *papuana* Diels 154
Eurya 121, 123
Eurycoma Jack 541
Evolvulus L. 558
 alsinoideas (L.) L. 558
nummularius (L.) L. 558, 559*
Exbucklandia R. W. Brown 374,
 375
populnea R. W. Brown 375

Fagaceae 363
Fallopia Adans. 302
Ficoidaceae. See *Aizoaceae*
Ficus 299
 cuneata Wall. 549
Filicium Thw. 296
Fimbristylis ferruginea 440
 marianna Gaud. 559
Finlaysonia maritima 440
Finschia Warb. 148-152, 159,
 160 map
carrii (Sleum.) White 160
chloroxantha Diels 148-150,
 160, 163
 var. *chloroxantha* 163
 var. *macrocarpa* Sleum.
 162*, 163*, 164*
densiflora White ex F. S.
 Walker 163
excelsa (Roxb.) Bl. ex Boerl.
 var. 170
ferruginiflora White 160, 163,
 567
micronesica Kanekihira 163
rufa Warb. 160, 161*
sumatrana Miq. ex Boerl. 186
waterhousiana Burtt 163
Flacourtiaceae L'Héritier 1-6, 68, 69
 amara Span. 68
balansae Gagnep. 76
campbelliana Roxb. 77
campotoceras Miq. 77
cataphracta (non Roxb.) Bl.
 73
cataphracta (non Roxb.) Rolfe
 76
cataphracta Roxb. ex Willd.
 72
cataphracta (non Roxb.)
 Scheff. 71
cerasifera Zipp. 70
corollata Blco 12
crenata Wall. 12
edulis Griff. 73
euphlebia Merr. 73, 75
frondosa Clos 76
heterophylla Turcz. 76
indica (Burm. f.) Merr. 2, 70,
 72*, 76, 77, 566
inermis (non Roxb.) Merr. 70,
 73

Flacourtia L'Héritier 1-6, 68, 69
 amara Span. 68
balansae Gagnep. 76
campbelliana Roxb. 77
campotoceras Miq. 77
cataphracta (non Roxb.) Bl.
 73
cataphracta (non Roxb.)
 Rolfe 76
cataphracta Roxb. ex Willd.
 72
cataphracta (non Roxb.)
 Scheff. 71
cerasifera Zipp. 70
corollata Blco 12
crenata Wall. 12
edulis Griff. 73
euphlebia Merr. 73, 75
frondosa Clos 76
heterophylla Turcz. 76
indica (Burm. f.) Merr. 2, 70,
 72*, 76, 77, 566
inermis (non Roxb.) Merr. 70,
 73

Flagellaria L. 557
Flagellariaceae 4:245-250; 557
Flindersia 379
 schottiana F.v.M. 277
Freyincinetia 174, 248*
Fumaria 114
Funkia Dennst. 564
 karakandeli Dennst. 565
Funis *butonicus* Rumph. 309,
 310

- Gaertnera* Lamk 566
Gaertnera Retz. 566
Gaertnera Schreb. 566
obtusifolia Roxb. 132
racemosa (Cav.) Roxb. 132
Gaertneria Medic. 566
Gahnia 428
Gaimardia Gaud. 421–423, 425,
 426
australis Gaud. 426, 427*
boliviiana Pax 427
fitzgeraldii F.v.M. & Rodway
 426, 427
palida Hook. f. 423
setacea Hook. f. 426, 427*
sp. 427
Galphimia Cav. 125, 126, 144
glauca (non Cav.) Merr. 144
gracilis Bart. 125, 143*, 144
Gandola alba Rumph. 300
rubra Rumph. 300
Ganophyllum Bl. 296
Garcinia *cymulosa* Miq. 486
Garryaceae 299
Garuga Roxb. 209–212, 215
abilis Merr. 215
brunnea March. 247
clarkii Merr. 218
floribunda Decne 209, 212*,
 215, 216*, 217*
var. floribunda 215
var. gamblei (King ex
 Smith) Kalkm. 218
javanica Bl. 218
littoralis Merr. 215
var. paucijuga Merr. 218
mollis Turcz. 215
pacifica Burk. 215
pinnata (non Roxb.) K. & V.
 215
pinnata Roxb. 218
var. mollis Kurz 215
sp. 218
Gelonium *pinatubense* Elm. 91
Geniostoma 358
Geraniales (order) 545
Gertrudia K.Sch. 40
amplifolia K.Sch. 45
Gestroa Becc. 3, 6
candida Becc. 7
Gevina Lamk (sphalm.) 152
Gevina Mol. 147, 148 map,
 150–152 map, 153
avellana Mol. 153
bleasdalei (F.v.M.) Sleum.
 148, 153, 154
papuana (Diels) Sleum. 148,
 153*, 154, 567
Glossocalyx 299
Glyaspernum Zoll. & Mor. 435
ramiflorum Z. & M. 350, 355
Glycosmis *pentaphylla* (Retz.)
Correa 296
Gmelina *indica* Burm. f. 76, 77
javanica Christm. 76
- Gnetaceae* 4:336–347
Gomphrena *volubilis* Blco 304
Gonystylaceae. See *Thymelaeaceae*
Gonystylus 480
Goodenia J. E. Smith 335, 336
cambodiana Kerr 337
koningsbergeri (Back.) Back.
 ex Bold. 337*, 559
sect. *Eugoodenia* Bth. 337
sect. *Goodenia*
 subsect. *Ebracteolatae*
 Krause 337
Goodeniaceae 335–344, 345,
 567–569
Gordonieae 121
Gramineae 416
Grevillea R.Br. ex Knight 148–
 152, 154, 160
banksii R.Br. 150, 155*, 156
carrii Sleum. 160
densiflora White 163
edelfeltii F.v.M. 157
elaecarpifolia Guill. 163
elbertii Sleum. 149, 155, 158*,
 159
gibbosa R.Br. 156
glauca Knight 148, 149, 155,
 156
micronesiaca Sleum. (sphalm.)
 163
micronesica Sleum. 163
papuana Diels 155, 156
pinnatifida Bail. 148, 149, 155,
 157
robusta A. Cunn. ex R.Br.
 150, 154–156, 157*
rufa Sleum. 160
sp. Hemsl. 163
sp. F.v.M. 159
subargentea White 156
thelemanniana v. Hügel ex
 Endl. 150
Grevillia (sphalm.) 154
Guaiacum *abilis* Blco 215
Guevina (sphalm.) Pers. 152
Guevinia (sphalm.) Endl. 152
Gymnanthera *paludosa* 440
Gynaecotrochus Hassk. 488
Gynotroches Bl. 429, 431, 442,
 445, 446, 488
axillaris Bl. 431, 488, 489*
 var. *obtusa* K. & V. 488
 var. *parvifolia* Bl. 488
dryptopetalum Bl. 488
 var. *lanceolata* Bl. 488
lanceolata Merr. 488
membranifolia Miq. 489
micrantha Bl. 488
 var. *tuberculata* Bl. 488
parvifolia Merr. 488
puberula Merr. 488
recirculata A. Gray 488
Gyrinopsis 358
brachyantha Merr. 360
- Gyrostemonaceae* 414
Haemodoraceae 111–113
Haemodorum J. E. Smith 111
coccineum R.Br. 113
corymbosum Vahl 112*, 113
planifolium R.Br. 112*, 113
spicatum R.Br. 111
Halophila Thouars 382–384, 407
bailonis Aschers. 408
bailonis (non Aschers. 1874)
 Holm 410, 411
balfourii Solereder 411
beccarii Aschers. 408, 410*,
 411
decipiens Ostenf. 384, 408,
 410, 411*
 var. *decipiens* 411
 var. *pubescens* Hartog 382,
 411
engelmanni Aschers. 408
euphlebia Makino 409
lemnopsis Miq. 410
linearis Hartog 408
madagascariensis Steud. 411
major Miq. 409
minor (Zoll.) Hartog 408, 410*
ovalis (R.Br.) Hook. f. 382,
 402, 407, 408, 409*, 410
 var. β *major* (Zoll.) Boiss.
 408
 var. α *ovata* Balf. 410
ovata (non Gaud.) Aschers.
 409
ovata (non Gaud.) Back. 410
ovata Gaud. 410
sect. *Americanae* (Ostenf.)
 Ostenf. 408
sect. *Aschersonia* Hartog 408
sect. *Barkania* (Ehrenb.)
 Aschers. 408
sect. *Halophila* 408
sect. *Microhalophila* Aschers.
 408
sect. *Pusillae* Ostenf. 408
sect. *Spinulosae* Ostenf. 408
sect. *Typicae* Ostenf. 408
spinulosa (R.Br.) Aschers.
 407, 408, 412*
stipulacea (Forsk.) Aschers.
 382, 408, 411, 412
Haloragis 421
disticha Jack 479
Hamamelidaceae 363–379
 subfam. *Bucklandioideae* 365
 subfam. *Disanthoideae* 365
 subfam. *Hamamelidoideae*
 365
 tribe *Distylieae* 365
 tribe *Hamamelideae* 365
 subfam. *Liquidambaroideae*
 365
 subfam. *Rhodoleioideae* 365
Hamamelidales (order) 365
Hanguana Bl. 557

Haplolobus H. J. Lam 209, 210, 212, 213, 238, 567
acuminatus (K.Sch.) H. J. Lam 239, 241, 243, 244
f. acuminatus 242
f. glabrior H. J. Lam 239, 242*, 246
aneityensis Husson 239
anisander (Laut.) H. J. Lam 240, 243, 244, 246
buccarii Husson 239, 243, 246
borneensis H. J. Lam 240, 243, 245
borneensis H. J. Lam 567
celebicus H. J. Lam 240, 243, 244, 246
clementium Husson 239, 240, 245
floribundus (K.Sch.) H. J. Lam 212*, 224, 240, 241, 242*, 243, 244, 246
furfuraceus H. J. Lam 244
glandulosus Husson 239, 241, 245
hussonii H. J. Lam 240, 245
ledermannii (Laut.) H. J. Lam 239, 240, 241
leefolius H. J. Lam 240, 245, 246
maluensis (Laut.) H. J. Lam 240, 242, 243, 244
megacarpus H. J. Lam 240, 245, 246
microphyllus Husson 239, 240, 241, 245
mollis H. J. Lam 239, 242
moluccanus H. J. Lam 239, 243, 244, 246
monophyllus H. J. Lam 240, 241, 245
monticola Husson 239, 241, 245
nubigenus (Laut.) H. J. Lam 240, 241, 245
pachypodus H. J. Lam 241
robustus H. J. Lam 239, 242, 243
sepikensis H. J. Lam 244
versteeghii H. J. Lam 240, 244
Haplopetalum A. Gray 448
Hebetepetalum 545
Helicia Lour. 147–152, 164, 165
 map, 190
acutifolia Sleum. 166, 167, 180
affinis Sleum. 168, 183
albiflora Sleum. 168, 188
amboinensis Miq. 181
amplifolia Sleum. 166, 169
archboldiana Sleum. 168, 182
arguta Sleum. 167, 174
artocarpoides Elm. 192
attenuata (Jack) Bl. 148, 168, 186, 192
attenuata [non (Jack) Bl.] Kurz 184

attenuata [non (Jack) Bl.] Ridl. 188
bennettiana Miq. 186
biformis Sleum. 168, 189
brachyantha Merr. 176
brassii Sleum. 172
bullata Sleum. 168, 187
cameronii F.v.M. 167, 177
carrii Sleum. 166, 172
castaneaefolia Meisn. 184
celebica Sleum. 166, 170
clemensiae Sleum. 168, 183
cochininchinensis 184
commutata Sleum. 167, 179
cribbiana F. M. Bail. 557
cumingiana Presl 184
 var. *parvifolia* Merr. 184
curtisiae Gamble 176, 177
dentellata Sleum. 167, 174
divaricata Sleum. 172
erratica Hook. f. 186
erratica (non Hook. f.) Stapf 178
erratica (non Hook. f.) Sues-seng. 188
excelsa (Roxb.) Bl. 148, 166, 167, 174
 var. α Benn. 174
 var. β Benn. 174
 var. *celebica* Koord. 170
 var. *edentata* Meisn. 174
 var. *forbesii* Gamble 175
 var. *salicifolia* (Presl)
 Gamble 175
finis-terrae Laut. 168, 184
forbesiana F.v.M. 168, 183
fuscomontoseta Suesseng. 166, 170
glabrata Meisn. 184
graciliflora Merr. 168, 189
grandifolia Laut., non Le-comte 173
hypoglaucia Diels 168, 187
incisa K. & V. 150, 194
insculpta Sleum. 168, 187
integra Merr. 186
integrifolia Elm. 186
javanica Bl. 184
kingiana (non Prain) Merr. 186
kingiana Prain 189
kjellbergii Sleum. 166, 171
 var. *calva* Sleum. 168, 172
 var. *kjellbergii* 171
lanceolata (non K. & V.) Bak. f. 186
lanceolata K. & V. 150, 192
latifolia White 168, 180
lauterbachiana Sleum. 167, 173
ledermannii Diels 167, 174
longespicata Sleum. 166, 171
longiflora Merr. 186
loranthoides (non Presl) Merr. 170

loranthoides Presl 166, 169
macrostachya Laut. 168, 182
maxwelliana Gibbs 167, 178
microcarpa Sleum. 167, 178
micronesica Kaneh. 163
microneura White 167, 174
microphylla Diels 167, 177
moluccana (R.Br.) Bl. 168, 181
moluccana [non (R.Br.) Bl.] Laut. 183
neglecta Diels ex Sleum. 168, 181
nilagirica Bedd. 186
ob lanceolata Merr. 175
ob longifolia Benn. 186
 var. *subpetiolata* Miq. 186
obovata Benn. 186
 var. *connata* K. & V. 186
 var. *minor* Meisn. 186
obovata (non Benn.) Kurz 184
obovata (non Benn.) Ridl. 184
obscurinervis Chatterjee 189
obtusata Sleum. 168, 182
obtusidens Miq. 181
odorata Diels 167, 179
oligophlebia Merr. 184
olivacea Sleum. 167, 179
oreadum Diels 167, 173
ovata (Jack) Benn. 190
paleescens Diels 168, 189
paucinervia Merr. 168, 189
peckelii Laut. 167, 168, 181
peltata White 167, 177
petiolaris Benn. 168, 188
 var. *kingiana* (Prain) Sleum. 168, 189
 var. *petiolaris* 188
phaeotricha Diels 173
philippinensis Meisn. 184
platyphylla Sleum. 166, 178
pterygota Sleum. 167, 178
purpurascens Sleum. 166, 172
retevenia Sleum. 168, 182
rigidiflora Sleum. 166, 170
robusta (Roxb.) R.Br. ex Wall. 148, 168, 184
 var. *integrifolia* (Elm.) Sleum. 186
 var. *robusta* 184, 185*
rufescens Prain 166, 171
salicifolia Presl 175
saruwagedica Sleum. 167, 180, 181
saurauioides Sleum. 167, 180
schlechteri Laut. 167, 173
scortechinii Gamble 176
 sect. *Cyanocarpus* (Bail.) Sleum. 160, 166, 171
 sect. *Helicia* 166
 sect. *Macadamopsis* Sleum. 166
sellae-montis Sleum. 166, 169
serratata (R.Br.) Bl. 149, 150, 166, 167, 175*, 176, 177, 190

- var. *oreophila* Sleum. 168,
176*, 177
- var. *petiolata* K. & V. 176
- var. *serrata* 176
- var. *subintegra* K. & V. 176
- serrata* R.Br. ex F.-Vill. 190
- stelechantha* Diels 167, 173
- suffruticosa* Ridl. 186
- sumatrana* Miq. 186
- ternifolia* F.v.M. 197
- teysmanniana Sleum. 167, 179
- torricellensis* Laut. 167, 172
- travancorica* Bedd. ex Hook.
f. 184
- uganensis* Diels ex Sleum. 152,
166, 171
- validinervis* White 173
- velutina* Parain 191
- wollastonii* Ridl. 168, 183
- youngiana* Moore & F.v.M.
149, 166
- Helicopis* Sleum. 148–152, 165
map, 190, 191*
- artocarpoides* (Elm.) Sleum.
191, 192
- incisa* (K. & V.) Sleum. 150,
191, 193*, 194
- lanceolata* (K. & V.) Sleum.
150, 191, 192
- rufidula* Sleum. 191, 192
- velutina* (Prain) Sleum. 191
- Helitophyllum* Bl. 164
- javanicum* Bl. 184
- Hemandradenia* Stapf 520
- Hemiandrina* Hook. f. 500
- agamae* (Merr.) Schellenb. 504
- borneensis* Hook. f. 504
- everettii* (Merr.) Schellenb.
504
- hullettii* (King) Schellenb. 502
- insignis* Schellenb. 505
- macrophylla* (Zoll.) Schellenb.
502
- obliqua* (Zoll.) Schellenb. 504
- tarawakensis* (Merr.) Schellenb.
502
- trinervis* (Llanos) Schellenb.
504
- villosa* (Zoll.) Schellenb. 504
- woodii* (Merr.) Schellenb. 504
- Hemisanthiria* H. J. Lam 219
- nitida* H. J. Lam 225
- rostrata* H. J. Lam 226
- rugosa* H. J. Lam 221
- sp.* H. J. Lam 225
- Hemisclopia* Sloot. 1, 3, 5, 65
trimera (Boerl.) Sloot. 65 map,
566
- Hennecartia* 299
- Heritiera* 435
- Heteropteris albida* Bl. 140, 142
- Heynea sumatrana* Roxb. 249
- Hibiscus tiliaceus* L. 341*
- Hippocratea lawsonii* Elm. 136
- Hippocrateaceae* 136
- Hiptage* Gaertn. 125, 126, 130,
566
- beccariana* Arènes 135
- benghalensis* (L.) Kurz 131,
132*, 133*, 134*, 566
- f. *cochininchinensis* Pierre 132
- f. *longifolia* Nied. 132
- f. *macroptera* Nied. 132
- f. *typica* Nied. 132
- benghalensis* (non Kurz) Nied.
135
- brachybotrys* Arènes 135
- burkilliana* Arènes 131, 132*
- cebuensis* Elm. 135
- cumingii* Merr. 135
- curranii* Merr. 136
- detergens* Craib 132, 135
- javanica* Bl. 132
- f. *rubella* Hochr. 132
- javanica* (non Bl.) Merr. 135
- lawsonii* Elm. 136
- loheri* Merr. 135
- luzonica* Merr. 131, 132*,
134*, 135, 566
- macropetra* Merr. 132, 135
- madablotia* (non Gaertn.) F.-
Vill. 135
- madablotia* Gaertn. 132
- malaensis* Nied. 132
- minor* Dunn 131
- myrtifolia* A. Gray 131, 135
- obtusifolia* (Roxb.) DC. 132
- parvifolia* Wight & Arnott 132
ssp. *cumingii* Nied. 135
- var. *eglandulosa* Nied.
135
- var. *glandulosa* Nied. 135
- var. *megaphylla* Nied. 135
- ssp. *typica* Nied. 132
- pinnata* Elm. 132
- pubescentia* Merr. 131, 132*,
136
- var. *lanceolata* Merr. 136
- reticulata* Merr. 135
- sect. *Archihiptage* (Nied.)
Arènes 131
- sect. *Hiptage* 131
- sect. *Metahiptage* (Nied.)
Arènes 131
- sericea* Hook. f. 131, 132*
- sumatrana* Miq. 132
- tetraptera* Merr. 132, 135
- teysmannii* Arènes 132, 135
- vidalii* Arènes 135
- Hiraea concava* Wall. 129
- elliptica* Bl. 127
- obscura* Bl. 142
- ovata* Bl. 142
- reclinata* Blco 136
- tomentosa* Bl. 129
- Hisingera* Hellen. 66
- grandifolia* Turcz. 73
- Homaliaceae* 2
- Homalium* Jacq. 1–5, 51, 299
acutissimum Gilg 51, 55
- amplifolium* Gilg 57
- aranga* Vid. ex F.-Vill. 57
- barandae* Vid. ex F.-Vill. 51,
53
- bracteatum* Bth. 52, 61
- calciphilum* Ridl. 62
- caryophyllaceum* (Z. & M.)
Bth. 52, 58, 60*
- celebicium* Koord. 52, 62
- cordylanthus* Bth. 58
- crassipes* Sloot. 62
- curranii* Merr. 61
- damrongianum* Craib 62
- dasyanthum* (Turcz.) Warb.
52, 56, 60*
- dictyoneurum* (Hance) Warb.
565, 566
- fallax* Sloot. 62
- foetidum* Bth. 56
- foetidum* (Roxb.) Bth. 2, 52,
57, 58*
- frutescens* Warb. 59
- gilgianum* Laut. 63
- ginginense* Elm. 52, 62
- grandiflorum* Bth. 52, 62
var. *grandiflorum* 62
var. *heptagynum* Miq. 62
var. *javanicum* (K. & V.)
Sleum. 63
- grandiflorum* (non Bth.) Naves
55
- grandiflorum* (non Bth.) Sloot.
63
- griffithianum* Kurz 56
- var. *cambodianum* Gagnep.
56
- var. *glabrum* Gagnep. 56
- hosei* Merr. 59
- javanicum* Koord. & Val. 63
- kunstleri* King 52, 56
- loheri* Merr. 51, 55, 56
- longiflorum* Bth. ex Koord. 59
- longifolium* Bth. 51, 55
- luzonicum* (sphalm.) 57
- luzoniense* F.-Vill. 2, 57
- minahassae* Koord. 52, 63
- moultonii* Merr. 51, 52, 63
- multiflorum* Merr. 51, 56
- myrianthum* Baker 55
- novoguineense* Sloot. 57
- oblongifolium* Merr. 52, 59
- obovale* Miq. 59
- obovatum* Merr. 55
- pachyphyllum* Gilg 57
- panayanum* F.-Vill. 51, 55
- parvifolium* Hook. f. ex Bth.
62, 63
- platiphyllum* Merr. 57
- pollinense* Merr. 59, 61
- propinquum* Clarke 57
- ramosii* Merr. 52, 61
- samarense* Merr. 52, 59, 61
- sorsogonense* Elm. 61
- spathulatum* Ridl. 52, 59
- subg. *Homalium* 56

sect. *Eumyriantheia* Warb.
 52, 56, 565
 sect. *Pierreia* (Hance) Warb.
 62, 566
 subg. *Myriantheia* (Thou.)
 Warb. 56
 subg. *Pythagorea* (Lour.)
 Sleum. 52
 sect. *Blackwellia* Bth. 52
 sect. *Pythagorea* (Lour.)
 O.K. 51, 52
subscandens Elm. 55
sumatranum Miq. 59
tomentosum (Vent.) Bth. 2,
 51, 52, 53*, 54*, 55 map
undulatum King 52, 61
verruculosum Craib 61
villarianum Vid. 52, 61
villosum Merr. 59, 61
Hugoniaeae 552
Humata *parvula* (Wall.) Mett.
 440
Humiriaceae 545
Hydnocarpus Gaertn. 1–5, 14,
 15 map
alcalea C.DC. 15–17, 25
anomala (Merr.) Sleum. 17,
 30
anthelminthica Pierre 15
beccariana Sleum. 16, 18, 26
borneensis Sleum. 16, 18, 26
calophylla (Ridl.) Sleum. 16,
 17, 21
calvipetala Craib 17, 30
castanea Hook. f. & Th. 4, 14,
 17, 18, 21, 26
castanea (non Hook. f. & Th.)
 J. F. Rock 21
cauliflora Merr. 15, 16, 18, 25
crassifolia Sleum. 17, 19, 29*,
 30
cucurbitina King 16, 18, 25
curtisii King 14, 17, 19, 27
 var. *sumatrana* Bak. f. 28
elmeri Merr. 16, 18, 25
filipes Symington & Sleum.
 17, 18, 26
glaucescens Bl. 16, 17, 19, 24
gracilis (Sloot.) Sleum. 17, 31
heterophylla Bl. 16, 18, 20
 ssp. *heterophylla* 20
 ssp. *philippensis* Sleum.
 18, 20
heterophylla (non Bl.) Merr. 20
humei Ridl. 16, 18, 19
hutchinsonii Merr. 27
hutchinsonii (non Merr. 1920)
 Merr. 26
ilicifolia King 2, 16, 18, 19
kingii Warb. 20
kunstleri (King) Warb. 16, 17,
 20, 21
 var. *kunstleri* 20
 var. *tomentosa* (King)
 Sleum. 16, 21

kurzii (King) Warb. 15
 ssp. *australis* Sleum. 16, 17,
 21
laevis Miq. 33
lasionema Airy Shaw 30
merrilliana Sleum. 16, 17, 22
microcarpa Gilg 19
moluccana (Roxb.) Spr. 33
 nana King 16, 18, 24
 var. *pubescens* King 24
octandra Thw. 30
ovoidea Elm. 22
palawanensis Merr. & Quis.
 28
pentagyna Sloot. 28
pinguis Sleum. 16, 17, 21
polyandra Blco 36
polypetala (Sloot.) Sleum. 17,
 31, 32*
punctifera Sloot. ex Den Ber-
 ger 28
quadrasii Elm. 22
scortechinii King 17, 18, 20,
 27
 sect. *Asteriastigma* (Bedd.)
 Warb. 17, 30, 31 map, 565
 sect. *Euhydnocarpus* Warb. 22
 sect. *Hydnocarpus* 16, 22
 subsect. *Oligantha* Warb.
 16, 22
 subsect. *Pleiantha* Warb.
 1, 17, 28 map
 sect. *Kerrandrias* Sleum. 17,
 30
 sect. *Taraktogenos* (Hassk.)
 Warb. 3, 15 map, 16, 19
 sect. *Vanslootenia* Sleum. 30
serrata (Pierre) Warb. 19
setumpul (non Sloot.) Bak. f.
 24
setumpul Sloot. 22
 sp. 33
stigmatophora Sloot. ex Den
 Berger 28
subfalcata Merr. 15, 16, 18,
 22, 23*
subintegra Gilg 19
sumatrana (Miq.) Koord. 17,
 19, 27
 var. *pentagyna* (Sloot.)
 Sleum. 28
 var. *sumatrana* 27
tamiana Pulle 33
tenuipetala Sleum. 16, 17, 21
unonifolia Elm. 33
woodii Merr. 15, 17, 19, 28,
 29*
wrayi King 16, 17, 22
 yatesii Merr. 16, 18, 24
Hydnophytum 440
Hydrilla L. C. Rich. 381, 383–
 385, 413
alternifolia Miq. 392
angustifolia Hassk. 386
dentata Casp. 386
japonica Miq. 393
najadifolia Zoll. & Mor. ex
 Mor. 385
ovalifolia Rich. 385
polysperma Blatter 386
roxburghii Steud. 385
verticillata (L. f.) Royle 382–
 385*, 386*, 387*, 392
wightii Planch. 386
Hydrocaryaceae 4:43–44
Hydrocharis L. 381, 383, 384,
 394
asiatica Miq. 394
cellulosa Buch.-Ham. ex Wall.
 394
chevalieri (De Wild.) Dandy
 394
dubia (Bl.) Back. 317, 382,
 394 map, 395*
morsus-ranae L. 394
morsus-ranae (non L.) F.v.M.
 394
parnassifolia Hall. f. 394
parvula Hall. f. 394
Hydrocharitaceae 318, 381–413,
 569
Hydrocleis 118
Hydrocotyle vulgaris L. 558
Hydromyrtia G. Meyer 396
stolonifera G. Meyer 396
Hydrophyllaceae 4:207–209
Hydropondylus Hassk. 385
submersus Hassk. 385
Hydrotrophus Clarke 389, 390
echinospermus Clarke 391
Hymenosporum R.Br. ex F.v.M.
 345, 347, 360
flavum (Hook.) F.v.M. 360
Hymenotheca Salisb. 396
Icacinaceae 77, 312
Icica abilo Blco 215
timoriensis DC. 296
Icicaster Ridl. 229
planchonii Ridl. 237
Illecebrum achyrantha L. 554,
 555
Indorouchera sp. 77
Intsia 379
Ipomoea L. 560
 abrupta R.Br. 561, 563
angulata Lamk 563
asterophora Ooststr. 560
choisyi Montr. 561
crassicaulis (Bth.) B. L. Ro-
 bins. 563
fimbriosepala Choisy 560,
 561, 562*
hederifolia L. 563
illustris (Clarke) Prain 561
kentrocarpa Hochst. ex Rich.
 561
ochrolacea (sphalm.) 561
ochroleuca Span. 561
ochroleucea (sphalm.) 561

- ophthalmantha* Hall. f. 561
phylloneura Baker 561
smithii Baker 561
tiliacea (Willd.) Choisy 561
tuba (Schlechtend.) G. Don 563
Itea javanica Bl. 355
 umbellata Roxb. 356, 359
Itoa Hemsl. 1-5, 12
 orientalis Hemsl. 13 map
 stapfii (Koord.) Sleum. 13 map, 565
Ixia 113
Ixiosporum spinescens F.v.M. 362
Ixonanthes Jack 552

Jacquemontia Choisy 558
Jagera javanica (Bl.) Bl. 218
Jaundea Gilg 496, 510, 512, 513
Joinvillea Gaud. 557
Juncaceae 4:210-215; 416, 422, 557
Juncaginaceae 4:56-57; 554
Juncales (order) 416, 422
Juncus prismatocarpus R.Br. 557

Kada-Kandel Rheed 565
Kalawael Adans. 510, 512, 513
Kandel Rheed 461
Kandelia W. & A. 429, 431, 441-445, 447, 448, 450, 472
 candel (L.) Druce 444, 472*, 473 map
 rheedei W. & A. 473
Kanilia Bl. 457, 460
 caryophylloides (Burm. f.) Bl. 467
 parviflora (Roxb.) Bl. 464
Kare Kandel Adans. 481, 482, 485
Kare-kandel Rheed 485
Karekandelia Adans. ex O.K. 482
 brachiata (Lour.) O.K. 486
 calycina (Thw.) O.K. 486
 celebica (Bl.) O.K. 486
 confinis (Bl.) O.K. 486
 cuspidata (Bl.) O.K. 486
 lanceaefolia (Roxb.) O.K. 486
 multiflora (Bl.) O.K. 486
Karil-Candel Rheed 467
Katou-kalesium Adans. 215
Kermadecia Brongn. & Gris 152 map, 153
 pinnatifida Bail. 157
Kernera ovalis Schult. 409
 spinulosa Schult. 412
Kiridivel Adans. 512
Kiridiwael Hermann 512, 513
Koordersiodendron pinnatum Merr. 236, 237
Korosvel Adans. 557
Korthalsella opuntia (Thunb.) Merr. 378

Kotsjiletti Adans. 557
Kurrimia 541

Lagarosiphon 381, 383, 384
 alternifolia (Roxb.) Druce 390
 muscooides 383
 roxburghii (Planch.) Bth. 390
Lagenophora 421
Lansium domesticum Jack 510
Lauraceae 477, 479
Laurus serrata Blco 95
Lechenaultia R.Br. 335, 336, 338
 filiformis R.Br. 338*, 567
 sect. *Latouria* Endl. 339
Lecythidaceae 446
Legnotideae 445
Legnotis lanceolata Blco 493
Leguminosae 496, 497, 541
 subfam. *Papilionatae* 496
Lemairea amboinensis De Vriese 344
Lemna 396
Lemnopsis Zoll. 407
 major Zoll. 409
 minor Zoll. 410
 mnioides Zipp. 413
Lepironia articulata (Retz.) Dom 420
Lepistemon binectariferum (Wall.) O.K.
 var. *binectariferum* 563
Leptocarpus R.Br. 416, 421
 barbatus Bakker 417*, 418 map, 419
 disjunctus Mast. 417*, 418 map, 419, 569
 elatior R.Br. 416, 417*, 418 map
 sanaensis Masam. 419
 sect. *Diplanthesis* 416
 sect. *Homoeanthesis* 416
Leschenaultia (sphalm.) 338
Leucocorema Ridl. 565
 latifolia Ridl. 565
Libocedrus 428*
Lightfootia indica Thunb. 566
Liliaceae 111
Limnobium Rich. 381, 383, 384, 396
 stoloniferum (G. Meyer)
 Griseb. 383, 396
Limnocharis H.B. & K. 118, 119
 emarginata H.B. & K. 120
 flava (L.) Buch. 120
 var. *indica* Buch. 120
 plumieri Rich. 120
Limnophyton Miq. 318, 324, 384
 obtusifolium (L.) Miq. 317, 322 map, 323*, 324
 parviflorum Peter 324
Limonea laureola (non DC.) Blco 355
Linaceae 77, 545
 tribe *Ixonantheae* 552

 tribe *Pentaphylaceae* 123
Lindera 477
Liquidambar 365, 378
 altingia Bl. 376
 tricuspidis Miq. 375
Liquidamber altingiana Bl. 376
Lobelia frutescens Mill. 339
 plumieri (non L.) Burm. f. 339
 taccada Gaertn. 339
Loganiaceae 358, 566
Lomandra 557
Lomatia 147, 148 map
Lophiocarpus (non Turcz.) Miq. 327
 cordifolius Miq. 328
 var. *madagascariensis* Buch. 328
 guayanensis Micheli 328
 lappula Miq. 328
Lophophyxis maingayi Hook. f. 63
Lophotocarpus Durand 327
 formosanus Hayata 328
 guayanensis J. G. Smith 328
 var. *lappula* Buch. 328
 var. *madagascariensis* Buch. 328

Loranthaceae 149, 440
Loropetalum R.Br. 365, 366, 369
Ludia foetida Roxb. 56, 57
 spinososa Roxb. 10
Lumnitzera Willd. 433, 435, 439, 457, 564
 littorea (Jack) Voigt 564
 racemosa Willd.
 var. *racemosa* 565
Luronium 317
 natans (L.) Rafin. 327, 334
Lycopodium 424*, 428
Lythraceae 446

Macadamia F.v.M. 148-151, 190, 194, 195 map
 francii (Guill.) Sleum. 195 map
 heyana (Bail.) Sleum. 195 map
 hildebrandii Steen. 150, 195 map, 196*
 integrifolia Maid. & Betché 197, 567
 praealta (F.v.M.) Bail. 195 map
 rousselii (Vieill.) Sleum. 195 map
 ternifolia F.v.M. 150, 195 map, 197*, 198, 567
 var. *integrifolia* (Maid. & Betché) Maid. & Betché 197
tetraphylla Johns. 150, 195 map, 197
vieillardii (Brongn. & Gris) Sleum. 195 map

- whelani (Bail.) Bail. 195 map
Macarisia
Macleaya cordata R.Br. 117
Macrosolen rotundatus Miq. 480
Magnolia 377
Magnoliaceae (order) 365
Maidenia 381
Maingaya Oliv. 363, 365, 366, 369
 malayana Oliv. 366, 367*
Malpighia Plumier ex L. 125, 126, 144
 coccifera auctt. 145
 coccigera L. 125, 145*
 coccigrya (sphalm.) 145
 glabra L. 125
Malpighiaceae 125–145, 545, 566
 subfam. *Planitorae* 125
 tribe *Pyramidotoraee* 125
 tribe *Hiraeæe* 125
Malpighiales (order) 545
Malum aruanum Rumph. 33
Mangium Rumph. ex Scop. 448
 candelerium Rumph. 452
 caryophylloides Rumph. 467
 caryophylloides III latifolium Rumph. 469
 caryophylloides II parvifolium Rumph. 469
 celsum Rumph. 461
 digitatum Rumph. 463
 minus Rumph. 461, 467
Mangle Pluket ex Adans. 448
Marignia acutifolia DC. 291
Martyniaceae. See *Pedaliaceae*
Mastixiodendron 446
Melaleuca 113, 150, 156, 205, 419
 leucadendron 395
Melastomataceae 446
Meliaceae 210, 249, 251, 296, 510
Meliosma 567
Mercurialis annua 383
Merremia Dennst. 560
 boisiana (Gagnep.) Ooststr.
 var. *boisiana* 560
 emarginata (Burm. f.) Hall. f.
 560
 pacifica Ooststr. 560*
 peltata (L.) Merr. 560
 similis Elm. 560
Mesaulosperma Sloot. 12
 stappii Sloot. 13
Mespilus silvestris Burm. 76
Metrosideros *molucca* *samar* *mas* Rumph. 57
Michelia 377
Microdesmis caseariaefolia Planch. 566
 maganianensis (Merr.) Steen. 566
Microstemon 210
Microtis 421
Microtropis coriacea Wall. 488
Mitrephora 33
Moacurra Roxb. 305
 gelonioides Roxb. 310
 var. β 310
Molina racemosa Cav. 132
Molluginaceae. See *Aizoaceae*
Monimiaceae 299
Monochoria 324, 326, 334, 384
 dubia Miq. 394
 hastata (L.) Solms
 var. *elata* (Ridl.) Back. 557
Monostachya 423, 425
 oreoboloides 426*
Moraceae 299, 309, 415
Moringa aperta Gaertn. 554
 myrepnsica (Gars.) Thell. 554
 oleifera Lamk 554
 pterygosperma Gaertn. 554
Moringaceae 4:45–46; 554
Murraya paniculata (L.) Jack 541
Mycetia javanica (Bl.) Korth. 344
Myoporaceae 4:265–266
Myoporum 421
Myriantheia Thou. 56
Myricaceae 4:276–279
Myriophyllum 317
Myrmecodia 428, 440
Myroxylon J.R. & G. Forst. 66
 amarum Warb. 68
 cumingii O.K. 68
 declinatum Blco 76
 fragrans O.K. 68
 leprosipes O.K. 64
Myrsinaceae 457
Myrtaceae 205, 446
Mytilaria 365
Najas marina 317
Nanari Adans. 249
Nanarium minimum sive oleosum Rumph. 278
 oleosum Rumph. 279
Nechamandra 381, 390
 alternifolia (Roxb.) Thw. 390
 roxburghii Planch. 390
Nectaropetalum Bth. 543, 545
Nertera 421
Nigella sativa L. 480
Nothocnests Miq. 541
Nymphoides moonii 317
Nypa 434, 437, 440
Nyssaceae 4:29–31
Odina 210
Oligolobos Gagnep. 396, 397
Omphalobium Gaertn. 525
 gaudichaudii DC. 534
 obliquum Presl 514
 pictum Blco 514
Oncocarpus obovatus (Elm.) Merr. 316
Oncosperma 435
 filamentosa 434, 440
Oreobolus 423, 425, 426*
Oreocallis R.Br. 147, 148 map, 150–152, 201
 brachycarpa (Sleum.) Sleum. 149, 201, 202*
 wickhamii Hill & F.V.M. 203
Oreomyrrhis andicola Hook. f. 556
Orites 147, 148 map
Orophea 33
Osmelia Thw. 1, 3, 4, 6, 77, 78 map, 81
 bartlettii Merr. 79
 borneensis Merr. 79
 celebica Koord. 79
 conferta Bth. 79
 eupicata Elm. 79
 grandistipulata Sloot. 78, 79
 maingayi King 78, 79
 philippina (Turcz.) Bth. 78, 79, 80*, 316, 566
 philippinensis (sphalm.) Bth. 79
 subrotundifolia Elm. 79
Ostrearia 363, 365
Ottel ambel Rheede 398
Ottelia Pers. 381, 383, 384, 396, 397
 alismoides (L.) Pers. 382–384, 397*, 398, 399*
 condorensis Gagnep. 398, 399
 crispa (Hand.-Mazz.) Dandy 401
 ensiformis Blco 398
 indic Planch. ex Dalz. & Gibbs. 398
 japonica Miq. 398, 399
 javanica Miq. 398
 lanceolata (Gagnep.) Dandy 399
 mesenterium (Hall. f.) Hartog 381, 394 map, 397, 398, 400*, 401
 ovalifolia (R.Br.) Rich. 383, 384, 398
philippinensis Ostenf. 398
 subg. *Boottia* (Wall.) Dandy 397
 subg. *Dipteron* Dandy 397
 subg. *Ottelia* 397
 subg. *Otteliastrum* Dandy 397
Oxalidaceae 496, 520
Pachycentria 440
Pachylobus G. Don 219
Paletuviera Thouars ex DC. 457
Pandanus 174, 205, 341*
Pangium Reinw. 1, 3, 5, 35
 ceramense Teysm. & Binn. ex Boerl. 36
 edule Reinw. 2, 15, 36*, 37*, 38*
 naumannii Warb. 37
 rumphii Voigt 36

- treubii* Racib. 36
Pangium Rumph. 36
Papaver nudicaule L. 117
rheas L. 117
sommiferum L. 117
Papaveraceae 114–117
Parietaria 383
Paropsia Nor. ex Petit-Thouars 1–5, 13, 565
bakhuisii Boerl. & Koord. 14
malayana Planch. ex Mast. 14
vareciformis (Griff.) Mast. 14, 565
Passifloraceae 2
 tribe *Paropsieae* Bth. & Hook. 2
Pectinea Gaertn. 565
Pedaliaceae 4:216–221; 557
Pee-Kandel Rheede 452
Peglera Bolus 543
Pellacalyx Korth. 429, 442, 445–448, 490
axillaris Korth. 431, 491, 492*, 493
 var. *serratifolia* Val. 493
cristatus Hemsl. 491, 493
lobpii (Hook. f.) Schimp. 431, 490, 491*
parkinsonii Fischer 431, 492*, 493
pustulatus Merr. 490, 492
saccardianus Scort. 490, 491
sympiodiscus Stapf 429, 490, 492*
yunnannensis H. H. Hu 490
Pentaphragmataceae 4:517–528
Pentaphylacaceae 121–124, 566
Pentaphylax Gardn. & Champ. 121, 124 map, 566
arborea Ridl. 123
euryoides Gardn. & Champ. 122*, 123, 124, 566
malayana Ridl. 123, 124
montana Ridl. 123
racemosa Merr. & Chun 123, 124
spicata Merr. 123, 124
Pentaptera Roxb. ex DC. 564
Pentaspadon 210
Pentastira Ridl. 305, 310
 flava Ridl. 309
 nitida Ridl. 309
Petalodactylis Arènes 429
Petaloma Roxb. 564
 alternifolia Roxb. 564
 coccinea Blco 564
Petalotoma DC. 481
 brachiatia (Lour.) DC. 486
Petrophila sessilis Sieb. ex R. & S. 150
Petroselinum Hill 555
Philydraceae 4:5–7
Phyldrum lanuginosum B. & S. 423
Phoberos Lour. 8
chinensis Lour. 10
dasyanthera Benn. 12
macrophylla W. & A. 8
maritima Miq. 8
rhinanthera Benn. & Br. 8
roxburghii Benn. 10
Physkium Lour. 387
Phytolacca ? *javanica* Osbeck 557, 564
Phytolaccaceae 4:228–232; 557
Pierrea Hance 62
 dicyoneura Hance 565
Pimela Lour. 249, 277
 acutifolia Bl. 192
 altissima Bl. 287
 angustifolia Bl. 290, 296
 decumana Bl. 277
 denticulata Bl. 293
 dichotoma Bl. 283
 glabra Bl. 279
 hirsuta Bl. 287
 hispida Bl. 287
 var. *axillaris* Bl. 287
 var. *imbricata* Bl. 287
 var. *scabra* Bl. 287
kipella Bl. 285
kitengo Bl. 285
laxiflora Bl. 291
legitima Bl. 293
luzonica Bl. 270
nigra 261
oleosa Lour. 279
paucijuga Bl. 279
rigida Bl. 290
villosa Bl. 293
Pimelea 559
Pimeleodendron papuanum Warb. 65
Pistia 396
Pittosporaceae 345–362
 tribe *Billardiereae* 345
 tribe *Pittosporeae* 345
Pittosporum Banks ex Gaertn. 345, 346, 347, 349 map, 360, 361
 acuminatissimum Merr. 352
 batavorum Pritz. 353, 354
 berberidoides Burk. 346–348, 352*, 353
 brachysepalum Turcz. 355
 brackenridgei A. Gray 359
 brackenridgei (an A. Gray?) Miq. 356
 brassii Merr. & Perry 349
 chelidosperrum Bl. 349
 clementis Merr. 350
 comptum K.Sch. & Laut. 350
 densiflorum (non Putt.) Mor. 355
 epiphyticum Merr. 352
 euphlebioides Merr. 357, 359
 fernandezii F.-Vill. 355
 ferrugineum Ait. 346–349, 354, 355, 356, 359
 var. *β filarium* DC. 355, 356, 360
 var. *β filarium* J.Sm. in Rees 359
 var. *javanicum* Boerl. 355
 var. *moluccanum* Boerl. 355
ferrugineum (non Ait.) F.-Vill. 355
fissicalyx Miq. 356, 359
flavum Hook. 360
floribundum (non W. & A.) F.-Vill. 355
floribundum (non W. & A.) Hassk. 350, 355
floribundum W. & A. 360
galai K.Sch. 349
glaberrimum Merr. 357, 359
glabratum (non Lindl.) F.-Vill. 356
group *Bivalvae* Gowda 347, 348
group *Trivalvae* Gowda 347, 348
javanicum Bl. 355
kerrii Craib 354
ledermannii Pritz. 353, 354
littoralis Merr. 356
longisepalum Bakker 348, 349, 354*
macrophyllum Laut. & K. Sch. 360, 355
megacarpum Merr. 356, 359
microcalyx K. & V. 356
moluccanum (Lamk) Miq. 346, 348, 356, 357*, 358*, 359
moluccanum (non Lamk) Miq. 355
monticolum Miq. 356, 359
nativitatis Baker 355, 356
novoguineense Miq. 349
nubigenum Ridl. 353, 354
obscurnerve Merr. 357, 359
odoratum Merr. 356, 359
pentandrum (Blco) Merr. 346, 348, 349, 355, 359
pseudostipitatum Merr. 355
pulgarensis Elm. 357, 359
pullifolium Burk. 346–348, 353*
quinquevalvatum Warb. 349
ramiflorum (Zoll. & Mor.) Zoll. ex Miq. 346, 348, 349, 350*, 352, 359
 f. *macrocarpum* Bakker 351
 ssp. 352
 var. *parviflorum* K.Sch. 350
 var. *parvifolium* Merr. & Perry 350
ramosii Merr. 348, 352
resiniferum Hemsl. 347, 348, 351*, 352, 359
 var. *orbiculatum* 351
reticosum Ridl. 348, 349, 354
rufescens Turcz. 355, 356

rumphii (non Putt.) Bl. 349
rumphii Putterl. 356, 359
 series *Bivalvae* 347, 348
 series *Trivalvae* 347, 348
sinuatum Bl. 346–349
subverticillatum Elm. 357, 359
tenuifolium 347
timorense Bl. 356, 359
 var. *teysmannianum* Boerl. 356
versteeghii Merr. & Perry 347, 355
zollingerianum Binn. ex K. & V. 356
 var. *argentea* 356
 var. *tenuinervis* 356
Plaesiantha Hook. f. 490
lobbia Hook. f. 491
 Plantaginaceae 468
 Platanaceae 365
Pleiogynium timoriense (DC.) Leenh. 296
Plethiandra sessilifolia Ridl. 440
 Plumbaginaceae 4:107–112
Podocarpus imbricata 377
nerifolia 377
 Podostemaceae 4:65–68
Poga 431, 445, 446
Poikilospermum 309
 Polemoniaceae 4:195–196
 Polygalaceae 306
 Polygonum 304
scandens L. 304
 Polymeria R.Br. 558, 559
pusilla R.Br. 559
Polythyrsis celebicus Koord. 13
stapfii Koord. 13
Polypodium sinuosum 440
spinulosum Burm. f. 206
Pontederia dubia Bl. 394
 Pontederiaceae 4:255–261; 557
Populus deglubata Reinw. ex Bl. 110
 Portulacaceae 300
Potamogeton 317
Potamogetonaceae 382
Pothos hermaphroditicus (Blco) Merr. 415
Pratia 421
Primula prolifera 425*
Problastes Reinw. 564
cuneifolia Reinw. 564
Prockia luzonensis Presl 68
Prosopis 432
 Proteaceae 147–206, 210, 335, 566
 subfam. *Grevilleoideae* 147, 150
 tribe *Embothrieeae* 150, 151
 tribe *Banksieae* 150, 151
 tribe *Grevilleeae* 150, 151
 subfam. *Persoonioideae* 147, 150
Protium Burm. f. 209, 212, 213

connarifolium (non Merr.) H. J. Lam 214
connarifolium (Perk.) Merr. 212*, 213, 214* map, 215
javanicum Burm. f. 209, 213, 214* map, 215
macgregorii (F. M. Bail.) Leenh. 214 map
philippinensis Elm. 215
schlechteri Leenh. 214
 sect. *Euc-Protium* Swart 213
 sect. *Protium* 213
serratum Engl. 256
zollingeri Engl. 213, 214
Pseudalepyrum Dandy 422, 423
Pseudellipanthus Schellenb. 520, 521
beccarii (Pierre) Schellenb. 524
pelitatus Schellenb. 524
Pseuditea Hassk. 345
javanica Hassk. 355
Pseudoconnarus 502
Pseudosmelia Sleum. 1, 3, 4, 6, 81
moluccana Sleum. 80*, 81
Punicaceae 4:226–227
Pygeum Gaertn. 316
Pythagorea Lour. 52
Quadrasia euphorbioides Elm. 106
Quadria R. & P. 152
Quercus 377
Quilesia Blco 305
sericea Blco 307
Ranalisma Stapf 325
rostrata Stapf 325
Restio 416, 418
articulatus Retz. 420
pilisepalus Steud. 420
 Restionaceae 416–420, 422, 569
 tribe *Diplantherae* 416
 tribe *Haplantnerae* 416
Rhamnicastrum (L.) O.K. 8
rhinantha O.K. 10
spinosum O.K. 10
Rhamnopsis Rchb. 69
sepiaria Rchb. 76
Rhinanthera Bl. 8
blumei Steud. 8
Rhizophora L. 429, 431–433* 435, 436*–439, 441–446, 448 463, 464, 475
aegiceras Gmelin 457
apiculata Bl. 429, 430*, 432–434, 449*, 450, 452, 454* 455*, 463, 464
australis (Cunn. ex Arn.) Steud. 463
brevistyla Salv. 450
candel (non L.) Blco 470
candel L. 473
candelaria DC. 452
caryophylloides Burm. f. 467
caryophylloides (non Burm.f.) Griff. 468
caseolaris L. 457
ceratophylloides Gmel. 467
conjugata (non L.) Arn. 433, 452
conjugata L. 453, 457, 461, 464
corniculata L. 457
cylindrica L. 463, 467
cylindrica (non L.) Roxb. 464
decandra Roxb. ex Griff. 471
eriopetala (W. & A. ex Arn.) Steud. 463
glomerulata Zipp. ex Bl. 471
gymnorhiza L. 461
harrisonii Leechm. 431, 450
lamarckii Montr. 450
latifolia Miq. 454
longissima Blco 454
macrorhiza Griff. 454
mangle (non L.) Blco 452
mangle L. 431, 442*, 443, 450
mangle (non L.) Roxb. 454
murcronata Lamk. 430*–434, 442*, 444, 450, 451*, 452*, 453*
 var. *stylosa* (Griff.) Schimp. 456
 var. *typica* Schimp. 454
obtusa Dennst. 457, 460
palun DC. 461
parviflora Roxb. 464
plicata Blco 463
polyandra Blco 463
racemosa G. F. W. Mey 431
rheedii (Bl.) Steud. 461
samoensis Salv. 450
 sect. *Aerope* Bl. 450
 sect. *Mangle* Bl. 450
 sect. *Rhizophora* 450
sexangula Lour. 463
stylosa Griff. 432, 433, 439*, 443, 445, 450, 451*, 456*, 457 map
tagal Perr. 469
timorensis DC. 469
tinctoria Blco 461
 Rhizophoraceae 429–493
 subdiv. *Legnotideae* Endl. 445, 446
 subdiv. *Rhizophoreae* 429, 445, 446
 tribe *Anisophylleae* B. & H. 445, 446
 tribe *Gynotrocheae* Marco 446
 tribe *Macarisieae* Baill. 445, 446
Rhizophoreae 445
Rhododendron 428
brookeanum Low 440
Rhodoleia Champ. ex Hook. f. 365, 366, 371

- championii* Hook. f. 372, 373*
forrestii Chun ex Exell 372
henryi Tong 372
ovalifolia Ridl. 372
parvipetala Tong 372
subcordata Exell 372
teysmannii Miq. 372
 f. *major* Miq. 372
 f. *minor* Miq. 372
- Rhoeadales 414
- Rhopala* = *Roupara* 175, 176,
 181, 184, 186, 188, 190
- Rhynchospora 113
- Rhynchosporoideae 416
- Rhyparia* (*sphalm.*) Bl. 40
- Rhyssopterys Bl. corr. Wittst.
 566
- Riana tricapsularis* Blco 312
- Richeopsis* Arènes 429, 565
- Rinorea 2, 33
- Rosaceae 305, 316, 496
- Rosales (order) 365
- Roucheria griffithiana* Planch. 77
- Roumea jangomata* Spr. 72
- Roupara attenuata* Jack 186
 excelsa Roxb. 175
 glabrata Wall. 184
 moluccana R.Br. 181
 moluccana (non R.Br., non
 Roxb.) Jack 188
 moluccana (non R.Br., nec
 Jack) Roxb. 186
 ovata Jack 190
 robusta Roxb. 184
 serrata R.Br. 176
 serrata Reinw. ex Bl. 184
- Rourea Aubl. 496, 497, 505,
 510, 525
 acropetala Pierre 515, 516*,
 517
 acuminata (Wall.) Hook. f.
 514, 516*, 517, 520
 acutipetala Miq. 509
 anomala King 515, 517
 balansea Guill. 517
 brachyandra F.V.M. 514
 caudata Planch. 514, 517
 commutata Planch. 514
 concolor Bl. 518, 519
 dasyphylla Miq. 499, 500
 diversifolia Miq. 520
 erecta Merr. 515, 516*, 517
 florida (Jack) Miq. 514, 516*,
 517
 fulgens Planch. 518*, 519
 harmandiana Pierre 519
 heterophylla Planch. 514, 517
 humilis Bl. 514
 f. *fulchella* Back. 514
 imbricata Elm. 515
 intermedia Ridl. 518
 javanica Bl. 514, 517
 lucida (Hassk.) Planch. 517
 luzoniensis Merr. 515
 microcarpa Elm. 515
- microphylla* (Hook. f.) Planch.
 514, 516*, 517
 var. *grandifoliolata* Schellenb.
 517
- mimosoides* (Vahl) Planch.
 496, 517, 518*, 519
 f. *mimosoides* 518*, 519
 f. *obtusifolia* Leenh. 518*,
 519
- minor* (Gaertn.) Leenh. 512–
 514, 516*, 520, 533
- multiflora* Planch. 514
- nitida* (Hassk.) Planch. 517
- obliqua* (Presl) Radlk. 515
- oligophlebia* Merr. 511*, 512,
 513
- ovale* (Schellenb.) Leenh. 512,
 520
- parallela* Planch. 517, 519
 var. *major* King 517
- parvifolia* Planch. 517
- phyllanthoides* Bl. 518
- polyphylla* Bl. 518, 519
- prainiana* Talbot 508, 509,
 512, 520
- pulchella* Planch. 514, 515,
 517
- quocensis* Pierre 518, 519
- radikoferiana* K. Schum. 519,
 520
- roxburghii* 517
- rubella* Pierre 517
- rugosa* (non Planch.) F.-Vill.
 499, 514
- rugosa* Planch. 514
- samoensis* Laut. 515
- santaloides* W. & A. 514
 var. *mekongensis* Pierre 514
- sect. *Dalbergioideae* Planch.
 514
- sect. *Mimosoideae* Planch. 514
- similis* Bl. 518, 519
 var. *macrantha* Boerl. &
 Koord. 518
- simplicifolia* Bl. 514
- simulans* Merr. & Perry 519,
 520
- sororia* Planch. 517, 519
- subg. *Jaundea* (Golg) Leenh.
 512, 513
- subg. *Palliatus* Leenh. 496,
 512, 513, 520
- sect. *Afrasantaloides* (Schel-
 lenb.) Leenh. 512, 520
 sect. *Palliatus* 512, 514
- subg. *Rourea* 512
- subvolubilis* Elm. 515
- unifoliolata* Merr. 515
- villosa* Planch. 517
- volubilis* (Blco) Merr. 500, 517
- wallichiana* Planch. ex Bl.
 517–519
- Roureopsis Planch. 497, 505
 acutipetala (Miq.) Leenh.
 506*, 509, 510
- ssp. *acutipetala* 509
- ssp. *borneensis* (Schellenb.)
 Leenh. 509, 510
- asplenifolia* Schellenb. 506*,
 507
- birmanica* (Prain) Schellenb.
 508, 509
- emarginata* (Jack) Merr. 506*,
 507*, 508*, 541
- javanica* Planch. 508, 509
- pinnata* (King) Leenh. 506,
 510
- pubinervis* Planch. 508, 509
- rubricarpa* Wu 508, 509
- scortechnii* King 508, 509, 520
- sect. *Roureopsis* 506
- sect. *Taeniochlaena* Leenh.
 509
- stenopetala* Schellenb. 507
- Rubiaceae 446, 566
- Rupala* = *Roupara* 184
- Rutaceae 277, 296, 541
- Ryparia* Bl. 40
 caesia Bl. ex Hassk. 47
 fasciculata Ridl. 43
 javanica Kurz 45
 scortechnii Ridl. 42
- Ryparosa Bl. 1–5, 40, 42 map
 acuminata Merr. 42, 44, 48
 amplifolia Mildbr. 45, 46
 baccaureoides Sleum. 41–43
 borneensis Sloot. 48
 caesia Bl. 41, 47
 var. *sumatrana* Bak. f. 47
 caesia (non Bl.) Kurz 45
 calotricha Mildbr. 41, 44
 cauliflora Merr. 40, 42
 fasciculata King 41, 43
 glauca Ridl. 41, 43
 hirsuta J. J. Smith 41, 44
 hullettii King 42, 48, 49*
 inconstans Craib 41, 43
 javanica (Bl.) Kurz ex Koord.
 & Val. 41, 45*, 46*, 565
 kostermansii Sleum. 41, 46
 kunstleri King 42, 48, 565
 kurzii King 45
 longipedunculata Boerl. 45
 micromera Sloot. 41, 47
 minor Ridl. 41, 50
 multinervosa Sloot. 41, 44
 oligophlebia Merr. 48
 scortechnii King 41, 42–44
 sumatrana Warb. 27
 wallichii Ridl. 41, 44
 wrayi King 45
- Ryssopteris auctt. = *Ryssopterys* 139
- Ryssopterys Bl. ex Juss. 125,
 126, 139, 566
 abutilifolia auctt. 142
 abutilifolia Juss. 142
 var. *intermedia* (Hochr.)
 Nied. 142
- albida* Merr. 140, 142

- arbutifolia* (sphalm.) 142
austrocaledonica Nied. 143
 var. *primaeva* Nied. 143
chrysanth Hassk. 140
chrysanth (non Hassk.)
 Hochr. 142
cumingana Juss. 142
dealbata Juss. 142
discolor Gand. 143
intermedia Hochr. 142
microstema Juss. 140, 142
ovata Turcz. 127
rufescens Turcz. 129
tiliaefolia (Vent.) Juss. 140,
 141*, 142 map
tiliiifolia (sphalm.) 140
timorensis 140
 var. *tiliiifolia* (non Vent.),
 K.Sch. & Laut. 142
timoriensis (DC.) Juss. 138*,
 139, 140*, 142 map, 144
f. amboinensis Nied. 142
 var. *discolor* (Gand.) Jacobs
 140, 142 map, 143
Ryssopteryx = *Ryssopterys* 139
- Sabiaceae** 567
Sagittaria L. 317, 318, 327
blumei Kunth 328
cordifolia Roxb. 328
graminea Michx.
 var. *platyphylla* Engelm.
 330
guayanensis H.B.K. 318,
 324, 328
 ssp. *guayanensis* 328
 ssp. *lappula* (D. Don) Bogin
 327, 328*
guyanensis H.B.K. 328
hirundinacea Bl. 332
lancifolia L. 327, 330, 331*,
 332*
 ssp. *lancifolia* 331
 var. *major* Michel 330
lappula D. Don 328
latifolia Willd. 334
leucopetala Bergmans 332
montevidensis Cham. &
 Schlechtend. 327, 329
 ssp. *montevidensis* 329
obtusa Thunb. 332
obtusifolia L. 324
obtusissima Hassk. 328
platyphylla (Engelm.) J. G.
 Smith 327, 330, 331*
pusilla Bl. 328
sagittaefolia (sphalm.) 332
sagittata Thunb. 332
sagittifolia L. 318, 329, 332,
 334
 ssp. *leucopetala* (Miq.)
 Hartog 317, 327, 332,
 333*, 334*
 ssp. *sagittifolia* 334
 var. *leucopetala* Miq. 332
- var. *sinensis* Burk. 333
 sect. *Echinodorus* Baill. 325
 sect. *Lophiocarpus* Kunth 327
 sect. *Sagittaria* 327
sinensis Sims 332, 333
 subg. *Lophotocarpus* Bogin
 327
subulata (L.) Buch. 327, 329,
 330*
 ssp. *subulata* 330
triflora Noroña 334
trifolia L. 332
Sagittipetalum Merr. 482
mindanaense Merr. 484
palawanense Elm. 484
Saivala *vallisnerioides* B. Ham.
 ex H.B.C. 390
Salicaceae 107–110, 414
Salix Tourn. ex L. 107
azaolana Blco 107
babylonica L. 107, 108*, 109,
 110
calophylla Wall. 110
chinensis Burm. f. 109
horsfieldiana Miq. 107
japonica (an Thunb.?) Bl. 109,
 110
javanica Anderss. 107
junguhniiana Anderss. ex
 Miq. 107
pendula (an Moench.?) K.
 Koch 109
 sect. *Humboldtianae* Pax 107
 sp. 110
sumatrana Miq. 107
tetrasperma Roxb. 107, 108*,
 109 map, 110*
urophylla Lindl. ex Anderss.
 110
zollingeri Miq. 107
zollingeriana Miq. ex Zoll.
 107, 110
Salvadoraceae 4:224–225
Samyda *grewiaeifolia* Poir. 93
pubescens (non L.) Blco 95
serrulata (non L.) Blco 95
tinifolia Poir. 105
trivalvis Blco 91
Samydaceae 2
Sanicula *elata* Ham. ex Don 556
europaea L. 555
Santalaceae 446
Santaloides O.K. 510
acuminatum (Wall.) O.K. 515
acutipetalum (Miq.) O.K. 509
caudatum (Planch.) O.K. 515
concolor (Bl.) O.K. 518
dasyphyllum O.K. 500
diversifolium (Miq.) O.K. 520
floridum (Jack) O.K. 515
fulgens (Wall.) O.K. 519
heterophyllum (Planch.) O.K.
 515
humile (Bl.) O.K. 515
mimosoides (Vahl) O.K. 518
- f. *intermedium* Schellenb.
 518
monadelphum (Roxb. ex DC.)
 O.K. 515
multiflorum (Planch.) O.K.
 515
nitidum (Hassk.) O.K. 518
phyllanthoides (Bl.) O.K. 518
polyphyllum (Bl.) O.K. 518
pulchellum (Planch.) O.K. 515
roxburghii (Hook. f.) O.K.
 515, 517
rugosum (Planch.) O.K. 514
simile (Bl.) O.K. 518
simplicifolium (Bl.) O.K. 515
villosum (Planch.) O.K. 518
wallichianum (Planch.) O.K.
 518
Santaloidella Schellenb. 496,
 510, 512
Santaloides L. 510, 512, 513
Santaloides L. ex O.K. emend.
 Schellenb. 496, 512
acropetalum (Pierre) Schellenb.
 515
anomalum (King) Schellenb.
 515
beccarii Schellenb. 515–517
brachyandrum Schellenb. 515
celebicum Schellenb. 515, 517
cordatum Schellenb. 515, 517,
 534
desmos Guill. 515
discolor Schellenb., non O.K.
 515
elmeri Schellenb. 515, 517
erectum Schellenb. 515
havilandii Schellenb. 518
luzoniensis (Merr.) Schellenb.
 515
microphyllum (Hook. f.) Schellenb.
 515
 var. *grandifoliata* Schellenb.
 515
minus (Gaertn.) Schellenb.
 515
ovale Schellenb. 520
papuanum Schellenb. 515
prainianum Schellenb. 520
radlikoferianum Schellenb. 519
rubellum (Pierre) Schellenb.
 515
samoense (Laut.) Schellenb.
 515
siamense Schellenb. 515
 subg. *Afrasantaloides* Schellenb.
 512, 520
 subg. *Dalbergioideae* Schellenb.
 512, 514
 subg. *Mimosoideae* Schellenb.
 512, 514
sumatrense Schellenb. 515, 517
vieillardii Schellenb. 515
vitiense Schellenb. 515, 517
vulabile Schellenb. 515

- vulgaris* (Blco) Schellenb. 500,
517
- Santiria* Bl. 209, 212, 213, 229
acuminata K.Sch. 241
anisandra Laut. 246
apiculata Benn. 224, 230, 234,
235*, 567
var. *apiculata* 234
var. *pilosa* (Engl.) Kalkm.
230, 234, 236
var. *rubra* (Ridl.) Kalkm.
234
- beccarii* Engl. 234
- bornensis* Engl. 236
- brachystachys* Ridl. 234
- caesia* Engl. 233
- caudata* Laut. 241
- conferta* Benn. 230, 233
var. *wrayi* H. J. Lam 233
- costata* Benn. 222
- elliptifolia* Merr. 227, 228
- fasciculata* Benn. 221
var. *puberula* Ridl. 221, 223
- floribunda* King 224
- floribunda* K.Sch. 244
- forbesii* Baker f. 224
- glabra* Merr. 234
- glabrifolia* Engl. 232
- grandiflora* Kalkm. 230, 232
- griffithii* (Hook. f.) Engl. 230,
236, 237
- havilandii* Ridl. 237
- kingii* Engl. 224
- laevigata* Bl. 232, 567
f. *glabrifolia* (Engl.) H. J.
Lam 230, 232
f. *laevigata* 230, 232
var. *appianata* Bl. 232
- lagunensis* Merr. 234
- lamprocarpa* Laut. 237
- latifolia* Stapf ex Ridl. 233
- laxa* King 224
- ledermannii* Laut. 241
- leeaefolia* Laut. 246
- longepaniculata* Baker f. 221
- longifolia* King 228, 229
- macrocarpa* King 227, 228
- maingayi* Benn. 233
- maluensis* Laut. 244
- megaphylla* Kalkm. 230, 236
- minimiflora* Ridl. 237, 238
- multiflora* Ridl. 234
- mallis* Engl. 230, 231
var. *sessilis* H. J. Lam 231
- mollissima* Ridl. 231
- montana* Bl. 226
- multiflora* Benn. 231
- nana* H. J. Lam 237, 238
- nervosa* H. J. Lam 229, 230,
233
- nitida* Merr. 225
- nubigena* Laut. 245
- oblongifolia* Bl. 230, 233
- parviflora* Engl. 237
- pedicellata* Ridl. 237, 238
- pilosa* Engl. 234, 236
- planchonii* Benn. 237
- puberula* Benn. 223
- ridleyi* H. J. Lam 230, 233
- rostrata* Bl. 226
- rubiginosa* Bl. 212*, 225, 230,
235*, 236, 237*, 238*
- var. *nana* (H. J. Lam)
Kalkm. 230, 237, 238
- var. *pedicellata* (Ridl.)
Kalk. 237, 238
- var. *rubiginosa* 237, 238
- rubra* Ridl. 234
- rufescens* Bl. 232
- rugosa* Bl. 221
- samarensis* Merr. 226
- schlechteri* Laut. 214
- sect. *Anisandra* Laut. 238
- sect. *Eusantiria* Engl. 231
- sect. *Icicopsis* Benn. 209, 229,
231 map, 236
- sect. *Santiria* 229, 231 map
- sect. *Santiriopsis* (Engl.) H. J.
Lam 229
- sect. *Trigonochlamys* H. J. Lam
236
- sepikensis* Laut. 244
- serrulata* Engl. 275
- teysmannii* Engl. 234
- tomentosa* Bl. 230, 231, 232
- triphylla* Laut. 245
- violacea* H. J. Lam 232
- virgata* Bl. 221, 222
wrayi King 233
- Santiridium* Pierre 219
- Sapindaceae* 33, 218, 296, 496,
534
- Sapindales* 496
- Sarcolobus banksii* 440
- Sarcospermacae* 4:32–34
- Sarcotheca paniculata* Ridl. 515
varians (Craib) Knuth 515
- Satania* Nor. 69
- Saururaceae* 4:47–48
- Saxifragaceae* 365
tribe *Hamamelidaceae* 365
tribe *Liquidambareae* 365
- Scaeola* L. 335, 336, 339, 344,
567
- acuminatissima* Merr. 342
- amboinensis* Miq. 342
- corsoniana* Don ex Loudon
342
- dajoensis* Merr. 342
- enantophylla* F.v.M. 342
- forbesii* Krause 342
- frutescens* Krause 339
var. *sericea* Merr. 339
- glabra* H. & A. 344
- kaenigii* (sphalm.) 339
- koenigii* Vahl 339
var. *macrocalyx* Miq. 399
- lauterbachiana* Krause 342
- leschenaultii* DC. 339
- lobelia* Murr. 339
- macrocalyx* De Vriese 339
- merrilliana* Krause 342, 344
- merrillii* Elm. 342
- micrantha* Presl 339, 342,
343*, 568
- minahassae* Koord. 342, 344
- mindorensis* Merr. 342, 344
- novo-guineensis* K.Sch. 342,
344
- var. *glabra* K.Sch. & Laut.
342
- oppositifolia* R.Br. 339, 342,
343*
- oppositifolia* Roxb. 342
- pauciflora* Leenb. 567, 568*
- pedunculata* Merr. 342
var. *mollis* 342
- pilipiena* Miq. 339
- plumieri* 335, 339
- plumieri* (non Vahl) Bl. 339
- scandens* F. M. Bail. 342
- sect. *Enantiophyllum* B. & H.
339, 344
- sect. *Scaeola* 339, 568
- sericea Vahl 335, 336, 339
340*, 341*, 342, 343*, 567
- similis* Hemsl. 342
- sp.* Lam 567
- taccada* Roxb. 339
- velutina* Presl 339
- wollastonii* Wernham 342
- Scandix glochidiata* Labill. 556
'pectinata' Hook. f. (sphalm.
pro *glochidiata*) 556
- Scaphocalyx* Ridl. 1, 3–5, 33
parviflora Ridl. 34*, 35
- spathacea* Ridl. 34*, 35, 565
- Scheuchzeria palustris* L. 554
- Schima* 377
- Schizomeria* Schltr 493
- Schizotheca* Ehrenb. ex Solms
405
- hemprichii* Ehrenb. 407
- Schoenus* 113
- falcatus* R.Br. 559
- Scirpus subcapitatus* Thw. 424*
- Scolopia* Schreb. 1–5, 8, 429, 565
- chinensis* (Lour.) Clos 8, 10
- crenata* (Wight) Clos 12
- crenata* (non Wight) Clos 12
- crenata* [non (Wight)] Clos
King 10
- dayyantha* F.-Vill. 12
- foetida* Clos 57
- fragrans* Elm. 10
- lanceolata* Clos 12
- lanceolata* Vidal 12
- luzonensis* (Presl) Warb. 8, 11,
12, 565
- macrophylla* (W. & A.) Clos
2, 8, 565
- maritima* Warb. 10
- nitida* C. T. White 8, 12
- novo-guineensis* Warb. 8, 12
- rhinanthera* Clos 10

- var. siamensis* Craib 10
rhinanthera [non (Benn.) Clos]
 | F.-Vill. 12
roxburghii Clos 10
 var. *lamponga* Boerl. 10
 var. *ovata* Boerl. 10
saeva (non Hance) Briq. 12
siamensis Warb. 10
spinosa (Roxb.) Warb. 2, 8,
 9*, 10, 11*
trimeria Boerl. 65
Scrotum cussi Rumph. 307, 309
Scutinanthe Thw. 209, 210, 212,
 246
boerlagei Hochr. 249
brevisepala Leenh. 247 map,
 567, 568*
brunnea Thw. 212*, 247* map
engleri Elm. 249
Scyphiphora 435
Scyphostegia Stapf 297
 borneensis Stapf 289*, 299
Scyphostegiaceae 297–299
Sedgewickia Griff. 376
cerasifolia Griff. 377
Selliera 335
koningsbergeri Back. 337
Senacia Lamk. 345
undulata (non Lamk.) Decne
 345, 356
Sericula verticillata L. 385
Sesamum indicum L. 557
 radiatum Schum. 557
Sethia 545
indica DC. 545
Shorea 481
 albida 480
Sideroxylon spinosum Willd. 76
Simaroubaceae 210, 541
Sinowilsonia 365
Sloanea 377
Sonneratia 432, 434, 435, 439,
 441, 443, 444
 alba J.Sm. 457, 473, 557
caseolaris (L.) Engl. 435*, 436,
 440, 457, 467*, 557
Sommeratiaceae 4:280–289, 4:
 513–515; 446, 457, 557
Sonzaya March. 249
 australiana March. 285
Sparganiaceae 4:233–234
Sparganium 317
Sphagnum 428
Sphecodamnacarpus pruriens (E.
 Meyer) Szyszyl. 125
Sphenoclea Gaertn. 566
Sphenocleaceae 4:27–28
Spina spinarum I mas Rumph. 76
 spinarum II semina Rumph. 76
Spiraea thunbergii Sieb. 110
Spondias 251
Stachycrater Turcz. 77
 philippinus Turcz. 79
Stackhousiaceae 4:35–36
Stalagmites lamponga Miq. 486

- Stenocarpus* R.Br. 148–151, 198,
 203
moorei F.v.M. 148, 198, 199*,
 200*, 201
papuanus Laut. 199
salignus R.Br. 201
 var. *moorei* Bth. 199
sinuatus Endl. 148–150, 198
sinuosus (sphalm.) 198
trinervis (Montr.) Guill. 201
Sterigmopetalum 431
Stigmaphyllo ciliatum (Lamk)
 Juss. 125
Stigmarosa (sphalm.) 69
Stigmarota Lour. 69
africana Lour. 76
edulis Blco 76
jangomas Lour. 72, 73
Stratiotes 381, 383
acorooides L. f. 402
alismoides L. 398
Strychnos grandis Wall. 477
pseudoquina 358
Styliadiaceae 4:529–532; 336, 564
Stylium 421
androsaceum O. Schwarz 564
pedunculatum R.Br. 564
Styphelia 428
Styracaceae 4:49–56
Styrax 379
Suregada pinatubensis Croiz. 91
Sycopsis Oliv. 363–366, 369, 370
 dunnii Hemsl. 364*, 371 map
philippinensis Hemsl. 371
Symingtonia Steen. 363, 365,
 366, 374
populnea (R.Br. ex Griff.)
 Steen. 364, 375*
tonkinensis (Lecomte) Steen.
 375
Symmetria Bl. 481
obovata Bl. 485
Symplocos 123
Synantherae (order) 336
Synaphea polymorpha R.Br. 206
spinulosa (Burm.f.) Merr. 206
Taeniochlaena Hook. f. 505, 509
acutipetala (Miq.) Kurz 509
birmanica Prain 508
borneensis Schellenb. 509
diepenhorstii (Miq.) Kurz 502
griffithii Hook. f. 509
pinata (King) Schellenb. 510
polyneura Schellenb. 510
Talinum triangulare Willd. 301
Tandonia Moq. 302
Tapomana Adans. 525
Taraktogenos Hassk. 19
anomala Merr. 30
blumei Hassk. 20
calophylla Ridl. 21
calvipetala Kerr 30
gracilis Sloot. 31
grandiflora Merr. 31
heterophylla [non (Bl.) Sloot.]
 Merr. 19, 20
heterophylla Sloot. 20
ilicifolia Kerr 19
kunstleri King 20
 var. *tomentosa* (King) Ridl.
 21
kurzii (non King) Craib 21
microcarpa Pierre ex Gagnep.
 19
polypetala Sloot. 31
scortechnii King 20
 var. *gracilipes* King 20
serratia Pierre ex Gagnep. 19
subintegra Pierre ex Gagnep.
 19
tomentosa King 21
Tardiella Gagnep. 566
Temminckia micrantha De Vriese
 342
Tenagocharis Hochst. 118, 317,
 324, 384
latifolia (D. Don) Buch. 118,
 119*, 566
Terebinthales (order) 123, 210
Terminalia L. 564
cataappa L. 341*, 557, 564
javanica Miq. 564
macadamii Exell 564
trinervia Laut. & K.Sch. 64
Tetracarpaea (sphalm.) Bth. 474
Tetracera L. 557
Tetracrypta Gardn. & Champ.
 474
Thalassia Banks ex König 381–
 384, 405, 406*
bulata Kunth 411
hemprichii (Ehrenb.) Aschers.
 382, 405*, 406*, 407, 409,
 413, 569
stipulacea König 411
testudinum Banks ex König
 407
Theacea gen. nov. Endert 123
Theaceae 121, 123, 365
Themeda australis (R.Br.) Stapf
 559
Thismia Griff. 554
Thryallis glauca (Kuntze par-
 tim) Merr. 144
Thurniaceae 416, 422
Thymelaeaceae 359, 360
Thymelaeaceae-Gonystyloideae
 4:349–365
Thysanotus 113
Thysanus Lour. 497
palala Lour. 499
Tiliaceae 145
Timonius 446
Tingulong Rumph. 213
Tingulonga O.K. 213
protium O.K. 213
zollingeri O.K. 213
Trachymene Rudge 555
filiformis Steen. 555*

- rigida* Buw. 555
Trapa 317
Trapaceae. See *Hydrocaryaceae*
Tremandraceae 306
Trichadenia Thw. 1, 3–5, 39, 565
 philippinensis Merr. 2, 39
 map, 565
 zeylanica Thw. 39 map, 40
Trichodia Griff. 13
 vareiformis Griff. 14
Tricholobus Bl. 525
 cochinchinensis Baill. 536
 ferrugineus Bl. 533
 fulvus Bl. 531
Trichonochlamys Hook. f. 229
Trichopus 1
Tricoryne 113
Trigoniaceae 4:58–60; 306, 545
Trigonochlamys Hook. f. 236
 grandifolia Ridl. 275
 griffithii Hook. f. 236
Triomma Hook. f. 209–212, 218
 macrocarpa Back. ex Thore-naar 218
 malaccensis Hook. f. 212*, 218, 219*
Triopteris jamaicensis (non L.)
 Blco 135
 poliandra Blco 145
Triplostegia Wall. 557
 glandulifera Wall. 558
 mairei Lév. 557
Tristellateia Thouars 125, 126, 136
 africana 136
 australasiae Rich. 136, 137*, 138*
 f. obtusiuscula Nied. 136
 f. typica Nied. 136
 australisica Rich. 136
 australis Rich. 136
 malintana Blco 136
 sect. *Heteractinia* 136
 sect. *Homoiactinia* 136
Trochodendraceae 365
Troostwykia Miq. 500
 singularis Miq. 504
Tsjeru-Candel Rheede 473
Turnera 119
- Turneraceae* 4:235–238
Typhaceae 4:242–244
Udora verticillata Spreng. 385
Umbelliferae 4:113–140, 4:595; 555–557
Umbraculum maris Rumph. 514, 517
Uranda luzoniensis 312
Urostigma cuneatum Miq. 549
Urtica 383
Urticaceae 414
Utricularia orbiculata Wall. 413
Vaccinium 428
Valerianaceae 4:253–254
Valisneria (sphalm.). See *Vallisneria*
Vallisneria Mich. ex L. 381, 383, 384, 387
 alternifolia Roxb. 390
 americana 388
 8-andra Roxb. 390
 asiatica Miki 388
 var. *biwaensis* Miki 388
 var. *higoensis* Miki 388
 biwaensis Ohwi 388
 gigantea Graebn. 388*, 389
 higoensis Ohwi 388
 neotropicalis Marie-Victorin 389
 octandra Roxb. 392
 sphaerocarpa Blco 402
 spiralis (non L.) Blco 388
 spiralis L. 387, 388, 389
 var. *subulispatha* Makino 388
 subulispata Koidz. 388
 verticillata Roxb. 385
Varea moluccana Roxb. 33
Velleia J. E. Smith 113, 335, 336
 sect. *Trisepala* Krause 336
 sect. *Velleia* 336
 spathulata R.Br. 336, 567
 verae R.Br. 336
Villaresia scandens Hassk. 307
Violaceae 2, 3, 33
Viscum liquidambaricolum
 Hayata 378
 orientale 440
- Vistnu* Adans. 558
Vistnu-clandi Rheede 558
Vitex curvifruutescens Elm. 39
Walsura robusta Roxb. 249
 sumatrana Miq. 249
Worcesterianthus magallanensis (Elm.) Merr. 77, 566
Wormia Vahl non Rottb. 553
Xanthophyllum hebecarpum Chod. 48
Xanthorrhoeaceae 557
Xerochloa imberbis 440
Xiphidium Aubl. 111, 113
 albidum Lamk 113
 album Willd. 113
 coeruleum Aubl. 113
 var. *albidum* Back. 113
Xylocarpus 434, 435, 439
 granatum 439
 moluccensis 439
XYLOSMa G. Forst. 1–3, 5, 6, 66, 68
 amarum Koord. 68
 borneense Ridl. 72
 cumingii Clos 68
 fragrans Decne & Clos ex Sloot. 68
 fragrans Forst. ex Decne 68
 leprosipes Clos 64
 luzonense (Presl) Clos 66, 68
 macrocarpum Pierre ex Gagnep. 65
 papuanum Gilg 66
 pulei Sloot. 66
 suluense Merr. 66, 67*
 sumatranum Sloot. 66, 68, 69*
Xyridaceae 4:366–376, 4:598; 577
Xyris L. 428, 577
 indica L. 577
Xystrolobos Gagnep. 396, 397
Zostera 383
 bullata Delile 411
 nana 382
 stipulacea Forsk. 411
Zygophyllaceae 4:64