

INDEX TO SCIENTIFIC PLANT NAMES

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamily, tribe, etc.). Infrageneric epithets have been entered immediately under the generic name to which they belong, preceded by the indication of their rank (subgenus, sections, etc.). Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, etc.).

Synonyms have been printed in *italics*. Page numbers in **bold type** denote main treatment; an asterisk behind a page number denotes the presence of a figure of the concerned taxon.

- | | | |
|--|--------------------------------------|--------------------------------------|
| <i>Abauaria</i> Becc. 631 | (<i>Bauhinia</i>) | (<i>Bauhinia</i>) |
| <i>excelsa</i> Becc. 632 | subg. <i>Lasiobema</i> Korth. 458 | <i>antipolana</i> Perkins 483, 485 |
| <i>Acroporus</i> Wight ex Arnott | subg. <i>Phanera</i> (Lour.) Wunder- | <i>argentea</i> (de Wit) Cusset 468 |
| 430, 432, 434, 435 | lin 458 | <i>audax</i> (de Wit) Cusset 460, |
| <i>combretiliflorus</i> Teijsm. & | sect. <i>Astroceriscis</i> (de Wit) | 463 |
| Binnend. 438 | Wunderlin 458, 498 | <i>bassacensis</i> Pierre ex Gagnep. |
| <i>fraxinifolius</i> Arnott 436*, 438 | sect. <i>Gigasiphon</i> (Drake) | 459, 465 |
| <i>grandis</i> (Miq.) Miq. 438 | Harms 444 | var. <i>backeri</i> (de Wit) |
| <i>Afzelia</i> J.E. Smith 431, 433, | sect. <i>Lasiobema</i> (Korth.) | S.S. Larsen 465, 466 |
| 435, 438 | Benth. 458, 499 | var. <i>bakeri</i> 466 |
| <i>acuminata</i> (Merr.) Harms 441 | sect. <i>Loxocalyx</i> Benth. 458, | var. <i>bassacensis</i> 465 |
| <i>borneensis</i> Harms 441 | 459 | <i>baviensis</i> Drake 455 |
| <i>coriacea</i> Baker 697 | sect. <i>Lysiphyllum</i> Benth. 458, | <i>bidentata</i> Jack 506, 507 |
| <i>javanica</i> (Miq.) Léonard 439, | 501 | var. <i>bidentata</i> 508 |
| 440* | sect. <i>Palmatifolia</i> (de Wit) | var. <i>breviflora</i> (Ridley) K. & |
| subsp. <i>javanica</i> Léonard | Wunderlin 458, 505 | S.S. Larsen 508 |
| 439 | sect. <i>Phanera</i> (Lour.) Wunder- | var. <i>cornifolia</i> (Baker) |
| subsp. <i>longiflora</i> (de Wit) | lin 458 | Bennett 508, 509 |
| Léonard 439 | sect. <i>Pileostigma</i> Benth. 456 | var. <i>fraseri</i> (de Wit) K. & |
| <i>palembanica</i> (Miq.) Baker | sect. <i>Piliostigma</i> (Hochst.) | S.S. Larsen 508, 509 |
| 623 | Taub. 456 | var. <i>gracilipes</i> (Merr.) K. & |
| <i>rhomboidea</i> (Blanco) Vidal | sect. <i>Tubicalyx</i> Wunderlin | S.S. Larsen 508, 510 |
| 439, 440*, 441 | 458, 532 | var. <i>monticola</i> (Ridley) K. & |
| var. <i>praetermissa</i> Léonard | ? <i>Griponeura</i> Korth. 456 | S.S. Larsen 508, 510 |
| 441 | <i>acida</i> Reinw. ex Korth. 457 | <i>bidentata</i> Jack sensu Prain |
| <i>Amherstia</i> Wall. 430, 433, 434, | <i>acuminata</i> L. 444, 445, 446* | 508 |
| 717 | var. <i>hirsuta</i> (Korth.) Craib | <i>binata</i> Blanco 502 |
| <i>nobilis</i> Wall. 717 | 449 | <i>blakeana</i> Dunn 453 |
| <i>Apalatoa</i> Aublet 573 | aherniana Perkins 461, 491 | <i>blancoi</i> (Benth.) Baker 502 |
| <i>bantamensis</i> (Hassk.) Baillon | var. <i>aherniana</i> 461, 462 | <i>borneensis</i> Merr. 490, 492 |
| 577 | var. <i>subglabra</i> (Merr.) K. & | <i>brachyscypha</i> Baker 480, 481 |
| <i>blancoi</i> (Rolle) Merr. 579 | S.S. Larsen 461, 462 | <i>bracteata</i> auct. 465 |
| <i>Asjogam</i> Rheeude 662 | <i>absolutea</i> (Miq.) Prain 496 | <i>breviflora</i> Ridley 507, 508 |
| <i>Asparagales</i> 732 | ampla Span. 445, 447 | <i>burbidgei</i> Stapf 507, 510 |
| <i>Asphodelaceae</i> 732 | var. <i>ampla</i> 447 | <i>calcicola</i> Craib 499 |
| subfam. <i>Anthericoideae</i> 732 | var. <i>schlechteri</i> (Harms) | <i>calycina</i> Ridley 463 |
| <i>Baryxylum</i> Lour. 650 | K. Larsen & Sunarno 447 | <i>campanulata</i> S.S. Larsen 506, |
| <i>Bauhinia</i> L. 429, 432, 434, 435, | andersonii K. & S.S. Larsen | 511* |
| 442 | 461, 463, 464* | <i>cancellata</i> Ridley 529, 531 |
| subg. <i>Bauhinia</i> Wunderlin 444 | <i>anguina</i> Roxb. 500 | <i>candida</i> Aiton 454 |
| subg. <i>Elayuna</i> (Raf.) Wunder- | var. <i>horsfieldii</i> (Miq.) Prain | <i>candida</i> auct. 445 |
| lin 444, 456 | 500 | <i>cardiophylla</i> Merr. 529, 532 |

(*Bauhinia*)
castrata Blanco 453
castrata Hassk. 457
chalcobapta Quisumb. &
 Merr. 483, 485
championi 443
copelandii Merr. 514, 516
cordifolia Roxb. 534
cornifolia Baker 507, 509
coromandeliana DC. 453
corymbosa Roxb. ex DC. 459,
 466, 534
corymbosa auct. 476
creaghii Baker 522, 523
cretacea 443
crudiantha (de Wit) Cusset
 459, 467
cucullata Desv. 535
cumingiana (Benth.) Fern.-
 Vill. 480
cuprea Ridley 506, 512
curtisia Prain 499
debilis Hassk. 500
decumbens Henders. 506,
 513
detergens Craib 465
dewitii K. & S.S. Larsen 502,
 503, 504*
diphylla auct. 502
diptera Blume ex Miq. 502,
 503
dolichocalyx Merr. 445, 448
elmeri Merr. 506, 513
elongata Korth. 451
emarginata auct. 527, 534
endertii K. & S.S. Larsen 460,
 468
excelsa (Blume ex Miq.) Prain
 461, 469
 var. *aurora* (de Wit) K. &
 S.S. Larsen 469, 470,
 471*
 var. *excelsa* 469
 var. *megalantha* (Merr.) K. &
 S.S. Larsen 469
excurrens Stapf 460, 470, 491
fabrilis (de Wit) K. & S.S. Lar-
 sen 460, 472*
ferruginea auct. 469
ferruginea Roxb. 460, 473,
 474*
 var. *ferruginea* 475
 var. *griffithiana* (Benth.)
 Baker 473, 475

(*Bauhinia*)
finlaysoniana (Grae ex Benth.)
 Baker 506, 514, 534
 var. *amoena* (de Wit) K. &
 S.S. Larsen 515
 var. *finlaysoniana* 515
 var. *leptopus* (Perkins) K. &
 S.S. Larsen 515, 516
 var. *montana* (de Wit) K. &
 S.S. Larsen 515, 516
flamminfera Ridley 480
flava (de Wit) Cusset 499, 500
fleuryi Gagnep. 465
foraminifer Gagnep. 505, 516
 var. *falcata* K. & S.S. Lar-
 sen 517*, 518
 var. *foraminifer* 517*
franckii K. & S.S. Larsen 506,
 518, 519
fulva Blume ex Korth. 460,
 476
galpinii N.E. Br. 444, 448
glabrifolia (Benth.) Baker
 459, 476
 var. *maritima* K. & S.S. Lar-
 sen 476
glabrifolia auct. 476
glabristipes (de Wit) Cusset
 460, 477
glaucha (Benth.) Benth. 459,
 478
 subsp. *glaucha* 478
 subsp. *tenuiflora* (Watt ex
 C.B. Clarke) K. & S.S.
 Larsen 478
gracilipes Merr. 507, 510
gracillima (de Wit) Cusset
 459, 478
grandiflora Blanco 448
grandiflora auct. 445
griffithiana (Benth.) Prain
 473, 475
hallieriana Elmer 461, 462
havilandii Merr. 506, 520*
hawkesiana F.M. Bailey 457
hendersonii (de Wit) Cusset
 460, 479
hirsuta Korth. 449
hirsuta Weinm. 444, 449
holosericea Ridley 480
horsfieldii (Miq.) Macbride
 500
hosei Merr. 514, 515
hullettii Prain 473, 475

(*Bauhinia*)
inermis Perr. 534
integrifolia Roxb. 459, 480
 subsp. *cumingiana* (Benth.)
 K. & S.S. Larsen 480,
 481
 var. *cumingiana* 480, 481
 var. *nymphaeifolia* (Per-
 kins) K. & S.S. Larsen
 480, 482
 subsp. *integrifolia* 480
kappleri Sagot 450
kingii Prain 506, 521
cockiana Korth. 507, 522
 var. *angustifolia* K. & S.S.
 Larsen 522, 523
 var. *bakoensis* K. & S.S.
 Larsen 522, 523
 var. *beccarii* K. & S.S. Lar-
 sen 522, 524
 var. *brevipedicellata* K. &
 S.S. Larsen 522, 524
 var. *calcicola* K. & S.S. Lar-
 sen 522, 524
 var. *cockiana* 522, 523
 var. *scarlatina* (Backer ex
 Camm.) K. & S.S. Larsen
 522, 524
 var. *sericeinervia* (de Wit)
 K. & S.S. Larsen 522, 525
 var. *velutina* (de Wit) K. &
 S.S. Larsen 522, 525
kostermansii K. & S.S. Larsen
 460, 482*
krugii Urb. 450
lambiana Baker f. 506, 525,
 526*
latisiliqua Cavan. 534, 547
leptopus Perkins 514, 516
f. javanica Backer 514, 515
lingua DC. 461, 473, 483
 var. *antipolana* (Perkins) K.
 & S.S. Larsen 484, 485
 var. *lingua* 484
 var. *riedelii* (Baker) K. &
 S.S. Larsen 484, 485
linnaei Ali 445
longipes Merr. 465, 466
lucida (Miq.) Prain 506,
 527
lunaria Cav. 535
macropoda Baker 480, 481
malabarica Roxb. 456
megalantha Merr. 469

- (*Bauhinia*)
menispernacea Gagnep. 506,
527
merrilliana Perkins 461, **485**
 var. *borneensis* K. & S.S.
 Larsen 485, **486***
 var. *merrilliana* 460, **485,**
486*
micrantha Ridley 478
minahassae Koord. 483, 484
mirabilis Merr. 503
mollissima (Wall.) Prain 451
mollissima auct. 449
monandra Kurz 444, **450**
monticola Ridley 507, 510
moultonii Merr. 529, 532
nymphaeifolia Perkins 480,
482
ornata Kurz 468, 535
pachyphylla Merr. 461, **487**
 var. *pachyphylla* **487**
 var. *wenzelii* K. & S.S. Larsen
 487, **488**
parvifolia Teijsm. & Binnend.
534
parvula Gagnep. 449
pauciflora Merr. 461, **488**
perkinsae Merr. 490
pinchotiana Perkins 483, 484
piperifolia auct. 476
platyphylla Zipp. ex Miq. 457
polycarpa Wall. ex Benth. 455
posthumi (de Wit) Cusset 506,
528
potosiana 443
pottsi G. Don 444, **450**
 var. *elongata* (Korth.) de
 Wit 451
 var. *mollissima* (Wall. ex
 Prain) K. & S.S. Larsen
451
 var. *pottsi* **451**
 var. *subsessilis* (Craib) de
 Wit 451, **452**
 var. *velutina* (Wall. ex
 Benth.) K. & S.S. Larsen
451, 452
praesignis Ridley 460, **489**
pubescens DC. 454
punctata Bolle 448
purpurea L. 444, **452**
 var. *corneri* de Wit 453
 var. *violacea* de Wit 453
purpurea auct. 450, 457
- (*Bauhinia*)
purpurea × *variegata* 453
pyrraneura 528
pyrrhoneura Korth. 506, **528,**
534
rahmatii Merr. 460, **489, 534**
retusa Roxb. 535
ridleyi Prain 460, **490**
riedelii Baker 473, 483, 485
rosea Corner 453
rosulenta Ridley 529, 532
rufa (Grah. ex Benth.) Baker
535
rugulosa Blume ex Miq. 457
sanitwongsei Craib 465
 var. *glaucia* Craib 465
scandens L. 443, 499, **500**
 var. *horsfieldii* (Miq.) K. &
 S.S. Larsen 501
scandens auct. 466, 480, 481,
483
scarlatina Backer ex Camm.
524
schlechteri Harms 447
scortechnini Prain 507
semibifida Roxb. 461, **490**
 var. *acuminata* K. & S.S.
 Larsen 491, **492*, 493**
 var. *bruneiana* K. & S.S.
 Larsen 461, 491, **492*, 493**
 var. *longibracteata* K. &
 S.S. Larsen 491, **492*, 494**
 var. *perkinsae* (Merr.) K. &
 S.S. Larsen 491, **494**
 var. *semibifida* 491, **492***
 var. *stenostachya* (Baker)
 K. & S.S. Larsen 491, **494**
semibifida auct. 483
steenii K. & S.S. Larsen 461,
494, 495*
stenostachya Baker 490, 494
stipularis Korth. 461, **496**
 var. *brachystylus* K. & S.S.
 Larsen 496, **497**
 var. *stipularis* **496**
stipularis auct. 473, **475**
strychnoidea Prain 533
subglabra Merr. 461, 462,
491
subrhombicarpa Merr. 501
subrotundifolia Cav. 535
subrotundifolia auct. 450
subsessilis Craib 452
suffruticosa Ridley 473, 475
- (*Bauhinia*)
sylvani (de Wit) Cusset 459,
497
teijismanniana Scheff. 483,
484
ternatensis Gagnep. 514, **516**
timorana Decne. 455
timoriensis 455
tomentosa auct. 445, 457
tomentosa L. 445, **453**
triandra Roxb. 453
tubicalyx Craib 533
vahlii 443
vahlii auct. 480, 481
variegata L. 444, **454**
 var. *alboflava* de Wit 454
 var. *candida* (Aiton) Corner
454
velutina (Wall. ex) Baker 452
violacea Corner 453
viridescens Desv. 445, **455**
 var. *baviensis* (Drake) de
 Wit 455
viridiflora Backer 465, 466
warburgii Perkins 483, 484
whitfordii Elmer 480, 482
williamsii F. Muell. **498**
wrayi Prain 506, **529**
 var. *blumeana* K. & S.S.
 Larsen 530, **531**
 var. *borneensis* K. & S.S.
 Larsen 530, **531**
 var. *cancellata* (Ridley) K. &
 S.S. Larsen 530, **531**
 var. *cardiophylla* K. & S.S.
 Larsen 530, **532**
 var. *moultonii* (Merr.) K. &
 S.S. Larsen 530, **532**
 var. *rubella* (de Wit) K. &
 S.S. Larsen 530, **532**
 var. *sumatrana* Ridley 530,
531
 var. *wrayi* **530**
xanthoneura Korth. 528
Bauhinia L. s. str. apud de Wit
444
Behnia 731
Biasolettia Presl 746
nymphaeifolia Presl 747
Bonduc majus Medik. 548
Bracteolanthus de Wit 442, 458,
501
dipterus (Blume ex Miq.) de
 Wit 503

Brownia Jacq. 430, 433, 434,
717, 718
ariza Benth. 719
capitella Jacq. 719, 720
grandiceps Jacq. 719, 720
hybrida Hort. ex Backer 719,
720
Caesalpina 535
Caesalpinia L. 429, 432, 434,
535
sect. *Peltophorum* Vogel 650
acanthobotrya Miq. 555
andamanica (Prain) Hattink
537, 539, 540*
arborea Zoll. ex Miq. 651
benguetensis Elmer 544
bonduc (L.) Roxb. 537, 538,
541
borneensis Merr. 550
cinclidocarpa Miq. 555
coriaria (Jacq.) Willd. 536,
538, 541
crista L. 537, 538, 542
cucullata Roxb. 537, 538,
543
dasyrhachis Miq. 650
decapetala (Roth) Alston 537,
538, 543
digyna Rottl. 537, 538, 544
enneaphylla Roxb. 537, 539,
545
ferox Hassk. 544
ferruginea Decne. 651
furfuracea (Prain) Hattink
537, 539, 546
glabra auct. 548
globulorum Bakh. f. & P. Roy-
en 548
gracilis Miq. 544
hymenocarpa (Prain) Hattink
537, 539, 546
inermis Roxb. 651
laevigata Perr. 542
latissiliqua (Cavan.) Hattink
537, 539, 547
major (Medik.) Dandy &
Exell 537, 538, 548
marginata Roxb. 565
mindorensis (Merr.) Hattink
537, 539, 548
minutiflora Elmer 550
nuga (L.) Ait. 542
oppositifolia Hattink 536, 538,
549

(*Caesalpinia*)
parviflora Prain 537, 538, 549
var. *stipularis* Prain 550
var. *typica* Prain 549
pubescens (Desf.) Hattink
537, 539, 550
pulcherrima (L.) Swartz 536,
538, 551
sappan L. 537, 538, 552
scortechninii (F. Muell.) Hat-
tink 537, 538, 552
sepiaria Roxb. 543
sogerensis Baker f. 541
solomonensis Hattink 538,
553
spicara Dalz. 536
spinosa (Molina) Kuntze 536
stipularis (Prain) Ridley 550
sumatrana Roxb. 537, 539,
553, 554*
torquata Blanco 547
tortuosa Roxb. 537, 538, 555
Caesalpiniaceae 409–730
subfam. *Brachystegioideae*
428
subfam. *Caesalpinoideae* 409,
428
tribe *Amherstieae* 413, 414,
416–418, 428
tribe *Caesalpineae* Polhill
& Vidal 413, 416, 418, 428
tribe *Cassieae* Brønn 413,
416–418, 428, 556
tribe *Cercideae* Brønn 413,
416–418, 428
tribe *Detarieae* DC. 412, 413,
416–418, 428
tribe *Macrolobiae* Breteler
428, 429
Cajú galedupa Rumph. 699
Cantuffa macroptera (Kurz)
Kuntze 658
microphylla (Miq.) Kuntze
659
Casparea castrata (Hassk.)
Hassk. 457
Caspariopsis monandra (Kurz)
Britt. & Rose 450
Cassia L. 431, 433, 435, 556
subg. *Lasiorhegma* Vogel ex
Benth. 565
subg. *Senna* Benth. 673
sect. *Lasiorhegma* Vogel 565
absus L. 566

(*Cassia*)
adenantha Zoll. & Mor.
677
agnes (de Wit) Brenan 563
alata L. 675
arayatensis Llanos 689
arayatensis auct. 685
auriculata L. 690
bakeriana Craib 557
bartonii F.M. Bailey 563
bicapsularis L. 676
bifida Zoll. & Moritz 677
biflora L. 691
borneensis Miq. 690
coluteoides Collad. 677, 683
didymobotrya Fresen. 690
divaricata Nees & Blume
677
fistula L. 556, 557, 558*
floribunda auct. 684
florida Vahl 685
fruticosa Mill. 678
galegifolia L. 691
glaucia Lam. 687
var. *suffruticosa* (Roth)
Baker 688
grandis L. f. 556, 559
hirsuta L. 679
hirsuta auct. 680
indecora Humb. 683
javanica L. 557, 560
subsp. *agnes* (de Wit) K.
Larsen 561, 563
subsp. *bartonii* (F.M. Bai-
ley) K. Larsen 561, 563
subsp. *javanica* K. & S.S.
Larsen 561, 562*
subsp. *microcalyx* (Irwin &
Barneby) K. Larsen 561,
563
subsp. *nodosa* (Buch.-Ham.
ex Roxb.) K. & S.S. Lar-
sen 561, 564
subsp. *pubiflora* (Merr.)
K. Larsen 561, 564
subsp. *renigera* (Wall. ex
Benth.) K. Larsen 561, 564
var. *agnes* de Wit. 563
var. *microcalyx* Irwin &
Barneby 563
laevigata Willd. 684
laevigata auct. 676
leptocarpa Benth. 679
var. *hirsuta* Benth. 680

- (*Cassia*)
leschenaultiana DC. 566
 var. *auricoma* Grah. ex de Wit 567
longisiliqua Blanco 680
megalantha Decne. 560
mimosoides L. 567
 f. *perennis* de Wit 567
mindanaensis Merr. 569
montana auct. 689
multiglandulosa Jacq. 691
multijuga Rich. 680
nodosa Buch.-Ham. ex Roxb. 564
obtusifolia L. 681
occidentalis L. 681
 var. (β) *aristata* Collad. 683
pachycarpa de Wit 559
pallida Vahl 691
parahyba Vell. 728
pendula Humb. & Bonpl. ex Willd. 683
pumila Lam. 570
quadrangularis Zoll. & Mor. 684
reinwardtii Hassk. 683
renigera Wall. ex Benth. 564
roxburghii DC. 565
septentrionalis Viv. 684
siamea Lam. 685
sophera L. 686
spectabilis DC. 686
splendida Vogel 691
suffruticosa Roth 688
sulcata Blanco 680
sulfurea Collad. 687
sumatrana Roxb. ex Hornem. 685
surattensis Burm. f. 688
 f. *ferox* de Wit 687
 subsp. *glauca* (Lam.) K. & S.S. Larsen 687
 subsp. *suffruticosa* (Roth) K. & S.S. Larsen 688
 subsp. *surattensis* K. & S.S. Larsen 688
surattensis auct. 687
timoriensis DC. 689
 f. *xanthocoma* (Miq.) de Wit 689
 var. β *xanthocoma* (Miq.) Miq. 689
tomentosa L. f. 691
- (*Cassia*)
tora L. 689
 t *borneensis* Miq. 690
viscidia Zoll. & Mor. ex Zoll. 566
xanthocoma Miq. 689
Cathartocarpus bicapsularis (L.) Ham. 676
Chamaecrista Moench 431, 434, 435, 565
absus (L.) Irwin & Barneby 565, 566
leschenaultiana (DC.) Degener 566
mimosoides (L.) Greene 566, 567, 568*
mindanaensis (Merr.) K. Larsen 565, 569
pumila (Lam.) K. Larsen 565, 570
Cinchidocarpus Zoll. 535
nitidus Zoll. 555
Coparia L. 430, 434, 570
palustris (Sym.) de Wit 571, 572, 573
Corysadenia Griff. 751
trifoliata Griff. 760
Coryzadenia 751
Crudia Schreber 430, 433, 434, 573
acuta de Wit 576
bantamensis (Hassk.) Benth. 575, 577, 578*
beccarii Ridley 576, 579
blancoi Rolfe 576, 579
bracteolosa de Wit 580
brevipes Ridley 583
caudata Prain 575, 580
cauliflora Merr. 574, 581
curtisia Prain 576, 581
 var. *wallichii* Prain 597
curtisia auct. 584
dewitii Kosterm. 575, 582
evansii Ridley 575, 583
glauca Prain 581
gracilis Prain 575, 583
havilandii Prain 596
katikii Verdc. 575, 584
lanceolata Ridley 576, 584
mutabilis de Wit 574, 585
orientalis Hassk. 597
ornata de Wit 575, 586*, 587
papuana Kosterm. 575, 588
penduliflora Ridley 575, 588
- (*Crudia*)
reticulata Merr. 574, 589
reticulata auct. 587
ripicola de Wit 576, 590
scortechinii Prain 576, 590
sparei Whitmore 575, 591
spicata auct. 579
splendens de Wit 574, 591
subsimplicifolia Merr. 575, 592
subsimplicifolia auct. 582
tenuipes Merr. 575, 593
teysmannii de Wit 576, 593
velutina Ridley 575, 594
venenosa de Wit 576, 595
viridiflora Whitmore 575, 595
wrayi Prain 576, 596
Crudyia 597
Cynometra L. 431, 433, 434, 597
acutiflora Vidal 602
alternifolia Elmer 628
bifoliolata Merr. 607
bijuga Span. ex Miq. 607
 var. *mimosoides* Merr. 604
brachymischa Harms 599
cauliflora L. 598, 601*, 602
 or *subsessilis* Hassk. 602
 β *elongatis* Hassk. 602
copelandii (Elmer) Elmer 598, 602
densiflora Elmer 711
elmeri Merr. 599, 603*
inaequifolia A. Gray 599, 604
inaequifolia auct. 603, 605
iripa Kostel. 599, 604
katikii Verdc. 598, 605
luzoniensis Merr. 608
malaccensis Meeuwen 599, 605
minutiflora F. Muell. 599, 605
mirabilis Meeuwen 599, 606
novoguineensis Merr. & L.M. Perry 599, 606
polyandra Roxb. 644
 var. *kurzii* Prain 645
polyandra auct. 607
ramiflora L. 599, 607
 subsp. *bijuga* Prain 607
 var. β Wight & Arn. 604
 var. *bifoliolata* (Merr.) Meeuwen 607
 var. *mimosoides* Baker 604
 var. *ramiflora* 607

- (*Cynometra*)
schumanniana Harms 607
simplicifolia Harms 598, **608**
 var. *oblongata* Merr. 608
warburgii Harms 599, **608**
whitfordii Elmer 607
Dansera Steenis 608
procera Steenis 614
Delonix Raf. 430, 432, 434, 716,
721
regia (Bojer ex Hook.) Raf.
721, 722*
Dialium L. 430, 433, 434, 435,
608
 subg. *Arouna* 608
 subg. *Dansera* (Steenis)
 Steyaert 608, 613
 subg. *Dialium* 609
 subg. *Uittienia* (Steenis)
 Steyaert 714
ambiguum Prain 612
angustisepalum Ridley 611
cochinchinense Pierre 612
dewittei Steenis 613
havilandi Ridley 612
hydnocarpoides de Wit 608,
609
indum L. **609**, 610*
 var. *bursa* (de Wit) Rojo
611, 612
 var. *indum* **611**
javanicum Burm. f. 609, 611
kingii Prain 612
kunstleri Prain 609, **613**
 var. *kunstleri* **614**
 var. *trifoliolatum* (de Wit)
 Rojo **614**
laurinum Baker 611
 var. *bursa* de Wit 611, 612
maingayi Baker 612
marginatum de Wit 611
modestum (Steenis) Steyaert
714
patens Baker 611
platysepalum Baker 609, **612**
 var. *ambiguum* (Prain) Ridley 612
 var. *burong* Prain 612
 var. *papan* Prain 612
 var. *wallichii* Baker 612
praetermissum de Wit 609
procerum (Steenis) Steyaert
609, 614, 615*
silvestre de Wit 613, 614
- (*Dialium*)
trifoliolatum de Wit 613, 614
triste de Wit 612
turbinatum de Wit 611
wallichii (Baker) Prain 612
Dianella 732
Dianellaceae 732
Doryanthaceae 732
Doryanthes 732
Echinocalyx Benth. 691, 698
Elachanthera 731
Elayuna Raf. 456
Endertia Steenis & de Wit 431,
 434, 435, **616**
spectabilis Steenis & de Wit
617*, 618*
Eperua 417
falcata auct. 441
rhomboidea Blanco 441
Erythrophleum densiflorum
 Merr. 711
densiflorum auct. 713
unijugum Airy Shaw 713
Eustrephus R. Br. 731, 732, **733**
angustifolius R. Br. 733
latifolius R. Br. **733, 734***
 var. *angustifolius* (R. Br.)
 Benth. 733
timorensis Ridley 736
Folium linguae Rumph. 483
Galedupa ceramensis Rumph.
 699
indica Lam. 699
Geitonoplesiaceae **731–736**
Geitonoplesium A. Cunn. ex
 Hook. 731, 732, **733**
cymosum (R. Br.) Hook. 735*,
736
Gigasiphon Drake 442, 444
amplum (Span.) de Wit 447
dolichocalyx (Merr.) de Wit
 448
schlechteri (Harms) de Wit
 447
Gleditschia 619
celebica Koord. 621
copelandii Elmer 602
Gleditsia L. 429, 432, 434, **619**
rolfei Vidal 620, **621**
Gronovia Blanco 751
ternata Blanco 756
Gulandina L. 535
bonduc L. 541
nuga L. 542
- Gyrocarpaceae* 738
 subfam. *Gyrocarpoideae* 738,
761
 subfam. *Hernandoioideae* 738
Gyrocarpus Jacq. 737, **742**
americanus Jacq. 738, 742,
743*, 744*, 745
 subsp. *americanus* Kubitzki
743
asiaticus Willd.
 var. *javanicus* Meisn. 745
hababensis Domin 742
jacquini Gaertn. 743
 var. *javanicus* Domin 745
jatrophifolius Chiov. 742
lobatus Blanco 743
rugosus R. Br.
 var. *philippinensis* Meisn.
745
Haematoxylum L. 429, 432, 716,
723
campechianum L. **723**
Halesia ternata Blanco 756
Hardwickia alternifolia Elmer
628
Henschelia Presl 751
luzonensis Presl 756
Hemandia L. 737, 742, **746**
bivalvis Benth. 746
cordigera Vieillard 747
javanica Tuyama 749
moerenhoutiana Guill. **746**
 subsp. *campanulata* 747
 subsp. *moerenhoutiana* 747
 subsp. *samoensis* 747
 subsp. *samoensis* auct. 746
nymphaeifolia (Presl) Kubitzki
738, 746, 747, 748*
ovigera L. **746, 749, 750***, 751
papuana C.T. White 749
peltata Meisn. 747
voyroni Jum. 746
Hernandiaceae **737–761**
Hernandieae 737
Herpolirion 732
Hymenaea L. 431, 434, 717, **724**
courbaril L. **724**
 var. *courbaril* **725**
verrucosa Gaertn. **724, 725**
Illigera Blume 737, 742, **751**
appendiculata Blume **752**
 subsp. *appendiculata* **753**
 subsp. *stenoptera* Kubitzki
753

- (*Illigera*)
appendiculata auct. 758, 759,
 760
cardiophylla Merr. 756
celebica Miq. 752, 754*, 755
coryzadenia Meisn. 760
dasyphylla Miq. 760
diptera Elmer 757
dubia Span. 753
elegans Duyfjes 752, 756
elliptifolia Merr. 757
khasiana Clarke 758
kurzii Clarke 760
lucida Teijsm. & Binn. 759
lucida auct. 759
luzonensis (Presl) Merr. 752,
 756
madagascariensis Perrier de la
 Bâthie 756
megaptera Merr. 752, 754*,
 757
meyeniana Kunth ex Walp.
 756
novoguineensis Kubitzki 752,
 758
ovatifolia Quisumb. & Merr.
 755, 756
parviflora Dunn 752, 759
platyandra Dunn 755
pubescens Merr. 756
pulchra Blume 752, 759
reticulata Merr. 756
ternata (Blanco) Dunn
 756
trifoliata (Griff.) Dunn 752,
 760
 var. *dasyphylla* (Miq.) Ku-
 bitzki 760
Inga pterocarpa DC. 651
Intsia Thouars 431, 434, 435,
 622
 acuminata Merr. 441
 acuminata auct. 623
amboinensis DC. 623
bijuga (Colebr.) Kuntze 622,
 623, 624*
madagascariensis Thouars ex
 DC. 623
palembanica Miq. 622, 623,
 624*
plurijuga Harms 623
puberula Miq. 439
rhomboidea (Blanco) Kuntze
 441
- Jonesia* Roxb. 660
asoca Roxb. 662
confusa Hassk. 662
declinata Jack 665
declinata auct. 671
minor Zoll. & Moritz 668
palembanica Miq. 665
pinnata Willd. 662
scandens Roxb. 673
Kalappia Kosterm. 430, 433,
 435, 625
celebica Kosterm. 625, 626*
Kingiodendron Harms 430, 433,
 435, 627
alternifolium (Elmer) Merr. &
 Rolle 628, 629*
alternifolium auct. 630
novoguineense Verdc. 628,
 630
platycarpum auct. 630
tenuicarpum Verdc. 628, 630
Koompassia Maingay ex Benth.
 430, 433, 435, 631
beccariana Taub. 634
excelsa (Becc.) Taub. 631, 632
grandiflora Kosterm. 631,
 632*
malaccensis Maingay ex
 Benth. 631, 634
parvifolia Prain 632
Lasiobema Korth. 442, 499
Lasiobema (Korth.) Miq. 458,
 499, 532
anguinum (Roxb.) Miq. 500
curtisia (Prain) de Wit 499
flavum de Wit 500
horsfieldii Miq. 500
retusa (Roxb.) de Wit 535
scandens (L.) de Wit 500
 var. *horsfieldii* (Miq.) de
 Wit 501
strychnoideum (Prain) de Wit
 533
tubicalyx (Craib) de Wit 533
Leguminosae
 subfam. *Caesalpinoideae*
 409–730
Leucostegane Prain 431, 433,
 435, 635
grandis Ridley 636, 637*
latistipulata (Prain) Prain 636,
 637*
Lowia Scort. 763, 768
longiflora Scort. 763, 772
- Lowiaceae* 763–774
Luzuriaga R. Br. 731
aspericaulis Hallier f. 736
cymosa R. Br. 736
latifolia (Ker Gawl.) Poir. 733
laxiflora Hallier f. 736
Luzuriaga auct. 733
Luzuriagaceae 731
Lysiphillum (Benth.) de Wit
 442, 458, 501
binatum (Blanco) de Wit 502
Macrolobium amboinense
 Teijsm. ex Hassk. 623
bijugum Colebr. 623
Maniltoa Scheff. 431, 433–435,
 638
brassii Merr. & Perry 640,
 646*
brownoides Harms 640
cynometroides Merr. & Perry
 639, 641
fortuna-tironis Verdc. 640, 642
gemma para Scheff. ex Backer
 641
grandiflora auct. 641, 648
holtrungii Harms 648
hunsteiniana Harms 645
lenticellata C.T. White 639,
 642
 var. *lenticellata* 642
 var. *villosa* Verdc. 643
mariettae Meeuwen 640, 643,
 646*
megalcephala Harms 640,
 643
pekelii Harms 648
plurijuga Merr. & Perry 640,
 644
polyandra (Roxb.) Harms
 639, 644
 var. *kurzii* (Prain) Meeuwen
 645
 var. *polyandra* 645
psilogyna Harms 639, 645
rosea (K. Schum.) Meeuwen
 640, 646*, 647
schefferi K. Schum. 639, 648
 var. *pekelii* (Harms) Verdc.
 648
 var. *schefferi* 648
steenisii Meeuwen 640, 649
 var. *rodneyensis* Verdc. 649
 var. *steenisii* 649
urophylla Harms 647

Mezoneuron Desf. 535
andamanicum Prain 539
benguetense (Elmer) Elmer 544
cababarensis Elmer 547
cucullatum (Roxb.) Wight & Arn. 543
enneophyllum (Roxb.) Wight & Arn. ex Benth. 545
furfuraceum Prain 546
glabrum Desf. 550
glabrum auct. 547
hymenocarpum Prain 546
koordersii Backer 553
kunstleri Prain 539
latisiliquum (Cavan.) Merr. 547
macrophyllum Blume ex Miq. 543
mindorense Merr. 548
var. *inermis* Merr. 549
pekelii Harms 553
platycarpum Merr. 547
pubescens Desf. 550
rubrum Merr. 547
scortechinii F. Muell. 552
sulfureum Miq. 553
sumatranum (Roxb.) Wight & Arn. ex Miq. 553
var. β Miq. 553
Mezoneurum grande Miq. 438
Mimosa membranulacea Blanco 658
Monoteles Raf. 442
Musaceae Juss. 764
subfam. Lowioideae 764
tribe Lowieae 764
tribe Museae 763
tribe Zingibereae 763
Orchidantha N.E. Br. 763, 764, 767
borneensis N.E. Br. 763, 768
calcarea M.R. Hend. 772
fimbriata Holtum 764, 765, 768, 769
holttumii K. Larsen 765, 767, 768, 769, 770*, 771*
longiflora (Scort.) Ridley 764, 767, 768, 772
longiflora (Scort.) Winkl. 772
maxillarioides (Ridley) K. Schum. 767, 768, 772, 773
siamensis K. Larsen 764, 767, 768, 774

Outea bijuga DC. 623
Pahudia Miq. 438
acuminata Merr. 441
borneensis (Harms) Merr. 441
javanica Miq. 439
subsp. *eujavanica* de Wit 439
subsp. *javanica* 439
subsp. *longiflora* de Wit 439
puberula (Miq.) Meijer Drees 439
rhomboidea (Blanco) Prain 441
var. *praetermissa* de Wit 441
Parkinsonia L. 429, 432, 434, 716, 726
aculeata L. 726
Paulettia Cav. 442
acida (Reinw. ex Korth.) Hassk. 457
Peltophorum (Vogel) Benth. 430, 432, 434, 435, 650
dasyrhachis (Miq.) Kurz 650
ferrugineum (Decne.) Benth. 651
var. *glanduliferum* Koord. & Valeton 651
grande Prain 650
inerme (Roxb.) Llanos 651
pterocarpum (DC.) Backer ex K. Heyne 650, 651, 652*
racemosum Merr. 650, 653
Phanera Lour. 442, 458
subg. *Astrocercis* de Wit 498
subg. *Biporina* de Wit
sect. *Bifoliolata* de Wit 505
sect. *Cinnamomifolia* de Wit 505
sect. *Palmatifolia* de Wit 505
subg. *Phanera*
sect. *Meganthera* de Wit 458
sect. *Micranthera* de Wit 459
sect. *Phanerosiphon* de Wit 459
acuminatissima Miq. 528
aherniana (Perkins) de Wit 461
absolutea Miq. 496
argentea de Wit 468
audax de Wit 463
bassacensis (Pierre ex Gagn.) de Wit 465
var. *backeri* de Wit 466

(*Phanera*)
bicornuta Miq. 480
bidentata (Jack) Benth. 507
subsp. *bicornuta* (Miq.) de Wit 480
subsp. *bidentata*
var. *bidentata* 508
var. *fraseri* de Wit 509
var. *kingii* (Prain) de Wit 521
blancoi Benth. 502
cardiophylla (Merr.) de Wit 529, 532
catalpaefolia Miq. 528
complicata Miq. 502
corymbosa (Roxb. ex DC.) Benth. 466
crudiantha de Wit 467
cumingiana Benth. 480, 481
cuprea (Ridley) de Wit 512
dasyarpa Miq. 534
var. *ridleyi* (Prain) de Wit 490
debilis (Hassk.) Miq. 500
decumbens (Henderson) de Wit 513
diptera (Blume ex Miq.) Miq. 503
elmeri (Merr.) de Wit 513
elongata (Korth.) Benth. 451
excelsa Blume ex Miq. 469
var. *aurora* de Wit 469, 470
var. *megalantha* (Merr.) de Wit 469
ferruginea (Roxb.) Benth. 473
finlaysoniana Grah. ex Benth. 514
var. *amoena* de Wit 514, 515
var. *javanica* (Backer) de Wit 514, 515
var. *leptopus* (Perkins) de Wit 514, 516
var. *montana* de Wit 514, 516
foraminifer (Gagnep.) de Wit 516
fulva (Blume ex Korth.) Benth. 476
glabrifolia Benth. 476
glabrifolia auct. 476
glabristipes de Wit 477
glauca Wall. ex Benth. 478
gracillima de Wit 478
griffithiana Benth. 473, 475

- (*Phanera*)
- hendersonii* de Wit 479
 - hullettii* (Prain) de Wit 473
 - integrifolia* (Roxb.) Benth.
480
subsp. *cumingiana* (Benth.)
de Wit 481
var. *nymphaeifolia* (Per-
kins) de Wit 482
 - junguhniana* Benth. 480
 - cockiana* (Korth.) Benth. 522
var. *burbidgei* (Stapf) de
Wit 510
var. *sericeinervia* de Wit
525
var. *velutina* de Wit 525
 - lambiana* (Baker f.) de Wit
525
 - lingua* (DC.) Miq. 483
 - lucida* (Wall. ex Benth.) Miq.
527
 - menispermacea* (Gagnep.) de
Wit 527
 - merrilliana* (Perkins) de Wit
485
 - moultonii* (Merr.) de Wit 529,
532
var. *rubella* de Wit 529, 532
 - nicobarica* Balakr. & Thoth.
496
 - pachyphylla* (Merr.) de Wit
487
 - pauciflora* (Merr.) de Wit 488
 - polyantha* Miq. 480
 - posthumi* de Wit 528
 - praesignis* (Ridley) de Wit 489
 - punctata* (Bolle) Britt. 448
 - purpurea* (L.) Benth. 453
 - pyrrhoneura* (Korth.) Benth.
528
 - riedelii* (Baker f.) de Wit 483,
485
var. *fabrilis* de Wit 472
 - rufa* Benth. 468, 535
 - scandens* (L.) Raf. 500
 - scarlatina* (Backer ex Camm.)
de Wit 524
 - semibifida* (Roxb.) Benth. 490
var. *excurrens* (Stapf) de
Wit 470
 - var. *stenostachya* (Baker)
de Wit 490, 494
 - var. *subglabra* (Merr.) de
Wit 461, 462
- (*Phanera*)
- stipularis* (Korth.) Benth. 496
 - sumatrana* Miq. 490, 492
sylvani de Wit 497
 - teijsmanniana* (Scheff.) Warb.
483
 - vahlii* auct. 480, 481
 - variegata* (L.) Benth. 454
 - velutina* Benth. 452
 - williamsii* (F. Muell.) de Wit
498
 - wrayi* (Prain) de Wit 529
wrayi var. *cancellata* (Ridley)
de Wit 529, 531
 - Philesiaceae 731
 - Phormiaceae* 731, 732
 - Phormium* 732
 - Piliostigma* Hochst. 442, 456
acidum (Reinw. ex Korth.)
Benth. 457
 - malabaricum* (Roxb.) Benth.
457
 - Poinciana* L. 535
 - coriaria* Jacq. 542
 - pulcherrima* L. 551
 - regia* Bojer ex Hook. 721
 - Protamomum* Ridley 768
 - maxillarioides* Ridley 764,
772
 - Pryona* Miq. 573
 - bantamensis* (Hassk.) Miq.
577
 - Pseudocynometra* Kuntze 638
 - browneoides* (Harms) Kuntze
640
 - hollungei* (Harms) Kuntze
648
 - schefferi* (K. Schum.) Kuntze
648
 - Pseudosindora* Sym. 570
 - palustris* Sym. 573
 - Pterolobium R. Brown ex Wight
& Arn. 432, 435, 654
 - borneense* Merr. 655
 - densiflorum* 655 656*, 657
 - indicum* A. Rich.
 - var. *macropterum* (Kurz)
Baker 658
 - var. *microphyllum* (Miq.)
Baker 659
 - indicum* auct. 658
 - insigne* Blume ex Miq. 659
 - lacerans* auct. 658
 - macropterum* Kurz 655, 658
- (*Pterolobium*)
- membranulaceum* (Blanco)
Merr. 655, 656*, 658
 - microphyllum* Miq. 655, 659
 - Reichardia decapetala* Roth 543
pentapetala Blanco 658
 - Rhynchocarpa monophylla*
Backer ex K. Heyne 614
 - Saraca* L. 431, 434, 660, 663*
 - arborescens* Burm. f. 668
 - asoca* (Roxb.) W.J. de Wilde
662, 663*
 - bijuga* Prain 668
 - cauliflora* Baker 671
 - celebica* W.J. de Wilde 661,
663*, 664
 - confusa* (Hassk.) Backer 662
 - crassifolia* Ridley 665
 - declinata* (Jack) Miq. 661, 665,
666, 667
 - declinata* auct. 671
 - elegans* Ridley 665
 - elmeri* Ridley 665
 - hullettii* Prain 661, 667
 - indica* auct. 662
 - indica* L. 662, 663*, 668, 669
var. *bijuga* Gagn. 668
var. *zollingeriana* (Miq.)
Gagn. 668
 - kunstleri* Prain 668
 - lanceolata* Merr. 665
 - latistipulata* Prain 636
 - longistyla* Ridley 665
 - macroptera* Miq. 665
var. *parviflora* Prain 665
 - var. *typica* Prain 665
 - minor* (Zoll. & Moritz) Miq.
668
 - var. *bijuga* Prain 668
var. *typica* Prain 668
 - monadelpha* W.J. de Wilde
661, 670
 - palembanica* (Miq.) Baker 665
 - thaipingensis* Cantley ex Prain
661, 671
 - triandra* auct. 665
 - tubiflora* W.J. de Wilde 661,
672
 - zollingeriana* Miq. 668
 - Schizolobium Vogel 430, 432,
435, 716, 728
 - excelsum* Vogel 728
 - parahybum* (Vell.) Blake
727*, 728

- Schizoscyphus* K. Schum. ex Taub. 638
roseus (K. Schum.) Warb. 647
- Schizosiphon* K. Schum. 638
roseus K. Schum. 647
- Scitamineae* R. Br. 763
- Senna* Mill. 431, 433, 434, 435, 673
 sect. *Psilorhegma* (Vogel) Irwin & Barneby 688
absus (L.) Roxb. 566
alata (L.) Roxb. 674, 675*
auriculata (L.) Roxb. 690
bicapsularis (L.) Roxb. 674, 676
 var. *bicapsularis* 677
didymobotrya (Fresen.) Irwin & Barneby 690
divaricata (Nees & Blume) K. Larsen 674, 677
fruticosa (Mill.) Irwin & Barneby 674, 678
galegifolia (L.) Barneby & Lourt. 691
hirsuta (L.) Irwin & Barneby 674, 679
 var. *hirsuta* 679, 680
 var. *puberula* Irwin & Barneby 679, 680
mulglandulosa (Jacq.) Irwin & Barneby 691
multijuga (Rich.) Irwin & Barneby 674, 680
obtusifolia (L.) Irwin & Barneby 674, 681
occidentalis (L.) Link 674, 681, 682*
pallida (Vahl) Irwin & Barneby 691
pendula (Willd.) Irwin & Barneby 674, 677, 683
septemtrionalis (Viv.) Irwin & Barneby 674, 684
- (*Senna*)
siamea (Lam.) Irwin & Barneby 674, 685
sophera (L.) Roxb. 674, 686
spectabilis (DC.) Irwin & Barneby 674, 686
splendida (Vogel) Irwin & Barneby 691
sulfurea (Collad.) Irwin & Barneby 674, 687
sumatrana (Roxb. ex Hor nem.) Roxb. 685
surattensis (Burm. f.) Irwin & Barneby 674, 688
timoriensis (DC.) Irwin & Barneby 674, 689
tora (L.) Roxb. 674, 689
- Serianthes gigalobium* Kosterm. 713
- Sindora* Miq. 431, 433, 434, 435, 691
affinis de Wit 692, 693, 694
beccariana Baker ex de Wit 693, 694, 705*
bruggemanii de Wit 693, 695, 696*
coriacea (Baker) Prain 692, 694, 697
echinocalyx (Benth.) Prain 692, 693, 698
galedupa Prain 692, 694, 699
inermis Merr. 692, 694, 700
intermedia (Baker) Prain 708
irpicina de Wit 693, 700
javanica (Koord. & Valeton) Backer ex K. Heyne 692, 693, 701
leiocarpa Backer ex de Wit 692, 694, 702
mucronata Pierre 707
parvifoliola Symington 707
siamensis Teijsm. ex Miq. 692, 693, 703
 var. *siamensis* 703
- (*Sindora*)
sumatrana Miq. 692, 693, 704, 705*
 var. *javanica* Koord. & Valeton 701
supa Merr. 692, 693, 706
velutina Baker 693, 707
wallachiana 708
wallachii Benth. 692, 693, 708
 var. *intermedia* auct. 706
 var. *intermedia* Baker 708
 var. *siamensis* (Teijsm. ex Miq.) Baker 703
wallachii auct. 698, 706
- Smilacaceae* 731
- Sparattanthelium* Mart. 737
- Stypandra* 732
- Sympetalaandra* Stapf 430, 431, 432, 434, 709
borneensis Stapf 710
borneensis auct. 711, 713
densiflora (Elmer) Steenis 710, 711
hildebrandii Steenis 710, 711, 712*
schmutzii Steenis 710, 713
unijuga (Airy Shaw) Steenis 710, 712*, 713
- Tamarindus* L. 431, 433, 717, 728
altera Rumph. 612
indica L. 729*
- Touchiroa* Aublet 573
bantamensis Hassk. 577
- Tournaya* Schmitz 501
- Trachylobium* Hayne 724
verrucosum (Gaertn.) Oliv. 725
- Uittienia* Steenis 430, 433, 435, 714
modesta Steenis 714, 715*
- Vittienia* 714
- Zingiberales* 763