

# INDEX TO SCIENTIFIC PLANT NAMES

compiled by

M. J. VAN STEENIS-KRUSEMAN

*Families* and higher taxa have been entered under their name.

Names of families which have been revised in volumes 4, 5, and 6 have been entered and are printed in bold type, so that as far as this is concerned this index is complete for all preceding volumes as well.

*Suprageneric epithets* have been entered under the family name to which they belong preceded by the indication of their rank (subfamilies, tribes, etc.).

*Infrageneric epithets* have been entered immediately under the generic name to which they belong preceded by the indication of their rank (subgenera, sections, series, etc.).

*Infraspecific epithets* have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, etc.).

*New names and new combinations* have been printed in bold type, *synonyms* in italics.

'Map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

An asterisk behind a page number denotes the presence of a figure of the concerned taxon.

Page numbers in bold type denote main treatment.

Some minor printing errors in plant names have been corrected.

Of synonyms with a double authority, the latter has not always been cited in full. See for example under *Dortmannia* (i) a Adans. which was accepted by O. Kuntze to replace *Lobelia*. The full authority can easily be derived from the text.

- Acer garrettii* Craib 915  
  *laurinum* Hassk. 915  
*Aceraceae* 4: 3–4, 592; 6: 915  
*Actinidiaceae* s. str. 4: 37–39  
*Adenanthera triphysa* Dennst.  
  219  
*Adenoplea* Radlk. 295, 296, 337,  
  953  
  *madagascariensis* Eastw. 340  
*Adenoplusia* Radlk. 295, 296,  
  337, 953  
*Adnaria lanceolata* (Bl.) O.K.  
  761  
*Aegiphila viburnifolia* Juss. 248  
*Aegle marmelos* (L.) Correa 69  
*Aeschriion* Velloso 212  
  *excelsa* (Sw.) O.K. 193  
*Aëtoxylon* 3, 5, 6  
*Agallochum* Rumph. ex Lamk 6  
  *coianum* Rumph. 9  
  *malaccense* O.K. 9  
  *malaiense* Rumph. 9  
  *secundarium* Rumph. 9  
*Agapetes* D.Don 469, 471, 473,  
  474, 746, 878, 879 map  
  sect. *Pseudagapetes* Airy Shaw  
  878  
  subg. *Dimorphanthera*  
    (F.v.M.) Drude 885  
*acuminatissima* (Miq.)  
  Niedenzu 761  
*alberti-eduardi* Sleum. 879,  
  882\*, 883  
*amblyornidis* Becc. 892  
*beccariana* Koord. 904  
*brassii* Sleum. 879, 881, 882\*  
*brevicuspis* Sleum. 884  
*carrii* Sleum. 879, 881, 882\*
- coriacea* (Bl.) G.Don 828  
*costata* C.H.Wright 879, 882\*,  
  883  
*cuneifolia* (Bl.) G.Don 874  
*elliptica* (Bl.) G.Don 873  
*filicicola* Sleum. 883  
*floribunda* (Bl.) G.Don 828,  
  872  
*forbesii* F.v.M. 904  
*griffithii* (non Clarke in  
  Hook.) K. & G. 753  
*helenae* (F.v.M.) F.v.M. ex  
  Sleum. 878, 879, 882\*  
*lanceolata* (Bl.) Niedenzu 761  
*laurifolia* (Bl.) G.Don 872  
*leptantha* (Miq.) Niedenzu 764  
*lucida* (Bl.) G.Don 814  
*meliphagidum* Becc. 906  
*micrantha* Ridl. 753  
*microphylla* Jungh. 814  
*moorhouziana* Lane-Poole 892  
*moorhouziana* F.v.M. 893  
*myrtoidea* = *myrtoides* 812  
*myrtoides* (Bl.) G.Don 812  
*myzomelae* Becc. 913  
*obtusata* Sleum. 884  
*parviflora* Ridl. 753  
*perakensis* Ridl. 753  
*polyantha* ('Miq.') Niedenzu  
  872  
*prainiana* Koord. 911  
*pubescens* Ridl. 753  
*rubrocalyx* Sleum. 879, 881  
  var. *pilocalyx* Sleum. 881  
  var. *rubrocalyx* 881  
*sclerophylla* 879, 880, 882\*  
*scortechnii* (K. & G.) Sleum.  
  878, 879, 880\*, 882\*
- stenantha* (Schltr) Sleum. 879,  
  884\*  
*varingiaefolia* (Bl.) G.Don 815  
*viridiflora* (Schltr) Sleum. 879,  
  883  
*vitis-idaea* Sleum. 879, 881,  
  882\*  
*vonroemerii* Koord. 911  
*vulgaris* Jungh. 815  
*wrayi* Ridl. 753  
*wrightiana* Koord. 914  
*Agapetes* (non D.Don) Koord.  
  885  
*Agelaea borneensis* (Hook. f.)  
  Merr. 933  
*insignis* (Schellenb.) Leenh.  
  933  
*macrophylla* (Zoll.) Leenh.  
  933  
*trinervis* (Llanos) Merr. 933  
*Aglaia sapindina* (F.v.M.)  
  Harms 237  
*Aglaiaopsis glaucescens* Miq. 237  
  *miquelii* Merr. 237  
*Aidia cochinchinensis* Lour. 309  
*Ailanthopsis poilanei* Gagnep.  
  226  
*Ailanthus* Desf. 193, 194, 195,  
  196, 215, 216, 969  
  *altissima* (Mill.) Swingle 193,  
  215, 216, 217\*, 220  
  *blancoi* Merr. 218  
*cacodendron* L'Herit. 220  
  *calycina* Pierre 218  
  *erythrocarpa* Carr. 220  
  *esquirolii* Léveillé 970  
  *excelsa* Roxb. 216, 217\*, 219  
  *fauveliana* Pierre 219

- fordii* Nooteboom 216, 217\*, 220, 969\*  
*giraldii* Dode 220  
*glandulosa* Desf. 220  
*gracilis* Salisb. 211  
*grandis* Prain 218  
*imberbisflora* F.v.M. 219  
*integrifolia* Lamk 193, 206\*, 216, 217\*, 218 map, 220  
 ssp. *calycina* (Pierre) Nootboom 218 map  
 ssp. *integrifolia* 218 map  
 var.  $\beta$  Lamk 219  
*kurzii* Prain 219  
*macrophylla* Hort. 220  
*mairei* Gagnep. 220  
*malabarica* DC. 218, 219, 969  
 var. *mollis* K. & V. 219 pro parte  
*malabarica* (non DC.) F.-Vill. 218  
 var. *mollis* K. & V. 218 pro parte  
*mascula* Hort. 220  
*moluccana* DC. 218  
 var. *mollis* (non K. & V.) Koord. 218  
*peekelii* Melch. 218  
 var. *glabrata* C.T.White 218  
*peregrina* F.A.Barkl. 220  
*philippinensis* Merr. 219  
*pongolion* Gmel. 218, 220  
*procera* Salisb. 220  
*punctata* F.v.M. 220  
*rhodoptera* F.v.M. 220  
*rubra* Hort. 220  
*scripta* Gagnep. 220  
*sutchuensis* Dode 220  
*triphysa* (Dennst.) Alston 193, 217\*, 219 map, 220  
*vilmoriniana* Dode 220  
*Ailanthus* = *Ailanthus* 215  
*Aizooaceae* 4: 267–275; 6: 384, 450, 915  
*Albonia* Buchoz 215  
 var. *peregrina* Buchoz 220  
*Alfaroa* 143, 146, 148  
*Alismataceae* 5: 317–334; 6: 158, 915  
*Allanthospermum* Forman 968, 969, 970, 971\*, 972  
 var. *borneense* Forman 971\*, 972  
 ssp. *rostratum* Nooteboom 971\*, 972  
 multicaule (Capuron) Nootboom 970, 972\*  
*Allospondias* lakonensis (Pierre) Stapf 226  
*Alnus japonica* (Thunb.) Steud. 917  
*maritima* (Marsh.) Nuttall 917  
*Aloe* 31  
*Alphonsea arborea* (Blco) Merr. 421  
*Alsodeia chrysodasys* Miq. 944  
*glabra* Burgersd. 235  
*Alternanthera* Forsk. 915  
*bettzichiana* = *bettzickiana* 916  
*bettzickiana* (Regel) Nichols. 916\*  
*ficoidea* (L.) R.Br. ex R. & S. 915  
 ssp. *bettzickiana* (Nichols.) Backer 917  
 var. *versicolor* (Regel) Backer 916  
*ficooides* P.Beauv. 915  
*paronychioides* St.Hill 915, 916  
 var. *paronychioides* 916\*  
*Alytostylis* Hook. f. 95  
*Alyxia spanogheana* Miq. 336  
*tetragona* R.Br. 336  
*Amaracarpus* 387  
*Amaranthaceae* 4: 69–98, 593; 5: 554; 6: 450, 915–917  
*Amaranthus dubius* Mart. 915  
*hybridus* L.  
 ssp. *incurvatus* (Gren. & Godr.) Brenan  
 var. *paniculatus* (L.) Mansf. 915  
*Amaroria* A.Gray 221  
*soulameoides* A.Gray 221  
*Amentiferae* 143  
*Amoora aphanamixis* Auct. non R. & S. 921  
*Amphicalyx heterophyllum* (Bl.) Hassk. 738  
*latifolius* Bl. ex Hassk. 738  
*pilosa* Bl. 729  
*Amyxa* cf. Airy Shaw 3, 5, 6, 47  
*pluricornis* (Radlk.) Domke 47\*  
*Anacardiaceae* 194, 195, 220, 226, 291, 928  
*Anacolosa frutescens* Bl. 420  
*Anacyclodon* Jungh. 424, 425  
*pungens* Jungh. 431  
*Anagallis* L. 173, 174, 175, 176  
 subg. *Anagallis* 176  
 subg. *Centunculus* (L.) P.Taylor 176  
 subg. *Jirasekia* (Schmidt) P. Taylor 176  
*arvensis* L. 176  
*nana* Schinz 176  
*pumila* Sw. 176\*  
 var. *pumila* 176  
*Anasser* Juss. 369  
*laniti* Blco 373  
*moluccana* Lamk 373  
*Anassera rumpfii* Span. 373  
*Ancistrocladaceae* 4: 8–10; 5: 553  
*Andrachne cavalieri* Léveillé 179  
*Andresia* Sleum. 669, 943  
*malayana* (Scort. in Hook. f.) Sleum. 669\*  
*Andreaea* 295, 296  
*Andromeda* 472  
*ovalifolia* Wall. 675  
*Androsace* Tourn. 173, 175, 186  
*rotundifolia* Hardw. 192  
*saxifragifolia* Bunge 191, 192  
*tonkinensis* Bonati 382, 383  
*umbellata* Merr. 191, 192  
*Anhella tristis* 873  
*Anisophyllea* R.Br. ex Sabine 966  
*beccariana* Baill. 966  
*ferruginea* Ding Hou 966  
*grandis* (Bth.) Burk. 361  
*Annamocarya* Chev. 143  
*Annonaceae* 421  
*Annulodiscus* Tardieu Blot 932  
*nigricans* Tardieu Blot 932  
*Anthocleista* 293, 295  
*Anthodendron* Rchb. 661  
*Antirrhoea hexasperma* (Roxb.) Merr. 38  
*Antonia* Pohl 295, 296  
*griffithii* Wight 341  
*Antoniaceae* Hutch. 296  
*Apocynaceae* 93, 294, 297, 315, 318, 363, 368, 369  
 tribe *Tabernaemontaninae* 297  
*Apodostigma* 227, 390  
*Aponogetonaceae* 4: 11–12; 5: 553  
*Aquilaria* Lamk 2, 3, 4, 5, 6, 31  
 sect. *Agallochum* Hall. f. 6  
 sect. *Amphinoman* Hall. f. 6  
 sect. *Brachythalamus* Hall. 1. 39  
 sect. *Gyrinops* Hall. f. 39  
 sect. *Gyrinopsis* Hall. f. 6  
 sect. *Lachnolepsis* Hall. f. 39  
*acuminata* Quis. 11  
*agalocha* Roxb. 982  
*apiculata* Merr. 2, 8, 11  
*bancana* Miq. 15  
*beccariana* v. Tiegh. 7\*, 8, 13, 41  
*borneensis* Gilg 9  
*brachyantha* (Merr.) Hall. f. 7\*, 8, 10, 12  
*citrinaecarpa* (Elm.) Hall. f. 8, 10  
*cumingiana* (Decne) Ridl. 1, 4, 6, 7\*, 8, 13, 15  
 var. *parviflora* Airy Shaw 1  
*filaria* (Oken) Merr. 8, 11  
 map, 12  
*grandifolia* Domke 13  
*hirta* Ridl. 7\*, 8, 12  
*macrophylla* Miq. 15  
*malaccensis* Lamk 7\*, 8, 9, 982  
*microcarpa* Baill. 7\*, 8, 9  
*moluccana* Hall. f. 39  
*moszkowskii* Gilg 12

- ovata* Cav. 9  
*parvifolia* (Quis.) Quis. 8, 12  
*pentandra* Blco 15  
*podocarpus* Hall. f. 42  
*rostrata* Ridl. 8, 13  
*secundaria* DC. 9  
*tomentosa* Gilg 11  
*urdanetensis* (Elm.) Hall. f. 6, 8, 10  
*versteegii* Hall. f. 42  
*Aquilaria* v.Tiegh. 6  
*borneensis* v.Tiegh. 9  
*malaccensis* v.Tiegh. 9  
*microcarpa* v.Tiegh. 9  
*Araliaceae* 194  
*Araucaria* 356  
*Arbor coeli sive Caju langit* Rumph. 218  
*Arbutus* 472  
*coriacea* Bl. 828  
*Arctostaphylos* 472  
*Ardisia ochracea* Elm. 260  
*Argyreia capitata* (Vahl) Choisy 941  
*capitiformis* (Poir.) Ooststr. 941  
*congesta* Ooststr. 941  
*Arthrosolen* 4  
*Aruba* Aubl. 202  
*Arytera litoralis* Bl. 226  
*Asperula* 294  
*Aspidopterys elliptica* (Bl.) Juss. 960  
*Astrophyia chinensis* Dufr. 455  
*Astroloma* R.Br. 424  
*Azalea* (non L. sensu Salisb.) Desv. 661  
 subg. *Pentanthera* (G.Don)  
 K.Koch 661  
 subg. *Tsutsutsi* (G.Don)  
 K.Koch 661  
*brookeana* (Low ex Lindl.) O.K. 655  
*citrina* Hassk. 579  
*indica* L. 663  
*indica* (non L.) Sims 665  
 var. *angustifolia* Bl. 663  
 var. *floribunda* Bl. 663  
 var. *spathulata* Bl. 663  
 var. *variegata* Bl. 663  
*jasminiflora* (Hook.) O.K. 565  
*javonica* (Bl.) O.K. 624  
*lamponga* (Miq.) O.K. 544  
*ledifolia* Hook. 662  
*malayana* (Jack) O.K. 532  
*mollis* Bl. 661  
*moulmainensis* (Hook.) O.K. 666  
*mucronata* Bl. 662  
*multicolor* (Miq.) O.K. 621  
*retusa* (Bl.) O.K. 482  
*rosmarinifolia* Burm. f. 662  
*sinensis* Lodd. 661  
*subsessilis* (Rendle) Copel. f. 664  
*teysmannii* (Miq.) O.K. 626  
*tubiflora* Bl. ex DC. 532  
*Banksia* Forst. 44  
*musculiformis* Gaertn. 367, 368  
*Basellaceae* 5: 300–304; 6: 450  
*Batidaceae* 5: 414–415; 6: 917  
*Batis argillicola* v.Royen 917  
*Béla-Môdagam* Rheede 951  
*Bennettia papuana* Gilg 944  
*Bernadina* Baudo 177, 184  
*laurina* Baudo  
 var. *stenia* Baudo 184  
*mauritiensis* Baudo 184  
*parviflora* Baudo 185  
*Bertuchia* Dennst. 299, 301  
*Betula-Alnus maritima* Marsh. 917  
*Betulaceae* 5: 207–208; 6: 143, 472, 917  
*Bhesa* Ham. ex Arn. 227, 228, 230, 231, 232, 280, 283 map, 390, 391, 930  
*archboldiana* (Merr. & Perry) Ding Hou 281\*, 282, 284  
*indica* (Bedd.) Ding Hou 281\*, 282, 283  
*moja* Ham. ex Arn. 283  
*paniculata* Arn. 229, 231, 280, 281\*, 282, 283  
*robusta* (Roxb.) Ding Hou 280, 281\*, 282, 283  
*Biporeia* Petit-Thouars 199  
*Bischofia javanica* Bl. 53  
*Bixaceae* s. str. 4: 239–241  
*Blumeodendron papuanum* P. & H. 944  
*Blyxa novoguineensis* Hartog 952  
*Boerhaavia* = *Boerhavia* 452  
*Boerhavea* = *Boerhavia* 454  
*Boerhavia* L. 450, 451, 452  
 sect. *Adenophorae* Heimerl 452  
*acutifolia* S.Moore 454  
*chinensis* (L.) Aschers. & Schweinf. 450, 452, 453\*, 454, 455 map  
*diandra* L. 454  
*diffusa* L. 453\*, 454  
 f. *B paniculata* (Rich.) O.K. 454  
 f. *γ repens* (L.) O.K. 454  
 var. *acutifolia* DC. 454  
 var. *obtusifolia* DC. 454  
 var. *pubescens* DC. 454  
*erecta* (non L.) Burm. f. 454  
*erecta* L. 452, 453\*, 454  
*glabrata* Bl. 454  
*glutinosa* Vahl 454  
*helenae* R. & S. 455  
*hirsuta* L. 454  
*mutabilis* R.Br. 454  
 var. *pubescens* (R.Br.)
- Choisy 454  
*procumbens* Banks ex Roxb. 454  
*pubescens* R.Br. 454  
*repanda* Willd. 455  
*repens* L. 454  
 var. *diffusa* (L.) Boiss. 454  
 var. *procumbens* (Roxb.) Hook. 454  
*scandens* L.  
 var. *chinensis* (L.) O.K. 455  
*tetrandra* Forst. 454  
*Bonamia* Thou. 936  
*Bonyunia* Schomb. 295, 296, 954  
*Boscia* 61  
*Bougainvillea* Comm. ex Juss. 450, 451, 455  
 sect. *Tricycla* 456  
 × *buttiiana* Holtt. & Standl. 456  
*glabra* Choisy 451, 457  
*peruviana* Humb. & Bonpl. 456, 457  
*spectabilis* Willd. 456, 457  
 var. *glabra* (Choisy) Hook. 457  
*Brachythalamus* Gilg 39  
*caudatus* Gilg 42  
*podocarpus* Gilg 42  
*versteegii* Gilg 42  
*Brassiantha* A.C.Smith 227, 230, 389, 390, 391, 392, 393, 394, 930  
*pentamera* A.C.Smith 393\*, 394  
*Bromheadia* Lindl. 976  
*Brossaea bandongensis* (Zoll. ex Miq.) O.K. 695  
*fragrantissima* (non Wall.) O.K. 688  
*leucocarpa* Bl. 692  
*nummularioides* (D.Don) O.K. 684  
 a *normalis* O.K. 684  
 B *glaucia* O.K. 684  
*Brownlowia* tersa (L.) Kosterm. 203  
*Brucea* J.F.Mill. 193, 194, 196  
 209  
*acuminata* Li 212  
*amarissima* Desv. ex Gomes 211  
*dubia* Steud. 214  
*glabrata* Decne 211  
*gracilis* DC. 211  
*javanica* (L.) Merr. 195, 209, 210\*, 211 map, 212  
*luzonensis* Vidal 212  
*macrobotrys* Merr. 212  
*membranacea* Merr. 212  
*mollis* Wall. ex Kurz 193, 210\*, 211, 212 map  
*querifolia* Seem. 212  
*stenophylla* Merr. 212  
*sumatrana* Roxb. 211

- sumatrensis* Spreng. 211  
*Bruguiera* Lamk 965, 966  
*eriopetala* W. & A. ex Arn.  
 var. *exsetata* Val. 966  
*exaristata* Ding Hou 966  
*gymnorhiza* (L.) Lamk 966  
*hainesii* C.G.Rogers 966  
*Bruinsmia* Boerl. & Koord. 976  
*styracoides* Boerl. & Koord.  
 976  
*Buddleia*, see *Buddleja* 336  
*Buddleja* Houst. ex L. 293, 294,  
 295, 296, 297, 336, 953, 954  
 subg. *Buddleja* 336, 337  
 sect. *Alternifolia* Marquand  
 339  
 subg. *Nicodemia* Leen. 336,  
 337, 340  
*acuminatissima* Bl. 337  
*amentacea* Kränzl. 339  
*arfakensis* Kaneh. & Hatus.  
 339  
*asiatica* Lour. 293, 336, 337,  
 338\*, 339\*, 954  
 var. *brevispica* Val. 337  
 var. *densiflora* (Bl.) K. & V.  
 337  
 var. *salicina* (Bl.) K. & V.  
 337  
 var. *sundaica* (Bl.) K. & V.  
 337  
*brasiliensis* Jacq. f. 340  
*crispa* Bth. 337  
*curviflora* H. & A. 337  
*davidii* Franchet 336, 340, 954  
*densiflora* Bl. 339  
*diversifolia* Vahl 340  
*gynandra* Marquand 336  
*indica* Lamk 340  
*japonica* Linden 337  
*lindleyana* Fortune 337  
*madagascariensis* Lamk 337,  
 340  
*neenda* Buch.Ham. ex Roxb.  
 337  
 var. *philippinensis* Cham. &  
 Schlechtend. 337  
*officinalis* Maxim. 336  
*otophylla* Hassk. 340  
*paniculata* Wall. 337  
*salicina* Lamk 337  
*sundaica* Bl. 339  
*venenifera* Makino 337  
*virgata* L. f. 339  
*Buddlejaceae* 295, 954  
*Bugenvillaea* = *Bougainvillea*  
 455  
*Bugenvillia racemosa* Blco 460  
*Bulbophyllum* 109, 113  
*Burmanniaceae* 4: 13–26, 592; 5:  
 553  
*Burseraceae* 5: 209–296, 567; 6:  
 194, 195, 917–928  
*Busbeckea* Endl. 69  
*Butomaceae* 5: 118–120, 566  
*Cactaceae* 450  
*Cadaba* Forsk. 61, 62, 93, 97  
 map  
 sect. *Cadaba* 93  
 sect. *Eu-Cadaba* Endl. 93  
*capparoides* DC. 62, 93, 94\*,  
 95\*, 97 map  
*Cadellia* 194  
*Callitrichaceae* 4: 251–252  
*Calogyne pilosa* R.Br. 951  
*Calpidia* Thouars 457, 459  
*brubobiana* (Endl.) Heimerl  
 461  
*cauliflora* (Scheff.) Heimerl  
 462  
*corniculata* Heimerl 464  
*cuspidata* Heimerl 462  
*excelsa* Heimerl 461  
*grandifolia* Heimerl 463  
*lauterbachii* Warb. ex Heimerl  
 463  
*longirostris* Heimerl 463  
*mülleriana* (Warb.) Heimerl  
 462  
*pancheriana* 459  
*rostrata* Heimerl 463  
*spathiphylla* Heimerl 463  
*Camotain* Blco 355  
*Campanopsis* (R.Br.) O.K. 111  
*marginata* O.K. 116  
 var. *rigida* O.K. 116  
*Campanula* 107, 108, 109, 112  
 sect. *Campanopsis* R.Br. 111  
*agrestis* Wall. 115  
*carnosa* Wall. 111  
*ceylanica* Seba 129  
*circaeoides* Fr.Schmidt ex  
 Miq. 111  
*dehiscens* Roxb. ex Wall. 115  
*gracilis* Forst. 115  
*gracilis* (non Forst.) Sims 118  
*indica* Dietr. 115  
*lancifolia* Roxb. 120  
*lavandulaefolia* Reinw. ex Bl.  
 115  
*littoralis* Labill. 115  
*marginata* Thunb. 115  
*medium* L. 141  
*quadrifida* R.Br. 115  
*rapunculoides* L. 141  
*rotundifolia* 110  
*sieberi* Dietr. 115  
*vincaeiflora* Vent. 118  
*Campanulaceae* 107–141, 928  
 subfam. *Campanuloideae* 108  
 tribe *Campanuleae* Bth. 109  
 tribe *Pentaphragmeae*  
 Schönl. 109  
 tribe *Sphenocleae* Schönl.  
 109  
 subfam. *Lobelioidae* 108, 122  
 tribe *Lobelieae* Bth. 109,  
 140  
*Campanulopsis* Zoll. & Mor. 111  
*cyannea* Zoll. & Morr. 115  
*Campanumoea* Bl. 109, 118, 119  
*axillaris* Oliv. 120  
*celebica* Bl. 120, 121  
*cordata* Miq. 120  
*japonica* Maxim. 120  
*javanica* Bl. 119  
 var. *japonica* (Maxim.) Ma-  
 kino 120  
*lancifolia* Merr. 119, 121  
*maximowiczii* Honda 120  
*truncata* Diels 120  
*Campylostemon* Welw. 389,  
 390  
*Canarina moluccana* Roxb. 928  
*Canarium* Stickm. 917, 921  
 subg. *Africanarium* Leen. 922  
 sect. *Africanarium* Leen.  
 922  
 subg. *Canariellum* 922  
 subg. *Canarium* 921  
 sect. *Canarium* 922, 924,  
 927  
 sect. *Pimela* 922, 924, 927,  
 928  
*acutifolium* (DC.) Merr. 926  
 var. *acutifolium* 926  
*album* (Lour.) Raeusch. 922,  
 926, 928  
*apertum* H.J.Lam 924  
*asperum* Bth. 922, 926, 927  
 ssp. *asperum*  
 var. *asperum* 926  
*australianum* F.v.M. 925  
*bacciferum* Leen. 926  
*balsamiferum* Willd. 924  
*caudatum* King 923, 927  
 f. *auriculiferum* Leen. 923  
 f. *caudatum* 922  
*cestracion* Leen. 922, 925  
*chinare* Grutterink & H.J.  
 Lam 922, 925  
*decumanum* Gaertn. 924  
*denticulatum* Bl. 924  
 ssp. *kostermansii* Leen.  
 924  
*dichotomum* (Bl.) Miq. 925  
*divergens* Engl. 922, 923  
*euryphyllum* Perk. 924  
*fusco-calycinum* Ridl. 925  
*gracile* Engl. 925  
*grandifolium* (Ridl.) H.J.Lam  
 924  
*hirsutum* Willd. 925  
 var. *hirsutum* 925  
*indicum* L. 924  
*intermedium* H.J.Lam 923,  
 925  
*kaniense* Laut. 924  
*karoense* H.J.Lam 924  
*kinabaluense* Leen. 923  
*kipella* (Bl.) Miq. 923, 925,  
 927  
*kostermansii* Leen. 924  
*lamii* Leen. 922, 923  
*latistipulatum* Ridl. 923

- littorale* Bl. 922, 923  
 f. *pruinosum* (Engl.) Leenh. 923  
*luzonicum* (Bl.) A.Gray 922, 924, 926  
*macadamii* Leenh. 922, 925\*  
*maluense* Laut. 923  
 ssp. *maluense* 923  
*megacarpum* Leenh. 923  
*megalanthum* Merr. 924  
*merrillii* H.J.Lam 925  
*odontophyllum* Miq. 924  
*oleosum* (Lamk) Engl. 924, 927  
*ovatum* Engl. 922, 924  
*parvum* Leenh. 928  
*patentinervium* Miq. 922, 923, 927  
*perisanum* Leenh. 923  
*pilososo-sylvestre* Leenh. 923  
*pilosum* Benn. 924, 927, 928  
 ssp. *borneensis* Leenh. 924  
 ssp. *pilosum* 922  
*pimela* Koen. 927  
*pimela* Leenh. 923, 927  
*polyphyllum* K.Sch. 925  
*pseudodecumanum* Hochr. 924  
*pseudopatentinervium* H.J.Lam 924  
*pseudosumatranum* Leenh. 925  
*reniforme* Kochummen & Whitmore 922, 927  
*rigidum* (Bl.) Miq. 925  
*salomonense* B.L.Burtt 923  
*samoense* Engl. 926  
*schlechteri* Laut. 926  
*sinense* *Cana* Rumph. 926  
*sinense* *Tsjacana* Rumph. 927  
*smithii* Leenh. 926  
*sumatranum* Boerl. & Koord. 925  
*sylvestre* Gaertn. 923  
*trigonum* H.J.Lam 924  
*vitiense* A.Gray 922, 926  
*vrieseanum* Engl. 922, 926  
*vulgare* Leenh. 922, 924  
*Cankrienia* de Vriese 186  
*chrysantha* de Vriese 190  
*farinosa* Zoll. 190  
**Cannabinaceae** 4: 222-223  
**Capparidaceae** 61-105  
 subfam. *Capparidoideae* 62  
 subfam. *Cleomoideae* 62  
**Capparidales** 63  
*Capparis* Tourn. ex L. 61, 62, 63, 69, 73 map, 89, 91  
 sect. *Busbeckea* (Endl.) B. & H. 69, 70, 92  
 sect. *Capparis* 70  
 subsect. *Corymbosae* DC. 70  
 subsect. *Pedicellares* DC. 70  
 subsect. *Seriales* DC. 70  
 sect. *Eucapparis* Plum. ex DC. 70  
 sect. *Monostichocalyx* Radlk. 70, 86  
*acuminata* Willd. 84  
*acuta* (sphalm.) Koord. 92  
*afinis* Merr. 79  
*andamanica* King 78  
*aurantioides* Presl 87  
*baducca* (non L.) Blco 90  
*billardieri* DC. 86  
*borneensis* Merr. 83  
*brachybotrya* Hall. f. 71, 73  
 f. *angustifolia* (Hall. f.) Jacobs 75\*  
 f. *brachybotrya* 75  
 var. *angustifolia* Hall. f. 75  
*brachyscias* Turcz. 83  
*brevispina* DC. 87  
*breynea* Jacq. 70  
*buwaldae* Jacobs 71, 85  
*callophylla* Bl. 71, 81, 82 map  
*callophylla* (non Bl.) Miq. 77  
*callosa* Bl. 86  
*canescens* Banks ex DC. 92  
*cantoniensis* Lour. 70, 71, 76  
 map, 77, 81, 93  
*carandas* Burm. f. 93  
*carolinensis* Kaneh. 82  
*celebica* Miq. 76  
*cerasifolia* A.Gray 83, 84  
*copelandii* Elm. 77, 78  
*cordifolia* Lamk 89  
*cymbosa* Lamk 81  
*crassifolia* (sphalm.) A.Gray 84  
*crassifolia* (sphalm.) C.Muell. 83, 84  
*cucurbitina* King 71, 85  
*cumingii* Merr. & Rolfe 81  
*dahlii* Gilg & K.Sch. 82  
*dasypetala* Turcz. 84  
*dealbata* (non DC.) Back. 83  
*dealbata* DC. 87  
*diffusa* Ridl. 71, 81  
*discolor* (non Donn.Smith) Standl. 93  
*elliptica* Span. 77  
*emarginata* Presl 79  
*erycibe* Hall. f. 70, 71, 74\*, 75  
*erythrodasys* Miq. 87  
*finlaysoniana* Wall. ex Hook. f. & Th. 86  
*flexuosa* Bl. 86  
*floribunda* Wight 70, 71, 78  
 map  
 f. *floribunda* 78 map  
 f. *induta* Jacobs 70, 78 map  
*foetida* Bl. 84  
*forsteniana* Miq. 86  
*galeata* Fresen. 90  
*grandiflora* Wall. ex Hook. f. & Th. 84  
*hasseltiana* Miq. 76  
*horrida* L. f. 87  
 var. *B erythrodasys* Miq. 87  
*horrida* (non L. f.) Miq. 84  
 var. *a* Miq. 84  
*iocana* Merr. 79  
*korthalsiana* Miq. 86  
*kunstleri* King 73  
*lanceolaris* DC. 70, 71, 76, 77  
 map, 78, 79, 82  
*larutensis* King 70, 89  
*lasiopoda* Turcz. 83  
*linearis* (non Jacq.) Blco 87  
*litoralis* Merr. 79  
*lobbiana* Turcz. 70, 71, 79, 80\*  
*loheri* Merr. 79  
*longestipitata* Heine 70, 71, 77  
*longipes* Merr. 73, 93  
*longipes* (non Merr.) Standl. 93  
*lucida* (Banks ex DC.) Bth. 62, 70, 92 map  
*luzonensis* Turcz. 78, 79  
 var. *ampla* Merr. 78, 79  
*mariana* Jacq. 89  
*micracantha* (non DC.) Blco 87  
*micracantha* DC. 62, 70, 71, 75, 85, 86, 89  
 ssp. *korthalsiana* (Miq.) Jacobs 85, 86 map  
 ssp. *micracantha* 85, 86 map  
 var. *callosa* (Bl.) Hall. f. 86  
*micrantha* (sphalm.) (non A. Rich.) Spreng. 85  
*mitchellii* Lindl. 92  
*mucronata* Elmer 81  
*myrioneura* Hall. f. 83, 86  
 var. *latifolia* Hall. f. 86, 87  
*nemorosa* (non Jacq.) Blco 87  
*nigricans* Span. 83  
*nobilis* (non Bth.) F.v.M. 92  
*nummularia* DC. 91  
*oblongata* Merr. 77, 78  
*octandra* Jacq. 78  
*odorata* Blco 86  
*oligostema* Hayata 78  
*ovalifolia* Zipp. ex Miq. 86, 87  
*oxyphylla* Miq. 84  
*palawanensis* Merr. 79  
*paniculata* Ridl. 75, 76  
*perakensis* (Scort. ex King) Ridl. 83  
*platyacantha* Turcz. 77  
*pufiflora* DC. 62, 70, 71, 82  
 83\*, 84 map, 85, 93  
 var. *moluccana* Miq. 83  
 var. *perakensis* Scort. 83  
 var. *sumatrana* Miq. 83  
*pumila* Champ. 76  
*pyrifolia* Lamk 70, 71, 84  
 map, 89  
*quiniflora* DC. 70, 71, 73 map, 81, 88\*, 89  
*renominate* Jacobs 93  
*retusella* Thw. 79

- richii* A.Gray 89  
*robusta* Heine 81  
*roxburghii* (non DC.) Span. 77  
*roydsiaefolia* Kurz 86  
*rufescens* Turcz. 87  
*salaccensis* Bl. 76, 93  
 var. *celebica* Miq. 76, 77  
*sandwichiana* DC. 90  
*scortechinii* King 62, 70, 71  
*sepiaria* L. 71, 76, 79, 81 map, 92  
 var. *acuta* Vidal 79  
 var. *B glabrata* DC. 79  
 var. *grandifolia* Kurz & Prain 79  
 var. *retusella* Thw. 79  
 var. *trichopetala* Val. 79  
 var. *vulgaris* Hook. f. & Th. 79  
*spinosa* L. 62, 70, 89, 91, 92  
 var. *marianna* (Jacq.) K.Sch. & Laut. 70, 89, 90\*, 91\*  
 var. *nummularia* (DC.) F. M.Bailey 91  
*subacuta* Miq. 79, 92  
*subcordata* Span. 89  
*subspinosa* Roxb. 77  
*tomentosa* Lamk 81  
*torricellensis* Laut. 77  
*trapeziflora* Span. 89  
*trichopetala* Val. 79  
*trinervia* Hook. f. & Th. 70, 71, 73 map  
*turczaninowii* Elmer 81  
*tylophylla* Spreng. 81  
*umbellata* R.Br. ex DC. 79, 81  
*venosa* Merr. 86  
*versicolor* Griff. 93  
*viminea* (non Hook. f. & Th.) Fern.-Vill. 87  
*viridis* Elmer 77, 78  
*zeylanica* (non L.) DC. 84  
*zeylanica* L. 70, 71, 72\*, 86, 87 map  
*zeylanica* (non L.) Roxb. 87  
*zippeliana* Miq. 71, 78, 82, 86 map  
 var. *novobritannica* Laut. 82  
 var. *novohibernica* Laut. 82  
**Caprifoliaceae** 4: 175–194, 598; 6: 928–930  
*Capura* L. 28  
*Capusia* Lecomte 394  
*Carallia* Roxb. 965, 966  
 borneensis Oliv. 966  
*eugenoidea* King 966  
*longipes* Ding Hou 966, 967\*  
*papuana* Ding Hou 967  
*suffruticosa* Ridl. 966  
*Cardiocarpus* Reinw. 221  
 amarus Reinw. 221  
*Cardiophora* Bth. 221  
 hindii Bth. 221  
*Carices* 953  
*Carissa carandas* L. 93  
*grandis* Bert. ex Guillemin 335  
*Carya* 143  
 illinoensis (Wang) K.Koch 143  
*Caryo juglans* Kirchh. 143  
*Caryophyllaceae* 450  
*Caryospermum* Bl. 230, 288  
 alpestre O.K. 290  
*arborescens* F.V.M. 291  
*moluccanum* Bl. 291  
*philippinense* Vidal 291  
*serrulatum* Miq. 290  
*Casearia* grewiaeefolia Vent. 944  
 var. *deglabrata* K. & V. 944  
 var. *gelonioides* (Bl.) Sleum. 944  
*pallida* Craib 944  
*velutina* Bl. 38  
*Cassine* L. 231, 232, 284, 391, 392, 930  
 subg. *Elaeodendron* Loes. 285  
 sect. *Cassine* Loes. 285  
 sect. *Elaeodendron* Loes. 285  
 australe (Vent.) O.K. 287  
*discolor* Wall. in Roxb. 275  
*elliptica* O.K. 286  
*fortunei* O.K. 252  
*glaucia* (Rottb.) O.K. 228, 284, 286  
 var. *cochininchinensis* Pierre 285\*, 286 map  
*viburnifolia* (Juss.) Ding Hou 228, 284, 285\*, 286 map  
*Cassiope* 472  
*Casuarina* 152, 221  
 junghuhniana Miq. 153, 187  
*Casuarinaceae* 143  
*Cataphera* F.V.M. 914  
*Catha* Forsk. 229  
 edulis Forsk. 230  
*fasciculata* Tul. 51  
*montana* G.Don 241  
*vitiensis* A.Gray 242  
*Caulinia* Willd. 153, 164  
*indica* Willd. 164, 166  
*ovalis* R.Br. 953  
*Cedrota guianensis* Blco 461  
*Celastraceae* 49, 227–291, 389–421, 930–932  
 tribe *Hippocrateaceae* Hook. f. 389  
*Celastrales* 53, 390, 968  
*Celastrinae* R.Br. 389  
*Celastrus* L. 228, 229, 230, 231, 232, 233, 238, 240, 391, 392, 930  
 sect. *Eucelastrus* W. & A. 233  
 sect. *Gymnosporia* W. & A. 238  
 subg. *Celastrus* 234  
 ser. *Axillares* Rehd. & Wils. 234  
 ser. *Paniculati* Rehd. & Wils. 234  
*alpestris* Bl. 290  
*apoensis* Elmer 236  
*australis* Harv. & F.V.M. 235  
*axillaris* Ridl. 236  
*bivalvis* Jack 276, 277  
*championii* (non Bth.) King 236  
*dispermus* 230  
*diversifolius* Hemsl. 242  
*emarginatus* Willd. 241, 242  
*franchetiana* Loes. 236  
*glaucus* Vahl 286  
*hindii* Bth. 234, 235, 236  
*jackianus* Steud. 237  
*lucida* Wall. 237  
*lucidus* L. 237  
*malayensis* Ridl. 236  
*mariannensis* Koidz. 236  
*micrantha* Roxb., nomen 237  
*monospermooides* Loes. 234, 235, 236, 237, 243  
*monospermus* Roxb. 234  
*montana* = *montanus* 241  
*montanus* Roth 241, 242  
*montanus* Roxb. 242  
*multiflorus* Roxb., nomen 235  
*novoguineensis* Merr. & Perry 233\*, 234, 235  
*nutans* Roxb., nomen 235  
*obtusifolia* Roth 237  
*oppositus* Wall. in Roxb. 288  
*orbiculatus* 228  
*paniculatus* Willd. 229, 231, 234, 235  
 ssp. *multiflorus* Ding Hou 235  
 ssp. *paniculatus* Ding Hou 235  
 ssp. *serratus* Ding Hou 235  
 var. *balansae* Loes. 235  
 var. *poilanei* Tardieu 235  
 var. *venulosoides* Kanj. & Das 235  
*papuana* Warb. 235  
*pauciflora* Wall. 237  
*polybotrys* Turcz. 235  
*racemosa* Turcz. 235, 290  
*racemulosa* Franch. 236  
*racemulosus* Hassk. 236  
*repandus* Bl. 237  
*robustus* Roxb. 283  
*scandens* L. 228, 230  
*semiarillata* Turcz. 241  
*senegalensis* Lam. 242  
*stylosus* Wall. 234, 235\*, 237, (sphalm. Willd.) 420  
 ssp. *glauber* Ding Hou 237  
 ssp. *stylosus* Ding Hou 237  
*subspicatus* Hook. 235  
*tonkinensis* Pitard 236  
*trigyna* Roxb. 237, 238  
*wallachii* G.Don 237  
**Centrolepidaceae** 5: 421–427  
*Centropogon lucyanus* Schönl.

- Centrospermae* v.Wettst. 174,  
450, 451
- Centunculus* L. 174, 175, 176  
*indicus* Royle 176  
*pentandrus* R.Br. 176  
*pumilus* O.K. 176  
*tenellus* Duby 176
- Ceodes* J. & G.Forst. 457, 459  
*brunoniana* Skottsb. 461  
*corniculata* Merr. & Perry 464  
*corniculata* (non Barg.-Petr.)  
Merr. & Perry 462  
*excelsa* Skottsb. 461  
*longirostris* Merr. & Perry 463  
*umbellata* = *umbellifera* 460  
*umbellifera* J. & G.Forst. 460,  
(sphalm. Skottsb.) 461  
*urocarpa* Merr. & Perry 463
- Cephaelis* 336
- Cephalostigma* DC. 109, 111,  
112, 113  
*erectum* (Roth) Vatke 113  
*hirsuta* Edgew. 113  
*hookeri* Clarke 114  
*paniculatum* DC. 114  
*paniculatum* (non DC.) Hos-  
seus 114  
*schimperi* Hochst. ex Rich.  
113
- Ceratophyllaceae* 4: 41–42
- Ceratopteris thalictroides*  
Brongn. 171
- Cerbera* 368  
*musculiformis* Lamk 367, 368
- Cerium* Lour. 177  
*spicatum* Lour. 185
- Cervicina* Delile 111  
*gracilis* Britt. 116
- Chailletia sumatrana* Miq. 942
- Chamaedaphne* 472
- Cheiloclinium* 227, 389
- Cheilotheca* Hook. f. 670
- Cheilotheca* (non Hook. f.) Prain  
669  
*malayana* Scort. 669
- Chenopodiaceae* 4: 99–106, 594;  
6: 450, 932
- Chenopodium carinatum* R.Br.  
932  
*pumilio* R.Br. 932
- Chilianthus* 296
- Cladopus* H.Möll. 963  
*nymani* H.Möll. 963
- Cleidion spiciflorum* (Burm. f.)  
Merr. 203
- Cleisocratera* Korth. 387
- Cleistanthopsis* Capuron 970
- Cleome* L. 61, 62, 63, 99, 100  
sect. *Cleomes* (DC.) Schult.  
100  
subsect. *Pedicellaria* (DC.)  
Schult. 100  
subsect. *Siliquaria* (Forsk.)  
Schult. 100  
sect. *Corynandra(e)* (Schrad.)
- Schult.* 100  
sect. *Gymnogonia* R.Br. 100  
sect. *Gynandropses* (DC.)  
*Schult.* 100  
sect. *Polanisiae* (DC.) *Schult.*  
100  
sect. *Ranmanissa* (Endl.) *Griseb.* 100  
sect. *Rutidosperma* Iltis 100  
sect. *Tarenaya* (Raf.) Iltis 100  
*aculeata* L. 100, 104, 105\*  
*acutifolia* Elmer 103  
*affinis* (non DC.) Spreng. 101  
*alliaeae* Blco 101  
*alliodora* Blco 101  
*aspera* Koen. ex DC. 100,  
105\*
- blumeana* D.Dietr. 101  
*blumeana* Schult. 101  
*chelidonii* (non L. f.) Burk. 103  
*chelidonii* L. f. 62, 100, 102,  
103\*, 104
- ciliata* Schum. & Thonn. 104  
*gigantea* (non L.) Blco 101  
*gynandra* L. 62, 100, 101  
*houteana* Schlechtend. 102  
*hulletii* King 104  
*icosandra* L. 103  
*natalensis* 62  
*pentaphylla* L. 101  
*rutidosperma* DC. 98\*, 100,  
104, 105\*
- sandwicensis* A.Gray 102  
*speciosa* Raf. 62, 100, 101  
f. *alba* 101  
*speciosissima* Deppe ex Lindl.  
101
- spinosa* Jacq. 62, 100, 102  
*triphylla* L. 101  
*viscosa* L. 62, 100, 103\*, 104  
f. *deglabrata* (Back.) Jacobs  
104  
f. *viscosa* 103
- Cnestis palala* (Lour.) Merr. 933  
ssp. *diffusa* (Blco) Andreas  
933
- stenopetala* Griff. 933  
*steriopetala* = *stenopetala* 933
- Coccus hirsutus* (L.) Diels 939  
*villosus* DC. 939
- Cochlospermaceae* 4: 61–63
- Codonopsis* Wall. 107, 109, 110,  
118, 119\*  
*albiflora* Griff. 120  
*celebica* (Bl.) Miq. 119, 120,  
121
- cordata* Hassk. 120  
*cordifolia* Komarov 120  
*javanica* (Bl.) Hook. f. 108,  
110, 119, 120\*
- lancifolia* (Roxb.) Moeliono  
110, 120, 928  
ssp. *celebica* (Bl.) Moeliono  
121  
ssp. *lancifolia* 121, 928
- leucocarpa* Miq. 120, 121  
*parviflora* 119\*
- purpurea* Wall. in Roxb. 119  
*truncata* Wall. ex DC. 120  
*viridis* 119
- Coinochlamys* 296
- Combretaceae* 4: 533–589; 5:  
564; 6: 932–933
- Combretocarpus* Hook. f. 966  
*rotundatus* (Miq.) Danser 966
- Commicarpus* Standl. 452  
*chinensis* Heimerl 455  
*plumbaginea* 453
- Comocladia serrata* Blco 419,  
420
- Compositae* 108, 109  
subfam. *Cichorieae* 108
- Connaraceae* 5: 495–541; 6:  
933–936
- Connaropsis rubescens* Ridl. 934
- Connarus cochinchinensis*  
(Baill.) Pierre 935  
*conchocarpus* F.v.M. 936  
ssp. *conchocarpus* 936  
ssp. *schumannianus* (Gilg)  
Leenh. 936
- culionensis* Merr. 935  
var. *culionensis* 935  
var. *stellatus* (Merr.) Leenh.  
935
- euphlebius* Merr. 935  
ssp. *euphlebius*  
var. *bullatus* Leenh. 935  
ssp. *molluccanus* Leenh. 935
- lamiif* Leenh. 935
- lucens* Schellenb. 935
- monocarpus* L. 935
- odoratus* Hook. f. 935
- paniculatus* Roxb. 935  
var. *hainensis* (Merr.) Vidal  
935  
var. *paniculatus* 935
- peekeli* Schellenb. 936
- pickeringii* A.Gray 936
- salomonensis* Schellenb. 936
- schumannianus* Gilg 936
- semidecandrus* Jack 935
- villosum* Jack 935
- winkleri* Schellenb.  
ssp. *philippensis* Leenh.  
936
- Conopharyngia* 294
- Contortae* 294, 297
- Convolvulaceae* 4: 388–512, 599;  
5: 558; 6: 390, 936–941
- Convolvulus acuminatus* Vahl  
941
- capitatus* Vahl 941
- capitiformis* Poir. 941
- gangeticus* L. 939
- hastatus* Desr., non Forsk. 939
- maximus* L. f. 941
- ochraceus* Lindl. 941
- purpureus* L. 941
- Cordia clitoria* Blco 464

- Coris* 174  
*Cortex filarius* Rumph. 11, 12  
*foetidus* Rumph. 12  
*Cortusa* 174  
  matthioli L. 174  
*Corynocarpaceae* 4: 262–264; 5:  
  557; 6: 941  
*Corynocarpus cribbianus* (F.M.  
  Bailey) L.S.Smith 941  
*Costera* J.J.S. 469, 470, 471, 473,  
  474, 740, 742 map, 746  
*borneensis* J.J.S. 741, 744  
*cyclophylla* (Airy Shaw) J.J.S.  
  & Airy Shaw 741, 742, 743\*  
*elegans* J.J.S. ex Dunselman  
  745  
*endertii* J.J.S. 741, 745  
*lanaensis* (Merr.) Airy Shaw  
  741, 745  
*loheri* (Merr.) Airy Shaw 741,  
  744\*  
*lucida* (Merr.) Airy Shaw 741,  
  742  
*ovalifolia* J.J.S. 741, 745  
*sumatrana* J.J.S. 741, 744  
*tetramera* Sleum. 741, 742,  
  744\*  
*Couthovia* A.Gray 296, 363, 365  
*alata* A.C.Smith 366  
*astyla* Gilg & Bened. 365, 366  
*brachyura* Gilg & Bened. 365  
*brassii* S.Moore 365  
*calophylla* Gilg & Bened. 367  
*celebica* Koord. 366, 367  
*collina* A.C.Smith 365, 366  
*corynocarpa* A.Gray 365  
*densiflora* K.Sch. 365  
*kochii* Val. 366  
*leucocarpa* Merr. & Perry 365  
*macrocarpa* A.C.Smith 366  
*macroloba* A.C.Smith 366  
*macrophylla* Merr. & Perry  
  367  
*neo-ebudica* Guill. 366  
*novo-britannica* Kaneh. & Ha-  
  tus. 365  
*novo-caledonica* Gilg & Bened.  
  366  
*nymannii* Gilg & Bened. 365  
*pachyantha* A.C.Smith 366  
*pachypoda* Gilg & Bened. 365  
*rhynchosarpa* Gilg & Bened.  
  365, 366  
*sarcantha* (non Gilg & Bened.)  
  Cammerl. 367  
*sarcantha* Gilg & Bened. 366  
*seemannii* A.Gray 365  
*terminalioides* Gilg & Bened.  
  365  
*toua* Kaneh. 367  
*undulatifolia* Kaneh. & Hatus.  
  366  
*urophylla* Gilg & Bened. 366  
*yunzaingensis* Merr. & Perry  
  365
- Covilhamia* Korth. 95  
  *ovata* Korth. 97  
*Coxia* Endl. 177  
*Crassulaceae* 4: 197–202; 6: 173,  
  195  
*Crataeva* L. 63  
  *Nürvala* Ham. 68  
  *octandra* Blco 78  
  *religiosa* Forst. f. 65  
*Crateriphytum* Scheff. ex Koord.  
  296, 363, 365  
  *moluccanum* Scheff. ex Boerl.  
  367, 368  
*Crateva* L. 61, 63, 69  
  *A* Corner 68  
  *adansonii* DC. 68  
  *axillaris* Presl 66  
  *B* Corner 65  
  *hansemannii* K.Sch. 65  
  *hygrophila* Kurz 65, 69  
  *lophosperma* Kurz 68, 69  
  *macrocarpa* Kurz 65, 66  
  *magna* (Lour.) DC. 68  
  *marmelos* (L.) Correa 69  
  *membranifolia* Miq. 65  
  *nurvala* Ham. 62, 68  
    var. *nurvala* 64\*, 65\*, 68\*  
  *odora* Ham. 66  
    f. *axillaris* (Presl) Jacobs  
      65\*, 66, 67\*  
*religiosa* (non Forst. f.) Blco  
  68  
*religiosa* (non Forst. f.) Bl. 68  
  var. *nurvala* (Ham.) Hook.  
  f. & Th. 68  
*religiosa* Forst. f. 65\*, 66, 67,  
  69  
*speciosa* Volkens 65  
*tapia* (non L.) Bl. 66  
*tumulorum* Miq. 66  
*unilocularis* Ham. 69  
*Cressa* L. 936  
  *australis* R.Br. 937  
  *cretica* L. 937\*  
*Crinum asiaticum* L. 973  
*Cruciferae* 62, 63  
*Cuervea* 390  
*Cunoniaceae* 49, 933  
*Cupania spinosa* Blco 241, 242  
*Cuscuta* L.  
  subg. *Cuscuta* 936  
  subg. *Grammica* (Lour.) Yun-  
  cker 936  
*Cyathodes* Lab. 424, 433  
  *colensoi* (Hook. f.) Hook. f.  
  428, 431  
  *laurina* R.Br. ex Drude 437  
*Cyclamen* 173, 175  
  *persicum* L. 175  
*Cyclocodon* Griff. 118, 119  
  *adnatus* Griff. 120  
  *distans* Griff. 119  
  *lancifolium* Kurz 120  
  *truncatum* Hook. f. & Th. 120  
*Cymothoe* Airy Shaw 740
- cyclophylla* Airy Shaw 742  
*Cynoctonum* J.F.Gmel. 293, 295,  
  296, 297, 375, 959  
  *mitreola* (L.) Britt. 293, 374\*,  
  375, 959  
  var. *intermedia* Hochr. 377  
  var. *lilacina* (Back.) Bakh. f.  
  375  
  var. *orthocarpa* Hochr. 375  
*paniculatum* (Wall.) B.L.Rob.  
  375  
*pedicellatum* (Bth.) B.L.Rob.  
  377, 960  
*petiolatum* Gmel. 375  
*sphaerocarpum* Leenb. 374\*,  
  375, 377, 960  
*Cyrtophyllum* Reinw. ex Bl. 299,  
  303  
  *caudatum* (Ridl.) Ridl. 307  
*fragrans* (Roxb.) A.DC. 307  
*giganteum* (Ridl.) Ridl. 307  
*lanceolatum* DC. 307, 309  
*peregrinum* Reinw. ex Bl. 307  
*speciosum* Bl. 303  
  var. *montanum* Ridl. 303  
*wallichii* (Bth.) Ridl. 307
- Dacryodes* Vahl 917  
*breviracemosa* Kalkman 919  
*costata* (Benn.) H.J.Lam 918,  
  919  
*crassipes* Kalkman 919  
*elmeri* H.J.Lam 918  
*expansa* (Ridl.) H.J.Lam 919  
*incurvata* (Engl.) H.J.Lam  
  918, 919  
*kingii* (Engl.) Kalkman 917,  
  919  
*laxa* (Benn.) H.J.Lam 918, 919  
*longifolia* (King) H.J.Lam 919  
  var. *longifolia* 919  
*macrocarpa* (King) H.J.Lam  
  919  
  var. *kostermansii* (Kalk-  
  man) Kalkman 919  
  var. *macrocarpa* 919  
*nervosa* (H.J.Lam) Leenb.  
  918, 919  
*papuana* Husson 919, 921  
*puberula* (Benn.) H.J.Lam  
  918  
*rostrata* (Bl.) H.J.Lam 918,  
  919  
  f. *pubescens* 918  
*rubiginosa* H.J. Lam 918  
*rugosa* (Bl.) H.J.Lam 918, 919  
*Dais* (non L.) auct. 15  
  *coccinia* Gaudich. 18, 21  
*dubiosa* Bl. 20  
*dubiosa* (non Bl.) Decne 17  
*laurifolia* (non Jacq.) Blco 18  
*octandra* L. 17, 18  
*Dalrympelea* Roxb. 51  
*pomifera* Roxb. 58  
*Dalrympelia* = *Dalrympelea* 51,

- 58  
*Dalzellia* (non Wight) Engl. 963  
*Daphne* L. 2, 3, 4, 5, 6, 34, 35  
  sect. *Daphnanthoides* Gilg 37  
  sect. *Eriosolena* (Bl.) Meisn.  
  36, 37  
*aquilaria* Blco 31, 35  
*arisanensis* Hayata 38  
*cannabina* (non Lour.) Schauer 33  
*cannabina* (non Lour.) Wall.  
  37  
*composita* (L. f.) Gilg 2, 36\*,  
  37, 38  
  var. *montana* Hochr. 37  
    f. *macrophylla* Hochr. 37  
*decandra* Bl. 38  
*foetida* (non L.) Blco 32  
*indica* (non L.) Blco 32  
*indica* L. 35  
*javanica* Thunb. 38  
*kiusiana* Miq. 38  
*luzonica* C.B.Rob. 2, 36\*, 37,  
  38  
*montana* Meisn. 38  
*odora* Thunb. 38  
*papyracea* Wall. ex Steud. 37  
*pendula* Sm. 38  
  var.  $\gamma$  *concolor* Meisn. 38  
  var.  $\beta$  *montana* Meisn. 38  
*phaetida* 32  
*sp.* Steen 35  
*Daphnobryon* Meisn. 43  
  *ericoides* Meisn. 44  
*Datiscaceae* 4: 382–387  
*Datura* 253  
*Daucus glochidiatus* (Labill.)  
  Fischer 984  
*Decaisnella* O.K. 6  
  *cumingiana* O.K. 15  
*Decaspora laurina* O.K. 437  
*Decatoca* F.v.M. 423, 424, 434,  
  436 map  
  *spenceri* F.v.M. 435\*  
*Deltaria* 3  
*Denhamia* Meisn. 240, 243  
  *parvifolia* L.S.Smith 240  
  *pittosporoides* F.v.M. 230,  
  240  
*Dentella* 253  
  *erecta* Roth ex R. & S. 113  
  *perotifolia* Willd. ex R. & S.  
  113  
*Desfontainea* Kunth 295, 297,  
  954  
*Dichapetalaceae* 5: 305–316,  
  567; 6: 941–943  
*Dichapetalum* Thou. 238, 941  
  *gelonioides* (Roxb.) Engl. 941,  
  942  
  ssp. *pilosum* Leenh. 942  
  ssp. *tuberculatum* Leenh.  
  942  
*glabrum* (Vahl) Prance 942  
*grandifolium* Ridl. 941, 942  
*griffithii* (Hook. f.) Engl. 942  
*hainanense* Engl. 942  
*helferiianum* (Kurz) Pierre  
  941, 942  
*laurocerasus* (Hook. f.) Engl.  
  942  
*longipetalum* (Turcz.) Engl.  
  942  
*papuanum* (Becc.) Boerl. 941,  
  942  
  ssp. *borneense* Leenh. 942  
  ssp. *papuanum* 942  
*peekelii* Krause 941, 942  
*scorpioidem* Leenh. 941, 943  
*sessiliflorum* Leenh. 942  
*setosum* Leenh. 942  
*steenii* Leenh. 942  
  ssp. *steenii* 942  
*tenerum* Leenh. 943  
*timoriense* (DC.) Boerl. 941,  
  942  
*tricapsulare* (Blco) Merr. 942  
*Diervilla fallax* (Miq.) Boerl.  
  929  
*Dillenia* 49  
*Dilleniaceae* 4: 141–174; 5: 557;  
  6: 933  
*Dimorphantha* F.v.M. 469,  
  470, 471, 473, 474, 746, 885,  
  886 map  
  sect. *Brachychone* Schltr 890  
  sect. *Cyclosiphon* Wernh. 890  
  sect. *Dimorphantha* Sleum.  
  886, 890  
  subsect. *Brachychone*  
    (Schltr) Sleum. 890  
  sect. *Pteridosiphon* Wernh.  
  886, 889  
  sect. *Trochilanthe* Schltr 887,  
  896  
    subsect. *Trochilanthe*  
      (Schltr) Sleum. 896  
*alba* J.J.S. 904  
*albiflora* Schltr 887, 892  
*alpina* J.J.S. 888, 905  
  var. *alpina* 905  
  var. *pubigera* Sleum. 905  
*alpivaga* Sleum. 886, 889, 912  
*amblyornidis* (Becc.) F.v.M.  
  892  
  var. *amblyornidis* 887, 892,  
  893\*, 896  
  var. *moorhoussiana* (F.v.M.)  
  Sleum. 887, 893, 894\*  
*amoena* Sleum. 886, 887, 896  
*anchorifera* J.J.S. 887, 888,  
  902  
*apoana* (Merr.) Schltr 887,  
  895  
*arfakensis* J.J.S. 892  
*beccariana* (Koord.) J.J.S.  
  888, 904  
*brachyantha* Sleum. 887, 899  
*brassii* Sleum. 887, 888, 897,  
  898\*
- breviflos* Sleum. 886, 891  
*brevisipes* Schltr 887, 888, 900  
*calodon* Sleum. 887, 889, 910  
*chlorocarpa* Sleum. 895  
*clemensiae* Sleum. 888, 902,  
  903\*  
*collinsii* Sleum. 908  
  var. *collinsii* 888, 908  
  var. *montis-wilhelmi* Sleum.  
  888, 908, 909\*  
*cornuta* J.J.S. 887, 899  
  var. *cornuta* 899  
  var. *tenuiflora* Sleum. 899  
*crassifolia* Sleum. 888, 901  
*d'armandvillei* J.J.S. 914  
*declinata* Sleum. 886, 890  
*decockii* J.J.S. 887, 893  
  var. *chlorocarpa* (Sleum.)  
  Sleum. 894, 895  
  var. *decockii* 893, 894  
  var. *pubiflora* Sleum. 887,  
  894, 895  
*denticulifera* Sleum. 905  
  var. *denticulifera* 888, 889,  
  905  
  var. *pubens* Sleum. 888, 905  
*dielsiana* J.J.S. 891  
*doctorsii* J.J.S. 887, 888, 906  
*dryophila* Sleum. 889, 914  
  var. *dryophila* 914  
  var. *trichoclada* Sleum. 914  
*elegantissima* K.Sch. 888, 908  
*eymae* Sleum. 887, 898  
*forbesii* (F.v.M.) F.v.M. 888,  
  904  
*forbesii* [non (F.v.M.) F.v.M.]  
  Warb. 908  
*gracilis* Sleum. 887, 900  
*hirsutiflora* Sleum. 887, 897  
*intermedia* (non J.J.S.) Diels  
  891  
*intermedia* J.J.S. 886, 892  
*kalkmanii* Sleum. 888, 908  
*kaniensis* Schltr 908  
*kemperiana* Schltr 886, 891  
*lancifolia* Sleum. 889, 910  
*latifolia* Schltr 887, 897  
*leucostoma* Sleum. 888, 889,  
  905  
*longifolia* Kaneh. & Hatus.  
  888, 907  
*macleaniaefolia* = *macleanii-*  
*folia* 889  
*macleaniifolia* Wernh. 886,  
  889  
*magnifica* Sleum. 886, 891  
*megacalyx* Sleum. 889, 910  
*meliphagidium* = *meliphagi-*  
*dum* 906  
*meliphagidium* (Becc.) F.v.M.  
  888, 906  
*microphylla* Sleum. 889, 913  
*militaris* J.J.S. 889, 910  
*mindanaensis* Merr. 887, 892  
*moluccana* J.J.S. 896

## FLORA MALESIANA

- moorhouziana* F.v.M. 893  
*moorhouziana* (non F.v.M. s.  
str.) Schltr 892  
*myzomelae* (Becc.) J.J.S. 889,  
913  
*nigropunctata* Sleum. 888, 901  
*obovata* J.J.S. 736, 911, 912  
*obtusifolia* Sleum. 889, 913  
*ovatifolia* Sleum. 888, 907  
*parviflora* J.J.S. 889, 912  
*parvifolia* J.J.S. 889, 912  
*pekelii* Sleum. 888, 907  
*prainiana* (Koord.) J.J.S. 889,  
911\*  
*profusa* J.J.S. 891  
*pulchra* J.J.S. 887, 896  
racemosa Schltr 887, 898  
*robbinsii* Sleum. 888, 902  
*splendens* Sleum. 888, 904  
*steinii* Sleum. 887, 895  
*thibaudifolia* Sleum. 888, 901  
*torricellensis* Schltr 887, 899  
*tridens* J.J.S. 886, 890  
*umbellata* Wernh. 886, 890  
*vaccinoides* Sleum. 889, 912  
*velutina* Schltr 887, 896  
*vestita* Sleum. 887, 900  
*vorremeri* (Koord.) J.J.S.  
889, 911  
*wollastonii* Wernh. 887, 898  
*womersleyi* Sleum. 888, 906  
*wrightiana* (Koord.) J.J.S.  
889, 914
- Dioscoreaceae 4: 293-335; 5:  
557
- Diosma serrata* Blco 235  
*Diospyros hierniana* (K. & G.)  
Bakh. 932
- Diotocranus 297
- Diplomorpha* Meisn. 28
- Diplusodon* Pohl 975
- Diplycosia* Bl. 469, 471, 473,  
474, 677, 696 map, 912  
*abscindita* Sleum. 697, 703  
*acuminata* Becc. 700, 722,  
732\*  
*amboinensis* Becc. 699, 716,  
732\*  
*aperta* J.J.S. 697, 706  
*apiculifera* J.J.S. 701, 731  
*apoensis* Elm. 699, 716  
*atjehensis* Sleum. 697, 701,  
707  
*aurea* Sleum. 697, 704  
*baclay(a)ensis* Elm. 740  
*barbigera* Sleum. 697, 703  
*bartlettii* Merr. 738  
*brachyantha* Sleum. 698, 699,  
701, 713  
var. *brachyantha* 713  
var. *parvula* Sleum. 713  
*breviflora* Ridl. 676  
*calelanensis* Elm. 720  
*capitata* Sleum. 699, 702, 721  
*carrii* Sleum. 697, 702

[ser. I, vol. 6<sup>6</sup>

- caryophylloides* J.J.S. 699,  
721  
var. *caryophylloides* 721  
var. *longipes* Sleum. 721  
*caudatifolia* Sleum. 700, 729  
*celebensis* J.J.S. 700, 730  
*chrysothrix* Staph 697, 702  
*ciliolata* Hook. f. 698, 708,  
732\*  
*cinnabarina* Sleum. 700, 724,  
732\*  
*cinnamomifolia* Staph 702,  
735\*, 736  
*clementium* Sleum. 697, 704,  
705\*  
*commutata* Sleum. 701, 734  
*consobrina* Becc. 700, 724  
*cordifolia* Ridl. 723  
*coriifolia* Sleum. 734  
*crassiramea* Sleum. 699, 701,  
719  
*crenulata* Sleum. 700, 723  
*edulis* Schltr 699, 701, 735  
*elliptica* Ridl. 700, 723, 732\*,  
778  
*endertii* J.J.S. 740  
*ensifolia* Merr. 702, 735\*, 737  
*erythrina* (Hook.) K. & G. 815  
*fasciculiflora* Merr. 720  
*filipes* Sleum. 698, 708, 732\*  
*fimbriata* Sleum. 699, 722  
*glabra* Merr. 720  
*glauciflora* Sleum. 698, 712  
*gracilipes* J.J.S. 700, 730  
*haemantha* Sleum. 700, 730  
*heterophylla* Bl. 702, 738  
var. *heterophylla* 738  
var. *latifolia* (Bl.) Sleum.  
701, 738, 739\*, 740\*  
var. *obovata* J.J.S. 738  
*heterophylla* (non Bl. s. str.)  
K. & G. 740  
*hirsuta* Sleum. 698, 709  
*kalmiifolia* Sleum. 699, 717  
*kemulensis* J.J.S. 701, 731  
*kerintjensis* J.J.S. 740  
var. *elliptica* J.J.S. 740  
*kinabaluensis* Staph 699, 701,  
717\*, 735\*  
*kingii* Merr. 723  
*kjellbergii* J.J.S. 698, 709  
*kosteri* Sleum. 698, 710  
*kostermansii* Sleum. 700, 724  
*lamii* J.J.S. 699, 719  
*lancifolia* Ridl. 700, 728  
var. *calvescens* Sleum. 729  
var. *lancifolia* 728  
*latifolia* Bl. 738  
*latifolia* (non B.) Hall. f. 738  
*lavandulifolia* Sleum. 700, 727  
*ledermannii* Schltr 698, 700,  
713  
*lilianae* J.J.S. 697, 706  
*loheri* Merr. 697, 706  
*lorentzii* Koord. 701, 736  
*lucida* Merr. 742  
*luzonica* (A.Gray) Merr. 699,  
701, 720  
var. *calelanensis* (Elm.)  
Sleum. 720  
var. *luzonica* 720  
var. *merrittii* (Merr.) Sleum.  
720, 721  
var. *pubens* Sleum. 720  
*lysolepis* Sleum. 701, 734  
*macrophylla* Becc. 740  
*memecyloides* (non Staph)  
Merr. 717  
*memecyloides* Staph 700, 729  
*merrittii* Merr. 721  
*microphylla* Becc. 700, 723,  
732\*  
*microphylla* (non Becc.) Clar-  
ke 723  
*minutiflora* Sleum. 701, 731  
*morobeensis* Sleum. 698, 713  
var. *morobeensis* Sleum.  
698, 713  
var. *ovatifolia* Sleum. 714  
*mundula* (F.v.M.) Schltr 684  
*muscicola* Sleum. 699, 716  
*myrtillus* Staph 700, 728  
*opaca* C.B.Robins. 721  
*orophila* Sleum. 699, 702, 720  
*parvifolia* Merr. 698, 711  
*pendens* Sleum. 698, 699, 714  
*penduliflora* Staph 697, 701,  
707, 735\*  
*pieceifolia* Sleum. 700, 726  
*pilosa* Bl. 700, 729  
*pinnifolia* Staph 700, 725\*,  
726\*, 727\*  
*pittosporifolia* J.J.S. 732  
var. *pittosporifolia* 701, 732  
var. *punctiloba* Sleum. 699,  
733  
*pokapindjangensis* J.J.S. 706  
*pseudorufescens* Sleum. 700,  
711  
var. *elliptifolia* Sleum. 698,  
700, 711  
var. *pseudorufescens* 698,  
711  
*pubivertex* Sleum. 697, 707  
*punctulata* Staph 701, 736  
*retusa* Sleum. 701, 733  
*rosea* Sleum. 698, 709, 710\*  
*rosmarinifolia* Sleum. 701,  
731, 732\*  
*rubella* Sleum. 700, 728  
*rubidiflora* J.J.S. 701, 733  
*rufa* (non Staph) Merr. 704  
*rufa* Staph 697, 702  
*rufescens* Schltr 698, 708  
*rupicola* Sleum. 698, 714, 732\*  
*sagittanthera* J.J.S. 700, 722  
*salicifolia* Sleum. 702, 737  
*sanguinolenta* Sleum. 701, 733  
*saurauioides* J.J.S. 697, 704  
*scabrida* Becc. 699, 721

- scandens* Merr. 720  
*schrarmii* Sleum. 697, 703  
*schultzei* Schltr 699, 714  
*setiloba* Sleum. 700, 724  
*setosa* J.J.S. 698, 710  
*soror* Becc. 698, 699, 712  
  var. *nuda* Sleum. 701, 712  
  var. *soror* 712  
*sphenophylla* Sleum. 701,  
  732\*, 733  
*stellaris* Sleum. 699, 715  
*stenophylla* Sleum. 700, 727,  
  732\*  
*subglobularis* Sleum. 699, 715  
*sumatrensis* Merr. 699, 718\*  
*tetramera* Sleum. 697, 698,  
  711  
*triangularis* J.J.S. 698, 708  
*trinervia* Elm. 699, 719  
  var. *trinervia* 719  
  var. *urdanetensis* (Elm.)  
  Sleum. 719  
*undata* (non J.J.S.) H.J.Lam  
  706  
*undata* J.J.S. 699, 715  
*urceolata* (non Stapf) Ridl.  
  var. 740  
*urceolata* (non Stapf) Sleum.  
  734  
*urceolata* Stapf 701, 734, 735\*  
*urdanetensis* Elm. 719  
*varians* Sleum. 699, 715  
*viridiflora* Sleum. 702, 737  
  var. *megalantha* Sleum. 738  
  var. *viridiflora* 737
- Dipsacaceae 4: 290–292; 5: 557  
Dipterocarpaceae 154  
*Disiphon* Schltr 785  
  *papuanum* Schltr 786  
*Distyliopsis* Endress 952  
*Distylium* Sieb. & Zucc. 952  
Dodecatheon 174  
Dodonaea 152  
*Dolianthus* C.H.Wright 387  
*Dortmannia* Adans. 121  
*Dortmannia* (sphalm.) O.K. =  
*Dortmannia* Adans. 121  
*alsinoides* O.K. 127  
*campanuloides* O.K. 131  
*chinensis* O.K. 131  
*colorata* O.K. 124  
*erecta* O.K. 124  
*griffithii* O.K. 127  
*haenkeana* O.K. 136  
*inconspicua* O.K. 129  
*leschenaultiana* O.K. 123  
*nicotianaeifolia* O.K. 124  
*pyramidalis* O.K. 124  
*radicans* O.K. 131  
*reinwardtiana* O.K. 129  
*rosea* O.K. 124  
*subcuneata* O.K. 128  
*succulenta* O.K. 128  
*trialata* O.K. 129  
*trigona* O.K. 127
- var. *affinis* O.K. 128  
var. *microcarpa* O.K. 127  
var. *terminalis* O.K. 127  
*zeylanica* O.K. 128, 129
- Dovyalis macrodendron* Gilg 944  
*Drapetes* Banks ex Lamk 2, 4, 5,  
  6, 43  
  sect. *Daphnobryon* Boerl. 43  
*dieffenbachii* Hook. 43  
*ericoides* Hook. f. 2, 43, 44\*  
  map  
*muscosus* Lamk 43  
*tasmanicus* Hook. f. 43
- Drimyspermum* Reinw. 15, 16  
*ambiguum* Meisn. 17  
*blumei* Decne 20  
*blumei* (non Decne) Hassk. 17  
*burmanni* Decne 17, 18  
*cauliflorum* Thw. 20  
*coccineum* Becc. 18, 21  
*cumingii* Meisn. 21  
*laurifolium* Decne 17  
*laurifolium* (non Decne)  
  Hassk. 20  
*longifolium* Miq. 17  
*macrocarpum* Scheff. 22, 23  
*perrottetianum* Decne 18  
*phaleria* Meisn. 20  
*revolutum* T. & B. 21  
*urens* Reinw. 20  
*urens* (non Reinw.) Scheff. 18  
*Drosera petiolaris* R.Br. 943  
*spathulata* Labill. 943  
*umbellata* Lour. 191, 192
- Drosaceae 4: 377–381; 5: 557;  
  6: 943  
*Drymispermum* = *Drimyspermum* 15, 16
- Dubanga* Buch.-Ham. 975\*  
*grandiflora* (Roxb. ex DC.)  
  Walp. 975\*, 976  
*molluccana* Bl. 975\*  
  × *taylorii* Jayaweera 975\*
- Durio* 70  
*Dysoxylum dasypyllum* Miq.  
  218  
*quercifolium* (Seem.) A.C.  
  Smith 212
- Ebelingia* Rchb. 207  
*brownii* Steud. 207  
*paucijuga* O.K. 208
- Edgeworthia* 3  
*Elaeocarpaceae* 420, 914  
*Elaeocarpus oxyphyren* K. & V.  
  420
- Elaeodendron* Jacq. f. ex Jacq.  
  228, 284, 285  
*australe* Vent. 287  
*ellipticum* Decne 286, 287  
  var. *glauca* Pierre 287  
  var. *montana* (Thw.) Pierre  
  287  
  var. *roxburghii* (W. & A.)  
  Pierre 287
- fortunei* Turcz. 252, 253  
*glaucum* (Rottb.) Pers. 286  
  var. *macrocarpa* K. & V.  
  286
- horizontale* Turcz. 241  
*javanicum* Turcz. 252, 253  
*microcarpum* White & Francis  
  288
- mindanaense* Merr. 288  
*pauciflorum* Tulasne 287  
*roxburghii* W. & A. 286, 287  
*subrotundum* King 228, 286  
*viburnifolium* Merr. 286
- Elaeodendrum* = *Elaeodendron*  
  284
- Elatinaceae 4: 203–206  
*Eleocharis* 165  
*Ellipanthus beccarii* Pierre 935  
*tomentosus* Kurz 935  
  ssp. *tomentosus* 935  
  var. *tomentosus* 935
- Emorya Torr. 295, 296, 953  
*Enchysia* Presl 140  
Engelhardia Lechen. ex Bl. 143,  
  145, 146 map, 147, 148  
  sect. *Engelhardia* 145, 147,  
  148  
  sect. *Oreomunnea* (Oerst.)  
  C.DC. 148  
  sect. *Psilocarpeæ* Nagel  
  emend. Leroy 145, 148  
  sect. *Pterilema* (Reinw.)  
  C.DC. 148  
  sect. *Trichotocarpeæ* Nagel  
  148  
*aceriflora* Bl. 152  
*acerifolia* (sphalm.) Hook. f.  
  152  
*apoensis* Elm. ex Nagel 148,  
  151  
*chrysolepis* Hance 154  
*colebrookeana* Lindl. ex Wall.  
  153  
*esquirolii* Lév. 153  
*fenzlii* Merr. 154  
*formosana* Hayata 143, 154  
*lepidota* Schltr 148  
*mollis* Hu 148  
*nucifera* (Ludwig) Mädlér 147  
*nudiflora* Hook. f. 150  
  var. *crenata* Hook. f. ex  
  Gamble 150  
*palembanica* Miq. 150  
*parvisolia* C.DC. 146, 150  
*permicrophylla* Elm. 150  
*philippinensis* C.DC. 152  
*polystachya* Radlk. 143, 154  
*pterococca* O.K. 154  
  var. *a roxburghiana* O.K.  
  154  
*rigida* Bl. 144\*, 145, 148, 149\*  
*roxburghiana* Lindl. ex Wall.  
  152  
*roxburghiana* Wall. 148, 149\*,  
  154

- selanica* Bl. 154  
*serrata* Bl. 144\*, 146, 148, 149,  
 150\*  
*sp.* Corner 151  
*spicata* Lechen. ex Bl. 143,  
 144\*, 145, 146, 147\*, 148,  
 151\*, 152\*, 153, 154, 953  
 var. *a genuina* K. & V. 151  
 var. *B aceriflora* K. & V.  
 151, 152  
 var. *y colebrookiana* K. &  
 V. 151, 154  
 var. *colebrookeana* (Lindl.  
 ex Wall.) O.K. 151, 153,  
 953  
 var. *formosana* Hayata 154  
 var. *integra* (Kurz) Man-  
 ning 953  
 var. *spicata* 153  
*subsimplicifolia* Merr. 148  
*villosa* Kurz 153  
 var. *integra* Kurz 153, 953  
*wallichiana* (Lindl. ex Wall.)  
 C.DC. 154  
*B chrysolepis* C.DC. 154  
*zambalensis* Elm. 148, 149  
*Engelhardtia* = *Engelhardia* 145  
*Englerodaphne* Gilg 79  
*Enhalus acoroides* (L. f.) Royle  
 952  
*Enkleia* Griff. 2, 4, 5, 6, 23, 982  
*coriacea* Hall. f. 25  
*malaccensis* Griff. 24\*, 25, 982  
*malayana* Griff. 25  
*paniculata* (Merr.) Hall. f. 24\*,  
 25  
*riouwensis* Hall. f. 25  
*zippeliana* Hall. f. 25, 26  
*Epacridaceae* 50, 422 map-444,  
 943  
 subfam. *Epacrideae* 423  
 tribe *Epacrideae* 423  
 subfam. *Stypheliaeae* 423  
 tribe *Stypheliaeae* 423  
*Epacris* 423  
*Epigynium coriaceum* (Bl.) Kl.  
 828  
*ellipticum* (Bl.) Kl. 873  
*floribundum* (Bl.) Kl. 872  
*laurifolium* (Bl.) Kl. 872  
*lucidum* (Bl.) Kl. 814  
*varingiaefolium* (Bl.) Kl. 815  
*Ericaceae* 49, 423, 424, 469-914,  
 943  
 subfam. *Arbutoideae* 473, 474  
 tribe *Andromedaeae* 474  
 tribe *Gaultheriaeae* 474  
 tribe *Pyroleae* 474  
 subfam. *Ericoideae* 473  
 subfam. *Monotropoideae* 469,  
 473  
 subfam. *Rhododendroideae*  
 473  
 tribe *Rhododendreae* 474

- subfam. *Vaccinoideae* 472,  
 474  
*Ericales* 473, 669  
*Eriosolena* Bl. 35  
*affinis* Zoll. 38  
*composita* v.Tiegh. 38  
*montana* Bl. 38  
 var. *a macrophylla* Hassk.  
 38  
 var. *B minor* Hassk. 38  
*pendula* Bl. ex Lecomte 38  
*viridiflora* Zoll. & Mor. 33  
*Erodium* L'Hérit. 445, 448  
*cicutarium* (L.) L'Hérit. ex  
 Ait. 445, 448  
*Ervatamia sphaerocarpa* (Bl.)  
 Burk. 347  
*Erycibe* 390  
*Erythroxylaceae* 5: 543-552  
*Eucommiaceae* 229  
*Euonymus* Tournef. ex L. 227,  
 228, 229, 230, 231, 232, 243,  
 245, 253, 254, 256, 264, 274,  
 391, 392, 930  
 subg. *Euonymus* 247  
 subg. *Kalonymus* Beck 247  
*acuminifolius* Blakelock 247,  
 251  
 var. *borneensis* Blakelock  
 251  
*alatus* [non (Thunb.) Sieb.]  
 Elm. 249  
*alatus* Sieb. 230  
*atropurpureus* Jacq. 229, 230  
*bancanus* Miq. 249  
*benguetensis* Merr. 248, 253  
*castaneifolius* Ridl. 246\*, 247,  
 251  
*cochininchinensis* Pierre 247,  
 248, 286, 930  
*congolensis* Wilczek 245  
*coriaceus* Ridl. 249  
*decora* W.W.Sm. 245  
*elmeri* Merr. 249  
*europaeus* L. 229, 230  
 f. *genuinus* Back. 248  
*fengii* Chun & How 256  
*fimbriatus* Baill. ex Laness.  
 267  
*fortunei* (Turcz.) Hand.-Mazz.  
 252, 253  
 var. *radicans* (Miq.) Rehd.  
 252  
*fungosus* Ohwi 252, 253  
*glaber* Roxb. 247, 250  
*glandulosus* (Merr.) Ding Hou  
 248, 251  
*grandiflorus* Wall. 264  
*horsfieldii* Turcz. 249  
*impressus* Blakelock 247, 250  
*japonicus* (Thunb.) L. f. 252,  
 253  
*japonicus* Thunb. 246\*, 248,  
 252 map  
 var. *radicans* Miq. 252  
*javanicus* Bl. 231, 245, 247,  
 248, 250  
 f. *genuinus* 248  
 var. *conocarpus* Hassk. 249  
 var. *coriaceus* 248  
 var. *elmeri* 248  
 var. *genuina* K. & V. 248  
 var. *genuinus* K. & V. 248  
 var. *horsfieldii* Turcz. 248  
 var. *sphaerocarpus* Hassk.  
 248, 249  
 var. *talungensis* Pierre 248  
 var. *timorensis* 248  
*latifolia* (L.) Mill. 245, 246  
*ichiangensis* W.W.Sm. 245  
*linearifolia* Franch. 245  
*marivelensis* Elm. 258  
*micropetalus* Ridl. 249  
*moluccensis* Blakelock 248,  
 254  
*moultoni* Ridl. 251  
*nana* M.B. 243  
*oliganthus* Merr. 248  
*omeiensis* Fang 245  
*pahangensis* Ridl. 248  
*philippinensis* Merr. 248  
*platyclinis* Ohwi 243  
*radicans* (Miq.) Sieb. ex Miq.  
 252  
*recurvans* Miq. 247, 250  
*rufulus* Ridl. 250  
*sumatranus* Miq. 248  
*timorensis* (non Zipp. ex  
 Span.) Turcz. 248  
*timorense* Zipp. ex Span. 248,  
 249  
*tonkinensis* Loes. 247  
*viburnifolius* Merr. 248, 286  
*wrayi* King 247, 250, 258  
*yunnanensis* Franch. 245  
*Eupatorium inulifolium* 145  
*Euphorbiaceae* 4, 203, 420, 944  
*Eurycoma* Jack 193, 196, 203  
*apiculata* Benn. 205, 206  
*dubia* Elmer 206  
*eglandulosa* Merr. 206  
*harmandiana* Pierre 205, 206,  
 969  
*latifolia* (sphalm.) Ridl. 205  
*longifolia* Jack 204\*, 205,  
 206\* map  
 ssp. *eglandulosa* (Merr.)  
*Nooteboom* 206 map  
 ssp. *longifolia* 206 map  
 var. *cochininchinensis* Pierre  
 205  
 var. *merguensis* Pierre 205  
*merguensis* Planch. 205  
*tavoayana* Wall. 205  
*Euscaphis* Sieb. & Zucc. 49, 51  
*Evodia* 226  
*meliaefolia* (Hance) Bth. 206  
*parviflora* Craib 56  
*triphylla* DC. 214  
*Evolvulus* L. 936

- gangericus* (L.) L. 939  
 sp. Ridsdale 960  
*Evonymus* Auct. 245  
*Exobasidium* 172, 471, 659, 747
- Fagaceae 143, 145, 472  
 Fagaceae-Castaneae 143  
*Fagara* 207, 209  
*piperita* (non L.) Naves 208  
*Fagraea* Thunb. 293, 294, 295,  
 297, 298\*, 299, 301\*, 303 map,  
 312, 318  
 sect. *Corymbosae* Bth. 315  
 sect. *Cyrtophyllum* (Reinw.)  
 Bl. 300, 303, 309  
 sect. *Eusagraea* Bl. 315  
 sect. *Fagraea* 300, 315  
 sect. *Fagraeae verae* Bl. 315  
 sect. *Parviflorae* Bth. 303  
 sect. *Pseudocorymbosae* Soler.  
 315  
 sect. *Pseudoracemosae* Soler.  
 311  
 sect. *Racemosae* Bth. 300, 309  
 subg. *Cyrtophyllum* (Bl.) Miq.  
 303  
 subg. *Eusagraea* Miq. 315  
 acuminatissima Merr. 302,  
 319, 320, 954  
 affinis S.Moore 335  
*alteniana* F.v.M., nomen 335  
*amabilis* S.Moore 332  
*amboinensis* Bl. 316, 318  
*ampla* S.Moore 333  
*angiensis* Kaneh. & Hatus.  
 317, 318, 319\*  
*annulata* Hiern 300, 302, 303,  
 318, 333, 334, 335  
*anthocleistifolia* Gilg & Bened.  
 326  
*appendiculata* Bl. 311  
*archboldiana* Merr. & Perry  
 317, 318  
*aurantiodora* S.Moore 304  
*auricularia* = *auriculata* 327  
*auriculata* Jack 300, 301\*,  
 302, 326, 329\*, 954  
 ssp. *auriculata* 328, 954  
 ssp. *borneensis* (Scheff.)  
 Leenh. 328, 329, 954  
 ssp. *parviflora* Leenh. 303,  
 328  
*berteriana* A.Gray 301, 302,  
 316, 317, 319, 331, 333, 335,  
 954  
*birmanica* Gandoger 317  
*blumei* G.Don 293, 299, 300,  
 301, 302, 315, 316, 317, 318,  
 320, 322\*, 324, 325, 954  
 ssp. *blumei* 323, 324, 954  
 ssp. *plumeriaeiflora* (DC.)  
 Leenh. 323, 325, 326  
*blumei* Steud. 320  
*blumii* = *blumei* 320  
*bodenii* Wernh. 302, 333, 335,  
 336  
*borneensis* Scheff. 327, 328  
*bracteosa* Cammerl. 328  
*calcarea* M.R.Hend. 303, 332  
*calophylloides* Gilg & Bened.  
 335  
*cambagei* Domin 300, 332, 333  
*cardinalicarpa* Elm. 336  
*carnosa* Jack 302, 316, 331  
*carstensensis* Wernh. 302, 326,  
 327\*  
*caudata* Ridl. 307, 309  
*ceilanica* Thunb. 301, 302,  
 303, 315, 316\*, 318\*, 319\*,  
 320, 323, 954  
 f. *khasiana* 303  
 var. *brevituba* Clarke 315  
*celebica* Bl. 316, 318  
*chinensis* Merr. 317  
*coarctata* Bl. 311  
 var. *ligustrina* (Bl.) Miq. 311  
*cochinchinensis* (Lour.)  
 A.Chev. 307, 309  
*congesta* Bl. 316  
*congestiflora* Elm. 311  
*cordifolia* Bl. 311  
*coromandelina* Wight 316  
*crassifolia* Bl. 316  
*crassifolia* Wall., non Bl. 320  
*crassipes* Bth. 311  
*crenulata* Maing. ex C.B.Clarke  
 293, 299, 300, 301, 324\*  
*cuernosensis* Elm. 322, 323  
*curranii* Merr. 327, 328, 329  
*curtisiae* K. & G. 303, 331, 332  
*cuspida* Bl. 311  
*cymosa* Merr. 311  
*dasyantha* Gilg & Bened. 335  
*dolichopoda* Gilg & Bened.  
 332  
*dubia* Wall. 336  
*elata* Merr. & Perry 300, 332  
*elliptica* Roxb. 293, 300, 301,  
 303, 304\*, 309, 315, 954  
*epiphytica* Elm. 327, 328  
*eucalyptifolia* Cammerl. 311,  
 312\*, 315  
*euneura* Scheff. 327, 328  
*eymae* Back. 301\*, 303, 333  
*fagraeacea* Druce 332  
*fastigiata* Bl. 301\*, 323, 324,  
 325, 954  
*fastigiata* (non Bl.) Cammerl.  
 325, 328  
*fastigiata* (non Bl.) Ridl. 324  
*flavidula* Ridl. 331  
*forstenii* Bl. 316, 318  
*forstenii* (non Bl.) Koord. 325  
*fragrans* Roxb. 293, 300, 301,  
 303, 304, 305\*, 306\*, 307\*,  
 308\*, 309, 323, 954  
*fuscescens* Bl. 316  
*galilai* Gilg & Bened. 335  
*gardeniaeiflora* Wernh. 317,  
 318  
*gardenioides* Ridl. 300, 302,  
 331, 332  
 ssp. *borneensis* Leenh. 332  
 ssp. *gardenioides* 331  
*garneri* Thw. 317  
*gigantea* Ridl. 307, 309  
*gitingensis* Elm. 302, 317, 334,  
 335  
*gracilipes* A.Gray 300, 301,  
 303, 309, 332, 334, 335, 954  
*gracilis* Cammerl. 311  
*grandifolia* Merr. 311  
*grandis* Panch. & Sébert 335  
*heterophylla* Bl. 316  
*imperialis* Miq. 327, 328, 329\*  
*intermedia* Ridl. 322, 323  
*involucrata* Merr. 301, 328  
 329\*, 330\*, 331, 332  
 var. *longipetiolata* Merr.  
 329, 330  
*jackii* Elm. 327, 328  
*jasminodora* Gilg & Bened.  
 333  
*javanensis* Bakh. f. 304  
*javanica* (Reinw. ex) Bl. 327,  
 328  
*khislana* Bth. 316  
*kimanga* = *kimangu* 303  
*kimangu* Bl. 303  
*ksid* Gilg & Bened. 335  
*kusaiana* Hosok. 335  
*lanceolata* Bl. 316  
*lanceolata* (non Bl.) Hend. 331  
*lanceolata* Schnizl. 309  
*lanceolata* Wall., non Bl. 307  
*latifolia* Miq. 311  
*ledermannii* Gilg & Bened.  
 335  
*leschenaultii* Bl. 320, 323  
*ligustrina* Bl. 311, 312\*, 315  
 var. *brachystachya* Bth. 311  
 var. *disparifolia* Bl. 311  
*litoralis* Bl. 316, 317, 318, 323,  
 954  
 var. *amboinensis* Bl. 316  
 var. *forstenii* (Bl.) Miq. 316  
 var. *moluccana* Miq. 316  
*litoralis* = *litoralis* 316  
*loheri* Merr. 317, 318  
*longicuspis* Gandoger 319  
*longiflora* Merr. 302, 326  
*lutea* Cammerl. 317, 318  
*lutea* (non Cammerl.) Merr.  
 322, 323  
*macgregorii* Merr. 326  
*macrodendron* Gilg & Bened.  
 317  
*macroscypha* Baker 302, 328  
 329\*, 330, 331  
*macroscypha* (non Baker) Heine  
 329  
*maingayi* C.B.Clarke 311, 315  
*malabarica* Bl. 316  
*malabarica* Wight, non Bl. 316  
*malayana* Mart. 311, 315

- melanochlora* Gilg & Bened. 333, 335  
*minor* (non Bl.) Heine 311  
*minor* Reinw. ex Bl. 316, 318  
*monantha* Miq. 331  
*monticola* Gilg & Bened. 333, 336  
*morindaefolia* (Reinw.) Bl. 293, 311  
var. *robusta* Bl. 311  
*morindifolia* = *morindaefolia* 311  
*muelleri* Bth. 300, 332, 333  
*negrosensis* Elm. 322, 323  
*nonok* Elm. 327, 328  
*novaeguineae* Cammerl. 335  
nov. sp. aff. *longiflora* 325  
*oblonga* K. & G. 317, 318, 954  
*obovata* Bl., non Wall. 320, 323, 324  
*obovata* (non Wall.) King 319, 320, 323  
*obovata* (non Wall.) Miq. 321, 323  
var. *brevicalyx* Bakh. f. 322, 323  
var. *latifolia* Miq. 321, 323  
*obovata* Wall. 315, 317  
var. *brevicalyx* Bakh. f. 316  
var. *gardneri* Clarke 315  
var. *latifolia* Miq. 315  
var. *papuana* F.M.Bailey 316, 335  
*obovato-java* Bl. 293, 320, 323  
var. *bebeak* Bl. 320, 323  
var. *latifolia* Miq. 320, 323  
*obtusifolia* Merr. & Perry 332  
*oxyphylla* Miq. 316, 318  
*pachyclados* K.Sch. 336  
*pachypoda* Gilg & Bened. 335  
*papuana* Merr. & Perry 333  
*pauciflora* (K. & G.) Ridl. 311, 315  
*pekelii* Gilg & Bened. 335  
*pendula* Merr. 310\*, 311, 315  
*peregrina* (Reinw.) Bl. 307  
*picrophloea* Bl. 303  
*plumeriaeiflora* DC. 320, 323  
*plumeriaeiflora* (non DC.) Koord. 325  
*plumeriaeifolia* = *plumeriaeiflora* 320, 325  
*pluvialis* S.Moore 335  
*prainii* Gandoger 317  
*pseudoelliptica* Kaneh. & Hatus. 304  
*pusilliflora* Bakh. f. 304  
*pyriformis* S.Moore 317, 318  
*racemosa* Jack ex Wall. 293, 300, 302, 310\*, 311, 312\*, 313\*, 314\*, 316, 954  
var. *coarctata* (Bl.) Miq. 311  
var. *grandis* Wall. ex A.DC. 311  
var. *pauciflora* K. & G. 311  
*rahmatii* Merr. 317  
*resinosa* Leenh. 302, 331  
*ridleyi* Gandoger (non K. & G.) 307  
*ridleyi* K. & G. 303, 316, 320, 321\*, 954  
*robusta* Bl. 311  
*rodatzii* K.Sch. & Laut. 311  
*rosenstromii* C.T.White 335  
*rostrata* Bl. 316  
*rotundifolia* Ridl. 331  
*sair* Gilg & Bened. 335  
*salomonensis* Gilg & Bened. 335  
*salticola* Leenh. 302, 333, 334\*, 335, 336  
*samoensis* Gilg & Bened. 335  
*sasakii* Hayata 317, 318  
*schlechteri* Gilg & Bened. 335, 954  
*scholaris* Blco 311  
*sororia* J.J.S. 307  
*sp.* Enderl. 307  
*sp.* Kaneh. & Hatus. 332  
*sparei* M.R.Hend. 317, 318  
*spatiosa* S.Moore 322, 323  
*speciosa* (Bl.) Bl. 303  
*speciosa* (non Bl.) Ridl. 307  
*spicata* Baker 310\*, 311, 315  
*splendens* Bl. 316  
*stenophylla* Becc. 311, 315  
*suaveolens* Cammerl. 333  
*subreticulata* Bl. 311  
*sumatrana* Miq. 304  
*tacapala* Leenh. 301\*, 323, 325, 326  
ssp. *ceramensis* Leenh. 325, 326  
ssp. *gracilis* Leenh. 325  
ssp. *tacapala* 325  
*ternatana* (non Miq.) Holth. & Lam 324  
*ternatana* Miq. 317, 318  
*tetragona* Span. 336  
*teysmannii* Cammerl. 311, 312\*, 315  
*thwaitesii* F.v.M. 311  
*truncata* Bl. 302, 316, 320, 325  
*tubulosa* Bl. 302, 320  
*umbelliflora* Gilg & Bened. 301, 303, 309, 333  
*uniflora* (non Merr.) Heine 329  
*uniflora* Merr. 331  
*vaginata* K. & G. 322, 323  
*valida* Miq. 304  
*vitiensis* Gilg & Bened., non Seem. 335  
*vitiensis* Seem. 336  
*volubilis* Wall. 311  
*wallichiana* Bth. 307, 309  
*woodiana* F.v.M. 301, 325, 326  
*zeylanica* = *ceilanica* 315
- Fagus* 49  
*Feroniella pubescens* Tanaka 208  
*Flacourtiaceae* 5: 1–106, 565; 6: 4, 943–944, 968  
*Flagellariaceae* 4: 245–250; 5: 557  
*Flemingia* Hunter 299, 301, 303  
*fragrans* Hunter 307, 309  
*Florschuetzia trilobata* 975  
*Flü(e)ggea serrata* Miq. 236  
*Forsellesia* 227  
*Fructus musculiformis* Rumph. 367, 368  
*Fumariaceae* 62, 63  
*Funis toaccae* Rumph. 318
- Gaertnera* Lamk 387  
*Galium* 253, 294  
*Gardneria* Wall. 295, 296, 297, 361  
*fagraeacea* F.v.M. 332, 333  
*ovata* Wall. 362\*, 363, 959  
*wallichii* Wight ex Wall. 363  
*Garuga floribunda* Decne 917  
*Gaultheria* Kalm ex L. 470, 471, 472, 473, 474, 677, 678 map, 696, 697  
sect. *Amphicalyx* Endl. 696  
*abbreviata* J.J.S. 678, 682\*, 683  
*acroleia* Sleum. 678, 681, 682\*  
*arfakana* Sleum. 679, 689  
*atjehensis* J.J.S. 678, 680\*, 681  
*bandongensis* Zoll. 694, 695  
*barbulata* Sleum. 678, 682  
*benguetensis* Copel. f. 679  
*berberidifolia* Sleum. 679, 686, 687\*  
*blumei* F.v.M. 778  
*borneensis* Stapf 678, 679, 680\*  
*calyculata* Wernh. 691  
*celebica* J.J.S. 679, 686  
var. *celebica* 686  
var. *petiolata* J.J.S. 686  
*ciliolata* (Hook. f.) F.v.M. 708  
*crenulata* Kurz 691  
*crenulata* (non Kurz) J.J.S. 694  
*cumingiana* (non Vidal) Merr. 695  
*cumingiana* Vidal 694  
*dialypetala* Sleum. 678, 680\*, 681  
*fragrantissima* (non Wall.) K. & G. 690  
*fragrantissima* (non Wall.) Mor. 688  
var. *punctata* (Bl.) J.J.S. 688  
*fragrantissima* Wall. 688  
var. *papuana* J.J.S. 691  
*gracilescens* Sleum. 679, 687  
*heterophylla* (Bl.) Endl. ex Hassk. 738  
*hirta* Ridl. 679, 691

- intermedia* J.J.S. 679, 690  
*itoana* Hayata 679, 680  
*kemiriensis* Sleum. 678, 682\*, 683  
*latifolia* (Bl.) Endl. ex Hassk. 738  
*latifolia* Endl. ex Zoll. 738  
*laxiflora* Diels 694  
*leiotheca* Sleum. 692  
*leucocarpa* Bl. 470, 677, 679, 690, 692, 693\*  
 f. *glabra* J.J.S. 692  
 f. *pubescens* J.J.S. 695  
 var. *hirta* Val. ex J.J.S. 679, 692, 695  
 var. *leucocarpa* 692, 694\*  
 f. *cumingiana* (Vidal) Sleum. 692, 694  
 f. *leucocarpa* 692  
 f. *melanocarpa* J.J.S. ex Amsh. 692, 695  
 f. *scandens* Hochr. 692, 694  
 var. *melanocarpa* J.J.S. ex Steen. 695  
 var. *melanocephala* Steen. 695  
 var. *papuana* Becc. 689  
 var. *psilocarpa* (Copel.) Sleum. 692, 695  
 var. *seminuda* J.J.S. 694  
*losirensis* Sleum. 678, 682\*, 683  
*luzonica* A.Gray 720  
*malayana* Airy Shaw 679, 682\*, 690  
*mundula* F.v.M. 470, 678, 680\*, 684, 778  
 var. *mundula* 684, 685\*, 686  
 var. *setifolia* (Sleum.) Sleum. 684, 686  
 var. *tanythrix* (Sleum.) Sleum. 684, 686  
*notabilis* Anthony 681  
*novaguineensis* J.J.S. 679, 680\*, 695  
 var. *novaguineensis* 695  
 var. *pascua* Sleum. 695  
*nummularioides* D.Don 677, 678, 680\*, 684  
*pernettyoides* Sleum. 679, 680\*, 695  
*pilosa* (Bl.) Zoll. 729  
*psilocarpa* Copel. f. 695  
*pullei* J.J.S. 679, 691  
 var. *leiotheca* (Sleum.) Sleum. 692  
 var. *pullei* 691  
*punctata* Bl. 677, 679, 688, 689\*, 694  
*repens* Bl., non Raf. 684  
*solitaria* Sleum. 678, 680\*, 681  
*sp.* Vidal 782  
*tanythrix* Sleum. 686  
 var. *setifolia* Sleum. 686  
*trichophylla* (non Royle in DC.) Hassk. 684  
*viridiflora* Sleum. 679, 691  
*yunnanensis* (Franch.) Rehd. 694  
*(Gay) Lussacia* = *Gaylussacia* 761  
*Gaylussacia* *elliptica* Zoll. & Mor. 873  
*lanceolata* Bl. 761  
*Gelonium* Roxb. ex Willd. 944  
*Gelsemium* Juss. 293, 294, 295, 296, 297, 343, 954  
*elegans* (Gardn. & Champ.) Bth. 343, 344\*  
*rankinii* 954  
*sempervirens* 343  
*sumatrana* (Bl.) Boerl. 343  
*Geniostoma* J.R. & G.Forst. 293, 295, 296, 297, 369  
*acuminatissima* Merr., non Gilg & Bened. 373  
*acuminatissimum* Gilg & Bened. 371  
*acuminatum* Wall. 373  
*acutifolium* Hiern 372  
*antherotrichum* Gilg & Bened. 371  
*arboreum* O.K. 371  
 var. *laevigatum* (Bl.) O.K. 371  
*archboldianum* Merr. & Perry 373  
*arfakense* Kaneh. & Hatus. 371, 373, 959  
*australianum* F.v.M. 371  
*avene* Val. 371, 372  
*batanense* Merr. 371  
*brevipes* Merr. 371  
*caulocarpum* K.Sch. 371  
*celebicum* Val. 371  
*crassifolium* Bth. 373  
*cumingianum* Bth. 371, 372  
*dallmannense* Kaneh. & Hatus. 371  
*dasynurum* Gilg & Bened. 371  
*fasciculata* Quis. & Merr. 371  
*gilgii* Merr. & Perry 373  
*haemospermum* Steud. 293, 371, 372  
 var. *angustifolia* Bl. 371  
 var. *elongata* Bl. 371  
 var. *erosa* Bl. 371  
 var. *laevigata* Bl. 371  
 var. *rugulosa* Bl. 371  
*lanceolatum* (non Bojer) Z. & M. ex Miq. 371, 372  
*lancilimbum* Merr. 371  
*lasiosistemum* Bl. 371  
 var. *moluccanum* Bl. 371  
*laxa* Elm. 371  
*longipes* Merr. 371  
*micranthum* DC. 371  
*mindanaense* Elm. 371  
*miquelianum* K. & V. ex Val 293, 371  
*moluccanum* Val. 371  
*montanum* Zoll. & Mor. 371  
 372  
*nigrescens* (Blco.) Merr. 371  
 373  
*oblongifolium* K. & V. ex Val 293, 371  
*obtusum* Merr. & Perry 372  
*olefolium* S.Moore 373  
*pachyphyllum* Merr. 371  
*philippinense* Merr. 371, 373  
*psychotrioides* Gilg & Bened. 371  
*pulgarensis* Elm. 371, 372, 373  
*pullei* Cammerl. 371, 373  
*ramosii* Merr. 371  
*randianum* Merr. & Perry 369\*, 371, 372  
*reticulata* Bl. 371  
*rupestre* Forst. 293, 369\*, 370, 371, 373, 959  
*schlechteri* Gilg & Bened. 371  
*stenophyllum* Gilg & Bened., non Merr. 373  
*stenophyllum* Merr. 371  
*weinlandii* K.Sch. 371, 372  
*Gentiana quadrifaria* 953  
*Gentianaceae* 294  
*Gentianales* 297  
*Geraniaceae* 195, 445–449  
*Geriales* 195  
*Geranium* L. 445  
 sect. *Australiensia* 445  
 sect. *Chilensis* 445  
 sect. *Columbinum* 445  
 sect. *Striata* 445  
*affine* (non W. & A.) Britten 447  
*ardjunense* Zoll. & Mor. 447  
*australe* (non Nees) Allan 448  
*carolinianum* 445  
*clemensiae* Knuth 446  
*dissectum* (non L.) Hemsl. 446  
 var. *glabratum* Hook. f. 448  
*glabratum* (Hook. f.) Small ex Hanks & Small 448  
*homeanum* Turcz. 446, 448  
*macrorrhizum* L. 445  
*microphyllum* Hook. f. 446  
*monticola* Ridl. 446  
*nepalense* (non Sweet) Backer 448  
*nepalense* (non Sweet) Doct.v. Leeuwen 447  
*nepalense* Sweet 448  
*papuanum* Ridl. 446  
 var. *alpestris* Ridl. 446  
*parviflorum* Willd. 448  
*philonthum* DC. 446  
*pillorum* [non (Sol.) Forst.] F.v.M. 446  
*potentilloides* L'Hérit. ex DC. 446, 447\*

- var. *ardjunense* (Zoll. & Mor.) Carolin 447  
 var. *potentilloides* 447  
*sarawaketense* Knuth 446  
*Girocarpus* (sphalm.) = *Gyrocarpus* 152  
*Glaphyria nitida* Jack 814  
*Glaux* 173  
*Glinus lotoides* L. 915  
*Glochidion* 420  
*Glosocomia* D. Don 118  
*Glyptopetalum* Thw. 228, 232, 252, 254, 264, 391, 392, 421, 930  
*acuminatissimum* Merr. 256, 257  
*calocarpum* 256  
*calyptratum* 256  
*euonymoides* Merr. 256  
*euphlebium* (Merr.) Merr. 256, 257, 258  
*fengii* (Chun & How) Ding Hou 256  
*glandulosum* Merr. 251  
*loheri* Merr. 256, 257  
*marivelense* (Elm.) Merr. 255\*, 256, 258, 421  
 var. *euphlebium* Merr. 258  
*palawanense* Merr. 256, 257  
*quadrangulare* Prain ex King 254, 255\*, 256, 257, 258  
*remotinervium* Merr. 258  
*reticulatum* Merr. 258  
*scortechinii* King 248  
*zeylanicum* Thw. 256, 257  
 var. *brevipedicellatum* Ding Hou 255\*, 256, 257  
 var. *zeylanicum* 258  
**Gnetaceae** 4: 336–347; 6: 944–949  
*Gnetum* L.  
 sect. *Cylindrostachys* Mgf 945, 946  
 sect. *Gnemomorphi* Mgf 947  
 sect. *Gnetum* 944, 946, 947  
 subsect. *Eugnemones* Mgf 944, 946  
*acutatum* Mgf 947  
*acutum* Mgf 945, 947  
*arboreum* Foxw. 945, 946  
*costatum* K. Sch. 944, 946  
*cuspidatum* Bl. 945, 947, 948\*, 949  
*diminutum* Mgf 945, 947, 949  
*globosum* Mgf 945, 947, 949  
*gnemon* L. 944, 946  
 var. *brunonianum* (Griff.) Mgf 944, 946  
 var. *gnemon* 944, 946  
 var. *gracile* Mgf 944, 946  
 var. *griffithii* (Parl.) Mgf 944, 946  
 var. *ovalifolium* (Poir.) Bl. 945, 946  
 var. *tenerum* Mgf 944, 946  
*gnemonoides* Brongn. 945, 946, 947, 949  
*klossii* Merr. 945, 947, 949  
*latifolium* Bl. 945, 946  
 var. *funiculare* (Bl.) Mgf 945, 946  
 var. *latifolium* 945, 946  
 var. *laxifrutescens* (Elm.) Mgf 945, 946  
 var. *minus* (Foxw.) Mgf 945, 946  
*leptocephalum* Bl. 945, 946, 949  
 var. *abbreviatum* Mgf 945, 946, 949  
 var. *leptocephalum* 945, 946  
 var. *robustum* Mgf 945, 946, 949  
*loerzingii* Mgf 945, 947, 949  
*macrostachyum* Hook. f. 945, 947  
*microcarpum* Bl. 945, 947  
*neglectum* Bl. 945, 946, 947  
*oxyacarpum* Ridl. 946, 947  
*raya* Mgf 945, 947  
*ridleyi* Gamble ex Mgf 945, 946, 947, 949  
*tenuifolium* Ridl. 945, 946  
*Gnidia* 3, 4, 30  
*oppositifolia* (non L.) Blco 48  
*philippinica* Meisn. 48  
*Gomphostigma* Turcz. 295, 296, 953  
*Gomphrena celosioides* Mart. 917  
*Gonus* Lour. 209  
*amarissimus* Lour. 211  
*Goniostylaceae*, see *Thymelaeaceae*  
*Gonystylus* Teysm. & Binn. 1, 3, 5, 6, 976–982  
 sect. *Auxanthus* Airy Shaw 977, 981  
*acuminatus* Airy Shaw 977  
*affinis* Radlk. 978, 979  
*areolatus* Domke ex Airy Shaw 977, 981  
*augescens* Ridl. 977, 981  
*bananus* (Miq.) Kurz 2, 5, 15, 978, 979  
*borneensis* (v. Tiegh.) Gilg 978, 979, 980, 981  
*brunnescens* Airy Shaw 978  
*calophylloides* Airy Shaw 977, 979, 982  
*calophyllus* Gilg 977, 979, 982  
*confusus* Airy Shaw 978  
*consanguineus* Airy Shaw 977, 978, 979, 980  
*costalis* Airy Shaw 977, 980  
*decipiens* Airy Shaw 978, 980  
*forbesii* Gilg 977  
*glaucescens* Airy Shaw 978, 980  
*keithii* Airy Shaw 987, 980, 982  
*lucidulus* Airy Shaw 977, 981  
*macrophyllus* (Miq.) Airy Shaw 15, 977  
*maingayi* Hook. f. 977, 978  
*micranthus* Airy Shaw 977, 978, 979  
*nervosus* Airy Shaw 977, 978, 981  
*nobilis* Airy Shaw 977, 978, 981  
*pendulus* Airy Shaw 978  
*reticulatus* (Elm.) Merr. 977, 978, 982  
*spectabilis* Airy Shaw 977, 982  
*stenosepalus* Airy Shaw 978, 980  
*velutinus* Airy Shaw 977  
*xylocarpus* Airy Shaw 977, 978  
*Goodenia* J.E.Smith 950  
*koningsbergeri* (Back.) Back. ex Bold. 950  
*pumilio* R.Br. 950\*  
*purpurascens* R.Br. 950  
**Goodeniaceae** 5: 335–344; 6: 108, 109, 949–952  
*Guioa koelreuteria* (Blco) Merr. 226  
*Guttiferae* 294, 336  
*Gymnosporia* Hook. f. 229, 238, 240, 241  
*ambigua* Vidal 241, 242  
*curtisii* King 240  
*diversifolia* Maxim. 241, 242  
*emarginata* Thw. 241  
*inermis* Merr. & Perry 241  
*montana* Bth. 241  
 var. *littoralis* Back. 241  
 var. *parvifolia* Pitard 242  
*neglecta* Wall. ex Laws. 237, 420  
*nitida* Merr. 242  
*senegalensis* (Lamk) Loes. 241  
*spinosa* (Blco) Merr. & Rolfe 241  
 var. *parva* Merr. & Rolfe 241  
*trigyna* 238  
*Gynandropsis* DC. 99, 100  
*affinis* Bl. 101  
*gynandra* Briq. 101  
*pentaphylla* (nor. DC.) Blco 101  
*pentaphylla* DC. 101  
*speciosa* DC. 101  
*Gynotroches axillaris* Bl. 967  
*Gyrinops* Gaertn. 2, 3, 4, 5, 39, 41 map  
 caudata (Gilg) Domke 39, 40\*, 42  
*decipiens* Ding Hou 4, 39, 40\*, 41  
*ledermannii* Domke 39, 41  
*ledermannii* (non Domke) Merr. & Perry 42

- moluccana (Miq.) Baill. 4, 39,  
40\*, 41  
podocarpus (Gilg) Domke 39,  
40\*, 42  
salicifolia Ridl. 39, 40\*, 41  
*sp.* Hall. f. 42  
versteegii (Gilg) Domke 2, 39,  
40\*, 42  
walla Gaertn. 39  
*walla* (non Gaertn.) Koord. 42
- Gyrinopsis* Decne 6, 12  
*acuminata* Merr. 11  
*brachyantha* Merr. 10, 11, 12  
*brachyantha* (non Merr. 1912)  
Merr. 11  
*citrinaecarpa* Elm. 10  
*cumingiana* Decne 15  
var. *pubescens* Elm. 15  
*decemcostata* Hall. f. 15  
*grandifolia* Quis. 13  
*parvifolia* Quis. 12  
*pubifolia* Quis. 15  
*salicifolia* Quis. 41  
*urdanetense* Elm. 10  
*Gyrocarpus pendulus* Blco 152
- Haematosperma arborescens*  
Hassk. 371
- Haemodoraceae* 5: 111–113
- Haemospermum* Reinw. 369  
*arboeum* Reinw. 371, 372
- Halophila* 171  
beccarii Aschers. 953  
decipiens Ostenf.  
var. *pubescens* Hartog 953  
*minor* (Zoll.) Hartog 953  
*ovata* Gaud. 953
- Hamamelidaceae* 5: 363–379; 6:  
145, 195, 472, 952
- Hannoia* Planch. 198, 202
- Harrisonia* R.Br. 193, 195, 196,  
207  
*bennettii* Benn. 208  
var. *multijuga* F.-Vill. 208  
var. *paucijuga* F.-Vill. 208
- brownii* A.Juss. 207, 208\*  
map
- citrinaecarpa* Elm. 208
- paucijuga* Oliv. 208
- perforata* (Blco) Merr. 207,  
208\*, 209 map
- Hasskarlia* Meisn. 51
- Hebonga* Radlk. 215  
*mollis* Radlk. 219  
*obliqua* Radlk. 219  
*siamensis* Radlk. ex Craib 219
- Hedraianthera* F.v.M. 390, 393,  
394, 930  
porphyropetala F.v.M. 393
- Hedyotis* 379
- Heimerlia* Skottsb. 457, 459  
*brunoniania* Skottsb. 461
- Heimerliodendron* Skottsb. 457,  
459
- brunonianum* Skottsb. 461
- Helicia rufescens* Prain 965  
*Helicopis rufidula* Sleum. 965  
*Helobiae* 157  
*Hemiphragma heterophylla*  
Wall. 960  
*Hemisclophia trimera* (Boerl.)  
Sloot. 944
- Herbaceae* Hutch. 62, 451
- Hermicium* (sphalm.) = *Hermidium*
- Hermidium alipes* S.Wats. 450
- Hexaspora* C.T.White 240  
pubescens C.T.White 229
- Heyne* Roxb. 226
- Hibbertia* 49
- Hippobroma* G.Don 139, 140  
*longiflora* G.Don 140
- Hippocratea* 231, 389, 397  
arborea Roxb. 420  
*beccarii* Tuyn 402  
bojeri Tul. 420  
*brachystachys* Ridl. 400  
*cassinoides* DC. 402  
*cumingii* Laws. 399, 400  
*ellipticarpa* Merr. 402  
*ferruginea* King 402  
*glaga* Korth. 402  
*grahamii* Wight 402  
*hasseltiana* Miq. 398  
*indica* (non Willd.) Span. 402  
*indica* Willd. 401, 402  
f. *timorensis* Miq. 401  
var. *evonymoides* Bl. 401  
*lawsonii* Elm. 400, 417
- macrantha* auct. non Korth.  
400
- macrantha* (non Korth.) King  
400
- macrantha* Korth. 398
- macrantha* (non Korth.) Rolfe  
399
- maingayi* Laws. 262
- maingayi* (non Laws.) Vidal  
269
- megalocarpa* Merr. 402
- nigricalyx* Ridl. 400
- obtusa* Ridl. 406
- obtusifolia* (non Roxb.)  
Koord.-Schum. 400
- obtusifolia* (non Roxb.) Merr.  
406
- pauciflora* DC. 400  
f. *minor* Miq. 400
- novoguineensis* Miq. 400
- rigida* Span. 400
- salacioides* Korth. 402, 404
- sogerensis* Baker f. 398
- sp.* Burk. & Haniff 406, 407
- timorensis* Span. 421
- trichopetala* Merr. 399
- trilobulata* Ridl. 398
- volubilis* (non L.) Blco 401,  
402
- zippeliana* Miq. 402
- Hippocrateaceae* 228, 229, 230,
- 231, 389, 390, 932
- Hippocrateaceae* Juss. 389
- Hiptage lawsonii* Elm. 417
- Holosteum hirsutum* L. 915
- Homalanthus giganteus* 152
- Homalium* Jacq.  
subg. *Blackwellia* (Lamk)  
Warb. 944  
sect. *Blackwellia* Bth. 944
- subg. *Pythagorea* (Lour.)  
Sleum. 944  
sect. *Pythagorea* (Lour.)  
O.K. 944
- Hornera* Jungh. 48  
glomerata Jungh. 48  
umbellata Jungh. 48
- Hottonia sessiliflora* Vahl 965
- Huertea* 49
- Hydnocarpus* 963
- Hydrilla verticillata* 164
- Hydrocaryaceae* 4: 43–44; 6:  
982; see *Trapaceae*
- Hydrocharitaceae* 5: 381–413,  
569; 6: 158, 171, 952
- Hydrophyllaceae* 4: 207–209
- Hymenanthes* Bl. 656
- Hypericineae* 49
- Hypsagine* Jack ex Burk. 421
- Hyptiandra* Hook. f. 202
- Iaera* Copel. f. 740  
*lanaensis* (Merr.) Copel. f. 745  
*loheri* (Merr.) Copel. f. 741  
*lucida* (Merr.) Copel. f. 742
- Ignatia amara* L. f. 347, 349
- Ignatiana philippinica* Lour. 347,  
349
- Ilex racemosa* Oliv. 290
- Indotristicha* v.Royer 963  
malayana Dransf. & Whitmo-  
re 963, 964\*
- Inocarpus* 201, 226
- Ipomoea* sect. *Ipomoea* 940  
sect. *Pharbitis* (Choisy) Gri-  
seb. 940
- acuminata* Ruiz & Pav. 941  
acuminata (Vahl) R. & Sch.  
939, 940, 941
- angulata Ortega 941
- congesta* R.Br. 939, 940, 941
- dasyisperma* Jacq. 941
- digitata* L. 940, 941
- gracilis* R.Br. 940, 941
- littoralis* Bl. 940, 941
- mauritiana* Jacq. 940, 941
- maxima* (L. f.) Don ex Sweet  
940, 941
- x multifida* (Raf.) Shinners  
940, 941
- ochracea* (Lindl.) G.Don 939,  
941
- ochroleuca* (sphalm.) Span.  
939, 941
- pes-caprae* (L.) R.Br. 941
- plebeia* R.Br. 940

- ssp. *africana* Meeuse 940  
 ssp. *indica* Verdc. 940  
 ssp. *plebeia* 940  
*purpurea* Roth 941  
*riparia* G.Don 940, 941  
*rubens* Choisy 940, 941  
*sepiaria* Koen. ex Roxb. 940,  
 941  
*× sloteri* 939  
*tuba* (Schlechtend.) G.Don  
 941  
*tuberculata* Ker-Gawl 941  
*Irvingella* v.Tiegh. 223  
*harmandiana* v.Tiegh. 225  
*malayana* v.Tiegh. 225  
*oliveri* v.Tiegh. 225  
*Irvingia* Hook. f. 193, 194, 195,  
 196, 201, 223, 969, 972  
*harmandiana* Pierre ex Lecomte  
 225  
*longipedicellata* Gagnep. 225  
*malayana* Oliv. ex Benn. 223,  
 224\*, 225\*, 226 map  
*oliveri* Pierre 225  
*Irvingiaceae* 195, 972  
*Iso* Kuroggi Kaempf. 253  
*Isolobus* DC. 121  
*caespitosus* Hassk. 130  
*campanuloides* DC. 130  
*kerii* DC. 130  
*radicans* DC. 130  
*roxburghianus* DC. 130  
*Isotoma* Lindl. 108, 139, 140, 141  
*longiflora* Presl 140  
*runcinata* Hassk. 140  
*Itea* 280  
*Ixonanthaceae* 970, 972  
*Ixonanthes* Jack 971, 972  
*Jacquemontia* Choisy 939  
*browniana* Ooststr. 939  
*Jasione* 108  
*Jaundea* Gilg 934  
*Johnia* Roxb. 404  
*sumatrana* Jack 421  
*Juglandaceae* 143-154, 953  
*Juglandicarya* Reid & Chandler  
 143  
*Juglans* 143  
*plerococca* = *pterococca* 154  
*pterococca* Roxb. 152, 154  
*regia* 145  
*rupestris* Engelm. 143  
*sieboldiana* 143  
**Juncaceae** 4: 210-215; 5: 557; 6:  
 953  
*Juncaginaceae* 4: 56-57; 5: 554  
*Juncodes* *silvaticum* (Huds.)  
 O.K. 953  
*Juncus* effusus L. 953  
*prismatocarpus* R.Br. 953  
*Kaernbachia* Schltr 49, 51  
*brachypetala* Schltr 59  
*pentandra* Schltr 59  
*Kalmia* 472  
*Karin-Njoti* Rheede 199  
*Kelleria* Endl. 43  
*papuana* Domke 44  
*Kenitia* Steud. 299, 301, 309  
*morindaefolia* Steud. 311, 315  
*Kippistia* Miers 389  
*Klaunodoxa* 194, 195, 972  
*Kokoona* Thw. 228, 231, 232,  
 258, 260 map, 264, 389, 391,  
 392, 930, 932  
*coriacea* King 260, 261  
*lanceolata* Ridl. 261  
*littoralis* Laws. 231, 260, 261  
*luzoniensis* Merr. 262, 402  
*ochracea* (Elm.) Merr. 259\*,  
 260  
*ovatolanceolata* Ridl. 228,  
 259\*, 260, 261  
*reflexa* (Laws.) Ding Hou 231,  
 259\*, 260, 262  
*scortechnii* King 261  
*scortechnii* (non King) Steen.  
 261  
*sessilis* Ding Hou 260, 261  
*zeylanica* 260  
*Kokoona* = *Kokoona* 260, 402  
*Kuhlia* H.B.K. 301  
*Kuhlia* Reinw. ex Bl., non  
 H.B.K. 299, 301, 309  
*morindaefolia* Reinw. ex Bl.  
 311, 315  
*Kurrimia* Wall. ex Arn. 230, 280  
*archboldiana* Merr. & Perry  
 284  
*bipartita* Laws. 283  
*calophylla* Wall. 283  
*gracilis* Vidal 284  
*indica* Gamble 283  
*luzonica* Vidal 282  
*maingayi* Laws. 283  
*minor* Ridl. 282  
*paniculata* Wall. ex Arn. 282  
*pulcherrima* (non Wall.) Baker  
 f. 420  
*pulcherrima* Wall. ex Laws.  
 283  
*robusta* Kurz 282, 283  
 var. *roxburghii* Pierre 283  
 var. *thorelii* Pierre 283  
*Kurrimia* Wall. ex Meisn. 280  
*Kurimiaceae* 230  
*Labordia* Gaud. 295, 296, 370  
*Lachnolepis* Miq. 39  
*moluccana* Miq. 39  
*Lachnopylis* 296  
*Lafoënsia* Vand. 975  
*Lagansa alba* Rumph. 103  
*rubra* Rumph. 101  
*Lagerstroemia* L. 975  
*Lasianthus furcatus* (Miq.) Bre-  
 mek. 373  
*Lasiolepis* Benn. 207  
*bennettii* Planch. 208  
 var. *α paucijuga* (Benn.)  
*Planch.* 208  
 var. *β multijuga* (Benn.)  
*Planch.* 208  
*paucijuga* Benn. 208  
*Lasiosiphon* 4  
*scandens* Endl. 25  
*Launaea pinnatifida* 223  
*Lauraceae* 194  
*Laurentia* Mich. ex Adans. 109,  
 110, 139, 141  
 sect. *Isotoma* (R.Br.) Endl.  
 107, 140  
 subg. *Isotoma* Peterm. 140  
*gasparinii* (Tineo) Strobl. 140  
*longiflora* (L.) Peterm. 108,  
 138\*, 140  
 var. *runcinata* (Hassk.)  
*Wimmer* 140  
*Lechenaultia* filiformis R.Br.  
 951  
*Ledum* 472  
*Leea* 52  
*Legousia* Durand 928  
*speculum-veneris* (L.) Fisch.  
 141, 928  
*Leguminosae* 216, 226, 933  
*Leonnopsis* Zoll. 171  
*Leptopteris* Bl. 343  
*sumatrana* Bl. 343  
*Leucopogon* R.Br. 424, 425  
 sect. *Anacyclodon* (Jungh.)  
*Miq.* 425  
 sect. *Stypheliopsis* Miq. 425  
*abnormis* Sond. 433  
*acuminatus* R.Br. 432  
*acuminatus* (non R.Br.) Du-  
 perrey 433  
*colensoi* Hook. f. 428  
*hookeri* Sond. 428  
*javanicus* de Vriese 431  
*lancifolius* Hook. f. 433  
*malayanus* Jack 426  
 var. *α Kurz* 426  
 var. *moluccanus* (non  
*Scheff.*) Kurz 426, 433  
*moluccanus* Scheff. 433  
*obovatus* Fawc. 429, 432  
*obtusatus* Hook. f. 428  
*ophirensis* Griff. 943  
*papuanus* C.H.Wright 443  
*philippinensis* (Merr.) Hos-  
 kawa 429  
*suaveolens* Hook. f. 428  
*Leucosmia* Bth. 15  
*Leucothoe* 472  
*Libocedrus* 333  
*Lightfootia* L'Hérit., non Sw.  
 109, 111, 112, 113  
*gracilis* Miq. 115  
 var. *lavandulaefolia* Miq.  
 115  
*Lightfootia* Sw. 113  
*Ligia* Fasano 28  
*Lignosae* 62

- Lignum colubrinum timorense* Rumph. 350  
*Limnophila* sp. 965  
*Limonia pubescens* Wall. ex Hook. f. 208  
*Linaceae* 970  
 subfam. Ixonanthoideae 970  
 tribe *Erythroxyleae* 195  
*Linaria* 294  
*Lindernia subulata* R.Br. 960  
*Linociera* sp. 280  
 vitiensis A.C.Smith 336  
*Linostoma* Wall. ex Endl. 2, 4, 5, 26, 982  
 sect. *Eulinostoma* Meisn. 27  
 sect. *Psilaea* (Miq.) Hall. f. 27  
 subg. *Linostoma* Kurz 23  
 subg. *Nectandra* [(non Berg.) Roxb.] Kurz 27  
*leucodipterum* Hall. f. 27  
*longiflorum* Hall. f. 2, 26\*, 27, 982  
*pauciflorum* Griff. 2, 26\*, 27, 982  
*scandens* Kurz 25  
*Lissanthe* R.Br. 424  
*montana* R.Br. 429  
*Lobelia* L. 107, 108, 109, 110, 119, 121, 122, 129, 135, 137, 140, 928  
 sect. *Isotoma* R.Br. 140  
*affinis* Wall. ex G.Don 128, 129  
 var. *lobbiana* Clarke 128  
*alata* Labill. 136  
*aligera* Haines 129  
*alsinoides* Lamk 107, 122, 123, 126, 127 map, 128, 130, 132\*  
*anceps* L. f. 129  
*anceps* Thunb., non L. f. 136  
*angulata* Forst. 108, 110, 123, 133, 134\*, 135\*  
*archboldiana* (Merr. & Perry) Moeliono 123, 131\*, 928  
*arenarioides* DC. 129  
*arfakensis* Gibbs 134  
*aromatica* Moon ex Wight, nomen 123  
*barbata* Warb. 128  
*beddomeana* Wimmer 124  
*begonifolia* Wall. 133  
*bialata* Merr. 129, 130  
*borneensis* (Hemsl.) Moeliono 122, 133 map, 928  
*brachyantha* Merr. & Perry 123, 131, 132\*  
*caespitosa* Bl. 130  
*campanuloides* Thunb. 130  
*campyodon* Wimmer 124  
*chevalieri* Danguy 127  
*chinensis* (non Lour.) Hance 127  
*chinensis* Lour. 108, 123, 130\*  
*cliffortiana* L. 136  
*colorata* Wall. 123, 126  
*conferta* Merr. & Perry 123, 135\*  
*cordigera* Cav. 136  
*decurrens* Roth 129  
*dichotoma* Miq. 129  
 var. *aligera* Wimmer 129  
 var. *pisolella* Wimmer 129  
*donanensis* v.Royen 928  
*doniana* Skottsb. 124  
*dopatrioides* Kurz 127, 128  
*dubia* de Vriese 115  
*epilobioides* Wimmer 124  
 var. *sarasinorum* Wimmer 124  
*erecta* Hook. f. & Th. 123  
*erinoides* (non L.) Thunb. 130  
*erinus* L. 136  
*erinus* (non L.) Thunb. 130  
*erylliae* Fischer 124  
*europaeus* Voigt 123  
*excelsa* Lesch. ex Roxb. 123  
*filiformis* (non Lamk) Cav. 126  
 var. *luzoniensis* Pers. 126  
*fossarum* Wimmer 124  
*graminea* Lamk 136  
*griffithii* Hook. f. & Th. 127  
 var. *dopatrioides* 127  
 var. *genuina* 127  
*haenkeana* DC. 136  
*hainanensis* Wimmer 127  
*hederacea* Cham. 134  
*heyniana* = *heyniana* 126, 127, 129  
*heyniana* R. & S. 123, 129, 130 map, 132\*, 176  
*horsfieldiana* Miq. 134  
*hosseusit* Wimmer 127  
 var. *villosa* 127  
*inconspicua* Rich. 129  
*inflata* L. 108  
*javanica* Thunb. 133  
*laurentia* L. 140  
*laxiflora* H.B.K. 136  
 var. *nelsonii* McVaugh 136  
*leucanthera* Kerr 124  
*linnaeoides* (Hook. f.) Petrie 134, 135  
 var. *brevipilis* 134  
*littoralis* R.Cunn. ex A.Cunn. 134  
*lobbiana* Hook. f. & Th. 128  
*longiflora* L. 140  
*longifolia* DC. 136  
*luzoniensis* (Pers.) Merr. 127, 128  
*micrantha* Hook. 129  
*microcarpa* Clarke 127  
*montana* Reinw. ex Bl. 107, 108, 122, 132\*, 133 map  
*nelsonii* Fernald 136  
*nicotianaefolia* Roth ex R. & S. 107, 110, 122, 123, 124\*, 125\* map, 126  
 var. *bibarbata* Wimmer 123  
 var. *macrostemon* Skottsb. 123  
 var. *mollis* Elm. 123  
 var. *nicotianaefolia* Wimmer 123  
 var. *trichandra* Clarke 123  
*nummularia* Lamk 133  
*obliqua* Ham. ex D.Don 133  
*palustris* Kerr 124  
*paradoxa* Wimmer 134, 135  
*philippensis* Skottsb. 124  
*plumieri* L. 951  
*pratiana* Gaudich. 133  
*pumila* Burm. f. 136  
*purpureascens* Wall., nomen 123  
*pyramidalis* Wall. 123  
 var. *B* 123  
*radicans* (non Thunb.) Hosseus 127  
*radicans* Thunb. 130  
*reinwardtiana* DC. 129  
*reniformis* Cham. 134  
*robusta* Wall. ex Voigt 123  
*rosea* Wall. 123  
*rotundifolia* Banks & Sol. ex Hook. f. 134  
*rugulosa* Graham 134  
*sebae* DC. 129  
*seguinii* Léveillé & Van 124  
*sinaloae* 140  
*sp.* Griff. 127  
*sp.* Steen. 126  
*stimulans* Ham. ex D.Don 123  
*stipularis* Roth 127, 128  
*subcuneata* Miq. 128  
*subincisa* Wall. ex DC. 129  
*subracemosa* Miq. 129  
 var. *rigidior* 129  
*succulenta* Bl. 128, 129  
 f. *glabra* 128  
 var. *lobbiana* 128  
*sumatrana* Merr. 122, 126\*  
*syphilitica* L. 136  
*taccada* Gaertn. 951  
*terminalis* Clarke 127, 128  
*tetragona* Bl. 136  
*thorelii* Wimmer 127  
*trialata* Ham. ex D.Don 126, 127, 129  
 var. *lamiifolia* 129  
*triangulata* Roxb., nomen 127  
*trichandra* Wight 123  
*trigona* (non Roxb.) Hook. f. & Th. 129  
*trigona* Roxb., nomen 126  
*wallichiana* Hook. f. & Th. 123  
*wallichii* Steud. 123  
*zeylanica* L. 122, 123, 128, 129  
 var. *affinis* 128  
*zeylanica* (non L.) Moon 129  
 var. *aligera* Haines 129  
 var. *parviflora* Danguy 129

- var. *walkeri* Clarke 129  
*Lobeliaceae* 108, 109  
*Locanda* Adans. 199  
*Locandia* O.K. 201  
*glandulifera* Pierre 201  
*indica* O.K. 201  
*madagascariensis* O.K. 201  
*mekongensis* Pierre 201  
*merguensis* Pierre 201  
*pendula* Pierre 201  
*Loeseneriella* A.C.Smith 262, 390, 391, 397  
*cumingii* (Laws.) Ding Hou 397, 399  
*macrantha* (Korth.) A.C. Smith 397, 398 map  
*pauciflora* (DC.) A.C.Smith 399\*, 400, 417  
*sogerensis* (Baker f.) A.C. Smith 397, 398  
*zippeliana* A.C.Smith 402  
*Logania* 295, 296  
*dentata* (Elm.) Hayata 960  
*Loganiaceae* 298–387, 953–960  
 subfam. Buddlejoideae 294  
 subfam. Loganioideae 294  
 tribe Antoniae 294, 295, 296, 297  
 tribe Buddlejeae 294, 295, 296, 297, 953  
 tribe Desfontainea Leeuwenb. 954  
 tribe *Euloganieae* 295  
 subtribe *Buddlejeae* 295  
 tribe Gelsemieae 294, 295, 296, 297  
 tribe Loganieae 295, 296  
 tribe Plocospermeae 954  
 tribe Potaliae 294, 295, 296, 297  
 tribe Retzieae Leeuwenb. 954  
 tribe Spigeliae 295, 296, 297  
 tribe Strychneae 294, 295, 296  
*Logiales* 294, 297  
*Lonicera* malayana Hend. 929  
*Lophopetalum* Wight ex Arn. 227, 228, 229, 230, 231, 232, 260, 262, 266 map, 391, 392, 930, 932  
 subg. *Solenospermum* (Zoll.) Val. 262  
*beccarianum* Pierre 263\*, 264, 266  
*celastroides* Laws. 269  
*celebicus* Koord. 270  
*coriacea* Ridl. 261  
*curtisii* King 268, 269  
*dubium* Laws. 261  
*fimbriatum* (non Wight) F.-Vill. 269  
*fimbriatum* Wight 267, 268  
*floribundum* Wight 229, 265, 266, 930  
*fuscescens* Kurz 269  
*glabrum* Ding Hou 265, 266  
*grandiflorum* Arn. 264  
*havilandii* Ridl. 266  
*intermedium* Ridl. 270  
*javanicum* (Zoll.) Turcz. 228, 265, 269  
*javanum* = *javanicum* 269  
*ledermannii* (Loes.) Ding Hou 265, 271  
*littoralis* Ridl. 261  
*macranthum* (Loes.) Ding Hou 263\*, 265, 268, 930  
*maingayi* Ridl. 261  
*micranthum* Loes. 265, 268  
*multinervium* Ridl. 227, 228, 231, 265, 270, 271\*  
*oblongifolium* King 270  
*oblongum* King 269  
*pachyphyllum* King 265, 267  
*pallidum* Laws. 231, 263\*, 264, 265, 268  
 var. *curtisii* (King) Ridl. 268  
*paucinervium* Merr. 270  
*penduculatum* Ridl. 250  
*reflexum* (non Laws.) King 266  
*reflexum* Laws. 262  
*rigidum* Ridl. 228, 263\*, 265, 267  
*scorechinii* King 266  
*sessilifolium* Ridl. 228, 262, 264, 265  
*sp.* Thorenaar 269\*, 270  
*subobovatum* King 265, 272  
*subsessile* Ridl. 267  
*torricellense* Loes. 265, 271  
*toxicum* Loher 230, 270  
*wallichii* Kurz 269  
*wightianum* Arn. 231, 264, 265, 267  
 var. *macrocarpum* Pierre 267  
*winkleri* Loes. 267  
*Lubinia* Vent. 177, 184  
*lineariloba* Pax 184  
*lubinoides* Pax 184  
*mauritiana* Spreng. 184  
*spathulata* Vent. 184  
*Lunasia* 221  
*Luronium natans* (L.) Raf. 953  
*Lussa* Rumph. 209  
*radja* Rumph. 211  
*(Gay)Lussacia* = *Gaylussacia* 761  
*Luzula* *silvatica* (Huds.) Gaudin 953  
*Lyonia* Nutt. 469, 472, 474, 674  
*ovalifolia* (Wall.) Drude 673\*, 674\*, 675 map  
*Lysimachia* Tourn. ex L. 173, 174, 175, 177  
 subg. *Lysimachia* (*Eu-lysimachia*) 177  
 sect. *Alternifoliae* Knuth 180  
 sect. *Apodanthera* 177  
 subsect. *Ramosae* 177  
 ser. *Evalves* 177  
 ser. *Valvatae* 177  
 sect. *Nummularia* 177, 183  
 ser. *Debiles* 177, 183  
 ser. *Japonicae* 177, 183  
 subg. *Palladia* (Moench) H.-M. 177, 184  
*acroadenia* Maxim. 185, 186  
*ardisiooides* Masam. 178, 179  
*capillipes* Hemsl. 177, 178, 179, 180 map. 181, 182, 964  
*chapaensis* Merr. 181  
*consobrina* Hance 185  
*cuspidata* Bl. 180, 181  
 var. *glabra* Mor. 181  
 var. *glabrescens* Knuth 181  
 var. *hispida* Knuth 181  
*cuspidata* (non Bl.) Hand.-Mazz. 179  
*debilis* Wall. 182  
 var. *minor* Baudo 182  
 var. *vulgaris* Baudo 182  
*decurrens* Forst. f. 177, 178, 184, 185 map, 965  
 var. *acroadenia* Makino 185  
 var. *recurvata* Mats. 185  
*deltoides* Wight 183  
*floribunda* Zoll. & Mor. 180, 182  
*fragrans* Hayata 178, 179  
*garrettii* Fletch. 178  
*glaucophylla* Hook. & Arn. 184, 185  
*japonica* Thunb. 178, 181, 182  
 var. *japonica* 177, 182, 183 map  
 var. *minutissima* Masam. 183  
 var. *papuana* S.Moore 177, 183 map  
 var. *subsessilis* Hara 182  
 var. *thunbergiana* Hara 182  
*javanica* Bl. 185  
*keiskeana* Miq. 185, 186  
*klattiana* Hance 181  
*laxa* Baudo 177, 178, 179\*, 180 map, 182, 964  
*lineariloba* Hook. & Arn. 184  
*lobelioides* Wall. 186  
*lubinoides* Sieb. & Zucc. 184  
*maculata* R.Br. 182  
*mauritiana* Lamk 177, 178, 183, 184 map  
*montana* (Reinw.) Bakh. f. 177, 178, 180, 181 map  
 var. *montana* 181  
 var. *platyphylla* (Merr.) Bentvelzen 181  
*microphylla* Merr. 182, 183  
*minutissima* (Masam.) Masam. 182, 183  
*multiflora* Wall. ex Duby 185  
*nebeliana* Gilg 184  
*obovata* Ham. ex Hook. f. 186

- peduncularis* Wall. ex Kurz 177, 178, 182 map  
*pierrei* Petitmengin 182  
*platiphylla* Merr. 181  
*procumbens* Baudo 183  
*ramosa* Wall. ex Duby 180, 181, 182  
 var. *grandiflora* Franch. 180  
 var. *typica* Knuth 178, 180  
 var. *zeylanica* Hook. f. 180  
*rapensis* F.B.H.Brown 185  
*recurvata* (Mats.) Masam. 185, 186  
*rubida* Koidz. 184  
*siamensis* Bonato 182, 183  
*sikokiana* Miq. 177, 178, 179\* map, 180  
*simulans* Hemsl. 178  
*sinica* Merr. 185  
*solanoides* H.-M. 174  
*spathulata* Schouw 184  
*spatulata* = *spathulata* 184  
*suborbicularis* Went 182, 183  
*trichopoda* Franch. 181  
*uliginosa* Bl. 181, 182  
*uliginosa* (non Bl.) Klatt 181  
*vulgaris* L. 174  
 Lythraceae 198, 975  
 subtribe *Diplusodontinae* 975  
 subtribe *Lagerstroemiinae* 975
- Maba hierniana* K. & G. 932  
*Macanea arborea* Blco 421  
*Macgregorianthus* Merr. 23  
*paniculatus* Merr. 25  
*Maerua* 61  
*Maesa membranifolia* Mez 237  
*perakensis* Ridl. 290  
*ramentacea* (Roxb.) A.DC. 237  
*Magnolia* 228  
 Magnoliaceae 228  
 Malpighiaceae 5: 125-145, 566; 6: 960  
 Malpighiales 195  
*Mangifera* L. 231  
 glauca Rottb. 286  
*Mannia* Hook. f. 202  
*Manotes astatica* Gagnep. 205  
*Manungala* Blco 199  
 pendula Blco 201  
*Mastixiodendron pachyclados* (K.Sch.) Melch. 336  
*Mauduita* Comm. ex DC. 199  
*penduliflora* Comm. ex DC. 200  
*Maurocenia* sect. *Triceros* O.K. 51  
*pomifera* O.K. 58  
*zollingeri* O.K. 56  
*Maytenus* Molina 227, 228, 229, 230, 231, 232, 238, 240, 243, 391, 392, 930  
*acuminatus* 228
- bilocularis* (F.v.M.) Loes. 243  
*boaria* Molina 240  
*crassa* Ding Hou 240, 242  
*cupularis* Ding Hou 239\*, 240, 243  
*curtisiae* (King) Ding Hou 239\*, 240  
*dispermus* 230  
*diversifolia* (Maxim.) Ding Hou 231, 232, 240, 241, 242, 391, 930  
*emarginata* (Willd.) Ding Hou 229, 239\*, 240, 241, 930  
*ilicifolia* Mart. 229  
*magnifolia* 228  
*nitida* Mart. 242  
*rapakir* Loes. 242  
*senegalensis* (Lamk.) Exell 240, 241  
*spinosa* (Gris.) Lourt. & O'Donell 229  
*vitiensis* (A.Gray) Ding Hou 242
- Mazus pumilus* (Burm. f.) Steen. 136  
*Medicia* Gardn. & Champ. 343  
*elegans* Gardn. & Champ. 343  
*Melastomataceae* 914  
*Meliaceae* 194, 212, 220  
*Melichrus* R.Br. 424  
*Menyanthes trifoliata* 294  
*Merremia* Dennstedt 939  
 sect. *Eu-Merremia* 939  
 sect. *Merremia* 939  
*aniseifolia* Ooststr. 939, 940\*  
*borneensis* Merr. 939  
*crispatula* Prain 939  
*emarginata* (Burm. f.) Hall. f. 939  
*gangetica* (L.) Cufod. 939  
*peltata* (L.) Merr. 939  
*quinata* (R.Br.) Ooststr. 939  
*tridentata* (L.) Hall. 939  
 ssp. *hastata* Ooststr. 939  
*Messerschmidia argentea* 197  
*Micropyxis* Duby 176  
*pumila* Duby 176  
*tenella* Wight 176  
*Microsemma* 3  
*Microtropis* Rchb. 272  
*Microtropis* Wall. ex Meisn. 227, 228, 229, 230, 232, 272, 275 map, 391, 392, 930  
*basilanensis* Merr. & Freem. 279  
*bicolor* Merr. & Freem. 276  
*bivalvis* (non Wall.) Koord. 277  
*bivalvis* (Jack) Wall. 272, 274, 276  
*borneensis* Merr. & Freem. 279  
*chartacea* Merr. & Freem. 279  
*coriacea* Wall. ex Ettingsh. 280, 412
- curranii* Merr. 273, 274, 278  
 var. *obovata* Merr. & Freem. 278  
 var. *zambalesensis* Merr. & Freem. 278  
*discolor* (Wall.) Wall. 272, 274, 275  
*elliptica* King 273\*, 274, 277  
*fasciculata* Quis. & Merr. 279  
*filiformis* King 232, 276, 277, 391  
*javanica* Merr. & Freem. 277  
*kinabaluensis* Merr. & Freem. 274, 277  
 var. *acuminata* 277, 278  
*lanceolata* Boerl. & Koord. 280  
*longifolia* Wall. 274  
*longirostris* Merr. & Freem. 277  
*ophirensis* Ridl. 277  
*ovata* Merr. & Freem. 274, 275, 279  
*pachyphylla* Merr. & Freem. 274  
*pauciflora* Boerl. ex Merr. & Freem. 276  
*peduncularis* Ridl. 276, 277  
*philippinensis* Merr. 279  
*platiphylla* Merr. 274, 275, 279  
 var. *ellipticifolia* Merr. & Freem. 279  
*ramiflora* (non Wight) Thw. 279  
*rigida* Ridl. 275, 278  
*rostrata* Merr. 279  
*rubra* Elm. ex Merr. & Freem. 279  
*sterophylla* Merr. & Freem. 277, 278  
*suborbiculata* Merr. & Freem. 279  
*sumatrana* Merr. 275, 278  
*tenuis* Symington 272, 274, 275, 276  
*tetrameris* Ding Hou 272, 273\*, 274, 275  
*valida* Ridl. 274, 276  
*vinculans* Boerl. & Koord. 277  
*wallichiana* Wight ex Thw. 275, 279  
*zeylanica* Merr. & Freem. 279
- Mirabilis* L. 450, 451  
*jalapa* L. 450, 451  
*Mirabilis* Rumph. 451  
*longiflora* (non L.) Blco 451  
*Mischopleura* Wernh. 914  
*Mitrasacme* Labill. 293, 295, 296, 297, 375, 378  
*albomarginata* Leenh. 379, 385\*  
*alsinoides* R.Br. 379, 384  
*alsinoides* (non R.Br.) Clarke 384

- var. indica* (Wight) Hara 384  
*alsinoides* (non R.Br.) Merr. 382  
*bogoriensis* Leenh. 379, 386\*, 960  
*capillaris* Wall. 382, 383, 384  
*chinensis* Griseb. 382  
*connata* R.Br. 381  
*crystallina* Griff. 384  
*elata* R.Br. 293, 379, 380, 381\* map, 960  
*var. brevicalyx* Leenh. 380\*, 381, 960  
*erophila* Leenh. 380, 384, 960  
*exserta* F.v.M. 382  
*indica* Wight 379, 384 map, 386, 960  
*longiflora* F.v.M. ex Bth. 380, 381  
*malaccensis* Wight 382, 383  
*micrantha* Domin 382, 383, 384  
*neglecta* Leenh. 379, 386, 960  
*nudicaulis* (non Bl.) Bth. 382, 383, 960  
*nudicaulis* Reinw. ex Bl. 380, 381, 382  
*paludosa* R.Br. 385  
*polymorpha* R.Br. 379, 384  
*polymorpha* (non R.Br.) Clarke 382, 383, 384  
*var. grandiflora* Hemsl. 382  
*var. parishii* Clarke 382  
*pusilla* Dalz. 384, 385  
*pygmaea* R.Br. 379, 382, 960  
*var. grandiflora* (Hemsl.) Leenh. 383  
*var. malaccensis* (Wight) Hara 380, 382\*, 383, 384  
*var. parishii* (Clarke) Leenh. 383  
*var. pygmaea* 380, 382\*, 383\*, 384, 960  
*saxatilis* Back. 379, 385, 960  
*setosa* Hance 382  
*setosa* (non Hance) Masam. 382  
*tenuiflora* Bth. 379  
*trinervis* Span. 380, 381, 382, 383  
*Mitrasacmopsis* Jovet 297  
*Mitreola* Boehm. 375  
*Mitreola* L. 296, 375, 959  
*inconspicua* Zoll. & Mor. 375  
*oldenlandioides* (Wall.) G.Don 375, 377  
*paniculata* Wall. ex G.Don 375  
*var. lilacina* Back. 375, 377  
*perrieri* Jovet 377  
*petiolata* (Gmel.) Torr. & Gray 375, 959  
*reticulata* Tirel 960  
*sphaerocarpa* (Leenh.) Leenh. 960  
*turgida* Jovet 377  
*Mitreola* Schaeff. 375  
*Modagam* Rheed. 315  
*Molinadendron* Endress 952  
*Mollugo nudicaulis* Lamk 384  
*Monocelastrus* Wang & Tang 231, 233, 234  
*monosperma* (Roxb.) Wang. & Tang 234  
*virens* Wang & Tang 234  
*Monochoria hastata* (L.) Solms 964  
*Monopsis simplex* (L.) Wimmer 129  
*Monotropa* L. 472  
*humilis* D.Don 670  
*uniflora* L. 670  
*Monotropaceae* 473  
*Monotropanthum* Andres 670  
*Monotropastrum* Andres 469, 470, 474, 670  
*humile* (D.Don) Hara 670, 671\*  
*Moringa domestica* Ham. ex Henschel 960  
*oleifera* Lamk 960  
*Moringaceae* 4: 45–46; 5: 554; 6: 62, 960  
*Mostuea* 294, 295, 296  
*Moya* Griseb. 238  
*spinososa* Griseb. 229  
*Muenteria* Walp. 212  
*Myoporaceae* 4: 265–266  
*Myricaceae* 4: 276–279; 6: 143, 146  
*Myristica laurina* (non Bl.) Hochr. 933  
*Myristicaceae* 194  
*Myrsinaceae* 173, 174, 237  
*Myroxyylon* 229, 284  
*Najadaceae* 157–171  
*Najadales* 157  
*Najadeae* 171  
*Najas* L. 157, 158  
 subg. *Caulinia* Aschers. ex Rendle 161, 164  
 sect. *Caulinia* A. Braun 161, 164  
 subg. *Eunajas* Aschers. ex Rendle 162  
 sect. *Eunajas* A. Braun 162  
 sect. *Najas* 161, 162  
*bengalensis* Horn af Rantzen 169  
*brevistyla* Rendle 167  
*browniana* Rendle 158, 160\*, 161, 163 map, 165  
*celebica* Koord. 167, 168  
*falciculata* A.Braun 165, 166  
*falciculata* (non A.Braun) Coert 168  
*foveolata* A.Braun ex Rendle 166  
*gracillima* (A.Braun) Magnus 165, 166  
*graminea* Del. 158, 161, 169, 170 map  
*var. angustifolia* Rendle 169  
*var. delilei* Magnus 169  
*var. graminea* 158, 160\*, 170  
*var. minor* Rendle 169  
*var. robusta* de Wilde 170  
*var. (B) tenuifolia* (R.Br.) A.Braun 167, 168, 169  
*graminea* (non Del.) Miq. 168  
*graminea* (non Del.) Ridl. 169  
*hagerupi* Horn af Rantzen 165  
*horrida* 170  
*indica* (Willd.) Cham. 158, 160\*, 161, 164, 166, 167 map, 170  
*var. gracillima* A.Braun ex Engelm. 165  
*var. macrodictya* A.Braun 166  
*var. rigida* A.Braun 166  
*intermedia* Gorski 162  
*kingii* Rendle 166  
*kurziana* Rendle 160\*, 161, 163 map, 165  
*lacerata* Rendle 166  
*lobata* Blco 166  
*major* All. 162  
*B angustifolia* A.Braun 162  
*& intermedia* A.Braun 162  
*malesiana* de Wilde 158, 160\*, 161, 169 map  
*marina* L. 158, 159, 160, 161, 162, 170  
*var. B* 162  
*var. γ* 162  
*var. angustifolia* Rendle 162  
*var. intermedia* Rendle 162  
*var. marina* 160\*, 162, 163 map  
*var. sumatrana* de Wilde 160\*, 162, 163 map  
*var. zollingeri* Rendle 158, 160\*, 162, 163\*  
*minor* All. 161, 164  
*var. indica* A.Braun 166  
*minor* (non All.) Hook. f. 166  
*obvoluta* Blco 171  
*oguraensis* Miki 164  
*palustris* Blco 166  
*pseudograminea* W.Koch 167, 168  
*seminuda* Griff. ex Voigt 169  
*tenuifolia* (non R.Br.) auct. 168  
*tenuifolia* R.Br. 158, 161, 167, 168  
 ssp. *pseudograminea* (W. Koch) de Wilde 167, 168  
*var. celebica* (Koord.) de

- Wilde 158, 160\*, 168  
var. *pseudograminea*  
159\*, 160\*, 168 map  
ssp. *tenuifolia* 167, 168  
*tenuifolia* (non R.Br.) Miq.  
166
- Naumburgia* Moench 174, 175,  
177
- Nectandra* (non Berg.) Roxb. 26
- Neerija dichotoma* Roxb. 286,  
287
- Neojunguhnia* Koord. 785  
*insignis* Koord. 787
- Neotrewia arborea* Elm. 944  
*cumingii* (M.A.) P. & H. 944
- Nephelium* 283
- Nertera dentata* Elm. 960
- Neuburgia* Bl. 293, 295, 296,  
297, 363, 959  
*celebica* (Koord.) Leenh.  
364\*, 365, 367, 368, 959  
*corynocarpa* (A.Gray) Leenh.  
364\*, 365, 366, 959  
*kochii* (Val.) Leenh. 365, 366,  
959  
*moluccana* (Boerl.) Leenh.  
364\*, 365, 367, 368\*, 369  
*musculiformis* (Lamk) Miq.  
367, 368
- rumphiana* Leenh. 364\*, 365,  
367, 959
- sarcantha* (Gilg & Bened.)  
Leenh. 363, 365, 366, 959
- sumatrana* (Miq.) Boerl. 369
- tuberculata* Bl. 365, 367, 368  
*tubiflora* Bl. 365, 367, 368
- Neopeltis* Wall. 936, 937
- Neuropeltopsis* Ooststr. 936, 937  
*alba* Ooststr. 937, 938\*
- Nicodemia* Tenore 296, 336, 340  
*diversifolia* Tenore 340  
*madagascariensis* R.N. Parker  
340  
*philippinensis* Elm. 341
- Nima* Ham. ex Juss. 212
- Niota* Lamk 199  
*commersonii* Pers. 200  
*globosa* Blco 203  
*lamarckiana* Bl. 200  
*lucida* Wall. 200  
*pentapetala* Poir. 199  
*polyandra* Buch.Ham. ex W.  
& A. 203  
*tetrapetala* Poir. 200
- Norrisia* Gardn. 293, 295, 296,  
297, 341  
*maior* Soler. 341, 342\*  
*malaccensis* Gardn. 341, 342\*,  
373  
var. *major* (Soler.) Ridl. 342  
var. *malaccense* Ridl. 341  
var. *pubescens* K. & G. 341  
*malaccensis* (non Gardn.)  
Merr. 341  
*philippinensis* Elm. 341
- Nothocnestis* Miq. 280  
*sumatrana* Miq. 283
- Nothofagus* 49
- Nothoprotium* Miq. 928
- Nurvala* Rheede 68
- Nuxia* 294, 295, 296
- Nyctaginaceae* 450–468
- Nypa* 965
- Nyssaceae* 4: 29–31
- Ochanthe* Lindl. 49, 51
- Ochthocosmus* Bth. 971, 972
- Odyendyea* (Pierre) Engl. 198,  
202
- Olacaceae* 420
- Oldenlandia brachyphylla* Merr.  
384
- Oleaceae* 280, 296, 297, 336
- Olus album* Rumph. 464  
*album insulare* Rumph. 464
- Operculina riedeliana* (Oliv.)  
Ooststr. 939
- Ophiorrhiza* L. 375  
*mitreola* L. 375  
*mungos* L. 375
- Ophispermum* Lour. 6
- Orchidea sumatrana* Miq. 369
- Oreamuno* = *Oreamunnea* 148
- Oreamunnea* Oerst. 145, 148
- Orescia* Reinw. 177  
*montana* Reinw. 181
- Orobanchaceae* 294
- Orobanche* 294
- Oxybaphus* 451
- Pachistima* 228
- Palurus dubius* Blco 208  
*perforatus* Blco 208
- Palmerella* 140
- Papaveraceae* 5: 114–117; 6: 62,  
63
- Paphia* Seem. 878  
*helena* (F.v.M.) Schltr 879  
*stenantha* Schltr 884  
*viridiflora* Schltr 883
- Paracelastrus* Miq. 272, 277  
*bivalvis* Miq. 276  
*wallachianus* F.N.Williams 279
- Parietales* 968
- Parophiorrhiza* Clarke 375
- Paropsis vareciformis* (Griff.)  
Mast. 944
- Passerina javanica* Thunb. 48
- Pedaliaceae* 4: 216–221; 5: 557
- Pedicellaria* Schrank 99  
*pentaphylla* Schrank 101
- Pelargonium* L'Hérit. 445, 448,  
449  
*asperum* Ehrh. ex Willd.  
449
- crispum* 449
- graveolens* Thunb. 449
- radens* H.E.Moore 449
- Pellacalyx saccardianus* Scort.  
967
- Pelletiera* 173
- Peltanthera* Bth. 294, 295, 296,  
953
- Pemphis acidula* Forst. 198
- Pentaceras australis* Hook. f.  
220
- Pentachondra javanica* Zoll. 431
- Pentaphragma* 107, 108, 109,  
110
- Pentaphragmataceae* 4: 517–528
- Pentaphylacaceae* 5: 121–124,  
566
- Pentapterygium* Klotzsch 878  
*scortechinii* K. & G. 879
- Pentaspadon* Hook. f. 928
- Peracarpa* Hook. f. & Th. 107,  
109, 110  
*carnosa* (Wall. in Roxb.)  
Hook. f. & Th. 110  
var. *circaeoides* 111  
*circaeoides* Feer 111  
*luzonica* Rolfe 111
- Pericopsis* Thw. 976
- Pernettya* 472  
*repens* (Bl.) Zoll. 684
- Pernettyopsis* K. & G. 469, 474,  
675
- breviflora* (Ridl.) Ridl. 676
- malayana* K. & G. 676\*
- subglabra* K. & G. 676
- Perriera* 194
- Perrottetia* H.B.K., non DC.  
228, 229, 230, 231, 232, 240,  
288, 390, 391, 392, 930
- alpestris* [non (Bl.) Loes.]  
Koord. 291
- alpestris* (Bl.) Loes. 229, 290,  
291 map
- ssp. *alpestris* 289\*, 290
- ssp. *moluccana* (Bl.) Ding  
Hou 289\*, 290, 291
- ssp. *philippinensis* (Vidal)  
Ding Hou 289\*, 290, 291
- var. *philippinensis* Stapf 291
- arborescens* (F.v.M.) Loes  
291
- arisensis* Hayata 290
- caudata* Ridl. 291
- grandifolia* Ridl. 291
- lauterbachiana* Loes. 291
- f. *B macrophylla* Loes. 291
- moluccana* (Bl.) Loes. 291
- nervosa* Ridl. 291
- philippinensis* Loes. 291
- racemosa* (Oliv.) Loes. 290
- schlechteri* Loes. 291
- traumatophylla* Merr. & Perry  
291
- Phaleria* Jack 2, 3, 5, 15, 19\*  
*ambigua* Hook. f. 17
- amboinensis* Merr. 21
- axillaris* Elm. 23
- blumei* (non Bth.) Hemsl. 18
- calantha* Gilg 22, 23
- capitata* Jack 2, 14\*, 16, 20\*,

- 21 map  
*cauliflora* Bedd. 20  
*coccinea* (Gaudich.) F.v.M. 16, 21  
*cumingii* F.-Vill. 20  
*dubiosa* Zoll. 20  
*elegans* Perry 14\*, 16, 17  
*laurifolia* Hook. f. 2, 17, 18  
var. *javanica* Val. 17  
*longifolia* Boerl. 17  
*macrocarpa* (Scheff.) Boerl. 2, 14\*, 16, 22\*  
*neumannii* F.v.M. 2  
*nisidai* Kaneh. 16, 19  
*octandra* (L.) Baill. 2, 14\*, 16, 17, 18 map  
var. *laurifolia* Warb. ex von Malm 17  
*octandra* [non (L.) Baill.] K.Sch. & Hollr. 22  
*papuana* Warb. ex K.Sch. & Laut. 22  
*parvifolia* Back. 17  
*pentecostalis* Léandri 4, 16  
*perrottetiana* (Decne) F.-Vill. 5, 16, 18 map, 19  
*platyphylla* Merr. 21  
*revoluta* Boerl. 21  
*sogerensis* S.Moore 16, 21  
sp. Gilg 22  
*splendida* Val. 18  
*subcaudata* Merr. & Perry 21  
*urens* Koord. 20  
*vriesii* Baill. 21  
*wichmannii* Val. 22, 23  
*zippelii* Baill. 21  
*Phanrangia* Tardieu 231  
*Philagonia* Bl. 226  
*Phyllidraceae* 4: 5-7  
*Phyllocharis* Diels 107, 109, 110, 137, 928  
*lamijolia* Wimmer 139  
*oblongifolia* Diels 137, 139\*  
*saxicola* v.Royen 137, 139\*,  
*schlechteri* Diels 137, 139\*,  
*subcordata* Merr. & Perry 137, 139\*,  
*Phyteuma* 108  
*Phytolaccaceae* 4: 228-232; 5: 557, 6: 109, 451  
*Picraena* Lindl. 212  
*Picramnia* 194  
*Picrasma* Bl. 193, 195, 196, 212  
*andamanica* Kurz ex Benn. 214  
*denhamii* Seem. 214  
*javanica* Bl. 213\*, 214 map  
*nepalensis* Benn. 214  
*philippinensis* Elm. 214  
*quassioides* (D.Don) Benn. 193, 194, 214  
*Picroderma laotica* Thorel ex Gagnep. 226  
*Picrolemma pseudocoffea* Ducke 194  
*Picrophloeus* Bl. 299, 303  
*javanensis* Bl. 303, 304  
*Picroxylon* Warb. 203  
*siamense* Warb. 205  
*Piddingtonia* DC. 121  
*cyanocarpa* Hassk. 132  
*montana* Miq. 132  
*nummularia* DC. 134  
*palliardii* Lehm. 134  
*patens* Miq. 132  
*Pieris* (non D.Don 1834) Clarke 472, 674  
*ovalifolia* (Wall.) D.Don 675  
*Pierreodendron* Engl. 198, 202  
*Pimela alba* Lour. 926  
*nigra* Lour. 927  
*Pimelea* Banks & Soland. ex Gaertn. 2, 3, 4, 5, 6, 43, 44  
subg. *Thecanthes* (Wikstr.) Gilg 46  
*brevituba* Fawc. 46  
*concreta* F.v.M. 45\*, 46\* map  
*cornucopiae* Vahl 45\*, 46 map  
*philippinensis* C.B.Rob. 46  
sp. Dammerm. 46  
*Piper* 468  
*Pirola* = *Pyrola*  
*Pisonia* Plum. ex L. 450, 451, 457, 462 map  
*aculeata* L. 450, 457, 459, 460, 463\*, 467 map  
*alba* Span. 464, 466\*  
*anisophylla* Hassk. 467  
*artensis* (Montr.) Barg.-Petr. 459, 460  
*aruensis* Barg.-Petr. 461  
*beccariana* Barg.-Petr. 463  
*brunoniania* Endl. 460  
*cauliflora* Scheff. 460, 462 map  
*corniculata* Barg.-Petr. 460, 464  
*diantha* Pulle 458\*, 459, 460, 463  
*excelsa* Bl. 460  
*excelsa* (non Bl.) Corner 459, 464, 465  
*fragrans* 459  
*gammillii* Merr. 461  
*grandifolia* Warb. 463  
*grandis* R.Br. 197, 223, 459, 460, 464, 465\* map, 466\*  
var. *sylvestris* (T. & B.) Heimerl 464  
*inermis* (non Jacq.) Forst. ex Seem. 464, 466, 467  
*inermis* Jacq. 466, 468  
*limonella* Bl. 467  
*lineatipilum* C.DC. 468  
*longirostris* Teysm. & Binn. 459, 460, 463\*, 464 map  
*macrophylla* (Bojer) Choisy 464  
*major* Baill. 462  
*membranacea* K.Sch. & Hollr. 468  
*micrantha* Val. 463  
*mitis* L. 467  
*mooriana* F.v.M. 461  
*morindifolia* R.Br. ex Wight 464  
*mülleriana* Warb. 459, 460, 462 map, 464  
*nishimura* Koidz. 461  
*procera* Bertero ex Guill. 464, 467  
*rostrata* Warb. 463  
*spathiphylla* K.Sch. & Laut. 463  
*sylvestris* Teysm. & Binn. 464, 467  
*triandra* Barg.-Petr. 463  
*umbelliflora* (Forst.) Seem. 460, 461\* map  
*villosa* Poir. 467  
*Pittosporaceae* 5: 345-362; 6: 373, 960-963  
*Pittosporales* 63  
*Pittosporum* Banks ex Gaertn. 152, 960  
*berberidoides* Burkill 961, 963  
*ferrugineum* 12  
var. *filarium* DC. 11  
*filarium* Oken 11, 12  
*inopinatum* Bakker 961, 962\*  
*moluccanum* (Lamk) Miq. 373, 963  
*nubicola* Schodde 963  
*pentandrum* (Blco) Merr. 15, 963  
*pullifolium* Burkill 963  
var. *globosum* Steen. 961, 963  
*pumilum* Schodde 961, 962  
*ramiflorum* (Z. & M.) Zoll. ex Miq. 961  
f. *macrocarpum* Bakker 961  
*resiniferum* Hemsl. 961  
*serrulatum* Jack ex Roxb. 963  
*sinuatum* Bl. 961, 963  
var. *efuniculare* Steen. 961  
*tenuivalve* Schodde 961  
*Pityopus* Small 670  
*Platycarya* 143  
*strobilacea* 143  
*Platycodon grandiflorum* (Jacq.) DC. 108, 141  
*Pleurostyla* W. & A. 227, 228, 232, 287, 391, 392, 930  
*heynei* W. & A. 288  
*opposita* (Wall.) Alston 287\*, 288  
*wightii* W. & A. 288  
var. *neocaldonica* Loes. 288  
*Pleurostylis* = *Pleurostyla* 288  
*Plocosperma* Bth. 954  
*Plumbaginaceae* 4: 107-112; 6: 173, 174, 451  
*Plumbaginales* 451  
*Plumbago* 451  
*Podandrogynne* 100

- Podocarpus 333  
 Podostemaceae 4: 65–68; 6: 963–964  
*Polanisia* (non Raf.) DC. 62, 99, 100  
*angulata* DC. 102  
*chelidonii* DC. 102, 103  
*dodecandra* (L.) DC. 100  
*icosandra* W. & A. 103  
 f. *deglabrata* Back. 104  
 f. *typica* Back. 103  
*viscosa* DC. 103, 104  
 f. *typica* Back. 103  
 var. *c* Back. 103  
 var. *deglabrata* Back. 104  
*Polanisia* Raf. 62, 99, 100  
*graveolens* Raf. 99, 100  
 Polemoniaceae 4: 195–196  
 Polycardia Juss. 932  
 Polygalales 63  
 Polypremum 293, 295, 296  
 Pongamia pinnata (L.) Merr. 973  
*Pongelion* Adans. 215, 216  
 sect. *Ailanthes* Pierre 215  
 sect. *Euailanthus* Engl. 215  
 sect. *Eupongelion* Rumph. ex Pierre 215  
*cacodendron* Farwell 220  
*calycinum* Pierre 218  
*excelsum* Pierre 219  
*fauvelianum* Pierre 219  
*grandis* v.Tiegh. 218  
*imberbisflora* Pierre 219  
*malabaricum* Pierre 219  
*wightii* v.Tiegh. 219, 220  
*Pongelion* Rheede 219  
*Pongelium glandulosum* Pierre 220  
*vilmorinianum* v.Tiegh. 220  
 Pontederiaceae 4: 255–261; 5: 557; 6: 964  
*Posoqueria longiflora* Aubl. 349  
*Potalia* 295  
*Potaliaceae* Hutch. 297  
 Potamogetonaceae 157, 171  
*Pragmatropa* Pierre 245  
*Pragmotessara* Pierre 245  
*japonica* Pierre 252  
*Pratia* Gaudich. 107, 109, 119, 121, 122, 135  
*angulata* (Forst.) Hook. f. 122, 134, 135  
 var. *arenaria* 134  
*archboldiana* Merr. & Perry 131  
*arenaria* Hook. f. 134  
*arenosa* = *arenaria* 134  
*begoniaefolia* = *begonifolia* 134  
*begonifolia* (non Lindl.) Hosseus 128  
*begonifolia* Lindl. 134  
*begoniifolia* = *begonifolia* 134  
*borneensis* Hemsl. 133  
 var. *grandiflora* Stapf 133  
*conferta* Wimmer 135  
*hederacea* G.Don 134  
 var. *elliptica* 134  
*linnaeoides* Hook. f. 134  
*montana* Hassk. 132  
 f. *variegata* Hochr. 132  
 var. *cyanocarpa* Wimmer 132  
*nummularia* A.Br. & Aschers 134, 135  
*ovata* Elm. 128  
*papuana* S.Moore 134, 135  
*podenzanae* S.Moore 134  
*radicans* G.Don 131  
*reniformis* Kanitz 134  
*repiformis* Gaudich. 134  
*serpyllacea* Presl. 134  
*thunbergii* G.Don 131  
*torricellensis* K.Sch. & Laut. 128  
*wollastonii* S.Moore 134, 135  
*zeylanica* Hassk. 134  
*Primula* Tourn. ex L. 173, 174, 175, 186, 188  
 sect. *Callianthae* Pax 191  
 sect. *Candelabra* Balf. f. 186, 191  
 sect. *Cankrienia* (de Vriese) Pax 186  
 sect. *Proliferae* Pax 186, 188, 191  
*auricula* L. 175  
*cortusoides* L. 174  
*elatior* (L.) Hill 173  
*farinosa* L. 186, 189  
*helodoxa* Balf. f. 190, 191  
*hirsuta* All. 188  
*hortensis* 188  
*imperialis* Jungh. 189, 190, 191  
 var. *gracilis* Pax 189  
*kewensis* W.Wats. 175  
*khasiana* Balf. f. 190, 191  
*kuhlii* Bl. 190  
*malacoides* Franch. 192  
*minutiflora* Forrest 191  
*mollis* Hook. 174  
*obconica* Hance 174, 192  
*praenitens* Ker-Gawl 175, 188, 192  
*prolifera* Wall. 173, 186, 187\*, 189\*, 190\* map  
*saxifragifolia* O.K. 191  
*sieboldii* Morren 174  
*sinensis* Lindl., non Lour. 175, 188, 192  
*smithiana* Craib 190, 191  
*sumatrana* Merr. 190, 191  
*umbellata* (Lour.) Bentv. 186, 189, 191\*, 192 map  
*veris* L. 173, 174  
 var. *elatior* L. 192  
*Primulaceae* 173–192, 964  
 subfam. Androsaceae 174  
 subfam. Corideae 174  
 subfam. Cyclamineae 174  
 subfam. Lysimachiae 174  
 subfam. Samoleae 174  
*Pristimera grahamii* A.C.Smith 402  
*indica* A.C.Smith 401  
 Proteaceae 5: 147–206, 566; 6: 368, 965  
*Protium javanicum* Burm. f. 917  
*macgregorii* (F.M.Bailey)  
 Leenh. 917  
*Pseudais* Decne 15  
*coccinea* Decne 21  
*Pseudogardneria* Racib. 296  
*Pseudospigelia* 296  
*Psilaea* Miq. 27  
*dalbergioides* Miq. 27, 982  
*Psychotria* L. 387, 959  
*Pteridophyta* 171  
*Pterilema* Reinw. 145  
*aceriflorum* Reinw. 152  
*Pteris wallichiana* Agardh 187\*  
*Pterocarya* 143  
 Puniceae 4: 226–227  
*Pyrola* Tourn. ex L. 469, 472, 474, 671  
*japonica* Klenze ex Alefeld 673  
 ssp. *coreana* Andres 673  
*japonica* (non Klenze ex Alefeld) Steen. 671  
*sumatrana* Andres 671, 672\*  
*Pyrolaceae* 472, 473  
*Pyroleae* 472  
*Pyrospermum* Miq. 280  
*calophyllum* Miq. 282  
*Pyrus granulosa* Bertol. 878  
*Quassia* L. 968, 969  
*harmandiana* (Pierre) Noot. 969  
*Randia cochinchinensis* (Lour.) Merr. 309  
*Rapantium* Miller 121  
*affine* Presl 128  
*alsinoides* Presl 127  
*angulatum* Presl 134  
*arenarioides* Presl 129  
*caespitosum* Presl 130  
*campanuloides* Presl 130  
*chinense* Presl 130  
*coloratum* Presl 123  
*haenkeanum* Presl 136  
*leschenaultianum* Presl 123  
*longiflorum* Miller 140  
*longifolium* Presl 136  
*nicotianaefolium* Presl 123  
*nummularium* Presl 134  
*pyramidalis* Presl 123  
*radicans* Presl 130  
*reinwardtianum* Presl 129  
*reniforme* Presl 134  
*roseum* Presl 123  
*succulentum* Presl 128

- trialatum* Presl 129  
*wallichianum* Presl 123  
*zeylanicum* Presl 128  
*Reissantia* Hallé 390, 391, 400  
 cassinoides (DC.) Ding Hou 402  
*ferruginea* (King) Ding Hou 402  
*grahamii* (Wight) Ding Hou 402, 403\*  
*indica* (Willd.) Hallé 401  
*Resedaceae* 62, 63  
*Restionaceae* 5: 416–420, 569  
*Retzia* Thunb. 295, 297, 954  
*Rex amaroris* Rumph. 221  
*Rhamnaceae* 49, 280, 284  
*Rhamphocarya* Kuang 143  
*Rhesa* = *Bhesa* 282, 283  
*Rhizophora* L. 965  
 apiculata Bl. 966  
 harrisonii Leechm. 974  
 mucronata Lamk 965, 966  
 stylosa Griff. 966  
*Rhizophoraceae* 5: 429–493; 6: 361, 965–967, 974  
*Rhododendron* L. 469, 470, 471, 472, 473, 474, 475 map  
 subg. *Anthodendron* (Rchb.) Endl. ex Wils. & Rehd. 661, 943  
 sect. *Anthodendron* (Rchb.) Endl. 661, 943  
 subg. *Anthodendron* (non Wils. & Rehd.) Sleum. 661, 662  
 sect. *Anthodendron* Sleum. 662  
 subg. *Azaleastrum* Planch. 480, 665  
 sect. *Choniastrum* Franch. 480, 665, 666 map  
 subg. *Eurhododendron* (Endl.) Koehne 656  
 sect. *Eurhododendron* Endl. 657  
 subg. *Hymenanthes* (Bl.) Koch 480, 656  
 sect. *Hymenanthes* 480, 657  
 subsect. *Irrorata* Sleum. 480, 657 map  
 subg. *Hymenanthus* = *Hymenanthes* 656  
 subg. *Lepidorrhodion* Koehne 480  
 subg. *Pentanthera* (G.Don) Pojarkova 480, 661, 943  
 sect. *Pentanthera* 480, 661, 943  
 subg. *Pseudovireya* Clarke 480  
 subg. *Rhododendron* 479, 480, 943  
 sect. *Discovireya* Sleum. 480  
 sect. *Eurhododendron* Endl. 480
- sect. *Hadranthe* Schltr 497, 501, 547  
 sect. *Hapalanthe* Schltr 606  
 sect. *Linnaeopsis* Schltr 568  
 sect. *Schistanthe* Schltr 501, 606  
 sect. *Vireya* (Bl.) Copel. f. 475, 477\*, 478\*, 479, 480, 943  
 subsect. *Albovireya* Sleum. 479, 537, 538 map  
 subsect. *Astrovireya* Sleum. 580  
 subsect. *Euvireya* Copel. f. 476, 479, 527, 537, 567 map, 606  
 ser. *Buxifolia* Sleum. 538, 568, 580  
 ser. *Citrina* Sleum. 568, 579  
 ser. *Javanica* Sleum. 536, 568, 606  
 ser. *Linnaeoidea* Sleum. 567, 568  
 ser. *Saxifragoidea* Sleum. 567, 574  
 ser. *Stenophylla* Sleum. 568, 576  
 ser. *Taxifolia* Sleum. 568, 575  
 subsect. *Leiovireya* Copel. f. 606  
 subsect. *Linearanthera* Copel. f. 580  
 subsect. *Linnaeopsis* (Schltr) Sleum. 568  
 subsect. *Malayovireya* Sleum. 477\*, 478\*, 479, 527 map  
 subsect. *Malesia* Copel. f. 580  
 subsect. *Phaeovireya* Sleum. 478\*, 479, 501, 511, 527 map  
 subsect. *Pseudovireya* (Clarke) Sleum. 476, 478\*, 479, 480 map, 527, 536  
 subsect. *Schizovireya* Sleum. 606  
 subsect. *Siphonovireya* Sleum. 476, 479, 497, 527 map  
 subsect. *Solenovireya* Copel. f. 476, 479, 527, 547 map  
 sect. *Zygomorphanthe* Schltr 480, 501, 537, 576, 580, 606  
 ser. *Malayanum* Copel. f. 527  
 subg. *Tsutsutsi* (G.Don) Pojarkova 480, 661  
 sect. *Tsutsutsi* = *Tsutsutsi* 662  
 sect. *Tsutsugi* = *Tsutsutsi* 662  
 sect. *Tsutsusi* = *Tsutsutsi* 662  
 sect. *Tsutsutsi* 480, 657 map, 662  
 subg. *Vireya* (Bl.) Clarke 480  
*abietifolium* Sleum. 581, 590, 591  
*acrocline* Sleum. 652  
*acrophilum* Merr. & Quis. 581, 595  
*acuminatum* Hook. f. 528, 534\*  
*adinophyllum* Merr. 481, 490\*  
*aequabile* J.J.S. 538, 539  
*agathodaemonis* J.J.S. 497, 499, 505  
*agathodaemonis* (non J.J.S. 1913) J.J.S. 1936 500  
*album* Bl. 538, 539, 626  
*album* (non Bl.) Ridl. 539  
*album* (non Bl.) Zoll. 540  
*alternans* Sleum. 581, 592  
*alticolum* Sleum. 582, 597  
*amabile* Sleum. 548, 559  
*anagalliflorum* Wernh. 568  
*andersonii* Ridl. 536  
*angiense* J.J.S. 652  
*angulatum* J.J.S. 607, 616  
*apoanum* Stein 528, 531  
*araiphyllum* Baile. f. & W.W. Sm. 661  
*archboldianum* Sleum. 548, 555  
*arenicolum* Sleum. 539, 546  
*arfakianum* Becc. 581, 609, 610, 648  
*armitii* F.M.Bailey 548, 557  
*asparagoides* Wernh. 643  
*aspernum* Sleum. 509  
*asperum* J.J.S. 476, 478, 517, 521\*  
*astrapiæ* Foerster 515  
*atjehense* Sleum. 472, 657, 658\*, 659\*  
*atropurpureum* Sleum. 570, 582, 602\*, 603  
*aurigeranum* Sleum. 609, 642  
*baenitzianum* Laut. 608, 627  
*bagobonum* Copel. f. 580, 586  
*banghamiorum* (J.J.S.) Sleum. 581, 596  
*basirotundatum* J.J.S. 626  
*beccarii* Sleum. 607, 622, 626  
*beyerinckianum* Koord. 477\*, 478, 511  
 var. *longipetiolatum* J.J.S. 511  
*bloembergenii* Sleum. 608, 633  
*bodenii* Wernh. 497  
*brachygynum* Copel. f. 609, 610, 650  
*brachypodarium* Sleum. 549,

- 561, 562\*
- brassii* Sleum. 470, 582, 600
- brevipes* Sleum. 609, 642
- brevitubum* J.J.S. 607, 622
- breynii* Planch. 663
- brookeanum* Low ex Lindl. 475, 537, 610, 655
- var. *brookeanum* 655, 656
- var. *cladotrichum* Sleum. 655, 656
- var. *extraneum* Sleum. 655, 656
- var. *gracile* (Low ex Lindl.) Sleum. 655, 656
- brookeanum* (non Low ex Lindl.) Staph 653
- bryophilum* Sleum. 477\*, 509
- bullifolium* Sleum. 522
- burmanni* G.Don 662
- buruense* J.J.S. 608, 632
- buxifolium* Low ex Hook. f. 582, 603
- var. *buxifolium* 603, 604
- var. *robustum* Sleum. 591, 604, 612
- caespitosum* Sleum. 568, 569\*, 571\*
- calceolarioides* Wernh. 634
- callithilioides* Wernh. 628
- var. *minor* Wernh. 628
- calodon* Ridl. 591
- calosanthes* Sleum. 582, 605
- candidapiculatum* Wernh. 572
- carrii* Sleum. 548, 557
- carringtoniae* (non F.v.M.) Lane-Poole 500
- carringtoniae* F.v.M. 548, 552, 558
- var. *maius* J.J.S. 554
- carstensense* Wernh. 548, 553
- caryophyllum* Hayata 664
- celebicum* (Bl.) DC. 606, 615
- cernuum* Sleum. 538, 545
- cerochitum* Balf. f. & Forr. 661
- chamaepitys* Sleum. 548, 552
- chevalieri* Dop 475
- christi* Foerster 606, 612, 614
- var. *loniceroides* Schltr 612
- christianae* Sleum. 471, 608, 637
- chrysopeplon* Sleum. 512
- ciliolatum* Sleum. 482, 494
- cinchoniflorum* Sleum. 497, 498\*
- cinerascens* Sleum. 540, 561
- citrinum* (Hassk.) Hassk. 579
- var. *albiflorum* Miq. 579
- var. *citrinum* 579
- var. *discoloratum* Sleum. 580
- citrinum* (non Hassk.) Miq. 580
- clementis* Merr. 625
- coelorum* Wernh. 568, 573
- coenenii* J.J.S. 652
- commonae* Foerster 581, 587, 588\*, 589\*
- commutatum* Sleum. 608, 629
- comparabile* Sleum. 608, 636
- comptum* C.H.Wright 543
- var. *comptum* 538, 543, 544\*
- var. *trichodes* 538, 544
- coniferum* Wernh. 543
- convexum* Sleum. 651
- copelandii* Merr. 567
- cortifolium* Sleum. 612
- cornu-bovis* Sleum. 580, 585
- correoides* J.J.S. 538, 543
- corruscum* Ridl. 659
- crassifolium* Staph 607, 626
- crassinervium* Ridl. 626
- cruttwellii* Sleum. 548, 554, 555\*
- culminicolum* F.v.M. 580, 581, 608, 610, 651
- var. *angiense* (J.J.S.) Sleum. 476, 524, 651, 652
- var. *culminicolum* 597, 651, 652
- var. *nubicola* (Wernh.) Sleum. 580, 581, 651, 652
- cuneifolium* (non Staph.) Rendle 495
- cuneifolium* (non Staph.) Ridl. 496
- cuneifolium* Staph 496
- var. *subspathulatum* (non Ridl.) Merr. 496
- var. *subspathulatum* Ridl. 586
- curranii* Merr. 583
- curviflorum* J.J.S. 606, 613
- cuspidellum* Sleum. 608, 610, 629
- cyatheicolum* Sleum. 520
- cyrtophyllum* Wernh. 481, 491
- dasylepis* Schltr 512
- delicatulum* Sleum. 501, 507
- var. *delicatulum* 507
- var. *lanceolatooides* Sleum. 509
- devrieseanum* Koord. 515
- ssp. *astrapiae* Foerster 515
- devrieseanum* vel aff. Stonor 505
- devriesianum* = *devrieseanum* 515
- dianthosmum* Sleum. 477\*, 526
- dielsianum* Schltr 510, 511
- var. *dielsianum* 510
- var. *stylotrichum* Sleum. 510
- discolor* Warb. 615
- disterigmooides* Sleum. 568, 569\*, 573
- doctersii* J.J.S. 643
- dubium* K. & G. 659
- durionifolium* Becc. 528, 529, 531
- durionifolium* (non Becc.) Staph 531
- edanoi* Merr. & Quis. 549, 564
- elegans* Ridl. 591
- elongatum* Bl. 565
- englerianum* Koord. 608, 609, 628
- ericoides* (non Low ex Hook. f.) Burtt 496
- ericoides* Low ex Hook. f. 481, 491
- var. *ericoides* 491\*
- var. *silvicolum* Sleum. 492
- erosipetalum* J.J.S. 481, 485
- extrorsum* J.J.S. 501, 504
- eymae* Sleum. 501, 503
- fallacinum* Sleum. 528, 530\*, 531
- filamentosum* Wernh. 560
- flavoviride* J.J.S. 608, 637
- fortunans* J.J.S. 528, 535
- franssenianum* J.J.S. 614
- frey-wysslingii* J.J.S. 580, 582
- fuchsii* Sleum. 609, 648
- fuchsiooides* Schltr 486
- fuchsiooides* aff. Stonor 575
- fuscum* Bl. 532
- galioides* J.J.S. 586
- gardenia* Schltr 514
- gaultheriifolium* J.J.S. 477\*, 481, 484
- var. *expositum* Sleum. 485
- var. *gaultheriifolium* 484
- gibbsiae* J.J.S. 652
- gilliardii* Sleum. 522
- giulianettii* Laut. 538, 546
- glabrilifilum* J.J.S. 635
- glabriliflorum* J.J.S. 606, 614
- goodenoughii* Sleum. 549, 561
- gorumense* Schltr 634
- gracile* (non Low ex Lindl.) Becc. 629
- gracile* Low ex Lindl. 656
- gracilentum* F.v.M. 568, 570\*
- gregarium* Sleum. 651
- habbemae* Koord. 497
- habbemai* = *habbemae* 497
- haematophthalmum* Sleum. 522, 524
- hameliiiflorum* Wernh. 481, 486
- hansemannii* Warb. 633
- hatamense* Becc. 580, 584
- 606, 608
- hatamense* (non Becc.) Sleum. 652
- helwigii* (non Warb.) Koord. 499
- hellwigii* Warb. 501, 504
- helodes* Sleum. 581, 594
- herzogii* Warb. 470, 497, 500\*
- himantodes* Sleum. 528
- var. *himantodes* 528

var. *lavandulifolium* Sleum. 529  
*hirtolepidotum* J.J.S. 607, 618  
*hooglandii* Sleum. 501, 507, 576\*  
*hybridogenum* Sleum. 528, 537  
*impositum* J.J.S. 609, 649  
*impressopunctatum* J.J.S. 607, 617  
*incommodeum* Sleum. 497, 500  
*inconspicuum* J.J.S. 470, 477\*, 538, 582, 598  
*inconspicuum* aff. Stonor 569  
*indicum* (L.) Sweet 662, 663  
 f. *variegatum* (Bl.) DC. 663  
*intraneuratum* Sleum. 610, 654  
*inundatum* Sleum. 497, 499  
*invasorium* Sleum. 481, 488  
*jasminiflorum* (non Hook.) F.-Vill. 531  
*jasminiflorum* Hook. 476, 478, 537, 548, 549, 565  
 var. *copelandii* (Merr.) Sleum. 566, 567  
 var. *heusseri* (J.J.S.) Sleum. 565, 566  
 var. *jasminiflorum* 566  
 var. *maculatum* Ridl. 566  
 var. *oblongifolium* Sleum. 566, 567  
 var. *punctatum* Ridl. 528, 537, 566  
*jasminiflorum* (non Hook.) Koord. 579  
*jasminiflorum* (non Hook.) Merr. 567  
*jasminiflorum* (non Hook.) Ridl. 563, 566  
*jasminiflorum* (non Hook.) Sarasin 560  
*javanicum* (Bl.) Benn. 471, 478\*, 537, 607, 610, 624\*  
 var. *citrinum* Hassk. 624  
 var. *gymnocarpum* Hochr. 624  
 var. *javanicum* 625, 626  
 var. *schadenbergii* (Warb.) Sleum. 625  
 var. *teysmannii* (Miq.) K. & G. 528, 537, 625  
 var. *tubiflorum* Hook. 640  
*javanicum* (non Benn.) Clarke 620  
*javanicum* (non Benn.) F.-Vill. 641  
*javanicum* (non Benn.) Koord. 615  
*javanicum* (non Benn.) Malm 650  
*javanicum* (non Benn.) Steen. 621  
*keditii* Sleum. 606, 612  
*kemulense* J.J.S. 607, 623

*keysseri* Foerster 651  
*kjellbergii* J.J.S. 630  
*klossii* Ridl. 666 map, 667  
*kochii* Stein 609, 641  
*konori* Becc. 477\*, 478\*, 515, 516\*, 518\*, 519, 652  
*korthalsii* Miq. 657, 660  
*lacteum* Stapf 551  
*laetum* J.J.S. 476, 478, 517, 521, 608, 609, 638\*  
*laetum* (non J.J.S. 1914) J.J.S. 1936 643  
*lagunculicarpum* J.J.S. 538, 542  
*lamii* J.J.S. 582, 599  
*lampungum* Miq. 538, 544  
*lanceolatum* Ridl. 609, 610, 647  
*langbianense* Chev. ex Dop 659  
*laoticum* Dop 667  
*lauterbachianum* Foerster 633  
*ledifolium* (Hook.) G.Don 662  
*leptanthum* F.v.M. 478, 512, 513\*  
*leptobrachion* Sleum. 608, 631  
*leptomorphum* Sleum. 581, 593  
*leptopeplum* Balf. f. & Forr. 661  
*leucobotrys* Ridl. 666  
*leucogigas* Sleum. 477\*, 478, 608, 632  
*leytense* Merr. 609, 649  
 var. *leytense* 649  
 var. *loheri* (Copel. f.) Sleum. 649  
*lindaeanum* Koord. 481, 486  
 var. *bantaengense* J.J.S. 486  
 var. *cyclopicum* Sleum. 486  
 var. *latifolium* J.J.S. 486  
 var. *lindaeanum* 486  
 var. *psilacrum* Sleum. 486  
*lineare* Merr. 528, 535  
*linearifolium* S. & Z., non Poir. 943  
 var. *macrosepalum* (Maxim.) Makino 662, 663  
*linnaeoides* Schltr 568  
*lobii* Veitch 640  
*loboense* Copel. f. 607, 619  
*lochae* F.v.M. 475, 636  
*loerzingii* J.J.S. 607, 616  
*loheri* Copel. f. 649  
*lomphense* J.J.S. 608, 632  
 var. *grandifolium* J.J.S. 633  
*longiflorum* Lindl. 475, 478, 537, 566, 608, 609, 640  
 var. *bancaicum* Sleum. 641  
 var. *heusseri* J.J.S. 566  
 var. *longiflorum* 640  
*loranthiflorum* Sleum. 549, 564  
*lowei* = *lowii* 654  
*lowii* Hook. f. 610, 654  
*lowii* (non Hook. f.) F.v.M. 628  
*lukiangense* Franch. 661  
*luraluense* Sleum. 580, 608, 636  
*lussoniense* Rendle 583  
*luteosquamatum* Sleum. 582, 598, 599  
*maboroense* Schltr 627  
*macgregoriae* F.v.M. 478, 522, 608, 609, 610, 633, 634\*, 652  
 var. *glabrifilum* (J.J.S.) Sleum. 634, 635  
 var. *macgregoriae* 634, 635  
 var. *mayrii* (J.J.S.) Sleum. 634, 635  
*macrosepalum* Maxim. 662, 663, 943  
*macrosiphon* Sleum. 548, 552  
*magnificum* Sleum. 515  
*maius* (J.J.S.) Sleum. 548, 554  
*malayanum* Jack 477\*, 478\*, 528, 532, 536, 537, 597, 617  
 var. *axillare* J.J.S. 533  
 f. *axillare* 532, 533  
 f. *latifolium* Sleum. 532, 533  
 f. *ovatum* Sleum. 532, 533  
 var. *infrapilosum* Sleum. 532, 533  
 var. *malayanum* 528, 532  
 var. *pilosifilum* Sleum. 528, 532, 533  
 var. *pubens* Sleum. 528, 532, 533  
*malayanum* (non Jack) Koord. 540  
*malindangense* Merr. 496  
*maxwellii* Gibbs 609, 644  
*mayrii* J.J.S. 635  
*megalostigma* F.v.M. 628  
*melantherum* Schltr 520  
*meliphagidum* J.J.S. 482, 493  
*microphyllum* J.J.S. 568, 571  
*mindanaense* Merr. 610, 650  
*minimifolium* Wernh. 483, 571  
*mjöbergii* Merr. 529  
*molle* (Bl.) G.Don 661  
*molianum* Koord. 610, 652  
*moszkowskii* Schltr 643  
*moulmainense* Hook. 666  
 map, 667\*, 668  
*moultonii* Ridl. 607, 623  
*mucronatum* (Bl.) G.Don 662  
*multicolor* Miq. 607, 621  
 var. *curtissii* Henslow 621  
*multicolor* (non Miq.) S.Moorre 580  
*multinervium* Sleum. 547, 549, 550\*  
*murudense* Merr. 626  
*murudense* (non Merr.) J.J.S.

- 618  
*muscicola* J.J.S. 568, 572  
*myrsinifolium* Sleum. 576, 578  
*nanophyton* Sleum. 492  
 var. *nanophyton* 481, 492  
 var. *petrophilum* Sleum. 482, 493  
*natalicum* Sleum. 547, 549  
*neriifolium* Schltr 501, 506  
*nervulosum* Sleum. 646  
 var. *exuberans* Sleum. 610, 646  
 var. *nervulosum* 609, 646\*  
*nieuwennhuisii* J.J.S. 580, 586  
*ningyuenense* Hand.-Mazz. 659  
*nitens* Sleum. 593  
*nodosum* C.H.Wright 651  
*nortoniae* Merr. 528, 533  
*nubicola* Wernh. 652  
*nummatum* J.J.S. 481, 484  
*obscurinervium* Merr. 656  
*obscurum* Sleum. 528, 535  
*oliganthum* Sleum. 548, 556  
*ombrochares* Balf. f. & Ward 661  
*opulentum* Sleum. 519  
*oranum* J.J.S. 643  
*orbiculatum* Ridl. 549, 563, 608, 609  
*oreadum* Wernh. 548, 560  
*oreites* Sleum. 481, 485  
 var. *chlorops* Sleum. 485  
 var. *oreites* 485  
*orion* Ridl. 490  
 var. *aurantiacum* Ridl. 640  
*oxyccoides* Sleum. 568, 569\*, 573  
*oxyphyllum* Franch. 666  
*pachycarpum* Sleum. 606, 614  
*pachystigma* Sleum. 607, 616  
*papuanum* Becc. 581, 594, 595\*  
*papuanum* (non Becc.) C.H. Wright 546  
*partitum* J.J.S. 647  
*parvulum* Sleum. 568, 569\*, 573  
*pauciflorum* K. & G. 581, 591  
 var. *calodon* (Ridl.) Sleum. 591  
 var. *pauciflorum* 591  
*pennivenium* Balf. f. & Forr. 660  
*perakense* K. & G. 481, 488, 536  
*perplexum* Sleum. 607, 626  
*phaeochitum* F.v.M. 511  
*phaeochitum* (non F.v.M.) Wright 526  
*phaeochristum* Sleum. 476, 478, 523  
*phaeopeplum* Sleum. 476, 478, 517, 519, 644  
*phaeops* Sleum. 525

## Index to scientific names

- planeostatum* Sleum. 580, 586  
*pleianthum* Sleum. 548, 556  
*pneumonanthum* Sleum. 549, 563  
*podocarpoides* Schltr 579  
*polyanthemum* Sleum. 609, 641  
*poremense* J.J.S. 610, 652  
*porphyranthes* Sleum. 582, 599  
*prainianum* Koord. 501, 505  
*proliferum* Sleum. 538, 540  
*protandrum* Sleum. 497, 498  
*psammogenes* Sleum. 581, 591  
*pseudobuxifolium* Sleum. 581, 587  
*pseudomurudense* Sleum. 607, 618  
*pseudonitens* Sleum. 581, 593  
*pseudotrichanthum* Sleum. 548, 559  
*psilanthurum* Sleum. 511  
*pubigerum* J.J.S. 580, 583, 597  
 var. *banghamiorum* J.J.S. 596  
*pulitubum* Sleum. 548, 558  
*pudorinum* Sleum. 538, 545  
*pulleanum* J.J.S. 483  
 var. *maiuscolum* Sleum. 481, 484  
 var. *pulleanum* 481, 483  
*purpureiflorum* J.J.S. 576, 578  
*pusillum* J.J.S. 568, 572  
*pyrrhophorum* Sleum. 527, 582, 597  
*quadrasianum* Vidal 482, 494  
 f. *banahaoense* Copel. f. 495  
 f. *davaoense* Copel. f. 495  
 f. *halconense* Copel. f. 495  
 f. *lutea* H.J.Lam 496  
 f. *marivelesense* Copel. f. 496  
 f. *monodii* H.J.Lam 496  
 f. *negrosense* Copel. f. 495  
 f. *pulogense* Copel. f. 495  
 f. *pulogense* (non Copel. f.) H.J.Lam 496  
 f. *rubra* H.J.Lam 496  
 var. *angustissimum* Sleum. 494, 496  
 var. *borneense* J.J.S. 494, 497  
 var. *cuneifolium* (Stapf) Copel. f. 494, 496, 478\*  
 var. *davaoense* (Copel. f.) Sleum. 494, 495  
 var. *intermedium* Merr. p.p. 495  
 var. *intermedium* Merr. s. str. 494, 496  
 var. *malindangense* (Merr.) Copel. f. 494, 496  
 var. *marivelesense* (Copel. f.) Sleum. 494, 496  
 var. *quadrasianum* 494, 495  
 var. *rosmarinifolium* (Vidal) Copel. f. 494, 495  
 var. *selebicum* J.J.S. 494, 496  
 var. *villosum* J.J.S. 494, 496  
*radians* J.J.S. 548, 560  
 var. *minahasae* Sleum. 560  
 var. *radians* 560  
*rappardii* Sleum. 519, 525  
*rarelepidotum* J.J.S. 620  
 var. *ootrichum* Sleum. 609, 621  
 var. *rarelepidotum* 607, 620  
*rarum* Schltr 501, 507, 508\*  
*renschianum* Sleum. 610, 650  
*retivenium* Sleum. 607, 610, 653  
*retrorsipilum* Sleum. 549, 565  
*retusum* (Bl.) Benn. 470, 471, 477\*, 481, 820\*  
 f. *angustifolia* Miq. 482  
 var. *epilosum* Sleum. 483  
 var. *macranthum* Hochr. 482  
 var. *retusum* 482  
 var. *trichostylum* Sleum. 483  
*retusum* (non Benn.) F.-Vill. 494  
*retusum* (non Benn.) Steen. 566  
*retusum* (non Benn.) Wernh. 486  
*revolutum* Sleum. 501, 503  
*rhodochroum* Sleum. 521  
*rhodoleicum* Sleum. 548, 558  
*rhodopus* Sleum. 608, 627  
*rhodosalpinx* Sleum. 548, 551  
*rhodostomum* Sleum. 581, 592  
*ripense* Makino 663  
*ripleyi* Merr. 581, 596  
 var. *basitrichum* Sleum. 581, 596, 597  
 var. *cryptogonium* Sleum. 527, 596, 597  
 var. *ripleyi* 596  
*robinsonii* Ridl. 607, 620, 621  
*rosendahlii* Sleum. 608, 635  
*rosmarinifolium* Vidal 495  
*rubellum* Sleum. 526  
*rubrobracteatum* Sleum. 582, 605  
*rubropilosum* Hayata 664, 665  
*rugosum* Low ex Hook. f. 590, 606, 611, 612  
 var. *coriifolium* (Sleum.) Sleum. 581, 590, 612  
 var. *rugosum* 611  
*ruttenii* J.J.S. 547, 550  
*saavedranum* Diels 512

*salicifolium* Becc., non Bl.  
 609, 646  
*salicifolium* Bl. 621  
*sarasinorum* Warb. 625  
*sarwagedicum* Foerster 481,  
 487\*  
 var. *alpinum* Sleum. 487  
*saxifragoides* J.J.S. 574\*, 575,  
 589\*  
*sayeri* Sleum. 606, 615  
*scabridibracteum* Sleum. 608,  
 609, 639\*  
*scrabrum* G.Don 662  
*scarlatinum* Sleum. 582, 601  
*schadenbergii* (non Warb.)  
 Merr. 619, 641  
*schadenbergii* Warb. 625  
*schizostigma* Sleum. 482, 493  
*schlechteri* Laut. 608, 631, 632  
*schoddei* Sleum. 523  
*schultzei* Schltr 512  
*scorechinii* K. & G. 481, 490,  
 536  
*seimundii* J.J.S. 481, 490  
*seranense* = *seranicum* 619  
*seranicum* J.J.S. 607, 617, 619  
*sessilifolium* J.J.S. 607, 622  
*sheilae* Sleum. 581, 590  
*siamense* Diels 666  
*simsii* Planch. 662, 663, 665  
*simulans* Sleum. 582, 600  
*sinense* (Lodd.) Sweet 661  
*solitarium* Sleum. 523  
*spathulatum* Ridl. 481, 487,  
 536  
*specabile* Merr. 625  
*spondylophyllum* F.v.M. 520  
*staphianum* Hemsl. ex Prain  
 548, 551  
*stelligerum* Sleum. 501, 506  
*stenaulum* Balf. f. & Forr. 666  
*stenophyllum* Hook. f. 576\*,  
 577\*  
 var. *angustifolium* J.J.S. 577  
*stolleanum* Schltr 510  
*stonori* Sleum. 587  
*stresemannii* J.J.S. 610, 653  
*suaveolens* Sleum. 563  
*subcordatum* Becc. 608, 630  
*subcrenulatum* Sleum. 582,  
 605  
*subpacificum* Sleum. 549, 565  
*subsessile* Rendle 662, 663,  
 664\*, 665\*  
 var. *baucoense* Copel. f.  
 664, 665  
*subuliferum* Sleum. 582, 601  
*subulosum* Sleum. 576, 578  
*sumatranum* Merr. 609, 647  
*superbum* Hort. ex Lavallée  
 505  
*superbum* Sleum. 501, 505  
*syringoides* Sleum. 548, 549,  
 553  
*taxifolium* Merr. 575

*taxoides* J.J.S. 481, 483  
*teysmannii* (non Miq.) Hend.  
 620  
*teysmannii* Miq. 626  
*thaumasianthum* Sleum. 515  
*torricellense* Schltr 635  
*toverenae* F.v.M. 515  
*toxopei* J.J.S. 610, 655  
*trichanthum* Sleum. 559  
*triumphans* Yersin & Cheval.  
 475  
*truncicolum* Sleum. 525  
*tuba* Sleum. 548, 557  
*tuberuliferum* J.J.S. 509  
*tubiflorum* Low ex Lindl. 640  
*tubiflorum* (non Bl.) Mor. 540  
*tubiflorum* Reinw. in Bl. 532  
*tubulosum* Reinw. 615  
*uliginosum* J.J.S. 638  
*ultimum* Wernh. 582, 600  
*undulatalyx* J.J.S. 648  
*vanderbiltianum* Merr. 481,  
 488\*  
*vandeurenii* Sleum. 580, 581,  
 585  
*vanvuurenii* J.J.S. 471, 608,  
 630  
*variolosum* Becc. 536  
 var. *andersonii* (Ridl.)  
 Sleum. 528, 536  
 var. *variolosum* 528, 536  
*velutinum* Becc. 611  
*versteegii* J.J.S. 539, 546  
*verticillatum* (non Low ex  
 Lindl.) Becc. 567  
*verticillatum* (non Low)  
 Koord. 560  
*verticillatum* (non Low ex  
 Lindl.) Low ex Hook. f. 604  
*verticillatum* Low ex Lindl.  
 606, 610  
 f. *velutinum* (Becc.) Sleum.  
 606, 607, 611  
 f. *verticillatum* 609, 610  
*verticillatum* (non Low ex  
 Lindl.) Vidal 583  
*vidalii* Rolfe 580, 583, 584\*  
*villosum* J.J.S. 606, 613  
*vinicolor* Sleum. 528, 529  
*vinkii* Sleum. 482, 493  
*vitis-idaea* Sleum. 581, 592  
*vonroemerii* Koord. 633  
*warianum* Schltr 514  
*wentianum* Koord. 608, 610,  
 628  
*wentianum* all. Stonor 612  
*westlandii* Hemsl. 666  
*whiteheadii* Rendle 583  
*wilhelminae* Hochr. 528, 536  
*williamsii* Merr. ex Copel. f.  
 607, 619  
*wollastonii* Wernh. 628  
*womersleyi* Sleum. 603, 568,  
 569\*  
*wrayi* K. & G. 657, 659, 660\*

var. *elliptica* Ridl. 659  
 var. *minor* Ridl. 659  
*wrightianum* Koord. 478, 582,  
 604  
 var. *cyclopense* J.J.S. 604  
 var. *insulare* Sleum. 604  
 var. *ovalifolium* J.J.S. 600,  
 604  
 var. *piliferum* J.J.S. 594  
 var. *wrightianum* 604  
*xanthopetalum* Merr. 607, 617  
*yelliotii* Warb. 538, 542, 599  
*yelliotii* = *yelliotii* 542  
*zippelii* Bl. 579  
*zoelleri* Warb. 476, 478, 519,  
 609, 635, 639, 643, 644\*,  
 645\*, 652  
*zollingeri* J.J.S. 538, 540, 541\*  
 var. *latifolium* J.J.S. 540  
*zollingerianum* = *zollingeri*  
 540

*Rhoeadales* 62  
*Rhoipteleaceae* 143  
*Rhus cacodendron* Ehrh. 220  
*javanica* L. 211  
 cf. *linguata* W.Slis 291  
*verniciifera* DC. 220  
*Rigolepis* Hook. f. 754  
*bigibba* (J.J.S.) J.J.S. 761  
*borneensis* Hook. f. 756  
*caudatifolia* (Merr.) J.J.S. 765  
*endertii* J.J.S. 758  
*filiformis* J.J.S. 758  
*korthalsii* J.J.S. 763  
*lanceifolia* Ridl. 755  
*lanceolata* (Bl.) J.J.S. 761, 762  
 f. *elliptica* J.J.S. 762  
 f. *marapiensis* J.J.S. 762  
 f. *sumatrana* (Miq.) J.J.S.  
 762  
*lancifolia* = *lanceifolia* 755  
*leptantha* (Miq.) J.J.S. 764  
 f. *elliptica* J.J.S. 764  
*lobbii* Ridl. 755  
*macrophylla* J.J.S. 757  
*moultonii* (Merr.) J.J.S. 763  
*salicifolia* J.J.S. 757  
*sulcata* (Ridl.) J.J.S. 758  
*uniflora* (J.J.S.) J.J.S. 757  
*Rinorea* 963  
*glabra* O.K. 235  
*lanceolata* (Roxb.) O.K. 237,  
 963  
*Rockia* Heimerl 457, 459  
*Rosaceae* 472, 878  
*Rosales* 49  
*Rourea* Aubl. 934  
 subg. *Palliatus* Leenh.  
 sect. *Palliatus* 934  
*acropetala* Pierre 934  
*mimosoides* (Vahl) Planch.  
 934  
 f. *mimosoides* 934  
*minor* (Gaertn.) Leenh. 934,  
 935

- ssp. microphylla* (Hook. & Arn.) Vidal 934  
*ssp. minor* 934  
*ssp. monadelpha* (Roxb.) Vidal 934  
*oligophlebia* Merr. 934  
*ovale* (Schellenb.) Leenh. 934  
*pinnata* (Merr.) Veldkamp 934  
*prainiana* Talbot 934  
*Roureopsis* Planch. 933  
 sect. *Taeniochlaena* Leenh. 934  
*acutipetala* (Miq.) Leenh. 934  
*ssp. borneensis* (Schellenb.) Leenh. 934  
*asplenifolia* Schellenb. 933, 934  
*emarginata* (Jack) Merr. 934  
*incurva* Pierre 933  
*stenopetala* (Griff.) Schellenb. 933  
*Roydsia* Roxb. 95, 97  
*floribunda* Planch. ex Hook. f. 97  
*parviflora* (non Griff.) King 99  
*philippinensis* Turcz. 97  
*scortechinii* King 99  
 Rubiaceae 107, 195, 294, 297, 309, 336, 349, 373, 379, 387, 401  
 subfam. Coffeoideae 959  
 tribe Hedyotidæ 297  
 tribe Psychotriæ 387  
*Rubiales* 294, 297  
*Ruppia* 171  
*Ruppiaceæ* 171  
 Rutaceæ 69, 194, 195, 206, 214, 220, 221, 226, 969  
*Ruthiella* Steen. 928  
*oblongifolia* (Diels) Steen. 928  
*saxicola* (v.Royer) Steen. 928  
*schlechteri* (Diels) Steen. 928  
*subcordata* (Merr. & Perry) Steen. 928  
*Sagittaria sagittifolia* L.  
*ssp. leucopetala* (Miq.) Hartog 915  
*trifolia* L. 915  
*Salacia* L. 231, 390, 391, 392, 404  
 map, 421, 930, 932  
*alternifolia* Scort. 421  
*amentacea* Ridl. 408  
*amplifolia* Merr. ex Chen & How 412, 413  
*bartletti* Ridl. 420  
*beccarii* Ridl. 417  
*blepharophora* Ding Hou 405, 408  
*buddinghi* Scheff. 412  
*campanuloidea* King 408  
*castaneifolia* Ridl. 406, 413  
*celebica* Bl. 412  
*cerasiformis* Teysm. & Binn. 421  
*chinensis* L. 392, 406, 419  
 map, 421, 932  
*coromandeliana* Teysm. & Binn. 421  
*cymosa* Elm. 405, 407, 408, 416\*  
*diandra* Miq. 410  
 f. *lanceolata* Miq. 411  
*disepala* (C.T.White) Ding Hou 420  
*erythrocarpa* K.Sch. 404, 405, 411  
*euphlebia* Merr. 406, 418  
*evonymiflora* Zipp. ex Miq. 419  
*exsculpta* Korth. 406, 417  
*flavescens* Kurz 412  
 var. *humilis* King 412  
*forsteniana* Miq. 404, 405, 410, 932  
*grandiflora* Kurz 406, 413, 932  
 var. *longifolia* (Hook. f.) King 413  
*griffithii* Laws. 400  
*integrifolia* Merr. 415  
*intermedia* Ding Hou 405, 411\*  
*javanensis* Bl. 400  
*kalahiensis* Korth. 406, 420  
*kamputensis* Pierre 412  
*klossii* Ridl. 408  
*korthalsiana* Miq. 405, 406, 407 map, 420  
*kraemerii* Ding Hou 410  
*lanceolata* Teysm. & Binn. 408  
*latifolia* Wall. ex Laws. 419  
*laurifolia* Stapf 405, 406, 417  
*lawsonii* King 412  
*ledermannii* (Loes. ex Harms) Ding Hou 405, 410  
*leucoclada* Ridl. 405, 406, 415  
*litseifolia* Ridl. 415  
*littoralis* Back. 419  
*lobbii* Laws. 417  
*longifolia* Hook. f. ex Laws. 413  
*longipedicellata* Ding Hou 406, 413  
*macrocarpa* Korth. 412  
*macrophylla* Bl. 405, 412 map, 416\*  
 var. *angustifolia* Miq. 412  
*maingayi* Laws. 406, 416\*, 417  
*marginata* Ding Hou 405, 406, 413  
*megasperma* Ridl. 417  
*melitocarpa* Bl. 408  
*minutiflora* Ridl. 420  
*naumannii* Engl. 419  
*nitidissima* Merr. 406, 418  
*oblonga* (non Wall.) Rendle 412  
*oblonga* Wall. 420  
*oblongifolia* Bl. 405, 408  
 f. *latrix* Miq. 408  
*ovalis* (non Korth.) Koord.-Schum. 419  
*ovalis* Korth. 406, 415, 416\*  
*ovalis* Laws., non Korth. 412  
*papuana* (Loes.) Ding Hou 405, 408, 409\*  
*patens* Decne 419, 420  
*perakensis* King 400  
*philippinensis* Merr. 406  
*polyantha* Korth. 414  
*prinoides* (Willd.) DC. 419, 420, 421  
 var. *macrophylla* (Bl.) King 412, 419  
 var. *timorensis* Span. 419  
*radula* (non G.Don) Dietr. ex Hassk. 406, 407  
*radula* G.Don 407  
*roxburghii* (non Wall.) Vidal 415  
*roxburghii* Wall. ex Laws. 420  
*rubra* Laws. 417, 418  
*scortechnii* King 413, 414  
*sinensis* (non L.) Blco 406  
*sinensis* Gimelin 418, 420  
*socia* Craib 419  
*sororia* Miq. 405, 409\*, 420, 932  
 sp. 280  
*subalternifolia* Merr. & Perry 405, 407, 416\*  
*subscandens* Elm. 420  
*triplinervis* Llanos 421  
*venosa* Ding Hou 406, 417  
*verrucosa* Wight 406, 414\*, 932  
*vimeria* Wall. 392, 406, 418, 421  
*viridis* Craib 408  
*wenzelii* Merr. 405, 411, 416\*  
*wrayi* King 418  
*Salacirratea* Loes. 404  
*australis* Loes. 420  
*brassii* A.C.Smith 409  
*diandra* (Miq.) A.C.Smith 410  
*glandulosa* A.C.Smith 405, 409  
*kraemerii* (non Loes.) Kaneh. 419, 420  
*kraemerii* Loes. 410  
*ledermannii* Loes. 410  
*papuana* Loes. 408  
*sarasinorum* Harms 410  
*sororia* A.C.Smith 409  
*Salacighia* Loes. 930  
*Salicaceæ* 5: 107-110  
*Salvadoraceæ* 4: 224-225  
*Samadera* Gaertn. 193, 194, 198  
 199, 226, 968  
*brevipetala* Scheff. 201  
*glandulifera* Presl 201  
*indica* Gaertn. 199

- var. brevipetala* (Scheff.) Back. 199  
*var. papuana* Laut. 199  
*madagascariensis* Juss. 200  
*mekongensis* Engl. 201  
*pentapetala* G.Don 201  
*tetrapetala* Wall. 200  
*Samandura* L. ex Baill. 199  
*indica* Baill. 201  
*madagascariensis* Perr. de la Bâthie 201  
*mekongensis* Pierre 201  
*Sambucus* 51  
*Samolus* 173, 174  
*valerandi* L. 173, 192  
*Sanango* G.S.Bunting & J.A. Duke 295, 296  
*Santaloides ovale* Schellenb. 934  
*Santiria* Bl. 917, 920  
*apiculata* Benn. 920, 921  
*var. apiculata* 921  
*var. rubra* (Ridl.) Kalkman 921  
*conferta* Benn. 920, 921  
*grandiflora* Kalkman 920, 921  
*griffithii* (Hook. f.) Engl. 920, 921  
*laevigata* Bl. 920, 921  
*megaphylla* Kalkman 920, 921  
*mollis* Engl. 920  
*nervosa* H.J.Lam 919, 921  
*oblongifolia* Bl. 920, 921  
*ridleyi* H.J.Lam 920  
*rubiginosa* Bl. 920, 921  
*var. rubiginosa* 921  
*tomentosa* Bl. 920  
*Sapindaceae* 49, 194, 226  
*Sapindales* 49, 53, 933  
*Sapindus saponaria* L. 226  
*Sapotaceae* 229  
*Saprosma* 387  
*Sarawakodendron* Ding Hou 930  
*filamentosa* Ding Hou 931\*, 932  
*Sarcocaulon* 445  
*rigidum* Schinz 445  
*Sarcosperma uittevillii* H.J.Lam 967  
*Sarcospermataceae* 4: 32–34; 6: 967  
*Sarcotheca pinnata* Merr. 934  
*Saururaceae* 4: 47–48  
*Saxifragaceae* 173, 174, 280, 472  
*Scaevola* L. 949, 951  
*lobelia* Murr. 951  
*micrantha* Presl 951, 952  
*oppositifolia* R.Br. 951, 952  
*pauciflora* Leenh. 951, 952  
*plumieri* 223  
*sericea* Vahl 951  
*taccada* (Gaertn.) Roxb. 949, 951  
*verticillata* Leenh. 951, 952\*  
*Scaphocalyx spathacea* Ridl. 944  
*Schmidelia conferta* Blco 282  
*Schmidellia* = *Schmidelia* 282  
*Scolopia* Schreb. 943  
*kermodei* C.E.C.Fischer 943  
*Scopolia* (non Jacq.) L. f. 35, 37  
*composita* L. f. 38  
*Scrophulariaceae* 136, 294, 295, 296, 297, 960, 965  
*Scrophulariales* 297  
*Scutinanthe* Thw. 921  
*brevisepala* Leenh. 919, 921  
*brunnea* Thw. 921  
*Scyphostegia* Stapf 967, 968\*  
*borneensis* Stapf 967, 968\*  
*Scyphostegiaceae* 5: 297–299; 6: 967  
*Scyphostrichnos* 296  
*Selenocera* Zipp. ex Span. 375  
*secundiflora* Zipp. ex Span. 375  
*Sericolea* Schltr 914  
*Shorea selanica* Bl. 154  
*Simaba* Aubl. 198, 202  
*Simarouba* 194, 198  
*cedron* Planch. 194  
*glaucia* 194  
*Simaroubaceae* 193–226, .968–972  
*subfam. Alvaradoideae* 195, 971  
*subfam. Irvingioideae* 193, 194, 195, 970, 971, 972  
*subfam. Kirkioideae* 195, 971  
*subfam. Picramnioideae* 195, 971  
*subfam. Simarouboideae* 195  
*subfam. Surianioideae* 193, 194  
*tribe Simaroubeae* 198  
*subtribe Eurycominae* 205  
*subtribe Simaroubinae* 195, 205  
*Simarubopsis* Engl. 202  
*Simirestis* 390  
*Siphonodon* Griff. 227, 228, 229, 230, 231, 390, 391, 392, 394, 968  
*australe* Bth. 230  
*celastrineus* Griff. 229, 231, 394, 395\*, 396\* map  
*var. acuminatissima* Merr. 395  
*var. integrifolia* Tardieu 412  
*var. subglobosa* Merr. 395  
*peltatus* Ding Hou 395\*, 397, 932  
*pyriformis* Merr. 395, 396  
*var. parvisolius* Merr. 395  
*Siriodies* Rumph. 355  
*alter* Rumph. 355  
*Solanaceae* 297  
*Solenopsis* 140  
*Solenospermum* Zoll. 231, 262,  
*apiculatum* Ridl. 272  
*aquatile* Ridl. 270, 271  
*javanicum* Zoll. 269  
*ledermannii* Loes. 271  
*littorale* Loes. 261  
*macranthum* Loes. 264, 268  
*micranthum* Loes. 268  
*oblongifolium* Loes. 270  
*pallidum* Loes. 268  
*paucinervium* Loes. 270  
*torricellense* Loes. 271  
*var. opacum* Loes. 271  
*toxicum* Loes. 270  
*Solmsia* 3  
*Sonneratia* L.f. 973  
*acida* L. f.  
*var. mucronata* Miq. 975  
*alba* J.Smith 973\*, 974\*, 975  
*alba* × *ovata* 974\*  
*caseolaris* (L.) Engl. 973\*, 974\*, 975  
*ovata* Backer 974\*, 975  
*Sonneratiaceae* 4: 280–289; 5: 557; 6: 973  
*Souramea* Lamk 193, 196, 221  
*amara* Lamk 193, 197, 221, 222\*, 223 map  
*soulameoides* (A.Gray) Nooteboom 221  
*terminalioides* Baker 221  
*Sparangiaceae* 4: 233–234  
*Specularia* Heist. ex Fabr. 928  
*speculum-veneris* (L.) Caruel 928  
*Speirema* Hook. f. & Th. 121  
*montanum* Hook. f. & Th. 132  
*Sphaerodiscus* Nakai 245  
*cochininchinensis* Nakai 248  
*Sphenoclea* 107, 108, 109, 110  
*zeylanica* Gaertn. 928  
*Sphenocleaceae* 4: 27–28. See Campanulaceae  
*Spigelia* L. 295, 296, 297, 377  
*anthelmia* L. 376\*, 378, 960  
*Spilanthes urens* 223  
*Spinifex* 221  
*Spiraeaceae* 195  
*Stackhousiaceae* 4: 35–36  
*Staphylea* 49, 52  
*Staphyleaceae* 49–59, 214, 230  
*Steironema* Raf. 177  
*Stellera* L. 28  
*chamaejasme* L. 28  
*passerina* L. 28  
*Stenantha* R.Br. 424  
*Stenocarpus moorei* F.v.M. 428  
*Stixis* Lour. 61, 63, 95, 97 map  
*fasciculata* var. *borneensis* Heine 97  
*floribunda* (Planch. ex Hook. f.) Pierre 97  
*obtusifolia* (Hook. f. & Th.) Pierre 97  
*ovata* (Korth.) Hall. f. 97  
*ssp. fasciculata* (King) Jacobs 97 map

- ssp. *ovata* (Korth.) Hall. f. 96\*, 97 map  
*philippinensis* (Turcz.) Merr. 95, 97 map  
*scortechinii* (King) Jacobs 97 map, 99  
*suaveolens* (Roxb.) Pierre 95, 97
- Struthiola* 4
- Strychnos* L. 205, 293, 294, 295, 296, 297, 343, 361, 954  
 sect. *Booneae* Duvign. 346  
 sect. *Breviflorae* Progel 345  
 sect. *Brevitubae* A.W.Hill 345, 346, 955  
 sect. *Floribundae* Duvign. 346  
 sect. *Intermediae* Progel 345  
 sect. *Lanigerae* A.W.Hill 345, 346, 955  
 sect. *Ligustroides* Duvign. 346  
 sect. *Longiflorae* Progel 345  
 sect. *Penicillatae* A.W.Hill 345, 346, 352\*, 357, 955  
 sect. *Sambae* Duvign. 346  
 sect. *Strychnos* 955  
 sect. *Tubiflorae* A.W.Hill 345, 346  
*acuminata* Wall. ex DC. 355  
*aenea* A.W.Hill 958  
 var. *acuminata* A.W.Hill 958  
*andamanensis* A.W.Hill 351  
*angustiflora* Bth. 345, 955, 958, 959  
*arborea* A.W.Hill 358, 360  
*armata* A.W.Hill 358, 359  
*axillaris* Colebr. 346, 347, 351, 352\*, 358, 360, 361, 955, 958  
*balansae* A.W.Hill 347, 349  
*bancroftiana* F.M.Bailey 355, 356  
*barbata* A.W.Hill 355  
*beccarii* Gilg 347, 349  
*borneensis* Leenh. 346, 347, 355, 356, 357\*, 955, 958  
*celebica* Koord. 355  
*cenabrei* Merr. 358  
*chloropetala* A.W.Hill 358, 359  
*cinnamophylla* Gilg & Bened. 355  
*colubrina* Auct. non L. 346, 347, 350, 353, 354\*, 355, 356, 358, 361, 955, 958  
*confertiflora* Merr. & Chun 351  
*curtisii* King & Gamble 345, 346, 351, 353, 355, 955, 958  
*cuspidata* A.W.Hill 347, 349  
*dubia* A.W.Hill 355  
*flavescens* K. & G. 346, 347, 357, 955, 958  
*forbesii* A.W.Hill 354\*, 355, 356
- grandis* Wall. 361  
*hirsutiflora* A.W.Hill 351  
*horsfieldiana* (non Miq.) Koord.-Schum. 351  
*horsfieldiana* Miq. 358, 359  
*hypogyna* C.B.Clarke 355  
*ignatii* Bergius 297, 345, 346, 347, 348\*, 351, 361, 955, 957  
*ignatii* (non Berg.) Vidal 355  
*impressinervis* A.W.Hill 351, 358, 359  
*kawbet* A.W.Hill 358, 359  
*kerrii* Hill 955, 959  
*kerstingii* Gilg & K.Sch. 355  
*krabiensis* A.W.Hill 347, 349  
*lanata* A.W.Hill 345, 346, 355, 955, 958  
*lanceolaris* Miq. 346, 347, 357, 955, 958  
*laurina* DC. 350  
*laurina* (non DC.) Heine 356  
*laurina* (non DC.) K. & V. 351  
*laurina* Wall. ex DC. 355  
 var. *thorelii* A.W.Hill 355  
*ledermannii* Gilg & Bened. 346, 347, 357, 955, 958  
*leuconeura* Gilg & Bened. 355  
*ligustrina* Bl. 350  
*lucida* R.Br. 293, 346, 349, 350 map, 355, 955, 957  
*luzonensis* Elm. 346, 347, 355, 358, 955, 958  
*maingayi* C.B.Clarke 346, 350, 351, 955, 957, 958  
 ssp. *borneensis* Leenh. 958  
 var. *fructuosa* Clarke 347, 350  
*malaccensis* Bth. 358, 360  
*melanocarpa* Gilg & Bened. 361, 955, 959  
*merrillii* A.W.Hill 355, 356  
*minahassae* Koord. ex Boerl. 355  
*minor* Dennst. 955, 958  
*monosperma* Miq. 358  
*mucronata* A.W.Hill 358  
*multiflora* Bth. 355, 356  
*muricata* Kosteletzky 350  
*myriantha* Gilg & Bened. 355  
*nux-blanda* A.W.Hill 349, 959  
*nux-vomica* Auct. non L. 958  
*nux-vomica* L. 297, 345, 346, 348\*, 349, 955, 957  
 f. *depauperata* Miq. 349  
*oleifolia* A.W.Hill 346, 347, 353, 355, 955, 958  
*oophylla* Gilg & Bened. 358, 360  
*ovalifolia* Wall. 347, 349, 351  
*ovata* A.W.Hill 346, 351, 352\*, 358, 955, 957  
*ovata* (non Hill) Merr. 358  
*palembanica* Miq. 358, 359  
*panayensis* A.W.Hill 351  
*penicillata* A.W.Hill 358, 360, 361  
*philippensis* Blco 957  
*philippinensis* Blco 347, 349, 957  
*pilgeriana* Gilg 358  
*plumosa* A.W.Hill 358, 359  
*polytoma* Gilg & Bened. 358, 360  
*polytoma* (non Gilg & Bened.) Kaneh. & Hatus. 355  
*polytrichantha* Gilg 345, 346, 353, 357, 955, 958  
*potatorum* (non L. f.) F.-Vill. 355  
 var. *multiflora* Vidal 355  
*pseudotutea* A.W.Hill 347  
*psilosperma* F.v.M. 358, 360  
*pubescens* C.B.Clarke 358, 360  
 var. *scortechinii* K. & G. 358  
*pycnoneura* Gilg & Bened. 355  
*quadrangularis* A.W.Hill 346, 347, 356, 955, 958  
*quintuplinervis* A.W.Hill 358, 359  
*ridleyi* K. & G. 346, 347, 360, 955, 958  
*robinsonii* A.W.Hill 358, 360  
*roborans* A.W.Hill 350  
*rufa* C.B.Clarke 358, 361, 955, 958  
*schmidii* Gilg 358, 359  
*scortechinii* A.W.Hill 358, 359  
*septemnervis* C.B.Clarke 355  
 var. *imberbis* A.W.Hill 355  
*silvicola* A.W.Hill 355  
*similis* A.W.Hill 355  
*sp.* Hill 358  
*sp.* Merr. 957  
*sp.* I Hill 351  
*sp.* a & β Koord.-Schum. 351  
*spireana* Dop 349  
*tesseroidea* A.W.Hill 358, 359  
*thorelii* Pierre ex Dop 361, 955, 958  
*tieute* Leschen. 347, 349  
*vanprukii* Craib 357, 955, 958  
*villosa* A.W.Hill 346, 351, 355, 955, 958  
*viridiflora* A.W.Hill 358  
*wenzelii* Merr. 358, 360  
**Styliaceae** 4: 529–532; 5: 564; 6: 108, 109, 976  
*Stylium androsaceum* O. Schwarz 976  
*ericksonae* Willis 976  
*fluminense* Erickson & Willis 976  
*inconspicuum* Sloot. 976  
*javanicum* Sloot. 976  
*pedunculatum* R.Br. 976  
*Styphelia* J.E.Smith 423, 424  
 subg. *Cyathodes* (Lab.) Drude 425, 426 map, 433

- subg. *Leucopogon* (R.Br.) Drude 423, 425, 426 map  
 sect. *Styphelia* 423  
*abnormis* (Sond.) J.J.S. 425, 433  
*abscondita* J.J.S. 425  
*acuminata* (R.Br.) Spr. 423, 425, 432  
*arfakensis* Kaneh. & Hatus. 443  
*brassii* Sleum. 425, 433, 434\*  
*brevistyla* Moore 434  
*carstensis* Wernh. 441  
*celebica* J.J.S. 439  
*cornifolia* Rudge 437  
*culminis* Wernh. 440  
*cuspidata* (R.Br.) Spr. 432  
*cymbulae* (Lab.) Spr. 427  
*decockii* J.J.S. 440  
*forbesii* Sleum. 425, 432  
*gjellerupii* J.J.S. 438  
*hookeri* (Sond.) J.J.S. 429  
*javanica* (de Vriese) J.J.S. 423, 425, 430\*, 431\*, 432  
*juniperina* (Forst.) Pers. 434  
*lamii* J.J.S. 443  
*lancifolia* J.J.S. 433  
*learmonthiana* Gibbs 439  
*leptospermooides* (R.Br.) Spr. 433  
*malaica* Jack 426  
*malayana* (Jack) Spr. 423, 425, 426, 943  
 var. *malayana* 425, 426, 427\*  
 var. *novoguineensis* 425, 427, 428\*, 429\*  
*moluccana* J.J.S. 433  
*montana* F.v.M. 429  
 var. *hookeri* 429  
*nesophila* (DC.) Sleum. 432  
*nubicola* Wernh. 442  
*nutans* J.J.S. 441  
 var. *arfakensis* J.J.S. 441  
*obovata* J.J.S. 432  
*obovata* Malm 429  
*obtusifolia* J.J.S. 429  
 var. *hypoleuca* J.J.S. 429  
*oxycedrus* Lab. 434  
*papuana* (C.H.Wright) Koord. 443  
*philippinensis* Merr. 429  
*pungens* Koord. 431  
*rapae* Sleum. 434  
*spicata* J.J.S. 429  
*suaveolens* (Hook. f.) Warb. 423, 425, 428, 429\*  
*trilocularis* J.J.S. 429  
 var. *quinquelocularis* J.J.S. 429  
*trochocarpoides* F.v.M. 437  
*vandewateri* Wernh. 429  
*vannouhuysii* J.J.S. 440  
*wetarensis* J.J.S. 432  
 Styracaceae 4: 49–56; 6: 976
- Sulamea* = *Soulamea* 221  
*Suregada* Rottl. 944  
*Suriana* L. 193, 194, 195, 196, 969  
 maritima L. 193, 196, 197 map, 223  
*Surianaceae* 195, 196  
*Sycopsis* Oliver 952  
 dunnii Hemsl. 952
- Tabernaemontana* corymbosa Roxb. 315  
*Taeniochlaena* Hook. f. 933  
*Talauma* 228  
*Tamaricaceae* 968  
*Tamaricales* 63  
*Tapisia* 49  
*Tayotum nigrescens* Blco 373  
*Telanthera bettzickiana* Regel 916  
*manillensis* Walp. 915  
*Terminalia* L. 932  
 catappa 325  
*crassifolia* Exell 932  
*darlingii* Merr. 933  
*macrantha* Rojo 932  
*polyantha* Pr. 48  
*zollingeri* Exell 933
- Ternstroemia* *megacarpa* Elm. 336  
*penangiana* Choisy 336  
*Tetramyxis* Gagnep. 226  
*Theaceae* 472  
*Thecanthes* Wikstr. 44  
*cornucopiae* Wikstr. 46  
*Thibaudia* coriacea (Bl.) Bl. 828  
*cuneifolia* Bl. 847  
*elliptica* Bl. 873  
*floribunda* Bl. 872  
*laurifolia* Bl. 871  
*lucida* Bl. 814  
*myrtoides* Bl. 812  
*rosea* Jungh. 872  
*singulensis* Korth. ex Boerl. 762  
*varingiaeifolia* Bl. 815  
*Thyachium* *lucidum* Banks ex DC. 92
- Thymelaeae* 28  
*Thymelaeaceae* 4: 349–365 (Gonyystyloideae); 6: 1–48, 976  
 subfam. Aquilarioideae 1, 3, 982  
 tribe Microsemmatidae 3  
 subfam. Giliodaphnoideae 3  
 subfam. Gonyystyloideae 1, 2, 3, 976–982  
 subfam. Thymelaeoideae 3, 982
- Thymelaeales* 451  
*Tiliaceae* 4, 203  
*Timeroyea* Montrouz. 457  
*Tonsella chinensis* (L.) Spreng. 419  
*prinoides* Willd. 418
- Toona* *sinensis* (Juss.) Roem. 220  
*Torrenticola* Domin 963  
*Tovariaceae* 62  
*Toxicodendron altissimum* Mill. 220  
*Toxina* Noroña 954  
*Trachymene* Rudge 983  
*novoguineensis* (Domin) Buw. 984  
*tripartita* Hoogl. 983\*, 984  
*Trapaceae* 987  
*Trianthema* triquetra Rottl. ex Willd. 915  
*Tricalysia tinagaoensis* Elm. 23  
*Triceros* Lour. 51  
*cochininchinensis* (non Lour.) Mor. 56  
*Trichadenia* 39  
*philippinensis* Merr. 944  
*Trichilia* 194  
 connaroides (W. & A.) Bentzel  
 f. connaroides 226  
 f. glabra Bentzel 226  
*Trientalis* 174  
*Trigoniaceae* 4: 58–60  
*Tripterygium* Hook. f. 229, 230, 231  
*wilfordii* Hook. f. 229, 230  
*Triscaphis* Gagnep. 49, 212, 214  
*kerrii* Gagnep. 214  
*Tristellateia* Thouars 960  
*Tristicha trifaria* (Bory ex Willd.) Spreng. 963  
*Triumfetta* 223  
*Trochisandra* Bedd. 280  
*indica* Bedd. 283  
*Trochocarpa* R.Br. 423, 424, 434, 436 map  
 subg. *Pseudocyathodes*  
 Sleum. 437, 443  
 subg. *Trochocarpa* 436, 437  
*arfakensis* (Kaneh. & Hatus.) Sleum. 443, 444\*  
*bellendenkerensis* Domin 437  
*celebica* (J.J.S.) Steen. 439  
*decockii* (J.J.S.) H.J.Lam 435\*, 440\*  
*dispersa* Sleum. 442  
*gjellerupii* (J.J.S.) H.J.Lam 438, 439\*  
*lamii* H.J.Lam 443  
*laurina* (R.Br. ex Drude) R. Br. 423, 437, 438\*  
*learmonthiana* (Gibbs) H.J. Lam 439  
*nubicola* (Wernh.) Sleum. 442, 443  
*nutans* (J.J.S.) H.J.Lam 435\*, 441\*, 442\*, 443  
*papuana* (Wright) Sleum. 443  
*vannouhuysii* H.J.Lam 441  
*Tubiflorae* 294, 297  
*Turneraceae* 4: 235–238

- Turpinia* Vent. 49, 51, 56 map  
*arguta* 55  
*borneensis* (Merr. & Perry) v.  
 d.Linden 50\*, 53, 54, 55, 56  
*brachypetala* (Schltr) v.d.  
 Linden 52, 54, 59  
*cochininchinensis* (Lour.) Merr.  
 58  
*formosana* Nakai 55  
*glaberrima* Merr. 56  
*gracilis* Nakai 56  
*grandis* v.d.Linden 52, 53, 54,  
 55, 58  
*indochinensis* Merr. 55  
*laxiflora* Ridl. 53, 54, 55, 57  
*lucida* Nakai 58  
*malabarica* Gamble 59  
*montana* (Bl.) Kurz 50\*, 52,  
 53, 54, 55, 56  
*a genuina* Kurz 55  
*f. arborescens* Hochr. 56  
*f. scandens* Hochr. 56  
 var. *borneensis* Merr. &  
 Perry 56  
*nepalensis* 52, 55, 56, 57, 58,  
 59  
*nitida* Merr. & Perry 52, 54,  
 58  
*ovalifolia* Elm. 50\*, 53, 54, 58  
*pachyphylla* Merr. 58  
*papuana* Harms 59  
*papuana* Merr. & Perry 59  
*parva* K. & V. 56  
*parviflora* Craib 53, 56  
*pentandra* (Schltr) v.d.Linden  
 52, 54, 55, 59  
*ponimera* (Roxb.) DC. 50\*,  
 52, 54, 58  
 var. *sphaerocarpa* (non  
 Hassk.) King 57, 58  
*robusta* Craib 58  
*simplicifolia* Merr. 52, 53, 54,  
 55  
 sp. Merr. 58  
*sphaerocarpa* Hassk. 50\*, 52,  
 53, 54, 57, 58, 59  
 var. *pubescens* v.d.Linden  
 57  
*stipulacea* v.d.Linden 50\*,  
 51, 52, 53, 54, 55  
*trifoliata* Ridl. 58  
*unifoliata* Merr. & Chun 53,  
 55  
*versteeghii* Merr. 59  
*Typha* L. 982  
*angustata* Bory & Chaubard  
 983  
*angustifolia* L. s.l. 982, 983  
*domingensis* Pers. 982, 983  
*latifolia* L. 983  
*orientalis* Pr. 982, 983  
*Typhaceae* 4: 242-244; 6: 982  
  
*Umbelliferae* 4: 113-140, 595; 5:  
 555; 6: 194, 983-984
- Urophyllum streptopodium*  
 Wall. 373  
*Usteria* 295, 296, 954  
*Utania* G.Don 299, 301, 309  
*morindaefolia* G.Don 311
- Vacciniaceae* 473  
*Vaccinium* L. 469, 470, 471, 472,  
 473, 474, 741, 746, 878  
 sect. *Bracteata* Nakai 747,  
 791, 792 map  
 sect. *Euepigynum* Schltr 791  
 sect. *Galeopetalum* (J.J.S.)  
 Sleum. 747, 748 map, 753  
 sect. *Neojunguhniiana*  
 (Koord.) Sleum. 747, 753  
 map, 785  
 sect. *Nesococcus* Copel. f. 791  
 sect. *Orianthe* Schltr 747,  
 765 map  
 sect. *Pachyanthum* Sleum.  
 747, 748 map  
 sect. *Rigolepis* (Hook. f.)  
 J.J.S. 747, 753 map, 754  
 subg. *Galeopetalum* J.J.S. 753  
*absconditum* J.J.S. 767, 775  
*acrobracteatum* K.Sch. 470,  
 793, 796, 800, 868\*
- acuminatissimum* (non Miq.)  
 Merr. 756  
*acuminatissimum* Miq. 755,  
 761  
 f. *acuminatissimum* 761  
 f. *ellipticum* (J.J.S.) Sleum.  
 761, 762  
 f. *javanicum* Miq. 762  
 f. *leptantha* = *leptanthum*  
 f. *leptanthum* (Miq.) Vuyck  
 764  
 f. *marapiense* (J.J.S.)  
 Sleum. 761, 762  
 f. *sumatranum* Miq. 762  
 var. *singalense* J.J.S. 762  
*acuminatissimum* (non Miq. s.  
 str.) Ridl. 762  
*acutissimum* F.v.M. 831  
 var. *acutissimum* 795, 831  
 var. *pilosistylum* Sleum.  
 796, 831  
*acutissimum* (non F.v.M.)  
 Warb. 830  
*adenanthum* Sleum. 868  
*adenopodium* Sleum. 755, 765  
*adenotrichum* Sleum. 796, 846  
*adenurum* C.E.C.Fischer 840  
*agusานense* Elm. 793, 807  
*aitapense* Sleum. 795, 800, 833  
*albicans* Sleum. 795, 832  
 var. *albicans* 797, 832  
 var. *pseudopsammogenes*  
 Sleum. 832, 833  
 var. *pubens* Sleum. 832,  
 833  
*alvarezii* Merr. 798, 800, 857  
 var. *alvarezii* 857
- var. *moisense* Copel. f. 858  
*ambivalens* Sleum. 796, 799,  
 801, 847  
*amblyandrum* F.v.M. 768, 783  
 var. *amblyandrum* 766, 783,  
 784  
 var. *maiuscolum* Sleum. 783  
 var. *pungens* Sleum. 783,  
 784\*  
*ambyandrum* = *amblyandrum*  
 783  
*amphoteron* Sleum. 793, 797,  
 798, 848  
*amplexicaule* J.J.S. 794, 799,  
 861  
*amplifolium* F.v.M. 748, 751  
 var. *amplifolium* 751, 752,  
 753  
 var. *giganteum* Sleum. 751,  
 752  
 var. *oblongum* Sleum. 751,  
 752  
 var. *stabilipes* Sleum. 751,  
 752  
*ampullaceum* Sleum. 792, 804  
*andersonii* Sleum. 755, 763  
*angiense* Kaneh. & Hatus.  
 798, 800, 856  
*angulatum* J.J.S. 798, 799, 856  
*angustilimbum* Merr. 870  
*apiculatum* Sleum. 800, 869  
*apoanum* Merr. 895  
*apophysatum* Sleum. 797, 850  
*appendiculatum* Schltr 794,  
 826, 861  
*ardisiflora* = *ardisiiflorum* 843  
*ardisiiflorum* Ridl. 843  
*ardisioides* Ridl. 843  
*ardisioides* Wernh., non Ridl.  
 863  
*arenarium* Sleum. 784  
*artum* J.J.S. 798, 854  
*atrescens* Sleum. 753  
*aucupis* Sleum. 794, 822  
*auriculifolium* Sleum. 792,  
 805  
*bancanum* (non Miq. s.str.)  
 Clarke 842  
*bancanum* (non Miq. s.str.)  
 K. & G. 842  
*bancanum* (non Miq.) Koord.  
 847  
*bancanum* Miq. 796, 803, 840,  
 841\*  
 var. *bancanum* 841, 842\*,  
 843  
 var. *kemulense* J.J.S. ex  
 Sleum. 841, 843  
 var. *kunstleri* (K. & G.)  
 Sleum. 841, 842  
 var. *tenuinervium* J.J.S.  
 841, 842, 843  
*bancanum* (non Miq.) Ridl  
 854  
*banksii* Merr. 797, 849

- banksii* (non Merr. 1906)  
Merr. 850  
*barandanum* Vidal 793, 806  
var. *barandanum* 807  
var. *cagayanense* Copel. f.  
807  
var. *hutchinsonii* (Merr.)  
Copel. f. 807  
*barbatum* J.J.S. 768, 781  
*bartlettii* Merr. 800, 867  
*benguetense* Vidal 797, 801,  
875  
*besagiense* J.J.S. 796, 838  
*bigibbum* J.J.S. 754, 761  
*blepharocalyx* (non Schltr.)  
Lane-Poole 876  
*blepharocalyx* Schltr 801, 876  
*blumeanum* Niedenzu 872  
*bodenii* Wernh. 766, 767, 774  
*borneense* (non W.W.Sm.)  
Anderson 763  
*borneense* W.W.Sm. 754, 756  
var. *borneense* 756  
var. *poianum* (J.J.S.)  
Sleum. 756  
*brachycladum* Sleum. 766, 770  
*brachygyne* J.J.S. 794, 824  
*brachytrichum* Sleum. 796, 847  
*bracteatum* Thunb. 747, 791,  
793, 801  
*brassii* Sleum. 799, 864  
var. *brassii* 864, 866  
var. *madarum* Sleum. 866  
*breviflos* Ridl. 842  
*brevipedunculatum* J.J.S. 799,  
863  
*buxifolium* Hook. f. 839  
*buxoides* J.J.S. 777  
*calelanum* Elm. 895  
*camiguinense* Merr. 795, 836  
*capillatum* Sleum. 794, 799,  
866  
*capillipes* Sleum. 754, 757  
*cardiophorum* Sleum. 786,  
789  
*carneolum* Sleum. 831  
var. *carneolum* 795, 831  
var. *nesophilum* Sleum.  
795, 832  
*caudatifolium* Merr. 765  
*caudatum* Warb. 797, 801,  
875  
*cavendishioides* Sleum. 798,  
800, 801, 858  
*centrocelebicum* Sleum. 792,  
803  
var. *centrocelebicum* 803  
var. *maiis* Sleum. 803  
*ceramense* Sleum. 767, 775  
*cercidifolium* J.J.S. 794, 827  
*chionostomum* Sleum. 776  
*ciliatipetalum* J.J.S. 777  
*claoxylon* J.J.S. 798, 859  
*clementis* Merr. 795, 796, 836\*  
*coelorum* Wernh. 768, 784  
*collivagum* Sleum. 772  
*contractum* Sleum. 794, 821  
*convallariiflorum* J.J.S. 794,  
826, 861  
*convexifolium* J.J.S. 766, 772  
*cordifolium* Staph 794, 827  
*coriaceum* Hook. f. 792, 795,  
796, 838  
*coriaceum* (Bl.) Miq. 828  
*cornigerum* Sleum. 796, 837  
*corymbiferum* Miq. 878  
*costerifolium* Sleum. 796, 801,  
845  
*costeroides* Merr. 742  
*crassiflorum* J.J.S. 767, 777  
*crassiflorum* (non J.J.S. 1912  
& 1914) J.J.S. 774  
*crassifolium* Andr. 746  
*crassistylum* Sleum. 799, 863  
*crenatifolium* Sleum. 797, 849  
*cruentum* Sleum. 798, 831,  
857, 877  
*cryptodon* Sleum. 776  
*culminicolum* Wernh. 766,  
767, 774  
*cumingianum* Vidal 797, 798,  
850  
var. *cumingianum* 850, 851  
var. *igorotorum* Copel. f.  
851  
var. *marivelesense* Copel.  
f. 851  
var. *pyriforme* (Merr.) Co-  
pel. f. 851  
var. *tayabasense* Copel. f.  
850  
*cuneifolium* (Bl.) Miq. 796,  
847  
var. *acutum* Miq. 847  
*cyclopense* J.J.S. 773  
f. *cyclopense* 767, 773  
f. *glabrum* Sleum. 768, 773  
var. *arfakense* J.J.S. 773  
*cyrtodon* Miq. 872, 873  
*daphniphyllum* Schltr 794,  
826, 861  
*debilescens* Sleum. 797, 852  
*decorum* Ridl. 852  
*decumbens* J.J.S. 767, 776  
*dempoense* Fawc. 810  
*dempoense* (non Sp.Moore) de  
Voogd 811  
*densifolium* J.J.S. 766, 769  
*dialypetalum* J.J.S. 752\*, 753  
*dictyoneuron* Sleum. 798, 800,  
858  
var. *dictyoneuron* 798, 858  
var. *koëbrense* Sleum. 859  
var. *oreophilum* Sleum. 859  
*dipladenium* Sleum. 755, 763  
*disterigmoides* Sleum. 777  
*dominans* Sleum. 471, 793,  
809  
*dubiosum* J.J.S. 747, 793, 808  
*eburneum* Ridl. 843  
*elegans* Elm. 795, 829  
*ellipticum* (Bl.) Miq. 815, 873  
var. *macrocalyx* J.J.S. 873  
*elliptifolium* Merr. 795, 835  
*endertii* (J.J.S.) Masam. 758  
*endertii* J.J.S. 795, 835  
*epiphythicum* Merr. 793, 806  
*erythrinum* Hook. 815  
*euanthum* Bl. 872  
*eugenoides* Sp.Moore 811  
*evanidinervium* Sleum. 768,  
784  
*eymae* Sleum. 786, 790, 791\*  
*fastigiatum* Sp.Moore 872  
filiforme (J.J.S.) Sleum. 754,  
758  
*filipes* Schltr 796, 844  
*finisterrae* Schltr 766, 769  
*fissiflorum* Sleum. 747, 748  
*flagellatifolium* Copel. f. 755,  
765  
*floribundum* (Bl.) Miq. 872  
*forbesii* Fawc. 810  
*foxworthii* Copel. f. 837, 847  
*fraternum* Sleum. 793, 798,  
859  
*gitingense* Elm. 792, 803  
*gjellerupii* J.J.S. 798, 801, 871  
*glabrescens* K. & G. 792, 804  
*glandellatum* Sleum. 794, 813  
*globosum* J.J.S. 768, 778, 781  
var. *latifolium* J.J.S. 779  
*goodenoughii* Sleum. 795, 829  
*gracile* J.J.S. 797, 799, 851  
*gracilipes* Sleum. 801, 874  
*gracillimum* J.J.S. 801, 877  
*grandibracteatum* Schltr 793,  
809  
*habbema* Koord. 798, 855  
var. *habbema* 855  
var. *parvifolium* J.J.S. 855  
var. *pluriglandulosum* J.J.S.  
798, 855  
*haemanthum* Sleum. 769  
*haematochroum* Sleum. 766,  
767, 770  
*halconense* Merr. 798, 799,  
860  
*hasseltii* Miq. 854  
var. *sabuletorum* Ridl. 854  
*hatamense* Becc. 766, 770  
*hatamense* (non Becc.) Koord.  
782  
*heleneae* F.v.M. 879  
*hellwigianum* Sleum. 795, 830  
*henrici* Sleum. 754, 759  
*hispidulissimum* Wernh. 786,  
789  
*hooglandii* Sleum. 793, 799,  
862  
*horizontale* Sleum. 796, 839,  
840\*  
*hosei* Merr. 873  
*hutchinsonii* Merr. 807  
*igneum* J.J.S. 767, 775

- igorotorum* Copel. f. ex Elm. 851  
*ilocanum* Merr. 810  
*imbricans* J.J.S. 786, 789  
*inconspicuum* J.J.S. 768, 781  
*indutum* Vidal 792, 793, 804  
*ingens* Sleum. 747, 748, 749\*  
*insigne* (Koord.) J.J.S. 786,  
 787  
*irigaeense* Merr. 798, 801, 859  
*jagori* Warb. 800, 870  
*javanicum* Hook. 873  
*kemulense* Sleum. 754, 758  
*keysseri* Schltr ex Diels 748,  
 750\*  
 var. *acutatum* Sleum. 751  
 var. *keysseri* 750  
*kjellbergii* J.J.S. 791, 793, 802  
*korinchense* Ridl. 794, 811  
 var. *korinchense* 792, 811\*  
 var. *losirensse* Sleum. 812  
*korthalsii* (J.J.S.) Masam. 763  
*korthalsii* Miq. 795, 828  
*kostermansii* Sleum. 786  
*kunstleri* K. & G. 842  
*kunstleri* (non K. & G.) Ridl.  
 843  
*lageniforme* (non J.J.S.) Ka-  
 neh. & Hatus. 868  
*lageniforme* J.J.S. 799, 800,  
 862  
*lanaeense* Merr. 745  
*lanceifolium* (Ridl.) Sleum.  
 754, 755  
*lanceolatum* (Bl.) J.J.S. 761  
 f. *ellipticum* Sleum. 762  
 f. *marapiense* (J.J.S.)  
 Sleum. 762  
 f. *sumatrana* (Miq.) Sleum.  
 762  
*lanceifolium* = *lanceifolium*  
 755  
*latissimum* J.J.S. 794, 796, 821  
*laurifolium* (Bl.) Miq. 471,  
 746, 801, 871\*, 878  
 var. *arborescens* O.K. 873  
 var. *ellipticum* (Bl.) Sleum.  
 872, 873  
 var. *glanduligerum* Sleum.  
 798, 872, 874  
 var. *laurifolium* 872, 873,  
 874  
 var. *pensile* (Sp. Moore)  
 Sleum. 872, 873  
 var. *robustum* (Ridl.)  
 Sleum. 872, 873  
 var. *sarawakense* (Merr.)  
 Sleum. 872, 873  
 var. *trichodes* Sleum. 872,  
 873  
*ledermannii* Schltr 773  
*leptanthum* Miq. 755, 764  
 f. *ellipticum* (J.J.S.) Sleum.  
 764  
 f. *leptanthum* 764  
 f. *malayanum* Sleum. 764  
 var. *ellipticum* (J.J.S.)  
 Masam. 764  
*leptocladium* Sleum. 799, 861  
*leptomorphum* Sleum. 799,  
 866  
*leptospermoides* J.J.S. 779,  
 780  
 f. *glabrum* J.J.S. 767, 768,  
 780  
 f. *leptospermoides* 767, 768,  
 779\*, 780\*  
*ligustrifolium* J.J.S. 800, 870  
*littoreum* Miq. 747, 797, 854  
*lobbii* (Ridl.) Sleum. 754, 755  
*loheri* Merr. 741  
*longepedicellatum* Sleum. 799,  
 863  
*longibracteatum* Ridl. 804  
*longilingua* Sleum. 753  
*longipes* Sleum. 753  
*longiporum* (non Schltr) Diels  
 876  
*longiporum* Schltr 795, 831  
*longisepalum* J.J.S. 786, 788  
*loranthifolium* Ridl. 797, 853  
*lorentzii* Koord. 782  
 f. *lorentzii* 768, 782  
 f. *puberulum* J.J.S. 768,  
 782  
*lucidum* (Bl.) Miq. 746, 794,  
 814\*  
 f. *epiphyticum* O.K. 814  
 f. *terrestris* O.K. 814  
 var. *lucidum* 799, 800, 814  
 var. *micranthum* Hochr. 814  
 var. *orientale* Hochr. 820  
 var. *pumilum* J.J.S. 867  
 var. *roseitinctum* Sleum.  
 815  
 var. *typicum* Hochr. 814  
*luridum* Sleum. 777  
*luzoniense* Vidal 796, 843  
*macbainii* F.v.M. 747, 748  
*macgillivrayi* Seem. 791  
*macgregorii* Merr. 804  
*macrophyllum* (J.J.S.) Sleum.  
 757  
*malacca* = *malaccense* 801  
*malaccense* Wight 801  
 var. *bancanum* Miq. 801  
 var. *celebense* J.J.S. 802  
*malacothrix* Sleum. 786, 787  
*marginellum* Sleum. 778  
*mearnsii* Elm. 870  
*medinilloides* Elm. 745  
*megalophyes* Sleum. 747, 794,  
 825  
*megaphyllum* Sleum. 754, 757  
 var. *adenophorum* Sleum.  
 757  
 var. *megaphyllum* 757  
*micrantherum* Staph 843  
*micranthum* = *micrantherum*  
 843  
*microphyllum* Reinw. ex Bl.  
 742, 766, 768, 778  
*microphyllum* (non Reinw. ex  
 Bl.) F.-Vill. 812, 850  
*microphyllum* (non Bl.) K. &  
 G. 723  
*microphyllum* (non Bl.) J.J.S.  
 775  
*mindorense* Rendle 778  
*minimiflorum* Sleum. 754, 759  
*minusculum* Sleum. 797, 852  
*minuticalcaratum* J.J.S. 794,  
 797, 822  
 f. *capillatum* Sleum. 866  
 f. *glabrum* J.J.S. 822, 823\*  
 f. *latifolium* J.J.S. 822  
 f. *minuticalcaratum* 822,  
 823  
*miquelii* Boerl. 470, 794, 810\*  
 var. *atjehense* Sleum. 811  
 var. *miquelii* 793, 810  
*mjobergii* J.J.S. 795, 834  
*molle* J.J.S. 796, 844  
 var. *molle* 844, 845  
 var. *mollissimum* (Sleum.)  
 Sleum. 792, 845  
*mollissimum* Sleum. 845  
*monanthum* Ridl. 754, 756  
*montis-ericaceae* Sleum. 793, 809  
*moultonii* Merr. 755, 763  
*muriculatum* J.J.S. 795, 829  
 var. *albidum* J.J.S. 829  
*myrianthum* Sleum. 765  
*myrsinoides* Schltr 766, 772  
*myrtoides* (Bl.) Miq. 746, 747,  
 793, 794, 812, 813\*, 821  
 var. *B* 810  
 var. *celebicum* J.J.S. 812  
*nitens* Sleum. 800, 869  
*nitidum* Andr. 814  
*nyctericoides* = *nycteroides*  
 823  
*nycteroides* Wernh. 823  
*oblongum* Wright 752  
*obovalifolium* Sleum. 824  
*obversum* Miq. 815  
*oranjense* J.J.S. 777, 778  
 var. *marginellum* (Sleum.)  
 Sleum. 767, 778  
 var. *oranjense* 767, 777, 778  
*oreites* Sleum. 786, 788  
*oreomyrtus* Sleum. 767, 777  
*otophyllum* Sleum. 794, 827,  
 861  
*pachydermum* Staph 795, 834\*  
*palawanense* Merr. 795, 837  
 var. *foxworthii* (Copel. f.)  
 Sleum. 837  
 var. *palawanense* 837  
*paludicolum* Sleum. 794, 814  
*papuanum* J.J.S. 868  
*paradisearum* Becc. 794, 824\*  
*parvibaccatum* J.J.S. 811  
*parvulifolium* (non F.v.M.)  
 Diels 769  
*parvulifolium* F.v.M. 766, 771

- pauciflorum* Fletch. 753  
*pensile* Sp. Moore 873  
*perakense* Ridl. 852  
*perrigidum* Elm. 798, 855  
*philippinense* Warb. 793, 808  
*phillyreoides* Sleum. 799, 861  
*piceifolium* Wernh. 767, 774  
*pilosiflorum* J.J.S. 768  
*pilosolum* J.J.S. 474, 799,  
    867  
*piperifolium* Sleum. 755, 762  
*piroliflorum* J.J.S. 826  
*platyphyllum* Merr. 793, 810  
*polyanthum* O.K. 872  
    var. *bicolor* O.K. 872  
    var. *viridiflorum* O.K. 872  
*profusum* J.J.S. 824  
*prostratum* Sleum. 767, 768,  
    785  
*psammogenes* Sleum. 795,  
    830  
*pseudocaudatum* Sleum. 797,  
    801, 874  
*psittacobium* Sleum. 824  
*pubicarpum* Ridl. 801  
*pugionifolium* Sleum. 767,  
    774  
*pullei* J.J.S. 766, 768, 782  
*pyriforme* Merr. 851  
*quinquefidum* J.J.S. 794, 823  
    var. *oranjense* J.J.S. 824  
    var. *quinquefidum* 823, 824  
*rariflorum* Schltr 773  
*retevenium* = *retivenium* 856  
*reticulato-venosum* Sleum.  
    799, 866  
*retivenium* Sleum. 798, 856  
*retusifolium* J.J.S. 799, 864  
*ridleyi* Sleum. 753  
*rigidifolium* Sleum. 796, 799,  
    846  
*rizaleense* Merr. 810  
*robustum* Ridl. 873  
*rollinsoni* Hook. 814  
*roseiflorum* J.J.S. 798, 799,  
    860  
*rubrovioletaceum* Sleum. 801,  
    877  
*sabuletorum* Ridl. 854  
*sabuletrum* = *sabuletorum* 854  
*salicifolium* (J.J.S.) Masam.  
    757  
*sanquineum* Schltr 768, 781  
*sarawakense* Merr. 873  
*scandens* Schltr 797, 853  
*schimperi* Koord. 815, 820  
*schlechterianum* Sleum. 785,  
    786, 787  
*schoddei* Sleum. 799, 862  
*schultzei* Schltr 767, 773  
*sclerophyllum* Sleum. 799, 867  
*scortechinii* K. & G. 793, 807  
*scyphocalyx* Sleum. 766, 771  
*sessiliflorum* Schltr 769  
*simulans* Sleum. 795, 833  
*var. leptopodium* Sleum. 834  
*var. simulans* 833  
*sororium* J.J.S. 767, 776  
*sorsogonense* Elm. 804  
*sp.* Koord. 774, 815  
*sp.* Merr. 844  
*sp.* Rappard 874  
*sp.* Staph 859, 861  
*sp.* Vidal 812, 850, 875  
*spaniotrichum* Sleum. 786,  
    790  
*sparsicapillum* Sleum. 766,  
    769  
*sparsum* Sleum. 801, 876  
*stabilipes* Sleum. 752  
*stapfianum* Sleum. 793, 796,  
    838, 839  
    var. *minus* Sleum. 839  
    var. *stapfianum* 839  
*steinii* Sleum. 801, 876  
*stellae-montis* Sleum. 799,  
    800, 862  
*stenanthum* Sleum. 796, 843  
*stenolobum* Schltr 794, 825  
*striicaule* Sleum. 471, 876  
    var. *adenodes* Sleum. 798,  
    877  
    var. *pubiflorum* Sleum. 796,  
    877  
    var. *striicaule* 801, 876, 877  
*subobovatum* Fletcher 852  
*subulisepalum* J.J.S. 786, 790  
*sulcatum* Ridl. 754, 758  
*suluense* Copel. f. 840  
*summifaucis* Sleum. 796, 845  
*sumatranum* Jack 877  
*svylvaticum* Elm. 800, 870  
*taxifolium* Sleum. 766, 772  
*tenerellum* Sleum. 754, 760  
*tentaculatum* J.J.S. 795, 828  
*tenuipes* Merr. 796, 844  
*teymannii* [non (Bl.) Miq.]  
    Koord. 873  
*teymannii* Miq. 872  
*teymannii* (non Miq.) Ridl.  
    852  
*thibaudifolium* Wernh. 793,  
    806  
*tiariforme* J.J.S. 868  
*timonioides* Wernh. 786, 788  
*timorense* Fawc. 792, 793,  
    796, 797, 802  
    var. *denticulatum* Fawc. 802  
*tomicipes* J.J.S. 796, 800, 869  
*torricellense* Schltr 868  
*trichocarpum* Sleum. 792, 805  
*tubiflorum* J.J.S. 797, 851  
*turbinatum* Merr. 857  
*turfosum* Sleum. 799, 801, 874  
*uniflorum* J.J.S. 754, 757  
*urnigerum* Sleum. 779  
*uroglossum* Sleum. 754, 759,  
    760\*  
*urophyllum* Merr. 753  
*varingiaefolium* (Bl.) Miq.
- 470, 471, 746, 794, 802, 815,  
816\*, 817\*, 818, 819\*, 820\*  
*f. parvifolia* Miq. 815  
*f. sub lanceolata* Miq. 815  
*var. angustifolium* O.K. 815  
*var. calcaratum* Sleum. 793,  
    815, 820  
*var. erythrinum* (Hochr.)  
    O.K. 815  
*var. orientale* (Hochr.)  
    Sleum. 815, 820  
*var. pilosiusculum* Hochr.  
    815  
*var. racemosum* Hochr. 815  
*var. typicum* Hochr. 815  
*var. varingiaefolium* 815,  
    816, 821  
*varingiaefolium* [non (Bl.)  
Miq.] Miq. 845  
*varingiaefolium* [non (Bl.)  
Miq.] Vidal 812  
*varingifolium* = *varingiaefoli-*  
    *um* 815  
*versteegii* Koord. 766, 771  
*vidalii* (non Merr. & Rolfe)  
    H.J.Lam & Holth. 850  
*vidalii* Merr. & Rolfe 797, 848  
*villarii* Vidal 812  
*villosiflorum* J.J.S. 766, 768  
*viridiflorum* J.J.S. 795, 833  
*viscidolium* K. & G. 800, 852,  
    853  
    var. *bicalcaratum* Sleum.  
    853  
    var. *minus* K. & G. 852  
    var. *viscidolium* 797, 853  
*vonroemerii* Koord. 768, 780  
*warburgii* Sleum. 794, 821  
*whiteanum* Sleum. 767, 775,  
    778  
*whitfordii* Merr. 768, 782  
*wisselianum* Sleum. 792, 805  
*wollastonii* Wernh. 768, 785  
*wondiwioense* J.J.S. 767, 772  
*woodianum* Copel. f. 797, 850  
*wrayi* Ridl. 843  
*xerampelinum* Sleum. 799,  
    864, 865\*  
*zollingeri* Miq. 872  
*Valeriana chinensis* L. 455  
*Valerianaceae* 4: 253–254  
*Vall-i-Modagam* Rheede 326, 328  
*Vareca moluccana* Roxb. 963  
*Velleia* J.E.Smith 950  
    spathulata R.Br. 950  
*Venitilago* 280  
    dichotoma (Blco) Merr. 284  
*Vernonia arborea* 152  
*Vertifolia rubra* Rumph. 291  
*Viburnum amplificatum* Kern  
    929, 930\*  
*clemensae* Kern 929  
*glaberrimum* Merr. 929  
*hispidulum* Kern 929  
*junguhnnii* Miq. 929

- lutescens* Bl. 929  
*platyphyllum* Merr. 929  
*vernicosum* Gibbs 929  
*Vieillardia* Brongn. & Gris 457  
*Viereya* = *Vireya* 480  
Violaceae 237, 963  
Violales 63  
*Vireya* Bl. 480  
  *alba* Bl. 539  
  *celebica* Bl. 615  
  *javanica* Bl. 624  
  *retusa* Bl. 482  
  *tubiflora* Bl. 532  
*Vitmannia* Vahl 199  
  *elliptica* Vahl 199  
  *lucida* Steud. 201  
  *polyandra* Steud. 203  
*Voacanga* sp. 369
- Wahlenbergia* Schrad. ex Roth  
  107, 109, 110, 111, 112, 113,  
  128  
  *agrestis* DC. 115  
  *bivalvis* Merr. 117, 118  
  *candollei* Tuyn 114  
  *confusa* Merr. & Perry 107,  
  113, 114, 115\*  
  *consimilis* Lothian 118  
  *dehiscescens* (Roxb.) DC. 115  
  *erecta* (Roth ex R. & S.) Tuyn  
  113, 114\*  
  *eurycarpa* Domin 115  
  *gloriosa* Lothian 118  
  *gracilenta* Lothian 116, 118  
  *gracilis* (Schrad.) DC. 115,  
  116, 118  
  var. *hirsuta* Jungh. 115  
  var. *vincaeeflora* DC. 118  
*gracilis* E.Mey., nomen 117  
*hirsuta* Steud., nomen 113  
*hirsuta* (Edgew.) Tuyn 113  
*hookeri* (Clarke) Tuyn 107,  
  113, 114\*  
*indica* DC. 115  
*lavandulaefolia* DC. 115  
*marginata* (Thunb.) DC. 107,  
  110, 113, 115, 116\*, 117\*  
  map  
  var. *grandiflora* Tuyn 113,  
  118  
  subvar. *trichogyna*  
  (Stearn) Tuyn 118
- multicaulis* Bth. 115  
*paniculata* (Thunb.) DC. 114  
*perotifolia* W. & A. 113  
*quadrifida* (R.Br.) DC. 115,  
  118  
*sieberi* DC. 115  
*simplicicaulis* de Vriese 115  
*trichogyna* Stearn 118  
*vincaeeflora* (Vent.) Decne 118  
*Weigelia* coraeensis Thunb. 929  
  *fallax* Miq. 929  
*Wendlandia* 152  
*Wikstroemia* = *Wikstroemia*  
  28  
*Wikstroemia* Endl. 2, 3, 4, 5, 28  
  subg. *Chamaejasme* (Amman)  
  Domke 28  
  subg. (*Eu*)*wikstroemia* 28  
  sect. *Euwikstroemia* Meisn.  
  28  
*acuminata* Merr. 31  
*amplifolia* (Schltr) Domke 35  
*androsaemifolia* Decne 2, 29\*,  
  30, 32, 33  
*androsaemifolia* Hand.-Mazz.  
  34  
*angustissima* Merr. 30  
*aurantiaca* 4  
*australis* Endl. 28  
*brachyantha* Merr. 2, 29\*, 30,  
  31  
*calva* Back. 32, 33  
*candolleana* Meisn. 33  
*candolleana* (non Meisn.)  
  Ridl. 32  
*candollei* = *candolleana* 32  
*chamaejasme* (L.) Domke 28  
*clementis* Merr. 31  
*crassifolia* Merr. ex Domke 31  
*fenicis* Merr. 33  
*indica* (L.) C.A.Mey. 2, 3, 4,  
  30, 34  
  var. *viridiflora* Hook. f. 35  
*junguhuhnia* = *junguhuhnia* 32  
*junguhuhnia* (non Miq.) K. & V.  
  32  
*junguhuhnia* Miq. 32, 33, 34  
*lanceolata* Merr. 30  
*linearifolia* Elm. 35  
*longifolia* Lecomte 33  
*meyeniana* Warb. 30, 33  
*nutans* Champ. 33
- ovata* C.A.Mey. ex Meisn. 30,  
  31, 32 map  
*ovata* (non C.A.Mey.) Vidal  
  35  
*pachyphylla* Merr. 35  
*polyantha* Merr. 30, 32  
*pulgarensis* Elm. 35  
*ridleyi* Gamble 30, 34  
*ridleyi* (non Gamble) Gibbs 32  
*spanoghi* Decne 33, 34  
*subcoriacea* Merr. 35  
*tenuiramis* Miq. 29\*, 30, 31  
*venosa* Merr. & Perry 30, 33  
*viridiflora* Meisn. 35  
*Willughbeia* *auriculata* Spreng.  
  327, 328  
*elliptica* Spreng. 303  
*fragrans* Spreng. 307  
*racemosa* Spreng. 311  
*volubilis* Spreng. 311  
*Wimmeria* Schlechtend. 228  
  229, 231  
*Wirtgenia* Andres 469, 470  
  474, 669, 943  
*malayana* (Scort. in Hook. f.)  
  Andres 669  
*Wrightia* laniti (Blco) Merr. 373  
*Xanthophyllum* *subglobosum*  
  Elm. 395  
  var. *longifolium* Elm. 395  
*Xanthostemon* *brassii* Merr. &  
  Perry 428  
*Xanthoxylum* = *Zanthoxylum*  
  56  
*Xolisma* Raf. 674  
  *ovalifolia* (Wall.) Rehd. 675  
*Xylyonimus* Kalkman 231, 232,  
  243, 391, 392, 930  
*versteeghii* Kalkman 244\*,  
  245  
*Xylosma* *luzonense* (Presl) Clos  
  944  
*palawanense* Mendoza 944  
*Xyridaceae* 4: 366-376, 598; 5:  
  557  
*Zannichellia* 157  
*Zannichelliaceae* 157  
*Zanthoxylum* 207, 209  
  *montanum* Bl. 56  
  *serrulatum* Bl. 56  
*Zygophyllaceae* 4: 64