

INDEX TO SCIENTIFIC PLANT NAMES

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamily, tribe, etc.). Infrageneric epithets have been entered immediately under the generic name to which they belong, preceded by the indication of their rank (subgenus, section, etc.). Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, etc.).

Synonyms have been printed in *italics*. Page numbers in bold type denote main treatment; an asterisk behind a page number denotes the presence of a figure of the concerned taxon.

- | | | |
|---|--|---|
| Acaena L. 228, 232 , 244, 297
anserinifolia (J.R. & G. Forster) Druce 297 , 299* | (Allium cepa)
var. <i>ascalonicum</i> Backer
381
var. <i>typicum</i> Backer 381
<i>chinense</i> G. Don 376–378,
380, 381
<i>exsertum</i> (Lindley) Baker
381
<i>fistulosum</i> L. 376, 380,
382*, 383
<i>giganteum</i> 377
<i>kurrat</i> 376
<i>leucocephalum</i> 378
<i>macrostemon</i> 376
<i>odorum</i> auct. 378, 383
<i>porrum</i> L. 376, 377, 381
× <i>proliferum</i> 380
× <i>proliferum</i> (Moench) Schrad.
ex Willd. Wakegi group
383
<i>ramosum</i> 378
<i>sativum</i> L. 377, 379, 380,
383
<i>schoenoprasum</i> L. 376, 380,
383
var. <i>sibiricum</i> 378
<i>schoenoprasum</i> auct. 381
<i>senescens</i> 378
<i>splendens</i> 378
<i>stellerianum</i> 378
<i>tuberosum</i> Rottler ex
Spreng. 376, 378, 380,
383
<i>uliginosum</i> G. Don 383
–
<i>victorialis</i> 378
<i>vineale</i> 377 | Amygdalus 231
<i>persica</i> L. 349
<i>Ancistrum anserinifolium</i> J.R. & G. Forster 297
Aphanes 302
<i>Argentina</i> 286
<i>Aria</i> (Pers.) Host 307, 310
Aronia 312
Aruncus silvester 233,
<i>Atamasco rosea</i> (Sprengel)
Greene 373
Brodiae 376
Buphanes 355
<i>Cerasus acuminata</i> Wall. 329
<i>javanica</i> Teijsm. & Binn. 328
Cercocarpus 229, 233
intricatus 238
Chamaebatia 233
Chamaebatiaria millefolium
233
Chrysobalanaceae 228
Clifforia 232
<i>Clivia</i> 358
miniata (Lindley) Bosse 371
Coleogyne 229
ramosissima 233, 235
Comarum 286
<i>Combretum flavovirens</i> Lauterb.
335
Cooperia 358
<i>drummondii</i> Herbert 371
Coriaria L. 385 , 386, 387
intermedia 386–388
<i>japonica</i> 386–388
<i>myrtifolia</i> L. 385, 387–389
<i>nepalensis</i> 387–389
<i>papuana</i> Warb. 386, 388–
390*, 391
<i>ruscifolia</i> L. 386–388
subsp. <i>microphylla</i> 386
subsp. <i>ruscifolia</i> 386
<i>sarmentosa</i> 388
<i>sinica</i> 387
<i>terminalis</i> 387, 388
<i>thymifolia</i> 388 |
| <i>Adenilema</i> Blume 245
<i>fallax</i> Blume 245, 246 | | |
| Adenostoma 229, 232 , 234
fasciculatum 233
sparsifolium 233 | | |
| Agapanthus 376 | | |
| Agrimonia L. 228, 232, 236,
244 , 299
ser. <i>Eupatoriae</i> Juz. 300
ser. <i>Pilosae</i> Juz. 300
<i>blumei</i> G. Don 299, 300
<i>eupatoria</i> L. 299, 300
<i>javanica</i> Jungh. 299
<i>nepalensis</i> D. Don 299 ,
300*
<i>pilosa</i> Ledeb. 236, 300
<i>suaveolens</i> auct. 299 | | |
| Alchemilla L. 230, 232, 243,
301
sect. <i>Brevicaules</i> 302
sect. <i>Longicaules</i> 302
<i>dendroidea</i> Zoll. & Mor. 302
<i>indica</i> 302
<i>villosa</i> Jungh. 302 *
<i>vulcanica</i> Zoll. & Mor. 302
<i>vulgaris</i> L. 301
<i>xanthochlora</i> 236 | | |
| Alliaceae 375 –384 | | |
| Allium L. 375 , 376, 379
<i>altaicum</i> 378
<i>ampeloprasum</i> L. 377, 380,
381
<i>anisopodium</i> 378
<i>ascalonicum</i> auct. 381
<i>bakeri</i> Regel 378, 381
<i>bakeri</i> auct. 383
<i>cepa</i> L. 376, 380, 381
Cultivar group Aggregatum 381
Cultivar group Common Onion 381 | <i>Amaryllidaceae</i> 353 –373
subfam. <i>Amaryllidoideae</i>
353, 355, 357, 359
subfam. <i>Hypoxidoidae</i> 353,
354, 357, 366
<i>Amaryllis</i> 358
<i>atamasco</i> auct. 372
<i>belladonna</i> L. 371
<i>Amelanchier</i> 234 | |

- Coriariaceae** 385–391
Cotoneaster Medikus 232, 243,
 307, 308
angustifolius Franchet 316
depressus 234
glaucocephalus 308
lacteus W.W. Smith 240,
 308
pannosa 235
vulgaris Lindley 308
Cowania mexicana 235, 238
Crataegeae 307
Crataegus glabra auct. 315
indica L. 318
serratifolia Desf. 315
Crinum L. 358, 359
amabile Donn 359
americanum L. 354, 359
asiaticum L. 359, 360*
augustum 355
cortifolium Hallier 359
cumingii Baker 361
defixum auct. 360
fimbriatum Baker 361
giganteum auct. 360
gracile E. Meyer 359, 361
jagus (Thompson) Dandy 361
kirkii Baker 361
latifolium L. 361
longiflorum Thunb. 361
macrantherum Engler 359
macrophyllum Hallier 359
moluccanum Roxb. 361
northianum Baker 359
rumphii Merr. 360
sanderianum Baker 361
sumatranum Roxb. 359
zeylanicum L. 361
Croomia 397, 400
heterosepala 401
pauciflora 400
Cryptocoryne egregia Schott
 397
Curculigo Gaertn. 358, 368
agusanensis Elmer 369
borneensis Merr. 369
brevipedunculata Elmer
 369
capitulata (Lour.) Kuntze
 367, 369*
ensifolia R. Br. 370
erecta Laut. 367, 369*
glabra Merr. 367
glabrescens (Ridley) Merr.
 369

- (*Curculigo*)
latifolia Dryand. 369
 var. *glabrescens* Ridley
 369
 var. *latifolia* 367, 369*
 var. *megacarpa* (Ridley)
Geerinck 367, 369
 var. *villosa* (Wall. ex
Kurz) Baker 369
megacarpa Ridley 369
orchiooides Gaertn. 356, 366,
 367, 369*, 370
racemosa Ridley 367, 369*,
 370
recurvata Dryand. 356, 367
scapigera Hallier 367
sumatrana Roxb. 369
villosa Wall. ex Kurz 369
weberi Elmer 369
Cyrtanthus 358
mackenii Hook. f. 371
pallidus Sims 371
Dalibarda calycina (D. Don)
Seringe 283
latifolia Blume 280
pyrifolia (J. E. Smith) Blume
 280
Dendropoterium Svent. 301
Dichelostemma 376
Dichotomanthes 235
Digaster sumatranaus Miq.
 331
Dioscorea lucida R. Brown
 404, 405
Docynia 234
Dryas octopetala 235
Duchesnea J. E. Sm. 286, 286
chrysanthia Miq. 291, 293
fragiformis J. E. Sm. 286
 × *hara-kurosawai* Naruhashi
 & Sugimoto 293
indica Focke 286, 291,
 293
sundaica Miq. 296
 var. *hirsuta* Miq. 296
Eriobotrya Lindley 243, 308
acuminatissima Nakai 318
ambigua Merr. 314
bengalensis (Roxb.) Hook. f.
 306*, 307*, 309
japonica (Thunb.) Lindley
 238, 239, 308, 309
oblongifolia Merr. & Rolfe
 315
philippinensis Vidal 318
Eucharis 358
amazonica Linden ex Planch.
 371
candida Planch. & Linden 371
grandiflora auct. 372
mastersii Baker 372
sanderi Baker 372
subdentata Baker 372
Eucrosia 354
Euryclies Salisb. ex Schult. 363
alba (R. Brown) F. Muell.
 366
amboinensis (L.) Lindley 366
javanica Roemer 366
sylvestris Salisb. ex Schult.
 366
Exochorda 229, 233
Filipendula 229, 232, 234, 236
ulmaria 236
Fragaria L. 230, 236, 244, 285
 × *xanassa* (Duch.) Guédès
 285, 286
chiloensis (L.) P. Miller 288
chrysanthia Zoll. & Mor. 291
indica Andr. 286, 291
sundaica Blume 296
vesca L. 285
virginiana P. Miller 286
Galanthus 353
Germania latifolia Presl 338
Gethyllis L. 366
acaulis Blanco 370
afra L. 366
Geum japonicum 237
montanum 236
rivale 236
Gillenia trifoliata 233
Griffinia 358
ornata Moore 372
Haemanthus pubescens auct. 360
punicum auct. 373
Haemodoraceae 353, 357
Hagenia abyssinica 234
Hippeastrum 358
advenum Ker-Gawl. 372
ananuca 355
aulicum (Ker-Gawl.) Herbert
 372
equestre (Ait.) Herbert 372
miniatum auct. 372
pratense (Poepp.) Baker 372
punicum (Lam.) Kuntze 372
reginae (L.) Herbert 372
reticulatum (L'Hér.) Herbert
 372

- (*Hippeastrum*)
rutileum Ker-Gawl. 372
splendens Herbert 372
stylosum Herbert 372
vittatum (L'Hér.) Herbert 372
Holodiscus 229, 232
Hymenocallis Salisb. 354, 358,
 361
adnata Herbert 362
caribaea (L.) Herbert 362
littoralis (Jacq.) Salisb. 361
× macrostaphana Baker 362
narcissiflora (Jacq.) MacBr.
 362
speciosa (Salisb.) Salisb.
 362
tenuiflora Herbert 362
Hypoxidaceae 353, 356
Hypoxis L. 358, 370
 acuminata 356
 angustifolia 356
 aurea Lour. 370, 371*
franquevillei Miq. 370
hygrometrica Labill. 370
interjecta 356
multiceps 356
nyasica 356
obtusa 356
rooperi 356
Imperata cylindrica 355
Kageneckia 229
Kerria 229
 japonica 233, 236
Lachemilla 302
Laurocerasus (Tourn.) ex
 Duhamel 231, 326
adenopoda (Koord. & Valeton) Browicz 327
javonica (Teijsm. & Binn.)
 Browicz 328
mirabilis (Kalkman) Browicz
 328
wallichii (Steudel) Browicz
 329
Leucojum 353, 358
 aestivum L. 372
 capitulatum Lour. 367
Liliaceae 375
 subfam. *Agapanthoideae* 375
 subfam. *Allioideae* 375-377
 tribe *Allieae* 375
 tribe *Brodiaeae* 375
 subfam. *Gilliesioideae* 375
Lindleya 229, 234
Luetkea pectinata 234, 235
Lycoris 355
 radiata 355
Lyonothamnus 229
Malus Miller 243, 310
 domestica Borkh. 310
pumila Miller 239, 240, 310
sylvestris Miller 310
Marceletta Svent. 301
Mespilus 232
 bengalensis Roxb. 309
 cotoneaster L. 308
 japonicus Thunb. 309
 pyracantha L. 316
Micromeles Decne. 231, 243,
 307, 310
 corymbifera (Miq.) Kalkman
 306*, 307*, 311*
 malayensis Ridley 311
Milla 376
Molineria Colla 366
 capitulata (Lour.) Herbert
 367
 latifolia (Dryand.) Herbert ex
 Kurz 369
plicata Colla 369
recurvata (Dryand.) Herbert
 367
sumatrana (Roxb.) Herbert
 369
Narcissus 358
 jonquilla L. 373
 poeticus 355, 373
 pseudonarcissus auct. 355,
 373
tazetta L. 373
Neillia D. Don 232, 243, 245
 fallax (Blume) Blume 245,
 246
rubiflora 246
thyrsiflora D. Don 245,
 246*
 var. *fallax* (Blume) Kalk-
 man 246
 var. *thyrsiflora* 247
 var. *tunkinensis* (Vidal)
 Vidal 245
tunkinensis Vidal 245, 247
Neviusia 229
 alabamensis 233
Nothoscordum Kunth 375-377,
 379, 384
 inodorum (Aiton) G. Nichols
 384
Oemleria 233
Osmaronia 229
Padus 231
 buergeri 241
 cerasus 235
 grayana 241
 laurocerasus 241
 padus 241
 polygamum 237
 ssiori 241
Pancratium L. 358, 362
 amboinense L. 366
 biflorum 355
 illyricum auct. 362
littorale Jacq. 362
longiflorum Roxb. 363
maritimum L. 355, 362, 363
maritimum auct. 362
verecundum Ait. 363
zeylanicum L. 363*
Parinarium coccineum Elm. 335
Pauridia 354
Peliosanthes 395
Pentastemon Steenis 393,
 399-401
egregia (Schott) Steenis 393,
 394*, 395, 396*, 397
sumatrana Steenis 393, 394*,
 395, 396*, 397, 398*
Pentastemonaceae 393-
 398
Photinia Lindley 231, 243, 307,
 312
bartlettii Merr. 311
dasythysa Miq. 314
davidiana (Decne.) Cardot
 306*, 307*, 312, 313
integrifolia Lindley 306*,
 307*, 312, 313, 314*
 var. *integrifolia* 313
 var. *subdenticulata* Miq.
 314
 var. *sub lanceolata* Miq.
 314
luzoniensis Merr. 318
notoniana Wight & Arn. 313
 forma *grandiflora* Koord.
 & Valeton 313
nussia (D. Don) Kalkman
 312, 314
prunifolia ((Hook. & Arn.)
 Lindley 312, 315
serratifolia (Desf.) Kalkman
 312, 315
serrulata Lindley 312, 315
B prunifolia Hook. & Arn.
 315

- Platea oblonga* Korth. ex Valeton 328
- Polydonta* 331
 arborea Blume 329
- Polylepis* 232
- Potaninia* 229
- Potentilla* L. 230, 236, 244, 286
 adinophylla Merr. & Perry 287, 288
 archboldiana Merr. & Perry 288, 289
 borneensis (Stapf) Kalkman 287, 288, 294
 brassii Merr. & Perry 287, 288
 erecta 235, 236
 foersteriana Laut. 287, 289
 var. *brassii* (Merr. & Perry) Kalkman 288, 289
 var. *foersteriana* 289
 var. *ima* Kalkman 289, 290*
 var. *simplex* Kalkman 289
 var. *strigosa* Kalkman 289
 fruticosa 238
 gorokana Kalkman 287, 290, 291
 habbemana Merr. & Perry 287, 291
 hooglandii Kalkman 287, 291, 292*
 indica (Andr.) Wolf 228, 287, 291
 indivisa Kalkman 287, 293
 iranensis Kalkman 287, 293
 leuconota D. Don 288
 var. *borneensis* Stapf 288
 var. *papuana* F. Muell. 294
 leuconota auct. 288, 294
 linilaciinata P. van Royen 287, 293
 mangenii Kalkman 287, 294
 mooniana Wight 295
 var. *kinabaluensis* Stapf 296
 novoguineensis Merr. & Perry 295
 papuana Focke 287, 288, 294
- (*Potentilla*)
 parvula Hook. f. ex Stapf 287, 294
 philippinensis Merr. 295
 polyphylla Wall. ex Lehm. 287, 295
 var. *kinabaluensis* (Stapf) Kalkman 295, 296
 var. *polyphylla* 295, 296
 reptans L. 286
 simulans Merr. & Perry 287, 296
 sumatrana Soják 288
 sundaica (Blume) O. Kuntze 287, 296
 wilhelminensis P. van Royen 287, 296
- Poteridium* Spach 301
- Poterium* L. 301
 lasiocarpum 237
- Pourthiae* 307
- Prinsepia* 233
 utilis 234
- Proiphys* Herbert 358, 363
 alba (R. Brown) Mabberley 365*, 366
 amboinensis (L.) Herbert 363, 364*, 365*, 366
- Prunus* L. 230, 233, 239, 243, 319
 subg. *Amygdalus* (L.) Focke 240, 320, 349
 subg. *Cerasus* (Miller) Focke 240, 320
 subg. *Laurocerasus* (Tourn. ex Duhamel) Rehder 241, 320, 326
 sect. *Laurocerasus* 327
 sect. *Mesopygeum* 327, 329
 subg. *Padus* (Miller) Focke 241, 320, 348
 subg. *Prunus* 240, 319
 A 349
 acuminata (Wall.) Dietr. 329
 adenopoda Koord. & Valeton 320, 323, 327, 328
 amygdalus Batsch 320
 arborea (Blume) Kalkman 321, 324, 329, 330*
 var. *alticola* Kalkman 331
 var. *arborea* 331, 332
 var. *densa* (King) Kalkman 321, 323, 331, 332
- (*Prunus arborea*)
 var. *montana* (Hook. f.) Kalkman 331
 var. *robusta* (Koord. & Valeton) Kalkman 331, 332
 var. *stipulacea* (King) Kalkman 331, 332
 armeniaca L. 319
 avium L. 235, 240, 320
 B 322, 323, 350
 beccarii (Ridley) Kalkman 321, 324, 332
 brachystachya Kalkman 322, 326, 333
 brassii Kalkman 322, 324, 333
 C 320, 350
 cerasus 240, 320
 ceylanica (Wight) Miq. 326
 clementis (Merr.) Kalkman 321, 324, 325, 384
 costata (Hemsley) Kalkman 322, 324, 334
 D 322, 323, 350
 davidiana 240
 dolichobotrys (K. Schum. & Lauterb.) Kalkman 322, 325, 326, 334, 337*
 domestica L. 234, 240, 319
 forbesii Koehne 328
 fragrans (Elmer) Kalkman 321, 323, 334, 385
 gazelle-peninsulæ (Kaneh. & Hatus.) Kalkman 322, 324, 335
 glabrifolia Kalkman 321, 326, 337
 glomerata (Koehne) Kalkman 347
 grisea (Blume) Kalkman 325, 326, 338
 var. *grisea* 322, 326, 338
 var. *microphylla* Kalkman 322, 323, 339
 var. *tomentosa* (Koord. & Valeton) Kalkman 321, 322, 325, 326, 338, 339
 jamasakura 240
 javanica (Teijsm. & Binn.) Miq. 320, 323, 328
 javanica auct. 327
 junguhnuiana Miq. 328

(*Prunus*)
kinabaluensis Kalkman 322,
 324, 325, 339
lamponga (Miq.) Kalkman
 322, 323, 325, 340
laurocerasus L. 234, 326
laxinervis Kalkman 322, 325,
 340
lusitanica 234
luzoniensis Merr. & Quis.
 350
macrophylla Sieb. & Zucc.
 var. *adenopoda* Vidal 327
mahaleb 234, 240
malayana Kalkman 321, 323,
 324, 341
marsupialis Kalkman 321,
 323, 324, 341, 342*
martabanica Kurz 328
 var. *scortechinii* King 328
mirabilis Kalkman 320, 323,
 328
odorata (Henderson) Whit-
 more 322, 349
oligantha Kalkman 321, 323,
 325, 341
oocarpa (Stapf) Kalkman
 321–323, 343
padus 320
papuana Koehne 328
persica (L.) Batsch 320, 322,
 349
polystachya (Hook. f.) Kalk-
 man 321, 323, 324, 343
pseudoadenopoda Koord. 327
pulgarsensis (Elmer) Kalkman
 322, 325, 344
pullei (Koehne) Kalkman
 322, 325, 326, 344
 var. *grandiflora* Kalkman
 344
rubiginosa (Elmer) Kalkman
 321, 324, 334, 345
salicina Lindley 319
schlechteri (Koehne) Kalkman
 322, 324, 345
sclerophylla Kalkman 322,
 326, 346
scortechinii (King) Koehne
 328
serotina 320
serrulata Lindl. 240
spicata Kalkman 322, 325,
 326, 346
spinosa 235, 240

(*Prunus*)
subglabra (Merr.) Kalkman
 322, 325, 347
turfosa Kalkman 321, 323,
 347
turneriana (F. M. Bailey)
 Kalkman 322, 324, 325,
 327, 347
versteeghii Kalkman 321,
 322, 324, 325, 348
wallaceaana Kalkman 322,
 326, 348
wallichii Steudel 320, 323,
 329
yedoensis 240
zippeliana Miq. 351
Purshia *glandulosa* 235
tridentata 235, 238
Pygeum Gaertner 230, 231,
 326, 327
acuminatum 234
apoanum Elmer ex Koehne
 334
apoense Elmer 334
arboreum (Blume) Blume
 329, 331, 338
beccarii Ridley 332
blumei Teijsm. & Binn. 331
brevifolium Hook. f. 337
clementis Merr. 334
coccineum (Elmer) Elmer 335
coriifolium Ridley 340
costatum Hemsley 334
dolichobotrys K. Schum. &
 Lauterb. 334
elmerianum Koehne 345
forbesii Koehne 345
fragrans Elmer 335
gazelle-peninsulae Kaneh. &
 Hatus. 335
glandulosum Merr. 341
glomeratum Koehne 347
goethartianum Koehne 340
gracilipes Koehne 340
griseum Blume 338
hagenianum Gilli 334
hookerianum King 339
lampongum Miq. 340
lanceolatum Hook. f.
 var. *maingayi* (Hook. f.)
 Ridley 339
latifolium Miq. 338
 var. *tomentosum* Koord.
 & Valeton 339
latifolium (Presl) Rehder 331

 (*Prunus*)
laurocerasus Koehne 345
macropetalum Koehne 350
maingayi Hook. f. 339
megaphyllum Elmer 335
melanocarpum Merr. & Perry
 338
monticolum Merr. 344
myriandrum Merr. 343
odoratum Henderson 349
ocarpum Stapf 343
papuanum Hemsley 334
parviflorum Teijsm. & Binn.
 331, 332
 var. *densum* King 332
 var. *robustum* Koord. &
 Valeton 332
platyphyllum K. Schum. 335
polystachyum Hook. f. 343
preslii Merr. 338
 var. *vulgare* Koehne 338
pubescens Merr. 341
pulgarensis Elmer 344
pullei Koehne 344
retusum Merr. & Perry 334
rigidum Koehne 334
robustum (Koord. & Valeton)
 Koehne 332
rubiginosum Elmer 345
salomonense Merr. & Perry
 345
schlechteri Koehne 345
scortechinii King 337
stipulaceum King 332
subglabrum Merr. 347
sumatranum (Miq.) Miq. 331
tetradenium Koehne 345
turnerianum F.M. Bailey 347
vulgare (Koehne) Merr. 338
zeylanicum Gaertn. 326
Pyracantha Roemer 243, 307,
 316
angustifolia (Franch.) Schnei-
 der 316
coccinea Roemer 316
crenulata 237
Pyrus L. 230, 234, 243, 317
 sect. *Micromeles* Hook. f.
 310
communis L. 239, 317
granulosa Bertoloni 311
malus 310
nussia D. Don 314
pyrifolia (Burm.) Nakai 317
serotina Rehder 317

- Quillaja 229
saponaria 237
- Rhaphiolepis Lindley ex Ker 243, 317
indica (L.) Lindley ex Ker 317, 318
philippinensis (Vidal) Kalkman 306*, 307*, 317, 318
umbellata 235, 239
- Rhodotypos 229
scandens 233
- Rosa L. 228, 230, 232, 239, 244, 303
centifolia L. 303
cinnamomea L. 303
davurica 236, 238
laevigata 236
luciae Franch. & Rochebr. ex Crépin 303, 305*
var. *wichuraiana* Koidz. 305
luzoniensis Merr. 305
philippinensis Merr. 305
var. *depauperata* Merr. 305
rugosa 236, 240
sterilis 237
transmorrisonensis Hayata 303, 305
wichuraiana Crépin 305
- Rosaceae** 227-371
subfam. *Amygdaloideae* 228
subfam. *Maloideae* 228, 307
tribus *Maleae* 229, 306*, 307*
tribus *Pomeae* 229
subfam. *Prunoideae* 228
tribus *Prunae* 229, 319
subfam. *Rosoideae* 228
tribus *Alchemilleae* 229, 301
tribus *Dryadeae* 229
tribus *Potentilleae* 229, 232, 285
tribus *Poteriae* 229, 232, 297
tribus *Roseae* 229, 303
tribus *Rubeae* 229, 247
subfam. *Spiraeoideae* 228
tribus *Gillenieae* 229, 232
tribus *Neilliaeae* 229, 245
tribus *Quillajeae* 229
tribus *Spiraeaeae* 229, 232, 244
- Roxburghia gloriosa* Pers. 405
gloriosoides Roxb. 405
javanica Kunth 404
javanica ?australiana Benth. 403
viridiflora J. Smith 405
- Roxburgia moluccana* Blume 405
- Rubus L. 230, 236, 239, 243, 244, 247, 248
subg. *Chamaebatus* (Focke) Focke 248, 283
subg. *Eubatus* auct. 284
subg. *Idaeobatus* (Focke) Focke 248, 257, 262
subg. *Malachobatus* (Focke) Focke 248, 262, 268, 285
subg. *Micranthobatus* (Fritsch) Kalkman 248, 253
subg. *Rubus* 248, 284
sect. *Eufruticosi* 248
sect. *Chamaebatus* Focke 283
sect. *Idaeobatus* Focke 257
sect. *Malachobatus* Focke 268
sect. *Micranthobatus* Fritsch 230, 253
acuminatissimus Hassk. 253, 258
alcaefolius 268
alceaefolius 268
alceifolius Poiret 249, 250, 268, 269*
alpestris Blume 252, 258, 264
angulosus Focke 276
apoensis Elmer 266
archboldianus Merr. & Perry 252, 258
asper Wall. ex D. Don 268
asper auct. 266
boschianus Zoll. 283
banghamii Merr. 252, 259
beccarii Focke 250, 270
benguettensis Elmer 250, 251, 270
blumei Focke 272
brassii Merr. & Perry 264
calycinoides Hayata 281
calycinus D. Don 250, 283*
forma *javanicus* Kuntze 283
var. *suffruticosus* Focke 283
- (*Rubus*)
celebicus Blume 261
chartaceus Kuntze 285
chingii 238
chrysogaeus P. van Royen 251, 259
chrysophyllus Reinw. ex Miq. 250, 271
clementis Merr. 252, 253
copelandii Merr. 252, 259
cordiformis Kalkman 257
coreanus 238
crataegifolius 238
croceanthus Léveillé 268
cumingii Kuntze 250, 271
dendrocharis (Focke) Focke 276
clininis F. Muell. 253, 254
var. *ikilimbu* P. van Royen 256
var. *novoguineensis* (Merr. & Perry) P. van Royen 254
var. *papuanus* Focke 285
x dosediae Gilli 266
edanoi Merr. 285
ellipticus J.E. Sm. 238, 252, 260
elmeri Focke 281
elongatus J.E. Sm. 249, 272
var. *laeviscalyx* Ridley 272
ferdinandi Focke 260
ferdinandi-muelleri Focke 251, 260, 261
foliolosus 238
fraxinifolius Poiret 251, 261
var. *haightii* Elmer 261
fruticosus L. 247, 276
glabriusculus Hassk. 272
glomeratus Blume 250, 272
var. *gracilis* King 273
glomeratus auct. 276
grewiaefolius Koord. ex Focke 285
guttans Focke 285
hasskarlii Miq. 276
subsp. *dendrocharis* Focke 276
heterosepalus Merr. 250, 273
horsfieldii Miq. 264
hypargyrus Edgew. 264
idaeus 236, 239, 257
javanicus Blume 266
keleterios P. van Royen 250, 274

- (*Rubus*)
- keysseri* Schltr. ex Diels 263, 264
 - koehneanus* 237
 - laeteviridis* P. van Royen 260
 - ledermannii* Focke 272, 273
 - var. *beleensis* P. van Royen 272
 - lineato-alpestris* Naruhashi & Sato 262
 - lineatus* Reinw. ex Blume 251, 262, 264
 - forma *pulcherrimus* Focke 262
 - lobbianus* Hook. 272
 - lorentzianus* Pulle 252, 262
 - lowii* Stapf 252, 253, 263
 - var. *panalabanensis* Naruhashi & Sato 263
 - lucens* Focke var. *clementis* (Merr.) Focke 253
 - luzoniensis* Merr. 249, 274
 - macgregorii* F. Muell. 252, 263
 - magnibracteatus* Ridley 272
 - malvaceus* Focke 250, 274
 - maximus* Kuntze 282
 - mearnsii* Elmer 251, 275
 - megacarpus* P. van Royen 252, 254, 255
 - merrillii* Focke 261
 - microphyllus* 237
 - mindanaensis* Focke 285
 - mingendensis* Gilli 266
 - var. *trichocarpa* Gilli 266
 - moluccanus* L. 249, 250, 275, 276, 277*
 - var. *alceifolius* (Poiret) Kuntze 268
 - var. *angulosus* Kalkman 276, 277*, 278
 - var. *austropacificus* P. van Royen 275
 - var. *chrysophyllus* (Reinw. ex Miq.) Kuntze 271
 - var. *dendrocharis* (Focke) P. van Royen 276
 - var. *discolor* (Bl.) Kalkman 275, 277*, 278
 - var. *glabriusculus* (Hassk.) Kuntze 272
 - var. *glomeratus* (Blume) Backer 272, 275
 - var. *hasskarlii* (Miq.) Kuntze 276
- (*Rubus moluccanus*)
- var. *lobbianus* (Hook.) Kuntze 272
 - var. *malvaceus* (Focke) Backer 274, 275
 - var. *maximus* Kuntze 282
 - var. *moluccanus* 277*, 278
 - var. *obtusangulus* Miq. 277*, 278, 279*, 280
 - var. *ochrascens* Blume 271
 - var. *pyrifolius* (J.E. Smith) Kuntze 280
 - var. *thespesiaephyllos* P. van Royen 275
 - moluccus latifolius* Rumph. 275
 - moluccus parvifolius* Rumph. 258, 261
 - montis-wilhelmi P. van Royen 251, 261, 263
 - moorei* F. Muell. 256
 - moorei* auct. 256
 - neo-ebudicus* Guillaumin 251, 252, 264
 - niveus* Thunb. 251, 264
 - subsp. *horsfieldii* (Miq.) Focke 264
 - niveus* Wall. ex Hook. f. 264
 - novoguineensis* Merr. & Perry 252, 254
 - papuanus* Schltr. ex Diels 251, 261, 265
 - paradoxus* Ridley 254
 - parvifolius* 238
 - pectinellus* Maxim. 250, 284
 - perfervulus* Merr. 249, 280
 - philippinensis* Focke 280
 - plicatus* Weihe & Nees 284
 - podocarpus* Kuntze 258
 - pulcherrimus* Hook. 262
 - pyrifolius* J.E. Smith 250, 280
 - robinsonii* Ridley 272
 - rolfei* Vidal 249, 280, 281
 - rosaefolius* 265
 - rosifolius* J.E. Smith 251, 265
 - subsp. *sumatranus* (Miq.) Focke 266
 - var. *coronarius* Sims 266
 - royenii* Kalkman 252, 256
 - var. *hispidus* Kalkman 256
- (*Rubus royenii*)
- var. *ikilimbu* (P. van Royen) Kalkman 256
 - var. *royenii* 256, 257
 - rugosus* J.E. Smith 275
 - satotakashii* Naruhashi & Cheksum 262
 - schefferi* Focke 245, 246
 - smithii* Backer 250, 282
 - sorsogonensis* Elmer 250, 282
 - suavissimus* 238
 - sumatranus* Miq. 251, 266, 267*
 - sundaicus* Blume 250, 282
 - var. *discolor* Blume 275
 - sundaicus* auct. 272, 282
 - tagallus* Cham. & Schlechtend. 266
 - trifidus* 237
 - trigonos* Kalkman 253, 257, 285
 - tsiri* P. van Royen 254
 - tsiri* auct. 256
 - vanoverberghii* Merr. 273
 - var. *pileanus* Focke 273
 - wichuriae* Focke 275
 - woitapensis* P. van Royen 260
 - Sanguisorba* L. 230, 232, 236, 244, 301
 - minor Scop. 236–238, 301
 - officinalis L. 235–237, 301
 - Sarcocopterium spinosum* 238
 - Scadoxus* 358
 - multiflorus* (Martyn) Raf. 373
 - Sieversia* 232
 - Sorbaria* 233, 234
 - Sorbeae* 307
 - Sorbus* L. 239
 - sect. *Aria* 234
 - sect. *Aucuparia* 234, 240
 - sect. *Micromeles* Rehder 310
 - aucuparia 234, 239
 - corymbifera* (Miq.) Hiep & Yakovlev 311
 - Spiraea* L. 230, 243, 244
 - cantonensis Lour. 237, 239, 244
 - japonica 238
 - koreana 238
 - prunifolia 233
 - salicifolia L. 244

- Sprekelia 358
formosissima (L.) Herbert 373
Stemona Lour. 397, 399–401, 402
affinis J.J. Smith 405
asperula J.J. Smith 404
australiana (Benth.) C. H. Wright 400, 403
burkillii 401
collinsae Craib 401, 403
curtisii Hook. f. 400, 403
japonica 400, 401
javanica (Kunth) Engler 400, 403, 404, 405
kerrii 400
lucida (R. Brown) Duyfjes 400, 403, 404
mairei 401
membranaceum Hook. f. 409
minor Hook. f. 403, 404
moluccana (Blume) C. H. Wright 405
var. *ternatensis* J.J. Smith 405
papuana Schltr. 404
- (*Stemona*)
parviflora 400, 401
philippensis Merr. 404
phyllantha Gagnep. 400, 405
sessilifolia 401
sulensis J.J. Smith 404
tuberosa Lour. 400–402, 405
var. *ternatensis* (J.J. Smith) Duyfjes 405, 406*, 407*
var. *tuberosa* 405
tuberosa auct. 403
versteegii Schltr. 403
- Stemonaceae** 399–409
Stenomeris 395
Stenomesson elwesii 353, 354
Stichoneuron Hook. f. 397, 399–402, 408
caudatum Ridley 400, 408, 409*
membranaceum Hook. f. 400, 408
- Stranvaesia* Lindley 307, 312
ambigua Nakai 314
davidiana Decne. 313
glaucescens Lindley 312
- (*Stranvaesia*)
integrifolia Stapf 313
nussia (D. Don) Decne. 314
Trichopus 395
Tristagma uniflora 378
Triteleia 376
Vaccinium corymbiferum Miq. 311
Vallota 358
speciosa (L. f.) Dur. & Schinz 373
Vauquelinia 229
Woronowia 232
Zephyranthes 358
atamasco (L.) Herbert 373
brachyandra (Baker) Backer 373
candida (Lindley) Herbert 373
carinata Herben 373
citrina Baker 373
grandiflora Lindley 373
mesochloa auct. 373
rosea (Sprengel) Lindley 373
tubispatha (L'Hér.) Herbert 373
verecunda Herbert 373
Zygachemilla 302