

XIII. BIBLIOGRAPHY

(contd from p.397)

- Adelbert, A.G.L.: Labiatae (in Backer, Beknopte Flora van Java (emergency edition) part 14, March 1954, 1-59, mimeograph).
Full descr. and keys to genera and species; in Dutch.
- Andres, H.: Zur Kenntnis einiger Indischer-Chinesischer Monotropeen (Bot. Jahrb. 76, 1953, 103-108). (Eric.)
Cheilotheca khasiana Clarke, non Hook.f. = Monotropastrum pumilum Andres n.sp.
- Anonymous: Types of Forests of Thailand. Dep. For. Bangkok.
9 pp., plates.
- Arens, P.: Ueber die postflorale Streckung des Blütenstiels bei Didymoplexis minor J.J.S. (Orchid.) (Ber. Deut. Bot. Ges. 63, 1953, 123-127).
- Arnold, Ch.A.: Origin and relationships of the Cycads (Phyto-morphology 3, 1953, 51-65).
- Bailey, I.W. & A.C. Smith: A new Fijian species of Calyptosepalum (J. Arn. Arb. 34, 1953, 52-63, 7 fig. 2 pl.).
C. pacificum n.sp., the other sp. of the monotypic genus from Sumatra, assigned to Santalaceae, but according to the authors not well referable to any family described, and possibly representing one in itself, though imperfectly known at present.
- : The morphology and relationships of Idenburgia and Nouhuysia (J. Arn. Arb. 34, 1953, 77-85, fig. 1. 2 pl.).
According to the anatomy the genus does not belong to any described family and is regarded as incertae sedis.
- Bakhuizen van den Brink Jr, R.C.: Notes on Malaysian Rubiaceae (Blumea 7, 1953, 329-338).
Subdiv. of Argostemma; some new spp.; new Lerchea; 2 new Xanthophytums.
- Bange, C.: Nomenclature de quelques genres de Fougères. 1.
Dryopteris (Polypod.) (Bull. Soc. Bot. Fr. 99, 1952, 290-293).
- Barroso, G.M.: Consideracoes sobre o genero Eupatorium L. (Comp.) (Arq. Jard. Bot. Rio de Janeiro 10, 1950, 13-116, 2 pl., 19 photos).
Key and list to Brasil spp.
- Bartram, E.B.: North Queensland mosses collected by L.J.Brass (Farlowia 4, 1952, 235-247).

- Baum, H.: Normale und inverse Unifazialität an den Laubblättern von Codiaeum variegatum (Euph.) (Oesterr. Bot. Z. 99, 1952, 421-451, 12 fig.).
- Baylis, G.T.S.: Root system of the New Zealand mangrove (Trans. & Proc. Roy. Soc. New Zeal. 78, 1950, 509-514, fig.).
On Avicennia; anatomy; all roots are adventitious; no root hairs are present; the branching mode is similar to that in Sonneratia.
- Beadle, N.C.W. & A.B. Costin: Ecological classification and nomenclature (J. Linn. Soc. New South Wales 77, 1952, 61-82).
- Benl, G.: Zur Systematik der Gattung Gahnia (Cyp.) (Bot. Jahrb. 75, 1950, 82-89).
- Bergman, S.: Wilde und Paradiesvögel. Eine Forschungsreise nach Neuguinea. E. Brockhaus. Wiesbaden, 1952. 270 pp.
- Berhaut, R.P.: Les Sesbania de Sénégal (Leg.) (Bull. Soc. Bot. Fr. 99, 1952, 297-301).
Key.
- Berkely, E.: Morphological studies in the Celastraceae (J. Elisha Mitchell Sc. Soc. 69, 1953, 185-206, pl. 3-4).
- Beveridge, A.E.: The Menchali Forest Reserve (Mal. For. 16, 2, 1953, 87-93).
S. Pahang; lowland coastal dipterocarp forest on podsolized soil.
- Blake, S.T.: The identification and distribution of some Cyperaceae and Gramineae, chiefly from Australia (Proc. R. Soc. Queensl. 62, 1952, 83-100, 2 pl.).
New specific epithets are introduced for *Scirpus "erectus"* and *Sc. "supinus"*; various grasses discussed; key for *Echinochloa* and *Paspalidium*; several new spp.
- Bodman, Mary C.: A taxonomic study of the genus Heterochaete (Fungi-Basid.) (Lloydia 15, 1952, 193-233).
- Bondeson, Wolmar: Entwicklungsgeschichte und Bau der Spaltöffnungen bei den Gattungen Trochodendron Sieb. et Zucc., Tetrapentron Oliv. und Drimys J.R. et G. Forst. (Acta Horti Bergiani Band 16: 5, 1952, 169-217).

- Bor, N.L.: The genus Vulpia Gmel. in India (Gram.) (J. Bomb. Nat. Hist. Soc. 50, 1951, 340-343).
Key, descr. and discuss. of 3 spp. among which 2 American aliens.
- - - - -: The genus Poa in India (Gram.) (J. Bomb. Nat. Hist. Soc. 50, 1952, 787-838, 3 pl. 13 fig.; 51, 1952, 61-103, 7 pl. 38 fig.).
Extensive revision with key & descr.; 49 spp. accepted.
- - - - -: The genus Dimeria R.Br. in India and Burma (Gram.) (Kew Bull. 1952, 553-592).
- - - - -: The genus Microstegium in India and Burma (Gram.) (Kew Bull. 1952, 209-225).
- - - - -: What is the correct name of Capillipedium assimiles (Steud.) A.Camus? (Gram.) (Kew Bull. 1952, 165-166).
- Borssum Waalkes, J. van: Een bezoek aan de Krakatau Eilanden (Trop. Natuur 32, 1952, 35-44, 5 fig., summary).
Bot. report on a stay, Oct. 1951.
- - - - -: Enkele bloeiwaarnemingen bij twee Sida-soorten (Malv.) (Trop. Natuur 33, 1953, 21-29, summary).
Differences in opening of flowers between *S. retusa* and *S. rhombifolia*.
- Bremekamp, C.E.B.: Two new species of Acanthaceae from the Philippines (Philip. J. Sc. 81, 1952, 133-134).
Semnostachya leyensis Brem. & *Rungia podostachya* Brem.
- Brooks, E.R. & A.T. Guard: Vegetative anatomy of Theobroma cacao (Serc.) (Bot. Gaz. 113, 1952, 444-454).
- Bruce, E.A.: Notes of African Pedaliaceae (Kew Bull. 1953, 417-429).
Revision; it appears that a *Josephinia* occurs in Africa.
- Bullock, A.A.: Notes on African Asclepiadaceae I (Kew Bull. 1952, 405-426).
Contains revision of *Gomphocarpus* species.
- Bünning, E.: Ueber die Ursachen der Blühreife und Blühperiode (mit besonderer Berücksichtigung von Beobachtungen in den Tropen) (Z. f. Bot. 40, 1952, 293-306).
- Burbridge, N.T.: Key to the South Australian species of Eucalyptus (Myrt.) (Trans. R. Soc. S. Austr. 71, 1947, 137-167).

- - - - - : The genus Triodia R. Br. (Gram.) (Austr. J. Bot. 1, 1953, 121-184).
Descriptions; key.
- Burkart, A.: Las especies de Mimosa de la Flore Argentina (Leg.) (Darwiniana 8, 1948, 9-231, 26 Taf., 39 fig.)
- - - - - : Las Leguminosas Argentinas Silvestres et cultivadas. Ed. 2. Buenos Aires. 1952. xv + 549 pp.
- Burkill, I.H.: Habits of man and the origins of the cultivated plants of the Old World (Proc. Linn. Soc. Lond. sess. 164, 1951-1952, 12-42, 1953). In this masterful Hooker lecture the author gives a most interesting cultural history with emphasis on plant distribution. The reading of it makes our mouths water towards the moment that the author will, some time, be prepared to provide botany with a second edition of DC. "Origin of cultivated plants".
- - - - - : Testudinaria as a section of the genus Dioscorea (Diosc.) (J. South Afr. Bot. Oct. 1952, 177-191).
- Burret, M.: Systematische Übersicht über die Gruppen der Palmen. Schlüssel zur Bestimmung der Palmengruppen (Mitt. Bot. Kart. Mus. Berl.-Dahlem I, 1953, 59-74). First half of a key to the genera of palms.
- Burtt, B.L.: Studies in the Gesneraceae of the Old World I-V (Not. Roy. Bot. Gard. Edinb. 21, 1954, 185-192). Introduction; types and lectotypes of certain genera and groups of lower rank; status of Ceratoscyphus; a new Burm. Didymocarpus; notes on Acanthostemon.
- Cabrera, A.L.: Territorios fitogeográficos de la República Argentina (Bol. Soc. Argent. Botan. 4, 1951, 21-65).
- Camus, A.: Le genre Nothofagus (Fagac.) (Rev. Int. Bot. Appl. & Agric. Col. 31, 1951, 71-90)
- - - - - : Contributions à la flore de l'Asie orientale (Not. Syst. 14, 1952, 252-256).
- Carpentier, S. & Th. Pobeguin: Genèse de la couronne de cristaux d'oxalate de calcium insérés sur la base du fruit mur des Mirabilis (Nyctag.) (Rev. Gén. Bot. 57, 1950, 554).
- Cawright, J.E.: The comparative morphology and relationships of the Magnoliaceae. II. Significance of the pollen. (Phytomorphology 3, 1953, 355-365).

Chatterjee, D.: Indian species of Canavalia DC. (Leg.) (J. Ind. Bot. Soc. 28, 1949, 83-95, 1 col. plate, 4 fig.).

- - - - -: Studies in the Indian Berberidaceae (Rec. Bot. Surv. Ind. 16, 1953, 1-86).
Revision.

Chevalier, A.: Sur une mauvaise herbe qui vient d'envahir le S.E. de l'Asie (Comp.) (Rev. Int. Bot. Appl. & Agric. Trop. 29, 1949, 536-537).
Extension of the area of Eupatorium odoratum in S. E. Asia.

- - - - -: Dumont d'Urville et la botanique de l'hémisphère australien (ibid. 31, 1951, 7-50, 1952).

- - - - -: L'origine et la dispersion de la patate douce (Solan.) (ibid. 31, 1951, 50-52, 1952).

- - - - -: Affinités du genre Nothofagus Bl. (Fagac.) (ibid. 31, 1951, 70-71, 1952).

- - - - -: Le Kudzu (Pueraria hirsuta) et quelques autres Légumineuses antiérogives à cultiver dans les pays tropicaux (ibid. 31, 1951, 159-172, 1952).

- - - - -: Sur l'existence ancienne en Afrique équatoriale, au Sud de la cuvette centrale du Congo, d'un désert intégral dont il subsiste des reliques appartenant au règne végétal (ibid. 31, 1951, 258-261, 1952).

- - - - -: Travaux récents sur la paléoclimatologie des régions kalahariennes de l'Afrique centrale et sur les survivances d'une flore désertique dans ces régions (ibid. 31, 1951, 270-271, 1952).

- - - - -: Plantes de couverture pour pays tropicaux (ibid. 31, 1951, 272-275, 1952).

Paspalum notatum Fluegg. Graminée pour le garnement des pelouses tropicales. - L'emploi du Pueraria javanica en Afrique centrale, etc.

- - - - -: La culture du Cotonnier au Congo Belge et en Afrique équatoriale Française (ibid. 31, 1951, 275-279, 1952).

- - - - -: Une nouvelle espèce d'Oryza sauvage de l'Afrique tropicale (ibid. 31, 1951, 378-382, 1952).

- - - - -: Graminées pyrophytes les plus nuisibles dans les savanes du Moyen Congo (ibid. 31, 1951, 395-397, 1952).

- : Mauvaises herbes envahissantes, fléaux redoutables pour l'agriculture en Afrique tropicale (*ibid.* 31, 1951, 390-394, 397-398, 1952).
Imperata cylindrica; *Cyperus rotundus*; *Acanthospermum hispidum*.
- : Le Lantana camara L. ou théier épineux, arbuste envahissant (*ibid.* 31, 1951, 398, 1952).
- : Fleurs aériennes et fruits souterrains de l'arachide cultivée (*ibid.* 31, 1951, 399-407).
Translated from B.W. Smith.
- : Sur quelques Caesalpiniées d'Amérique centrale acclimatées en Afrique tropicale (Ouest et Centre Afrique) (*ibid.* 31, 1951, 449-450, 1952).
- Chou, Yu-Liang: Floral morphology of three species of Gaultheria (Eric.) (*Bot. Gaz.* 114, 1952, 198-221).
- Clausen, E.: Hepatic and humidity (*Dansk Bot. Ark.* 15: 1, 1952, 1-80).
Observations in Denmark.
- Copeland, E.B.: Grammitis (Polypod.) (*Philip. J. Sc.* 80, 1952, 93-276, 108 fig., 6 pl.).
- : New Philippine ferns IX (*Philip. J. Sc.* 81, 1952, 1-45, pl. 1-26).
Many new spp. & comb. in various genera.
- Corner, E.J.H.: Durians and dogma (*Indon. J. Nat. Sc.* 108, 1952, 141-145).
Criticism on v.d. Pijl's article in same volume p. 6-12.
- : Addenda Clavariaceae II. Pterula and Pterulicum (*Ann. Bot.* 16, 1952, 532-569).
- Correll, D.S.: Section Tuberarium of the genus Solanum of North and Central America (*U.S. Dept Agric. Monogr.* 11, 1952, 1-245, fig. 1-168).
Revision; keys.
- Cowan, J.M.: Some information on the Menzies and Jack collections in the Herbarium of the Royal Botanic Gardens, Edinburgh (*Notes R. Bot. Gard. Edinb.* 21, 1954, 219-227).
- Cunningham, G.H.: Revision of Australian and New Zealand species of Thelephoraceae and Hydnaceae in the Herbarium of the Royal Botanic Gardens, Kew (Fungi) (*Proc. Linn. Soc. N.S.W.* 77, 1952, 275-299).
Includes also collections from New Guinea.

- Dahl, A.O.: The comparative morphology of the Icacinaceae VI
(J. Arn. Arb. 33, 1952, 252-286, pl. 1-8).
- Dansereau, P.: Philippine Journal I (Asa Gray Bull. n.s. 2, 1953, 323-330, 419-438).
Account of stay in the Philippines during the 8th Pacific Science Congress Nov.-Dec. 1953, with sketches of vegetation.
- Davis, G.L.: Revision of the genus Brachycome I. Australian species (Comp.) (Proc. Linn. Soc. N.S.W. 73, 1948, 142-214).
- - - - -: A revision of the Australian species of the genus Lagenophora (Comp.) (Proc. Linn. Soc. N.S.W. 75, 1950, 122-132).
2 spp.; also *L. billardieri*.
- - - - -: Revision of the genus Calotis (Comp.) (J. Linn. Soc. N.S.W. 76, 1951, 146-188).
- Degener, O.: Nutzpflanzen der Eingebohrnen von Fidschi (Mitt. Bot. Gart. Mus. Berl.-Dahlem 1, 1953, 131-150, 8 fig.).
- Ducke, A.: As Leguminosas da Amazônia brasileira (Bol. Techn. Inst. Agron. Norte no 18, 1949, 248 pp.)
- Duvigneaud, P.: Aperçu sur les sections africaines du genre Strychnos (Logan.) (Bull. Soc. Roy. Bot. Belg. 85, 1952, 9-36, 13 fig.).
Certainly of importance for a future revision of Mal. spp.
- - - - -, J. Staquet & J. de Wit: Contribution à l'étude anatomique des rameaux chez les sections africaines du genre Strychnos (Logan.) (Bull. Soc. Roy. Bot. Belg. 85, 1952, 39-67, 4 fig.).
- Ehrendorfer, F.: Galium rotundifolium L. und verwandte Sippen in Europa und im Mittelmeergebiet (Rub.) (Oesterr. Bot. Z. 90, 1952, 625-631).
- Endert, F.H.: Sleutel op de boomgeslachten in Indonesië (aangevuld). Bogor, 1953. 137 pp. mimeogr. folio.
The keys from Dr Endert's book have been emended as far as possible and made available to students of the Forestry School at Bogor, by Mr F.H. Hildebrand.
- Erdtman, G.: On pollen and spore terminology (The Palaeobotanist 1, 1952, 169-172).
- - - - -: Pollen morphology and plant taxonomy (Bot. Notiser 1954, 65-81, 10 fig.).
Examples of the importance of pollen structure for plant taxonomy.

Exell, A.W.: New species of Terminalia from Malaysia (Combr.)
(Blumea 7, 1953, 322-328).
Diagn. new spp.

Fassett, N.C.: A monograph of Cabomba (Nymph.) (Castanea 18,
1953, 116-128).
Key.

Fernandez, A.: Sur la phylogénie des espèces du genre Nar-
cissus (Amaryll.) (Boletim Sociedade Broteriana
25, 1951, 113-190).

Florin, R.: Ueber Metasequoia, living and fossil (Conif.)
(Bot. Notiser 1952, 1-29).

- - - - & J.B. Bouteleje: External morphology and epidermal
structure of leaves in the genus Liboceurus s.
Lat. (Conif.) (Acta Hort. Berg. 17: 2, 1954,
1-37, t. 1-10).

Key; Libocedrus is segregated into 5 genera; no key
key can yet be given for the Papuan spp.

Font Quer, P.: Diccionario de Botanica, Madrid (1953) 1-1244.
Illustrated dict. of bo. terms; in Span.

Forbes, H.M.L.: Revision of the South African species of Te-
phrosia (Leg.) (Botailia 4, 1943, 951-1001).

Fosberg, F.R.: Nomenclature of Premna obtusifolia R.Br. (Verb.)
(Taxon 2, 1953, 88-89).

- - - - : Proposal to conserve the generic name Citrullus
Schrader (Cuc.) (Taxon 2, 1953, 99-101).

Franco, Joao do Amaral: Nomenclatura de Algumas Coniferas
(An. Inst. Superior de Agronomica xix, 1952,
5-23).

It is shown that the name Araucaria columnaris
(G.Forst.)Hook. must be used in place of A.cookii
R.Br., and A.heterophylla (Salisb.)Franco in
place of A.excelsa (Lamb.)R.Br. The combination
Callitris huegelii (Carr.)Franco is effected and
is stated to include Frenela huegelii Knight and
Perry, Callitris glauca R.Br. and C.robusta R.
Br. ex F.M.Bailey.

Fulford, M.: Recent interpretation of the relationships of
the Hepaticae (Bot. Rev. 14, 1948, 127-173).

- - - - : Distribution patterns of the genera of leafy Hepa-
ticeae of South America (Evolution 5, 1951, 243-
264, 14 maps).

Interesting survey and discussion of past and
present geogr. distr.

- Furtado, C.X.: The genus Daemonorops in Malaya (Palm.) (Gard. Bull. Sing. 14, 1953, 49-147, 41 pl.). Some new spp. and vars.
- Gagnepain, F.: Sabiacées nouvelles de l'Indochine (Not. Syst. 14, 1952, 271-276).
- - - - -: Huit espèces nouvelles de Bauhinia d'Indochine (Leg.) (Bull. Mus. Hist. Nat. Paris ser. II, 24, 1952, 312-316).
- - - - -: Caesalpiniées nouvelles d'Indochine (Leg.) (Bull. Mus. Hist. Nat. Paris II, 24, 1952, 317-320).
- Germain, R.: Les associations végétales de la plaine de la Ruzizi (Congo Belge) en relation avec le milieu (Publ. I.N.E.A.C. sér. scient. no 52, 1952, 307 pp., 83 photogr., maps). Most instructive study.
- Glassman, S.F.: List of non-vascular plants from Ponape, Caroline Islands (Am. Midl. Nat. 48, 1952, 735-740). List of Algae, Fungi, mosses, and liverworts.
- - - - -: The Flora of Ponape (Bern. P. Bish. Mus. Bull. no 209, 1952, 152 pp. 21 fig.). Excellent account of the flora of this Micronesian island; veget. sketches; plant list.
- Glinstra-Bleeker, P. van: Vergroeningen bij Catharanthus roseus (Apoc.) (Trop. Natuur 32, 1952, 91-93, 2 Fig.). Invirescences.
- Gossweiler, J.: Flora exotica de Angola (Flore exotique d'Angola (Agronomia Angolana, Luanda no 1, 1948, 121-198; 2, 1949, 173-255; 3, 1950, 143-168; 4, 1950, 167-194).
- Govindu, H.C. & M.J. Thirumalachar: Grass flora of Mysore (Coll. Agric. Bangalore Techn. Bull. no 1, 1952, 33 pp.). Enumeration.
- Grob, K.: Beiträge zur Kenntnis der Tabak-fermentation (Ber. Schweiz. Bot. Ges. 58, 1948, 172-201).
- Guillaumin, A.: Les plantes nuisibles de Nouvelle-Calédonie (Rev. Int. Bot. Appl. Agric. Trop. 31, 1951, 427-430, 1952).

- : Encore quelques formes de jeunesse de plantes néocaledoniennes (Not. Syst. 14, 1952, 278-281). Juveniles sometimes with narrower leafblades, sometimes with toothed leaves; sometimes species have been based on these juveniles.
- Hansford, C.G.: Contributions towards the Fungus flora of Uganda VIII (Proc. Linn. Soc. Lond. 157, 1946, 138-212). New records; contains also data on Malaysian Fungi.
- : Tropical Fungi. III. New species and revisions (Proc. Linn. Soc. Lond. 160, pt 2, 1947-48, 116-153).
- Hara, H.: Ludwigia versus Jussiaea (Onagrac.) (J. Jap. Bot. 28, 1953, 289-294). Reduces Jussiaea to Ludwigia with necessary re-comb.
- & S. Kurosawa: Physalis alkekengi in East Asia (Solan.) (J. Jap. Bot. 27, 1952, 247-253). In Jap.; Engl. summary.
- Hassib, M.: Distribution of plant communities in Egypt (Bull. Fac. Sc. Fouad I Univ. no 29, 1950, 59-261, 1951).
- Haudricourt, A.: Sur les Cycas d'Indochine (Rev. Int. Bot. Appl. Agric. Trop. 31, 1951, 550, 1952). With only slight alterations copied from Schuster's work.
- Healy, A.J.: Contributions to a knowledge of the naturalized flora of New Zealand (Comp.) (Trans. R. Soc. New Zeal. 81, 1953, 23-26). Key to 4 spp. of Soliva introduced in N.Zeal.
- Heidenhain, B.: Ueber Blütenstände der Campanulaceen. Wiesbaden, 1953. 32 pp. 23 fig.
- Heim, R., Mme S. Jovet-Ast, R. Laine & P. Bourelly: Conseils pour le récolte des Cryptogames (Muscinées, Lichens, Algues, Plancton, Champignons). Paris, 1950. 32 pp. 6 fig.
- Heine, H.: Diagnoses novae plantarum in Borneo septentrionali a J. et M.S. Clemens lectarum. pars II (Mitt. Bot. Staatssamml. München Heft 6, 1953, 208-230). New spp. in Ilex, Capparis, Stixis (new var.), Weinmannia, Cinnamomum, Creochiton, Xanthophyllum, Polyosma, Symplocos. Followed by a list of identifications of some Clemens numbers (1932-1933 Kinabalu collection) present in the set at München.

- Henderson, M.R.: A new Tristania from Johore (Myrt.) (Gard.
Bull. Sing. 14, 1953, 1-3).
T. pontianensis sp. nov.
- Henry, P.: La germination des grained d'Elaeis (à suivre)
(Palm.) (Rev. Int. Bot. Appl. Agric. Trop. 31,
1951, 565-591, 1952).
- Herzog, Th.: Revision der Lebermoos Gattung Lembidium (Hepat.)
(Ark. f. Bot. new ser. 1, 1952, 471-503).
Key; Dendrolembidium n.g. is segregated; descr. new
spp. from Antarctica.
- Hildebrand, F.H.: List of tree species collected in the division Bengkalis (Riouw, Sumatra) (Rep. For. Res.
Stat. Bogor no 59, 1953, 28 pp. mimeogr.).
Valuable list of names, arranged in families as
well as according to vernacular names.
- - - - : List of tree species collected in Timor (ibid. no
60, March 1953, 55 pp. mimeogr.).
Ditto.
- Hoff, A. von: Beitrag zur Kenntnis der mehrzelligen Behaarung
von Rhododendron (Eric.) (Ber. Deut. Bot. Ges. 63,
1950, 31-35).
Significance of hair structures for allianceships.
- - - - : Zur Behaarung und Systematik der Gattung Rhododendron (Eric.) (Rhododendron und immergrüne Laubgehölze. Bremen Jahrbuch 1953, 58-71, 81 fig.).
Precursory to thesis on ontogeny of the indument.
- Holtum, R.E.: Vegetative habit in the genus Eulophia (Orchid.)
(Proc. R. Soc. Queensl. 62, 1952, 57-59).
Descr. of veget. parts of E.bicarinata; synonymy.
- - - - : A Malayan blow-pipe bamboo (Bambusac.) (Kew Bull.
1953, 493-496).
Schizostachyum jaculans n.sp.
- - - - : The genus Rhynchostylis Bl. (including Anota
Schltr) (Orchid.) (Orchid J. 2, 1953, 123-125).
Anota reduced; key and references.
- - - - : Three new Orchids from Malaya (Gard. Bull. Sing.
14, 1953, 4-7).
Liparis viridicallus sp.n., Ceratostylis pulchella
sp.n., Sarcochilus alatus sp.n., 1 f.
- Hoogerwerf, A.: Verslag over een naar de Krakatau-groep gemaakte dienstreis van 5-15 October 1951. Kebun
Raya Indonesia, Bogor, Juli/Aug. 1952. Mimeograph,
202 pp., photos.
Report on trip to Krakatau Isl.; in Dutch.

- - - - -: Rapport over een naar Komodo, Padar en Rintja (Kleine Sunda Eilanden) gemaakte dienstreis van 21 Mei tot 6 Juli 1953. Kebun Raya Indonesia, Bogor, April 1954. Mimeograph, 253 pp. 91 photogr.(folio). Report on trip to some small islands W off Flores in search of *Varanus komodoensis*; in Dutch.
- Hoogland, R.D.: The genus Tetracera in the Eastern Old World (Dill.) (Reinwardtia 2, 1953, 185-224).
- - - - -: Florae Malesianae Precursores II. New species of Erycibe (Convolv.) (Blumea 7, 1953, 310-319).
- - - - -: A review of the genus Erycibe (Convolv.) (Blumea 7, 1953, 342-361). Critical list.
- - - - - (assisting Dr van Ooststroom): Convolvulaceae (Fl. Mal. I, 4, 1953, 388-512, 62 fig.).
- Hotta, T.: Supplement to the knowledge of the systematics of Morus in Japan (Morac.) (Tokyo Bot. Mag. 64, 1951, 223-226). Key to wild Jap. spp., var., forms.
- Hou, Ding: The Celastraceae of Taiwan (Taiwania 1, 1950, 169-197).
- - - - -: The Boraginaceae of Taiwan (Taiwania 1, 1950, 197-223).
- Howes-Kew, F.N.: The Caesalpinias as tanning materials (Leg.) (Materiae Vegetabiles 1, 1952, 60-74).
- Hu, Shiu-Ying: Melastomataceae of Yunnan (J. Arn. Arb. 33, 1952, 166-176, pl. 1-2).
- - - - -: Ilex in Taiwan and the Liukiu Islands (Aquif.) (J. Arn. Arb. 34, 1953, 138-162). Key.
- Hubbard, C.E.: Whiteochloa, a new genus of grasses from the Northern Territory of Australia (Gram.) (Proc. R. Soc. Queensl. 62, 1952, 109-112). Allied to *Paspalidium* and *Pseudechinolaena*.
- Jackson, C.R.: Some topographic and edaphic factors affecting plant distribution in a tidal marsh (Quart. J. Florida Acad. 15, 1952, 137-146).
- Jacobs, M.: Salicaceae (Fl. Mal. I, 5, 1954, 107-110, fig. 1-3).
- - - - -: Notes on some Malaysian Cucurbitaceae (Blumea 7, 1954, 617-622, fig. 1-3). New *Melothria* from New Guinea; records of a podagric *Gynostemma* and a *Neoalsomitra*.

- Jansen, P.: Notes on Malaysian grasses I (Reinwardtia 2, 1953, 225-350).
Precursory to revision in Fl. Mal.
- - - - -: Notes on Malaysian grasses III (Acta Bot. Neerl. 2, 1953, 363-386).
Ditto.
- Johnson, L.A.S.: Macadamia ternifolia F.v.M. and a related new species (Proc. Linn. Soc. N.S.W. 79, 1952, 15-18). (Proteac.).
- Johnston, I.M.: Studies in the Boraginaceae XXII. Noteworthy species, chiefly Asian and South American (J. Arn. Arb. 33, 1952, 62-78).
Trigonotis ciliolata n.sp. from Mt Arfak.
- - - - -: Studies in the Boraginaceae XXIII. A survey of the genus Lithospermum (J. Arn. Arb. 33, 1952, 299-363, 3 pl.).
- - - - -: Studies in the Boraginaceae XXVII. Some general observations concerning the Lithospermeae (J. Arn. Arb. 35, 1954, 158-166).
Key to the genera.
- Josselin de Jong, P.E.: The Kon-tiki theory of Pacific migrations (Bijdr. Taai- Land- & Volkenkunde 109, 1953, 1-22).
It has not been proved by Heyderdal that Polynesia was settled by American Indians.
- Kandeler, R.: Zum Ährchenzerfall der Gramineen bei Fruchtreife (Bot. Jahrb. 75, 1952, 493-550, Taf. 7-14).
- Keay, R.W.J.: Rhizophora in West Africa (Kew Bull. 1953, 121-127).
3 spp. distinguished!
- Keng, Heiman: The Theaceae of Taiwan (Taiwania 1, 1950, 223-269).
- - - - -: Families and genera of Formosan Pteridophytes (Quart. J. Taiwan Mus. 5, 1952, 25-56).
- Kern, J.H.: Een nieuw sawah-onkruid (Trop. Natuur 32, 1952, 127-129, 1 fig.).
Sagittaria cf. platyphylla, possibly formerly escaped from the Bot. Gard. Bogor, is now found in rice fields in W. Java.
- - - - -: Be cautious with typification! (Taxon 3, 1954, 246).
Nomencl. of Fimbristylis miliacea.

- Kingdon-Ward, F.: Plant hunting in Assam (J. Roy. Hort. Soc. 77, 1952, 205-214).
- Kobuski, Cl.E.: Studies in the Theaceae XXVII. Miscellaneous new species (J. Arn. Arb. 34, 1953, 125-137). Many new spp. of Mal. Adinandra.
- Koster, J.Th.: Compositae (in Backer, Beknopte Flora van Java, emergency edition, part 13A, Sept. 1953, 1-145, mimeographed). Full descr. and keys to genera & species; in Dutch.
- Kostermans, A.J.G.H.: Notes on durian (Durio) species of East Borneo (Trop. Natuur 33, 1953, 31-35, 3 fig.). Biol. notes; *Durio acutifolia* (Mast.) comb. nov. p.34.
- - - - -: A historical survey of Lauraceae III (J. Sc. Res. Indon. 1, 1952, 141-159).
- - - - -: The genera Scaphium Schott & Endl. and Hildegardia Schott & Endl. (Stere.) (J. Sc. Res. Indon. 2, 1953, 13-23, fig. 1-6, 2 photos). Revision of Scaphium; Hildegardia segregated from Sterculia, with one new sp. from Sumbawa.
- - - - -: New and critical Malaysian Plants I (Reinwardtia 2, 1953, 357-366, fig. 1-4). New Serianthes, Mimosa invisa var. inermis, new Schrebera from Borneo, new Pterocymbium, new comb. in Pterygota reducing Tetradia to Pterygota, remarks on "Hernandia kunstleri King", Podocarpus palembanica, Pterocymbium beccarii.
- Kylin, H.: Die Gattungen der Rhodophyceen (Algae). C.W.K. Gleerup, Lund. 800 pp. 445 fig.
- Lauer, W., R.D. Schmidt, R. Schröder & C. Troll: Studien zur Klima- und Vegetationskunde der Tropen (Bonner Geogr. Abh. Heft 9, 1952, 1-182, figs, maps). Mostly dealing with the Andes and Columbia but of interest to other tropics.
- Lawrence, G.Hm.: A reclassification of the genus Iris (Irid.) (Gentes Herb. 8, 1953, 346-371). Sections.
- Leandri, J.: Les Urticacées de Madagascar (Ann. Mus. Col. Marseille VI, 7/8, 1950, 5-93).
- - - - -: Observations sur quelques Thyméléacées Indochinoises (Not. Syst. 14, 1952, 288-292).
- Lebègue, A.: La polyembryologie chez les Angiospermes (Bull. Soc. Bot. Fr. 99, 1952, 329-367).

- Leenhouts, P.: Protium macgregorii (F.M.Bailey) comb.nov.
(Burs.) (Acta Bot. Neerl. 2, 1953, 305).
- Leroy, J.F.: Les divisions ethno- et biogéographiques du Pacifique (Rev. Int. Bot. Appl. Agric. Trop. 31, 1951, 90-94, 1952).
- Li, Hui-Lin: Geographical distribution of the Melastomataceae in Eastern Asia (Taiwania 1, 1950, 129-141).
- - - - -: Vicariism in the geography of the Scrophulariaceae in China (ibid. 1, 1950, 141-155).
- - - - -: The Coniferales of Taiwan (ibid. 1, 1950, 285-311).
- - - - -: An enumeration of Symplocos species from Kwangsi (ibid. 1, 1950, 311-317).
- - - - -: The genus Acer (maples) in Formosa and the Liukiu (Ryukyu) Islands (Acerac.) (Pacific. Sc. 6, 1952, 288-294).
- - - - -: The genus Elaeagnus in Formosa (Lloydia 15, 1952, 156-160).
Key to 8 spp. of which 2 new.
- - - - -: The genus Veronica in China (Scroph.) (Proc. Ac. Nat. Sc. Philad. 104, 1952, 197-218).
Keys; descr. spec.; contains also V.javanica.
- - - - -: Euphrasia in China (Scroph.) (Not. Nat. Ac. Nat. Sc. Philad. 254, 1953, 1-6).
Key.
- - - - -: A reclassification of Libocedrus and Cupressaceae (J. Arn. Arb. 34, 1953, 17-34, 2 pl.).
The splitting of Coniferous genera is continued by the raising of subgenera to generic rank Heyderia and Calocedrus, adding as a new genus Pa-puacedrus comprising three spp. This occupies acc. to Li a singular place within Cupressaceae by the structure of the male cones.
- - - - -: Taxonomic notes on the Fagaceae of Formosa (Bull. Torr. Bot. Club 80, 1953, 317-324).
- - - - -: The genus Mazus (Scroph.) (Brittonia 8, 1954, 31-38).
Key! Revision; only 1 Mal. sp. of M.japonicus (Thunb.) O.K.
- - - - & Hsuan Keng: Phytogeographical affinities of Southern Taiwan (Taiwania 1, 1950, 103-129).

Licites, R.: Air-borne pollen and spores sampled at five New Zealand stations, 1951-1952 (New Zeal. J. Sc. & Techn. B 34, 4, 1953, 289-316).

Most abundant were Gram., Pinus, Nothofagus, Fungi, Cupressus, Quercus, Betula, Platanus. Nothofagus shows spread of pollenmasses in the air far beyond the limits of actual distribution of the species. Shedding of pollen appears to be on peak days, in definite periods, Nothofagus Sept.-Jan.; the most abundant pollen seems to be shed the last fine day before the rain.

Maheswari, P. & S.K. Roy: The embryo-sac and embryo of Tridax procumbens (Comp.) (Phytomorphology 2, 1952, 245-252).

- - - - - & B. Singh: Embryology of Macrosolen cochinchinensis (Loranth.) (Bot. Gaz. 114, 1952, 20-32).

Maire, R.: Flore de l'Afrique du Nord (Encyclop. Biol. Paris xxxiii, vol. 1, 1952, 366 pp.).

Martens, P.: Paraphyses et sore chez Polypodium nigrescens Bl. (Polypod.) (La Cellule 54, 1952, 329-338, 5 fig. 1 pl.).

Melchior, H.: Ueber die Saugschuppen bei Octomeles moluccana (Datisc.) (Ber. Deut. Bot. Ges. 62, 1950, 72-77).

Melville, R.: Trianthema pentandra L. and some related species (Aizoac.) (Kew Bull. 1952, 261-269).
Incl. descr. of T. decandra L.

Merrill, E.D.: Autobiographical: Early years, The Philippines, California (Asa Gray Bull. n.s. 2, 1953, 335-370, photogr.).

Most interesting document throwing inside light on the scientific side of the life of the distinguished author.

Meijer, W.: Levermossenstudie "on the spot" (Hepat.) (Buxbaumia 6, 1952, 25-30).

General remarks on coll. liverworts in Java; in Dutch.

Milne-Redhead, E.: Notes on African Maranthaceae (Kew Bull. 1952, 167-170).

Phrynum does not occur in Africa.

Mimeur, Mlle G.: Systématique spécifique du genre Coix et systématique variétale de Coix lacryma-jobi. Morphologie de cette petite céréale et étude de sa plantule (Gram.) (Rev. Int. Bot. Appl. Agric. Trop. 51, 1951, 197-211, 1952).

- Moekawa, F.: The genus Hosta (Liliac.) (J. Fac. Sc. Imp. Univ. Tokyo sect. 3, 5, 1940, 317-425).
Revision.
- Moldenke, H.N.: Notes on new and noteworthy plants XV-XVI (Verb.) (Phytologia 4, 1953, 173-184, 285-295). Contains some transfers and new var. in Mal. Verb. (Gmelina, Lantana, Phyla, Stachytarpheta, Calli-carpa).
- - - - -: A new species of Sphenodesme (Verb.) (Phytologia 4, 1953, 368).
New sp. from Borneo: Clemens 5651: Sph.clemensorum.
- Moore Jr, E.H.: Exotic palms on the Western World (Gentes Herb. 8, 1953, 295-315). Notes on palms from E. Malaysia introduced into Florida by Fairchild Exp. 1940; records on Drymophloeus and Siphokentia; some new comb.
- Moss, C.E.: The species of Arthrocnemum and Salicornia in Southern Africa (Chenopod.) (J. S. Afr. Bot. 20, 1954, 1-22).
Revision.
- Mouranche, R.: Note sur les bois de Fagus et de Nothofagus (Rev. Int. Bot. Appl. Agric. Trop. 31, 1951, 84-90, 1952) (Fagac.).
- Mukerjee, S.K.: A revision of the Indo-Burmese species of Lindernia Allioni (Scroph.) (J. Ind. Bot. Soc. 24, 1945, 127-134).
- Munk, A.: The system of the Pyrenomycetes (Fungi) (Dansk Bot. Ark. 15: 2, 1953, 163 pp.).
- Narayanaswami, V. & R. Seshagiri Rao: A preliminary note on the Indo-Burmese species of Grewia Linn. (Tiliac.) (J. Ind. Bot. Soc. 29, 1950, 177-190, 1 table, 1 map, 2 fig.).
- Nelmes, E.: Supplement to the genus Carex in Malaysia (Cyp.) (Reinwardtia 2, 1954, 373-383).
List of additions and corrections.
- Nicholls, W.H.: Orchids of Australia. Part 1-2.
Extraordinarily beautiful work with coloured plates, descr. and keys.
- Nishida, M.: A new system of Ophioglossales (J. Jap. Bot. 27, 1952, 271-278).
- Noakes, D.S.P.: The job of Forestry (Mal. For. 16, no 2, 1953, 67-72).

- Okada, Y.: A new classification of Conjugatae, with special reference to Desmids (Algae) (Mem. Fac. Fisheries Kagoshima Univ. 3, 1953, 165-192).
- - - - -: Taxonomical studies on the genus Euastrum with special references to the species of Japan and its surrounding areas (Algae) (Mem. Fac. Fisheries Kagoshima Univ. 3, 1953, 193-244).
- Ooststroom, S.J. van (in collaboration with R.D. Hoogland): Convolvulaceae (Fl. Mal. I, 4, 1953, 388-512).
- Parkin, J.: The Durian theory - a criticism (Phytomorphology 3, 1953, 80-88).
- Phillips, E.P.: The genera of South African plants. 2nd ed. Pretoria Govt Printer 1951. 923 pp. (40 sh.).
- Pichon, M.: Classification des Apocynacées XXII. Les espèces du genre Vinca (Bull. Mus. Nat. Hist. Nat. II, xxiii, 1951, 439-444).
- - - - -: Classification des Apocynacées XXXIII. Les sous-tribus des Carisées (Not. Syst. 14, 1952, 310-515).
- Pierart, P.: Les espèces du genre Scleria Berg. du Congo Belge et du Ruanda-Urundi (Hepat.) (Lejeunia 13, 1951, 1-70).
- Pilger, R.: Additamenta agrostologica I-III (Bot. Jahrb. 74, 1945, 1-27; 1948, 199-265; 1949, 554-567).
- - - - -: Das System der Gramineae (Bot. Jahrb. 76, 1954, 281-384).
New key to all genera; new system apparently to be followed in the new ed. of Engl.-Prantl; posthumously published.
- Pluygers, Lucie L.: Natuurbescherming en wildbeheer, speciaal met betrekking tot Indonesië. Wolters 1952. 180 pp., 72 fig., map (Dfl. 7.60).
Nature preservations and game in Indonesia; in Dutch.
- Polak, B.: Veen en veenontginding in Indonesia (Indon. J. Nat. Sc. 108, 1952, 146-160, 2 fig. bibliogr.).
Concise account of occurrence of peat in Indonesia and significance for agriculture.
- - - - -: Veenmos en veenbos (Trop. Natuur 32, 1952, 69-77, 6 fig.).
Popular account of peat in Indonesia with map of its occurrence.

- Poole, A.L.: Studies of the New Zealand Nothofagus species.
1. Taxonomy and floral morphology (Fagac.) (Trans.
R. Soc. New Zeal. 78, 1950, 363-380).
- - - - -: Ditto 2. Nut and cupule development (ibid. 78,
1950, 502-508).
- - - - -: Hybrid Southern Beeches (Fagac.) (New Zeal. J.
For. 6, 1951, 250-252).
- - - - -: The development of Nothofagus seed (Fagac.)
(Trans. R. Soc. New Zeal. 80, 1952, 207-212, pl.
38-42).
- Portères, R.: Naturalisation du Chrysopogon aciculatus Tri-
nius à la Côte d'Ivoire (Gram.) (Bull. Soc. Bot.
Fr. 97, 1950, 101-102).
- - - - -: Eleusine coracana Gaertner, céréale des humanités
pauvres des pays tropicaux (Gram.) (Rev. Int. Bot.
Appl. Agric. Trop. 31, 1951, 245, 1952).
- Potztal, E.: Ueber die Blattanatomie der Isachneae (Gram.)
(Bot. Jahrb. 75, 1952, 551-569).
- - - - -: Ein neues Panicum aus Hawaii (Gram.) (Mitt. Bot.
Gart. Mus. Berl.-Dahlem 1, 1953, 128-130, 1 fig.).
- Pijl, L. van der: On the flower biology of some plants from
Java with general remarks on fly-traps (species
of Annona, Artocarpus, Typhonium, Gnetum, Arisaema
and Abroma) (Ann. Bogor. vol. 1, pt 2, 1953, 77-
99).
- Quisumbing, E.: Vanilla of the Philippines (Orchid.) (Philip.
Orch. Rev. 5, 1953, 2-6).
Descr.; no key.
- Randolph, L.F.: New evidence on the origin of maize (Gram.)
(Am. Nat. 86, 1952, 193-202).
- Rechinger, K.H.: Monograph of the genus Rumex in Africa
(Polygon.) (Bot. Notis. Suppl. 3: 3, 1954, 1-114).
- Reeder, J.: Affinities of the grass genus Beckmannia Host.
(Gram.) (Bull. Torr. Bot. Club 80, 1953, 187-196).
Histol. investig. of grass embryos lends support
to taxon. of grass tribes.
- - - - -: The embryo of Streptochaeta and its bearing on the
homology of the coleoptile (Gram.) (Am. J. Bot.
40, 1953, 77-80).
Coleoptile supposed to represent a leaf.
- ✓ Rao, R.Seshagiri: A revision of the Indo-Malayan species of
Chonemorpha G.Don (Apoc.) (J. Ind. Bot. Soc. 32,
1953, 34-45, 4 fig.).
Revision; 7 spp. recogn., one new.

- Reinders-Gouwentak, C.A.: Sonneratiaceae and other mangrove-swamp families, anatomical structure and water relations (Fl. Mal. I, 4, 1953, 513-515).
- Rickett, H.W.: Materials for a dictionary of botanical terms I (Bull. Torr. Bot. Club 81, 1954, 1-15).
- Riesenfeld, A.: Tobacco in New Guinea and the other areas of Melanesia (Solan.) (J. R. Anthropol. Inst. 81, 1951, 69-102, 1952).
- Rivals, P.: Etudes sur la végétation naturelle de l'Ile de Réunion (Trav. Lab. For. Toulouse 5, sect. 3, vol. 1, art. 2, 1952, 214 pp., photogr.).
- Robijns, W. & R. Wilczek: Contribution à l'étude des Lauracées du Congo Belge et de l'Afrique tropicale (Bull. Jard. Bot. BRUX, 14, 1949, 457-507).
- : Contribution à l'étude du genre Beilschmiedia de l'Afrique tropicale (Laur.) (ibid. 20, 1950, 197-226).
- Royen, P. van: Florae malesianae precursores I. Xyridaceae (Blumea 7, 1953, 307-309).
- : Xyridaceae (Fl. Mal. I, 4, 1953, 366-376, 10 fig.).
- Ruinen, J.: Epiphytosis. A second view on epiphytism (Ann. Bog. 1, 1953, 101-158, 7 fig., pl. 5-13).
A most interesting deep-going study on the relation between host and epiphyte. Several epiphytes can under circumstances become parasites, specially through the agency of their symbiotic fungi (ferns, orchids). A new scheme is presented of different relations between host, epiphyte and symbiont.
- Rupp, H.M.R.: A review of the Australian species of Sarcochilus (Orchid.) (Proc. Linn. Soc. N.S.W. 76, 1951, 49-56).
- Santapau, H.: The species of Crotalaria in Bombay (Leg.) (J. Bomb. Nat. Hist. Soc. 51, 1953, 960-962).
Revision; key.
- Santesson, R.: Foliicolous lichens I. A revision of the taxonomy of the obligately foliicolous, lichenized Fungi (Symb. Bot. Upsal. 12, pt 1, 1952, 590 pp. 92 fig. 1 pl.).
A beautiful world-monograph incorporating also the species of Malaysia; unfortunately the rich collections from Bogor have not been seen by the author.

- Sauer, C.O.: Agricultural origins and dispersals (The Amer. Geogr. Soc. New York 1952, 110 pp.).
- Scharfetter, R.: Biographien von Pflanzensippen. Springer Verlag, Wien (1953) xiii + 546 pp., 80 fig. (£ 2.19). Plant-genetic explanation of mostly northern temperate genera in the general frame of the hist. of veget.
- Schroeder, C.A.: Floral development, sporogenesis, and embryology in the development of the avocado, Persea americana (Laur.) (Bot. Gaz. 113, 1952, 270-278).
- Schultes, R.E.: Studies in the genus Hevea VII (Euph.) (Bot. Mus. Leafl. 16, 1953, 21-44, photos). Notes on the specimens of Hevea in the DeCandollean Herbarium at Geneva.
- Schulze, G.M.: Beiträge zur descriptiven Terminologie (Bot. Jahrb. 76, 1953, 109-133).
- Scrivenor, J.B.: Geological and geographical evidence for changes in sea-level during ancient Malayan history and late pre-history (J. Mal. Br. R. As. Soc. 22, 1949, 107-115).
- Sealy, J.R.: A review of the genus Hymenocallis (Amaryll.) (Kew Bull. 1954, 201-240).-- Revision; key.
- Setten, G.G.K.: A note on the growth and yield of Berus, Bruguiera cylindrica (L.) Bl. (syn. Bruguiera caryophylloides Bl.) in Selangor (Rhiz.) (Mal. For. 16, no 2, 1953, 74-87, graphs and photos).
- Shaw, H.K. Airy: Studies in the Ericales X. An undescribed Asiatic Gaultheria, with a key to the Sino-Himalayan species of section Leucothoides (Kew Bull. 1952, 171-174). Incl. also G. fragrantissima.
- - - - -: Notes on the taxonomic position of Nyctanthes L. and Dimetra Kerr (Kew Bull. 1952, 271-272). Both genera are proposed to belong to Verbenaceae as a separate new subfam. Nyctanthoideae.
- - - - -: New Malaysian species of Pentaphragma (Pentaphr.) (Kew Bull. 1953, 241-249). Descr. new spp.
- - - - -: Thymelaeaceae-Gonystyloideae (Fl. Mal. I, 4, 1953, 349-365, 6 fig.).
- Sheat, W.G.: Propagation of trees, shrubs and conifers. London, 1948. xii + 479 pp. (£ 1.5). Methods employed in commercial nurseries in England.

- Shen, Y.F.: Notes on the freshwater Algae of Mount A-11
(*Taiwania* 1, 1950, 347-357).
- & K.C. Fan: Marine Algae of Formosa (*Taiwania* 1, 1950, 317-347).
- Sherff, E.E.: Further notes on the genus *Tetraplasandra*
Sherff (Aral.) (*Bot. Leafl.* no 8, 1953, 1-13).
- Silva, B.L.T. de & M.S. Tambiah: A contribution to the life
history of *Cycas rumphii* Miq. (*Ceylon J. Sc. Sect.*
A. Bot. 12, 1952, 223-244).
Embryology; only ♀ plant occurs in Ceylon; ♂ plants
are extinct.
- Simmonds, N.W.: Classification of the bananas (Musac.) (Kew
Bull. 1953, 571-574, 1954).
M. erecta n.sp. (Solomons), *M. angustigemma* n.sp.
(N. New Guinea).
- Sinclair, J.: Notes on Siamese Annonaceae (Gard. Bull. Sing.
14, 1953, 40-44).
- : Notes in Indian and Burmese Annonaceae (*ibid.* 14,
1953, 45-48).
- Sirks, M.J.: Variability in the concept of species (*Acta
Biotheretica* 10, 1952, 11-22).
- Sleumer, H.: Ein System der Gattung Rhododendron (Eric.) (Bot.
Jahrb. 74, 1949, 511-554).
- : New Malaysian Flacourtiaceae (*Blumea* 7, 1954, 484-
497).
New spp. and a new genus.
- : *Flacourtiaceae* (*Fl. Mal.* I, 5, 1954, 1-106).
- Slooten, D.F. van: *Styliadiaceae* (*Fl. Mal.* I, 4, 1954, 529-
532, 5 fig.).
- Small, J.: The time scale of organic evolution (Irish Astron.
J. 2, 1952, 21-26).
Some stimulating remarks.
- Smith, A.C.: Notes on Fijian Euphorbiaceae (*J. Arn. Arb.* 33,
1952, 367-402).
- : Notes on Fijian Rubiaceae (*ibid.* 34, 1953, 97-
124).
Many novelties.
- : Studies of Pacific Island Plants XIV. Notes on the
Fijian species of *Cyrtandra* (Gesn.) (*ibid.* 34, 1953,
37-51).
Many new spp.

- Smith, L.S.: Opistholepis, a new genus of Proteaceae from Queensland (Proc. R. Soc. Queensl. 62, 1953, 79-81, 1 pl.).
- Smith-White, S.: Cytological studies in the Myrtaceae III. Chamaelaucoideae (Proc. Linn. Soc. N.S.W. 75, 1950, 99-121).
- Soriano, J.D. & G.T. Velasquez: Studies on the Myxophyceae of Manila and vicinity (Nat. & Appl. Sc. Bull. Philip.) 12, 1952, 3-93, 4 pl.).
- Stebbins Jr, G.L.: A new classification of the tribe Cichorieae (Comp.) (Madrono 12, 1953, 65-89).
- Steenis, C.G.G.J. van: On the hierarchy of environmental factors in plant ecology (Proc. 7th Int. Bot. Congr. Stockholm 1950, 657-644).
- - - - -: Proposal to conserve the generic name Nothofagus Blume (Fagac.) (Taxon 2, 1953, 177).
- - - - -: Miscellaneous botanical notes V (Acta Bot. Neerl. 2, 1953, 298-307).
- - - - -: Papuan Nothofagus (Fagac.) (J. Arn. Arb. 34, 1953, 301-374).
- - - - -: Proposals no 24-26 Int. Bot. Congr. (Taxon 2, 1953, 114-115).
- - - - -: In memoriam Dirk Fok van Slooten (1891-1953) (De Trop. Natuur 33, 1953, 75).
- - - - -: Droseraceae (Fl. Mal. I, 4, 1953; 377-381, 7 fig.).
- - - - -: Datiscaceae (Fl. Mal. I, 4, 1953, 382-387, 6 fig.).
- - - - -: Homo destruens. Inaugural address. Leiden, 1954. 24 pp.
- - - - -: Patrick Browne's generic names (Taxon 3, 1954, 135).
- - - - -: Dr D.F. van Slooten. In Memoriam (Reinwardtia 2, 1954, 367-372).
- - - - -: Vegetatie en Flora (in Klein, Nieuw Guinea 2, 1954, 213-275).
- - - - -: Dedication (Fl. Mal. I, 4, 1954, 6-13).
- - - - -: Keys for identifying Malaysian plants (Fl. Mal. I, 4, 1954, p. clxii).
- - - - -: Stylidium pedunculatum (Fl. Mal. I, 4, 1954, 532).
- - - - -: Addenda, corrigenda et emendanda (Fl. Mal. I, 4, 1954, 591-599).

- - - - -: A small-scale map of Malaysia (8th Int. Bot. Congr. Paris sect. 7-8, 1954, 121-123).
- - - - -: Redaction of Floras (8th Int. Bot. Congr. Paris sect. 2-6, 1954, 59-66).
- - - - -: Additional note on Nothofagus (Fagac.) (J. Arn. Arb. 35, 1954, 266-267, 1 fig.).
- - - - -: Haemodoraceae, Papaveraceae, Eutomaceae (Fl. Mal. I, 5, 1954, 111-120, 4 fig.).
- - - - -: Miscellaneous botanical notes VI (Blumea 7, 1954, 595-598).
- - - - -: Pandanus in Malaysia (Pandan.) (Fl. Mal. 2, compl. repr. 1954, pp. 1-12, fig. 1-9).
- - - - -, M.J. van Steenis-Kruseman & C.A. Backer: Louis Auguste Deschamps (Bull. Brit. Mus. Nat. Hist., hist. ser. 1, 1954, 51-68, pl. 13).
- Steenis-Kruseman, M.J. van: Select Indonesian medicinal plants (Organ. Sc. Res. Indon. Bull. no 18, 1954, 1-90).
- - - - -: Index to scientific plant names (Fl. Mal. I, 4, 1954, 601-631).
- - - - -: Numerical list of the collections of Haviland in Borneo. Mimeograph (1954) 141 pp.
- - - - - & W.T. Stearn: Dates of Publication (Fl. Mal. I, 4, 1954, clxiii-ccxix).
- Stern, F.C.: Cytology and horticulture (J. Roy. Hort. Soc. 77, 1952, 433-443).
- Steyaert, R.L.: Etude sur les rapports entre les genres Uittienia, Dansera et Dialium (Leg.) (Reinwardtia 2, 1953, 351-355).
Dansera and Uittienia are made into subgenera of Dialium.
- Stonor, C.R.: Rhododendrons in New Guinea (Eric.) (The Rhododendron Yearbook 6, 1951-2, 48-51, fig.).
Popular; on some Rhodos found by the author.
- Suessenguth, K.: Ueber den derzeitigen Stand der Angiospermen-Systematik (Naturwiss. Rundschau 1952, 367-372).
- - - - -: Notizen über neue und seltene Amaranthaceae (Mitt. Bot. Staatssammlung. München Heft 6, 1953, 184-194).
Psilotrichum malaccense n.sp.

- - - - -: Rhamnaceae (in Nat. Pfl. Fam. ed. 2, 20d, 1953, 1-175).
- - - - -: Vitaceae, Leeaceae (in Nat. Pfl. Fam. ed. 2, 20d, 1953, 174-391).
- Tardieu-Blot, M.: Sur le genre Isoloma J.Sm. et l'Isoloma lanuginosum J.Sm. (Filypod.) (Not. Syst. 14, 1952, 330-332).
- Thomas, A.V.: Malayan Timbers (Mal. For. 16, no 2, 1953, 103-108).
- Tobler, Fr.: Die Verwertung der Fasern von Stämmen der essbaren Bananen (Materiae Veget. 1, 1952, 113-118).
- Tournay, R. & A. Lawalrée: Une classification nouvelle des familles appartenant aux ordres des Ligustrales et de Conforées (Bull. Soc. Bot. Fr. 99, 1952, 262-263).
Buddleiaceae and Menyanthaceae are inserted in Ligustrales on the basis of aestivation, collateral or bicollateral vessels & embryonal structure.
Loganiaceae are wrongly designated lignose and are said to have stipules which seems to me very questionable.
- Trochain, J.: Réhabilitation de la famille des Nipaceae voisine de celle des Palmae (Rev. Int. Bot. Appl. Agric. Trop. 31, 1951, 525-527, 1952).
- Troll, W.: Ueber den Inflorescenz-Begriff und seine Anwendung auf die blühende Region krautiger Pflanzen (Akad. Wiss. Mainz, Abh. Math. Naturw. Kl. 1950, no 15, 377-415).
- - - - - & B. Heidenhain: Beiträge zur Kenntnis racemöser Inflorescenzformen (Akad. Wiss. Mainz Abh. Naturw. Kl. 1950, no 15, 142-213, 63 fig.).
- Turmel, J.M.: Répartition géographique Eryngium. I. Ancien monde (Umbell.) (Bull. Mus. Hist. Nat. Paris II, 20, 1948, 395-401, map).
- Turrill, W.B.: Wild and cultivated olives (Oleac.) (Kew Bull. 1951, 437-442, 1952, 3 pi.).
- Velasquez, G.T.: The thermal Algae of the Philippines (Nat. & Appl. Sc. Bull. (Philip.) 12, 1952, 157-147).
- Verstappen, H.Th.: Luchtfotostudie over het Centrale Bergland van Nederlands Nieuw Guinea II (Tijdschr. Kon. Ned. Aardr. Gen. 69, 1952, 425-431).
Geomorphological studies of the Main Range E. of the Balim to the Maan Mts.

- Vickery, J.W.: Pseudoraphis spinescens (R.Br.) n.comb. and some records of New South Wales grasses (Proc. R. Soc. Queensl. 62, 1952, 69-72).
- Vogel, A.A.: Papuans and pygmies. Translated from the Swedish 160 pp. Illustrated popular account, mostly ethnographic of an expedition member to the highlands of Papua.
- Volk, O.H.: Zur Kenntnis der Pollinien der Asclepiadaceen (Ber. Deut. Bot. Ges. 62, 1950, 68-72).
- Wagenaar, G.A.W., J.C. van Schouwenburg & H. Siregar: Semi-sterility of rice hybrids in Indonesia in relation to the indica-japonica problem (J. Sc. Res. Indon. 1, 1952, 224). Abstract only.
- Wakefield, E.M. & C.G. Hansford: Contributions towards the Fungus flora of Uganda. IX. The Uredinales of Uganda (Proc. Linn. Soc. Lond. 161, pt 2, 1948-49, 162-199).
- Walandouw, P.H.: Grassland in Indonesia (J. Sc. Res. Indon. 1, 1952, 201-212). General; with list of species.
- Walker, E.H.: A botanical mission to Okinawa and the Southern Ryukyus (Asa Gray Bull. II, 1, 1952, 225-244).
- Weber, F. & I. Thaler: Stomaten Zahl der Hochblätter von "Poinsettia" (Euph.) (Oesterr. Bot. Z. 99, 1952, 452-454, 1 fig.).
- Wilbur, R.L.: A synopsis of Jatropha, subsection Eucurcas, with the description of a new species from Mexico (J. Elisha Mitchell Sc. Soc. 70, 1954, 92-101).
- Wilde, Mary Hitchcock & A.J. Eames: The ovule and "seed" of Araucaria bidwilli with discussion of the taxonomy of the genus. II. Taxonomy (Conif.) (Ann. Bot. 16, 1952, 27-47, pl. 2, 3).
- Williams, L.O.: Beans, maize and civilisation (Ceiba 3, 1952, 77-85). History of S. American civilisations.
- Willis, J.L.: The anatomy of the operculum in the genus Eucalyptus. I. The occurrence of petals in Euc. gunniiifera (Gaertn.) Hochr. (J. Linn. Soc. N.S.W. 76, 1951, 31-35, 2 fig.) (Myrt.) Petals minute, fusing into inner corolline operculum; outer operculum possibly calycine.

- Wimmer, E.: Campanulaceae - Lobelioideae (Pflanzenreich Heft 107, 1953, viii + 814).
- Wit, H.C.D. de: In memory of G.E. Rumphius (1702-1952) (Taxon 1, 1952, 101-110).
- - - - -: Cryptocoryne beckettii Thwaites ex Trimen (Arac.) (Aquarium 23, 1952, 2 pp.).
- - - - -: Rumphius herdacht (1702-1952) (Indon. J. Nat. Sc. 108, 1952, 161-172).
- - - - -: Dialium (Blumea 7, 1953, 320-321) (Leg.) (Blumea 7, 1953, 320-321).
Precursory to revision; descr. new spp.
- - - - -: Spicilegium malaianum II (Leg.) (Webbia 9, 1954, 455-464, 1 fig.).
Archidendron; Copaifera.
- Witkamp, H.: Ons bivak op de Gunung Pandung (W.Borneo) (Trop. Natuur 33, 1953, 10-20, map, 2 photos).
Account of (former) trip to Sambas country E. of Pontianak.
- Womersley, J.S.: A brief history of botanical exploration of Papua and New Guinea (The Papua & New Guinea Gaz. 8, no 2, Oct. 1953, 32-39).
- - - - -: Notes on the collecting of botanical specimens (The Papua & New Guinea Gaz. 8, no 2, Oct. 1953, 62-65, 5 fig.).
- Woodcock, H.B.D. & W.T. Stearn: Lilies of the World. London, 1950, 1-431, fig. 1-152.
Contains also L. philippinense.
- Woodson, R.E.: Gynandropsis, Cleome and Podandrogyne (Capp.) (Ann. Missouri Bot. Gard. 35, 1948, 139-146).
- - - - -: An interim revision of the genus Aspidosperma Mart. & Zucc. (Apoc.) (Ann. Missouri Bot. Gard. 38, 1951, 779-205).
- - - - -: The North American species of Asclepias L. (Ann. Missouri Bot. Gard. 41, 1954, 1-211, 261, 114 fig.).
Full descr.; keys; maps; infrageneric taxa.
- Wyatt-Smith, J.: Materials for a revision of Malayan Durio with notes on Bornean species (Bombac.) (Kew Bull. 1953, 513-532, 1954).
Some new comb.; valuable notes; key to Malayan spp.

- - - - - : Manual of Malayan Timber Trees. Burseraceae
(Research Pamphlet For. Res. Inst. Malaya no 1,
Nov. 1953, 1-33, 6 pl.).
- - - - - : Manual of Malayan Timber Trees. Leguminosae
(ibid. no 2, Nov. 1953, 1-74, 11 pl.).
- - - - - : Manual of Malayan Timber Trees. Myristicaceae
(ibid. no 3, Nov. 1953, 1-25, 4 pl.).
- - - - - : Manual of Malayan Timber Trees. Sapotaceae
(ibid. no 4, March 1954, 1-56, 7 pl.).
- - - - - : Manual of Malayan Timber Trees. Lauraceae
(ibid. no 5, March 1954, 1-63, 13 pl.).
- Yamazaki, T.: Critical notes on some Scrophulariaceae from Indo-China (J. Jap. Bot. 28, 1953, 33-43).
On Artanema, Vandellia, etc.
- Yang, Bao-Yu: Pollen grain morphology in the Ericaceae (Quart. J. Taiwan Mus. 5, 1952, 1-24).
- Youngman, Barbara J.: Germination of old seeds (Kew Bull. 1951, 423-426, 1952).
Seeds of Legum. retain germination power a long time, e.g. Nelumbo.
- Zaneveld, J.S.: The economic marine Algae of Malaysia and their applications II. Phaeophyta (Proc. Indo-Pacific Fish. Council sect. 2, 1951, 5 pp.).
- Zohary, M.: The arboreal flora of Israel and Transjordan. 59 pp, map. Imp. For. Inst. Oxford Inst. paper no 26 (1951).